



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C07H 21/04, C07K 1/00, 14/00, C12N 1/21, 15/00, 15/09, 15/63, 15/70, C12P 19/34	A1	(11) International Publication Number: WO 00/52027 (43) International Publication Date: 8 September 2000 (08.09.00)
(21) International Application Number: PCT/US00/05432 (22) International Filing Date: 2 March 2000 (02.03.00) (30) Priority Data: 60/122,389 2 March 1999 (02.03.99) US 60/126,049 23 March 1999 (23.03.99) US 60/136,744 28 May 1999 (28.05.99) US (71) Applicant: LIFE TECHNOLOGIES, INC. [US/US]; 9800 Medical Center Drive, Rockville, MD 20850 (US). (72) Inventors: HARTLEY, James, L.; 7409 Hillside Drive, Frederick, MD 21702 (US). BRASCH, Michael, A.; 20931 Sunnycres Road, Gaithersburg, MD 20882 (US). TEMPLE, Gary, F.; 114 Ridge Road, Washington Grove, MD 20882 (US). CHEO, David; 2006 Baltimore Road, #21, Rockville, MD 20851 (US). (74) Agents: ESMOND, Robert, W. et al.; Sterne, Kessler, Goldstein & Fox P.L.L.C., Suite 600, 1100 New York Avenue, N.W., Washington, DC 20005-3934 (US).	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>With an indication in relation to deposited biological material furnished under Rule 13bis separately from the description.</i>	
(54) Title: COMPOSITIONS AND METHODS FOR USE IN RECOMBINATIONAL CLONING OF NUCLEIC ACIDS		
(57) Abstract		
<p>The present invention relates generally to compositions and methods for use in recombinational cloning of nucleic acid molecules. In particular, the invention relates to nucleic acid molecules encoding one or more recombination sites or portions thereof, to nucleic acid molecules comprising one or more of these recombination site nucleotide sequences and optionally comprising one or more additional physical or functional nucleotide sequences. The invention also relates to vectors comprising the nucleic acid molecules of the invention, to host cells comprising the vectors or nucleic acid molecules of the invention, to methods of producing polypeptides using the nucleic acid molecules of the invention, and to polypeptides encoded by these nucleic acid molecules or produced by the methods of the invention. The invention also relates to antibodies that bind to one or more polypeptides of the invention or epitopes thereof. The invention also relates to the use of these compositions in methods for recombinational cloning of nucleic acids, <i>in vitro</i> and <i>in vivo</i>, to provide chimeric DNA molecules that have particular characteristics and/or DNA segments.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Compositions and Methods for Use in Recombinational Cloning of Nucleic Acids

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates generally to recombinant DNA technology. More particularly, the present invention relates to compositions and methods for use in recombinational cloning of nucleic acid molecules. The invention relates specifically to nucleic acid molecules encoding one or more recombination sites or one or more partial recombination sites, particularly *attB*, *attP*, *attL*, and *attR*, and fragments, mutants, variants and derivatives thereof. The invention also relates to such nucleic acid molecules wherein the one or more recombination site nucleotide sequences is operably linked to the one or more additional physical or functional nucleotide sequences. The invention also relates to vectors comprising the nucleic acid molecules of the invention, to host cells comprising the vectors or nucleic acid molecules of the invention, to methods of producing polypeptides and RNAs encoded by the nucleic acid molecules of the invention, and to polypeptides encoded by these nucleic acid molecules or produced by the methods of the invention, which may be fusion proteins. The invention also relates to antibodies that bind to one or more polypeptides of the invention or epitopes thereof, which may be monoclonal or polyclonal antibodies. The invention also relates to the use of these nucleic acid molecules, vectors, polypeptides and antibodies in methods for recombinational cloning of nucleic acids, *in vitro* and *in vivo*, to provide chimeric DNA molecules that have particular characteristics and/or DNA segments. More particularly, the antibodies of the invention may be used to identify and/or purify proteins or fusion proteins encoded by the nucleic acid molecules or vectors of the invention, or to identify and/or purify the nucleic acid molecules of the invention.

Related Art

Site-specific recombinases. Site-specific recombinases are proteins that are present in many organisms (e.g. viruses and bacteria) and have been characterized to have both endonuclease and ligase properties. These recombinases (along with associated proteins in some cases) recognize specific sequences of bases in DNA and exchange the DNA segments flanking those segments. The recombinases and associated proteins are collectively referred to as "recombination proteins" (see, e.g., Landy, A., *Current Opinion in Biotechnology* 3:699-707 (1993)).

Numerous recombination systems from various organisms have been described. See, e.g., Hoess *et al.*, *Nucleic Acids Research* 14(6):2287 (1986); Abremski *et al.*, *J. Biol. Chem.* 261(1):391 (1986); Campbell, *J. Bacteriol.* 174(23):7495 (1992); Qian *et al.*, *J. Biol. Chem.* 267(11):7794 (1992); Araki *et al.*, *J. Mol. Biol.* 225(1):25 (1992); Maeser and Kahnmann *Mol. Gen. Genet.* 230:170-176 (1991); Esposito *et al.*, *Nucl. Acids Res.* 25(18):3605 (1997).

Many of these belong to the integrase family of recombinases (Argos *et al.* *EMBO J.* 5:433-440 (1986); Voziyanov *et al.*, *Nucl. Acids Res.* 27:930 (1999)). Perhaps the best studied of these are the Integrase/*att* system from bacteriophage λ (Landy, A. *Current Opinions in Genetics and Devel.* 3:699-707 (1993)), the Cre/*loxP* system from bacteriophage P1 (Hoess and Abremski (1990) In *Nucleic Acids and Molecular Biology*, vol. 4. Eds.: Eckstein and Lilley, Berlin-Heidelberg: Springer-Verlag; pp. 90-109), and the FLP/FRT system from the *Saccharomyces cerevisiae* 2 μ circle plasmid (Broach *et al.* *Cell* 29:227-234 (1982)).

Backman (U.S. Patent No. 4,673,640) discloses the *in vivo* use of λ recombinase to recombine a protein producing DNA segment by enzymatic site-specific recombination using wild-type recombination sites *attB* and *attP*.

Hasan and Szybalski (*Gene* 56:145-151 (1987)) discloses the use of λ Int recombinase *in vivo* for intramolecular recombination between wild type *attP* and *attB* sites which flank a promoter. Because the orientations of these sites are

inverted relative to each other, this causes an irreversible flipping of the promoter region relative to the gene of interest.

Palazzolo *et al.* *Gene* 88:25-36 (1990), discloses phage lambda vectors having bacteriophage λ arms that contain restriction sites positioned outside a cloned DNA sequence and between wild-type *loxP* sites. Infection of *E. coli* cells that express the Cre recombinase with these phage vectors results in recombination between the *loxP* sites and the *in vivo* excision of the plasmid replicon, including the cloned cDNA.

Pósfai *et al.* (*Nucl. Acids Res.* 22:2392-2398 (1994)) discloses a method for inserting into genomic DNA partial expression vectors having a selectable marker, flanked by two wild-type FRT recognition sequences. FLP site-specific recombinase as present in the cells is used to integrate the vectors into the genome at predetermined sites. Under conditions where the replicon is functional, this cloned genomic DNA can be amplified.

Bebee *et al.* (U.S. Patent No. 5,434,066) discloses the use of site-specific recombinases such as Cre for DNA containing two *loxP* sites for *in vivo* recombination between the sites.

Boyd (*Nucl. Acids Res.* 21:817-821 (1993)) discloses a method to facilitate the cloning of blunt-ended DNA using conditions that encourage intermolecular ligation to a dephosphorylated vector that contains a wild-type *loxP* site acted upon by a Cre site-specific recombinase present in *E. coli* host cells.

Waterhouse *et al.* (WO 93/19172 and *Nucleic Acids Res.* 21 (9):2265 (1993)) disclose an *in vivo* method where light and heavy chains of a particular antibody were cloned in different phage vectors between *loxP* and *loxP 511* sites and used to transfect new *E. coli* cells. Cre, acting in the host cells on the two parental molecules (one plasmid, one phage), produced four products in equilibrium: two different cointegrates (produced by recombination at either *loxP* or *loxP 511* sites), and two daughter molecules, one of which was the desired product.

Schlake & Bode (*Biochemistry* 33:12746-12751 (1994)) discloses an *in vivo* method to exchange expression cassettes at defined chromosomal locations, each flanked by a wild type and a spacer-mutated FRT recombination site. A

double-reciprocal crossover was mediated in cultured mammalian cells by using this FLP/FRT system for site-specific recombination.

Hartley *et al.* (U.S. Patent No. 5,888,732) disclose compositions and methods for recombinational exchange of nucleic acid segments and molecules, including for use in recombinational cloning of a variety of nucleic acid molecules *in vitro* and *in vivo*, using a combination of wildtype and mutated recombination sites and recombination proteins.

Transposases. The family of enzymes, the transposases, has also been used to transfer genetic information between replicons. Transposons are structurally variable, being described as simple or compound, but typically encode the recombinase gene flanked by DNA sequences organized in inverted orientations. Integration of transposons can be random or highly specific. Representatives such as Tn7, which are highly site-specific, have been applied to the *in vivo* movement of DNA segments between replicons (Lucklow *et al.*, *J. Virol.* 67:4566-4579 (1993)).

Devine and Boeke *Nucl. Acids Res.* 22:3765-3772 (1994), discloses the construction of artificial transposons for the insertion of DNA segments, *in vitro*, into recipient DNA molecules. The system makes use of the integrase of yeast TY1 virus-like particles. The DNA segment of interest is cloned, using standard methods, between the ends of the transposon-like element TY1. In the presence of the TY1 integrase, the resulting element integrates randomly into a second target DNA molecule.

Recombination Sites. Also key to the integration/recombination reactions mediated by the above-noted recombination proteins and/or transposases are recognition sequences, often termed "recombination sites," on the DNA molecules participating in the integration/recombination reactions. These recombination sites are discrete sections or segments of DNA on the participating nucleic acid molecules that are recognized and bound by the recombination proteins during the initial stages of integration or recombination. For example, the recombination site for Cre recombinase is *loxP* which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as the recombinase binding sites) flanking an 8 base pair core sequence. See Figure 1 of Sauer, B., *Curr. Opin. Biotech.*

5:521-527 (1994). Other examples of recognition sequences include the *attB*,
attP, *attL*, and *attR* sequences which are recognized by the recombination protein
 λ Int. *attB* is an approximately 25 base pair sequence containing two 9 base pair
core-type Int binding sites and a 7 base pair overlap region, while *attP* is an
5 approximately 240 base pair sequence containing core-type Int binding sites and
arm-type Int binding sites as well as sites for auxiliary proteins integration host
factor (IHF), FIS and excisionase (Xis). See Landy, *Curr. Opin. Biotech.*
3:699-707 (1993); see also U.S. Patent No. 5,888,732, which is incorporated by
reference herein.

10 **DNA cloning.** The cloning of DNA segments currently occurs as a daily
routine in many research labs and as a prerequisite step in many genetic analyses.
The purpose of these clonings is various, however, two general purposes can be
considered: (1) the initial cloning of DNA from large DNA or RNA segments
(chromosomes, YACs, PCR fragments, mRNA, etc.), done in a relative handful
15 of known vectors such as pUC, pGem, pBlueScript, and (2) the subcloning of
these DNA segments into specialized vectors for functional analysis. A great deal
of time and effort is expended both in the transfer of DNA segments from the
initial cloning vectors to the more specialized vectors. This transfer is called
subcloning.

20 The basic methods for cloning have been known for many years and have
changed little during that time. A typical cloning protocol is as follows:

- (1) digest the DNA of interest with one or two restriction enzymes;
- (2) gel purify the DNA segment of interest when known;
- (3) prepare the vector by cutting with appropriate restriction
25 enzymes, treating with alkaline phosphatase, gel purify etc., as
appropriate;
- (4) ligate the DNA segment to the vector, with appropriate
controls to eliminate background of uncut and self-ligated vector;
- (5) introduce the resulting vector into an *E. coli* host cell;
- 30 (6) pick selected colonies and grow small cultures overnight;
- (7) make DNA minipreps; and

(8) analyze the isolated plasmid on agarose gels (often after diagnostic restriction enzyme digestions) or by PCR.

The specialized vectors used for subcloning DNA segments are functionally diverse. These include but are not limited to: vectors for expressing nucleic acid molecules in various organisms; for regulating nucleic acid molecule expression; for providing tags to aid in protein purification or to allow tracking of proteins in cells; for modifying the cloned DNA segment (*e.g.*, generating deletions); for the synthesis of probes (*e.g.*, riboprobes); for the preparation of templates for DNA sequencing; for the identification of protein coding regions; for the fusion of various protein-coding regions; to provide large amounts of the DNA of interest, *etc.* It is common that a particular investigation will involve subcloning the DNA segment of interest into several different specialized vectors.

As known in the art, simple subclonings can be done in one day (*e.g.*, the DNA segment is not large and the restriction sites are compatible with those of the subcloning vector). However, many other subclonings can take several weeks, especially those involving unknown sequences, long fragments, toxic genes, unsuitable placement of restriction sites, high backgrounds, impure enzymes, *etc.* Subcloning DNA fragments is thus often viewed as a chore to be done as few times as possible.

Several methods for facilitating the cloning of DNA segments have been described, *e.g.*, as in the following references.

Ferguson, J., *et al. Gene* 16:191 (1981), discloses a family of vectors for subcloning fragments of yeast DNA. The vectors encode kanamycin resistance. Clones of longer yeast DNA segments can be partially digested and ligated into the subcloning vectors. If the original cloning vector conveys resistance to ampicillin, no purification is necessary prior to transformation, since the selection will be for kanamycin.

Hashimoto-Gotoh, T., *et al. Gene* 41:125 (1986), discloses a subcloning vector with unique cloning sites within a streptomycin sensitivity gene; in a streptomycin-resistant host, only plasmids with inserts or deletions in the dominant sensitivity gene will survive streptomycin selection.

Accordingly, traditional subcloning methods, using restriction enzymes and ligase, are time consuming and relatively unreliable. Considerable labor is expended, and if two or more days later the desired subclone can not be found among the candidate plasmids, the entire process must then be repeated with alternative conditions attempted. Although site specific recombinases have been used to recombine DNA *in vivo*, the successful use of such enzymes *in vitro* was expected to suffer from several problems. For example, the site specificities and efficiencies were expected to differ *in vitro*; topologically linked products were expected; and the topology of the DNA substrates and recombination proteins was expected to differ significantly *in vitro* (see, e.g., Adams *et al*, *J. Mol. Biol.* 226:661-73 (1992)). Reactions that could go on for many hours *in vivo* were expected to occur in significantly less time *in vitro* before the enzymes became inactive. In addition, the stabilities of the recombination enzymes after incubation for extended periods of time in *in vitro* reactions was unknown, as were the effects of the topologies (*i.e.*, linear, coiled, supercoiled, etc.) of the nucleic acid molecules involved in the reaction. Multiple DNA recombination products were expected in the biological host used, resulting in unsatisfactory reliability, specificity or efficiency of subcloning. Thus, *in vitro* recombination reactions were not expected to be sufficiently efficient to yield the desired levels of product.

Accordingly, there is a long felt need to provide an alternative subcloning system that provides advantages over the known use of restriction enzymes and ligases.

SUMMARY OF THE INVENTION

The present invention relates to nucleic acid molecules encoding one or more recombination sites or one or more partial recombination sites, particularly *attB*, *attP*, *attL*, and *attR*, and fragments, mutants, variants and derivatives thereof. The invention also relates to such nucleic acid molecules comprising one or more of the recombination site nucleotide sequences or portions thereof and one or more additional physical or functional nucleotide sequences, such as those

encoding one or more multiple cloning sites, one or more transcription termination sites, one or more transcriptional regulatory sequences (*e.g.*, one or more promoters, enhancers, or repressors), one or more translational signal sequences, one or more nucleotide sequences encoding a fusion partner protein or peptide (*e.g.*, GST, His₆ or thioredoxin), one or more selection markers or modules, one or more nucleotide sequences encoding localization signals such as nuclear localization signals or secretion signals, one or more origins of replication, one or more protease cleavage sites, one or more desired proteins or peptides encoded by a gene or a portion of a gene, and one or more 5' or 3' polynucleotide tails (particularly a poly-G tail). The invention also relates to such nucleic acid molecules wherein the one or more recombination site nucleotide sequences is operably linked to the one or more additional physical or functional nucleotide sequences.

The invention also relates to primer nucleic acid molecules comprising the recombination site nucleotide sequences of the invention (or portions thereof), and to such primer nucleic acid molecules linked to one or more target-specific (*e.g.*, one or more gene-specific) primer nucleic acid sequences. Such primers may also comprise sequences complementary or homologous to DNA or RNA sequences to be amplified, *e.g.*, by PCR, RT-PCR, etc. Such primers may also comprise sequences or portions of sequences useful in the expression of protein genes (ribosome binding sites, localization signals, protease cleavage sites, repressor binding sites, promoters, transcription stops, stop codons, etc.). Said primers may also comprise sequences or portions of sequences useful in the manipulation of DNA molecules (restriction sites, transposition sites, sequencing primers, etc.). The primers of the invention may be used in nucleic acid synthesis and preferably are used for amplification (*e.g.*, PCR) of nucleic acid molecules. When the primers of the invention include target- or gene-specific sequences (any sequence contained within the target to be synthesized or amplified including translation signals, gene sequences, stop codons, transcriptional signals (*e.g.*, promoters) and the like), amplification or synthesis of target sequences or genes may be accomplished. Thus, the invention relates to synthesis of a nucleic acid molecules comprising mixing one or more primers of the invention with a nucleic acid

template, and incubating said mixture under conditions sufficient to make a first nucleic acid molecule complementary to all or a portion of said template. Thus, the invention relates specifically to a method of synthesizing a nucleic acid molecule comprising:

- (a) mixing a nucleic acid template with a polypeptide having polymerase activity and one or more primers comprising one or more recombination sites or portions thereof; and
- (b) incubating said mixture under conditions sufficient to synthesize a first nucleic acid molecule complementary to all or a portion of said template and which preferably comprises one or more recombination sites or portions thereof.

Such method of the invention may further comprise incubating said first synthesized nucleic acid molecule under conditions sufficient to synthesize a second nucleic acid molecule complementary to all or a portion of said first nucleic acid molecule. Such synthesis may provide for a first nucleic acid molecule having a recombination site or portion thereof at one or both of its termini.

In a preferred aspect, for the synthesis of the nucleic acid molecules, at least two primers are used wherein each primer comprises a homologous sequence at its terminus and/or within internal sequences of each primer (which may have a homology length of about 2 to about 500 bases, preferably about 3 to about 100 bases, about 4 to about 50 bases, about 5 to about 25 bases and most preferably about 6 to about 18 base overlap). In a preferred aspect, the first such primer comprises at least one target-specific sequence and at least one recombination site or portion thereof while the second primer comprises at least one recombination site or portion thereof. Preferably, the homologous regions between the first and second primers comprise at least a portion of the recombination site. In another aspect, the homologous regions between the first and second primers may comprise one or more additional sequences, *e.g.*, expression signals, translational start motifs, or other sequences adding functionality to the desired nucleic acid sequence upon amplification. In practice, two pairs of primers prime synthesis or amplification of a nucleic acid molecule. In a preferred aspect, all or at least a portion of the synthesized or amplified nucleic acid molecule will be homologous

to all or a portion of the template and further comprises a recombination site or a portion thereof at at least one terminus and preferably both termini of the synthesized or amplified molecule. Such synthesized or amplified nucleic acid molecule may be double stranded or single stranded and may be used in the recombination cloning methods of the invention. The homologous primers of the invention provide a substantial advantage in that one set of the primers may be standardized for any synthesis or amplification reaction. That is, the primers providing the recombination site sequences (without the target specific sequences) can be pre-made and readily available for use. This in practice allows the use of shorter custom made primers that contain the target specific sequence needed to synthesize or amplify the desired nucleic acid molecule. Thus, this provides reduced time and cost in preparing target specific primers (e.g., shorter primers containing the target specific sequences can be prepared and used in synthesis reactions). The standardized primers, on the other hand, may be produced in mass to reduce cost and can be readily provided (e.g., in kits or as a product) to facilitate synthesis of the desired nucleic acid molecules.

Thus, in one preferred aspect, the invention relates to a method of synthesizing or amplifying one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template specific sequence (complementary to or capable of hybridizing to said templates) and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said second primer is homologous to or complementary to at least a portion of said first primer; and
- (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one and preferably both termini of said molecules.

More specifically, the invention relates to a method of synthesizing or amplifying one or more nucleic acid molecules comprising:

- 5 (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template specific sequence (complementary to or capable of hybridizing to said templates) and at least a portion of a recombination site, and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said recombination site on said second primer is complementary to or homologous to at least a portion of said recombination site on said first primer; and
- 10 (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one and preferably both
- 15 termini of said molecules.

In a more preferred aspect, the invention relates to a method of amplifying or synthesizing one or more nucleic acid molecules comprising:

- 20 (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and one or more first primers comprising at least a portion of a recombination site and a template specific sequence (complementary to or capable of hybridizing to said template);
- 25 (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more first nucleic acid molecules complementary to all or a portion of said templates wherein said molecules comprise at least a portion of a recombination site at one and preferably both termini of said molecules;
- 30 (c) mixing said molecules with one or more second primers comprising one or more recombination sites, wherein said recombination sites of said second primers are homologous to or

complementary to at least a portion of said recombination sites on said first nucleic acid molecules; and

- (d) incubating said mixture under conditions sufficient to synthesize or amplify one or more second nucleic acid molecules complementary to all or a portion of said first nucleic acid molecules and which comprise one or more recombination sites at one and preferably both termini of said molecules.

The invention also relates to vectors comprising the nucleic acid molecules of the invention, to host cells comprising the vectors or nucleic acid molecules of the invention, to methods of producing polypeptides encoded by the nucleic acid molecules of the invention, and to polypeptides encoded by these nucleic acid molecules or produced by the methods of the invention, which may be fusion proteins. The invention also relates to antibodies that bind to one or more polypeptides of the invention or epitopes thereof, which may be monoclonal or polyclonal antibodies. The invention also relates to the use of these nucleic acid molecules, primers, vectors, polypeptides and antibodies in methods for recombinational cloning of nucleic acids, *in vitro* and *in vivo*, to provide chimeric DNA molecules that have particular characteristics and/or DNA segments.

The antibodies of the invention may have particular use to identify and/or purify peptides or proteins (including fusion proteins produced by the invention), and to identify and/or purify the nucleic acid molecules of the invention or portions thereof.

The methods for *in vitro* or *in vivo* recombinational cloning of nucleic acid molecule generally relate to recombination between at least a first nucleic acid molecule having at least one recombination site and a second nucleic acid molecule having at least one recombination site to provide a chimeric nucleic acid molecule. In one aspect, the methods relate to recombination between a first vector having at least one recombination site and a second vector having at least one recombination site to provide a chimeric vector. In another aspect, a nucleic acid molecule having at least one recombination site is combined with a vector having at least one recombination site to provide a chimeric vector. In a most preferred aspect, the nucleic acid molecules or vectors used in recombination

comprise two or more recombination sites. In a more specific embodiment of the invention, the recombination methods relate to a Destination Reaction (also referred to herein as an "LR reaction") in which recombination occurs between an Entry clone and a Destination Vector. Such a reaction transfers the nucleic acid molecule of interest from the Entry Clone into the Destination Vector to create an Expression Clone. The methods of the invention also specifically relate to an Entry or Gateward reaction (also referred to herein as a "BP reaction") in which an Expression Clone is recombined with a Donor vector to produce an Entry clone. In other aspects, the invention relates to methods to prepare Entry clones by combining an Entry vector with at least one nucleic acid molecule (e.g., gene or portion of a gene). The invention also relates to conversion of a desired vector into a Destination Vector by including one or more (preferably at least two) recombination sites in the vector of interest. In a more preferred aspect, a nucleic acid molecule (e.g., a cassette) having at least two recombination sites flanking a selectable marker (e.g., a toxic gene or a genetic element preventing the survival of a host cell containing that gene or element, and/or preventing replication, partition or heritability of a nucleic acid molecule (e.g., a vector or plasmid) comprising that gene or element) is added to the vector to make a Destination Vector of the invention.

Preferred vectors for use in the invention include prokaryotic vectors, eukaryotic vectors, or vectors which may shuttle between various prokaryotic and/or eukaryotic systems (e.g. shuttle vectors). Preferred prokaryotic vectors for use in the invention include but are not limited to vectors which may propagate and/or replicate in gram negative and/or gram positive bacteria, including bacteria of the genera *Escherichia*, *Salmonella*, *Proteus*, *Clostridium*, *Klebsiella*, *Bacillus*, *Streptomyces*, and *Pseudomonas* and preferably in the species *E. coli*. Eukaryotic vectors for use in the invention include vectors which propagate and/or replicate and yeast cells, plant cells, mammalian cells, (particularly human and mouse), fungal cells, insect cells, nematode cells, fish cells and the like. Particular vectors of interest include but are not limited to cloning vectors, sequencing vectors, expression vectors, fusion vectors, two-hybrid vectors, gene therapy vectors, phage display vectors, gene-targeting vectors, PACs, BACs, YACs, MACs, and

reverse two-hybrid vectors. Such vectors may be used in prokaryotic and/or eukaryotic systems depending on the particular vector.

In another aspect, the invention relates to kits which may be used in carrying out the methods of the invention, and more specifically relates to cloning or subcloning kits and kits for carrying out the LR Reaction (*e.g.*, making an Expression Clone), for carrying out the BP Reaction (*e.g.*, making an Entry Clone), and for making Entry Clone and Destination Vector molecules of the invention. Such kits may comprise a carrier or receptacle being compartmentalized to receive and hold therein any number of containers. Such containers may contain any number of components for carrying out the methods of the invention or combinations of such components. In particular, a kit of the invention may comprise one or more components (or combinations thereof) selected from the group consisting of one or more recombination proteins or auxiliary factors or combinations thereof, one or more compositions comprising one or more recombination proteins or auxiliary factors or combinations thereof (for example, GATEWAY™ LR Clonase™ Enzyme Mix or GATEWAY™ BP Clonase™ Enzyme Mix), one or more reaction buffers, one or more nucleotides, one or more primers of the invention, one or more restriction enzymes, one or more ligases, one or more polypeptides having polymerase activity (*e.g.*, one or more reverse transcriptases or DNA polymerases), one or more proteinases (*e.g.*, proteinase K or other proteinases), one or more Destination Vector molecules, one or more Entry Clone molecules, one or more host cells (*e.g.* competent cells, such as *E. coli* cells, yeast cells, animal cells (including mammalian cells, insect cells, nematode cells, avian cells, fish cells, etc.), plant cells, and most particularly *E. coli* DB3.1 host cells, such as *E. coli* LIBRARY EFFICIENCY® DB3.1™ Competent Cells), instructions for using the kits of the invention (*e.g.*, to carry out the methods of the invention), and the like. In related aspects, the kits of the invention may comprise one or more nucleic acid molecules encoding one or more recombination sites or portions thereof, particularly one or more nucleic acid molecules comprising a nucleotide sequence encoding the one or more recombination sites or portions thereof of the invention. Preferably, such nucleic acid molecules comprise at least two recombination sites which flank a selectable

marker (*e.g.*, a toxic gene and/or antibiotic resistance gene). In a preferred aspect, such nucleic acid molecules are in the form of a cassette (*e.g.*, a linear nucleic acid molecule comprising one or more and preferably two or more recombination sites or portions thereof).

5 Kits for inserting or adding recombination sites to nucleic acid molecules of interest may comprise one or more nucleases (preferably restriction endonucleases), one or more ligases, one or more topoisomerases, one or more polymerases, and one or more nucleic acid molecules or adapters comprising one or more recombination sites. Kits for integrating recombination sites into one or
10 more nucleic acid molecules of interest may comprise one or more components (or combinations thereof) selected from the group consisting of one or more integration sequences comprising one or more recombination sites. Such integration sequences may comprise one or more transposons, integrating viruses, homologous recombination sequences, RNA molecules, one or more host cells
15 and the like.

 Kits for making the Entry Clone molecules of the invention may comprise any or a number of components and the composition of such kits may vary depending on the specific method involved. Such methods may involve inserting the nucleic acid molecules of interest into an Entry or Donor Vector by the
20 recombinational cloning methods of the invention, or using conventional molecular biology techniques (*e.g.*, restriction enzyme digestion and ligation). In a preferred aspect, the Entry Clone is made using nucleic acid amplification or synthesis products. Kits for synthesizing Entry Clone molecules from amplification or synthesis products may comprise one or more components (or combinations
25 thereof) selected from the group consisting of one or more Donor Vectors (*e.g.*, one or more attP vectors including, but not limited to, pDONR201 (Figure 49), pDONR202 (Figure 50), pDONR203 (Figure 51), pDONR204 (Figure 52), pDONR205 (Figure 53), pDONR206 (Figure 53), and the like), one or more polypeptides having polymerase activity (preferably DNA polymerases and most preferably thermostable DNA polymerases), one or more proteinases, one or more
30 reaction buffers, one or more nucleotides, one or more primers comprising one or

more recombination sites or portions thereof, and instructions for making one or more Entry Clones.

Kits for making the Destination vectors of the invention may comprise any number of components and the compositions of such kits may vary depending on the specific method involved. Such methods may include the recombination methods of the invention or conventional molecular biology techniques (e.g., restriction endonuclease digestion and ligation). In a preferred aspect, the Destination vector is made by inserting a nucleic acid molecule comprising at least one recombination site (or portion thereof) of the invention (preferably a nucleic acid molecule comprising at least two recombination sites or portions thereof flanking a selectable marker) into a desired vector to convert the desired vector into a Destination vector of the invention. Such kits may comprise at least one component (or combinations thereof) selected from the group consisting of one or more restriction endonucleases, one or more ligases, one or more polymerases, one or more nucleotides, reaction buffers, one or more nucleic acid molecules comprising at least one recombination site or portion thereof (preferably at least one nucleic acid molecule comprising at least two recombination sites flanking at least one selectable marker, such as a cassette comprising at least one selectable marker such as antibiotic resistance genes and/or toxic genes), and instructions for making such Destination vectors.

The invention also relates to kits for using the antibodies of the invention in identification and/or isolation of peptides and proteins (which may be fusion proteins) produced by the nucleic acid molecules of the invention, and for identification and/or isolation of the nucleic acid molecules of the invention or portions thereof. Such kits may comprise one or more components (or combination thereof) selected from the group consisting of one or more antibodies of the invention, one or more detectable labels, one or more solid supports and the like.

Other preferred embodiments of the present invention will be apparent to one of ordinary skill in light of what is known in the art, in light of the following drawings and description of the invention, and in light of the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 depicts one general method of the present invention, wherein the starting (parent) DNA molecules can be circular or linear. The goal is to exchange the new subcloning vector D for the original cloning vector B. It is desirable in one embodiment to select for AD and against all the other molecules, including the Cointegrate. The square and circle are sites of recombination: *e.g.*, *lox* (such as *loxP*) sites, *att* sites, *etc.* For example, segment D can contain expression signals, protein fusion domains, new drug markers, new origins of replication, or specialized functions for mapping or sequencing DNA. It should be noted that the cointegrate molecule contains Segment D (Destination vector) adjacent to segment A (Insert), thereby juxtaposing functional elements in D with the insert in A. Such molecules can be used directly in vitro (*e.g.*, if a promoter is positioned adjacent to a gene-for in vitro transcription/translation) or in vivo (following isolation in a cell capable of propagating *ccdB*-containing vectors) by selecting for the selection markers in Segments B+D. As one skilled in the art will recognize, this single step method has utility in certain envisioned applications of the invention.

Figure 2 is a more detailed depiction of the recombinational cloning system of the invention, referred to herein as the "GATEWAY™ Cloning System." This figure depicts the production of Expression Clones via a "Destination Reaction," which may also be referred to herein as an "LR Reaction." A *kan^r* vector (referred to herein as an "Entry clone") containing a DNA molecule of interest (*e.g.*, a gene) localized between an *attL1* site and an *attL2* site is reacted with an *amp^r* vector (referred to herein as a "Destination Vector") containing a toxic or "death" gene localized between an *attR1* site and an *attR2* site, in the presence of GATEWAY™ LR Clonase™ Enzyme Mix (a mixture of Int, IHF and Xis). After incubation at 25°C for about 60 minutes, the reaction yields an *amp^r* Expression Clone containing the DNA molecule of interest localized between an *attB1* site and an *attB2* site, and a *kan^r* byproduct molecule, as well as intermediates. The reaction mixture may then be transformed into host cells (*e.g.*, *E. coli*) and clones containing the nucleic acid molecule of interest may

be selected by plating the cells onto ampicillin-containing media and picking amp^r colonies.

Figure 3 is a schematic depiction of the cloning of a nucleic acid molecule from an Entry clone into multiple types of Destination vectors, to produce a variety of Expression Clones. Recombination between a given Entry clone and different types of Destination vectors (not shown), via the LR Reaction depicted in Figure 2, produces multiple different Expression Clones for use in a variety of applications and host cell types.

Figure 4 is a detailed depiction of the production of Entry Clones via a "BP reaction," also referred to herein as an "Entry Reaction" or a "Gateward Reaction." In the example shown in this figure, an amp^r expression vector containing a DNA molecule of interest (*e.g.*, a gene) localized between an *attB*1 site and an *attB*2 site is reacted with a kan^r Donor vector (*e.g.*, an *attP* vector; here, GATEWAY™ pDONR201 (see Figure 49A-C)) containing a toxic or "death" gene localized between an *attP*1 site and an *attP*2 site, in the presence of GATEWAY™ BP Clonase™ Enzyme Mix (a mixture of Int and IHF). After incubation at 25°C for about 60 minutes, the reaction yields a kan^r Entry clone containing the DNA molecule of interest localized between an *attL*1 site and an *attL*2 site, and an amp^r by-product molecule. The Entry clone may then be transformed into host cells (*e.g.*, *E. coli*) and clones containing the Entry clone (and therefore the nucleic acid molecule of interest) may be selected by plating the cells onto kanamycin-containing media and picking kan^r colonies. Although this figure shows an example of use of a kan^r Donor vector, it is also possible to use Donor vectors containing other selection markers, such as the gentamycin resistance or tetracycline resistance markers, as discussed herein.

Figure 5 is a more detailed schematic depiction of the LR ("Destination") reaction (Figure 5A) and the BP ("Entry" or "Gateward") reaction (Figure 5B) of the GATEWAY™ Cloning System, showing the reactants, products and byproducts of each reaction.

Figure 6 shows the sequences of the attB1 and attB2 sites flanking a gene of interest after subcloning into a Destination Vector to create an Expression Clone.

Figure 7 is a schematic depiction of four ways to make Entry Clones using the compositions and methods of the invention: 1. using restriction enzymes and ligase; 2. starting with a cDNA library prepared in an attL Entry Vector; 3. using an Expression Clone from a library prepared in an attB Expression Vector via the BxP reaction; and 4. recombinational cloning of PCR fragments with terminal attB sites, via the BxP reaction. Approaches 3 and 4 rely on recombination with a Donor vector (here, an attP vector such as pDONR201 (see Figure 49A-C), pDONR202 (see Figure 50A-C), pDONR203 (see Figure 51A-C), pDONR204 (see Figure 52A-C), pDONR205 (see Figure 53A-C), or pDONR206 (see Figure 54A-C), for example) that provides an Entry Clone carrying a selection marker such as kan^r, gen^r, tet^r, or the like.

Figure 8 is a schematic depiction of cloning of a PCR product by a BxP (Entry or Gateward) reaction. A PCR product with 25 bp terminal attB sites (plus four Gs) is shown as a substrate for the BxP reaction. Recombination between the attB-PCR product of a gene and a Donor vector (which donates an Entry Vector that carries kan^r) results in an Entry Clone of the PCR product.

Figure 9 is a listing of the nucleotide sequences of the recombination sites designated herein as attB1, attB2, attP1, attP2, attL1, attL2, attR1 and attR2. Sequences are written conventionally, from 5' to 3'.

Figures 10-20: The plasmid backbone for all the Entry Vectors depicted herein is the same, and is shown in Figure 10A for the Entry Vector pENTR1A. For other Entry Vectors shown in Figures 11-20, only the sequences shown in Figure "A" for each figure set (*i.e.*, Figure 11A, Figure 12A, etc.) are different (within the attL1-attL2 cassettes) from those shown in Figure 10 -- the plasmid backbone is identical.

Figure 10 is a schematic depiction of the physical map and cloning sites (Figure 10A), and the nucleotide sequence (Figure 10B), of the Entry Vector pENTR1A.

Figure 11 is a schematic depiction of the cloning sites (Figure 11A) and the nucleotide sequence (Figure 11B) of the Entry Vector pENTR2B.

Figure 12 is a schematic depiction of the cloning sites (Figure 12A) and the nucleotide sequence (Figure 12B) of the Entry Vector pENTR3C.

5 **Figure 13** is a schematic depiction of the cloning sites (Figure 13A) and the nucleotide sequence (Figure 13B) of the Entry Vector pENTR4.

Figure 14 is a schematic depiction of the cloning sites (Figure 14A) and the nucleotide sequence (Figure 14B) of the Entry Vector pENTR5.

10 **Figure 15** is a schematic depiction of the cloning sites (Figure 15A) and the nucleotide sequence (Figure 15B) of the Entry Vector pENTR6.

Figure 16 is a schematic depiction of the cloning sites (Figure 16A) and the nucleotide sequence (Figure 16B) of the Entry Vector pENTR7.

Figure 17 is a schematic depiction of the cloning sites (Figure 17A) and the nucleotide sequence (Figure 17B) of the Entry Vector pENTR8.

15 **Figure 18** is a schematic depiction of the cloning sites (Figure 18A) and the nucleotide sequence (Figure 18B) of the Entry Vector pENTR9.

Figure 19 is a schematic depiction of the cloning sites (Figure 19A) and the nucleotide sequence (Figure 19B) of the Entry Vector pENTR10.

20 **Figure 20** is a schematic depiction of the cloning sites (Figure 20A) and the nucleotide sequence (Figure 20B) of the Entry Vector pENTR11.

25 **Figure 21** is a schematic depiction of the physical map and the Trc expression cassette (Figure 21A) showing the promoter sequences at -35 and at -10 from the initiation codon, and the nucleotide sequence (Figure 21B-D), of Destination Vector pDEST1. This vector may also be referred to as pTrc-DEST1.

30 **Figure 22** is a schematic depiction of the physical map and the His6 expression cassette (Figure 22A) showing the promoter sequences at -35 and at -10 from the initiation codon, and the nucleotide sequence (Figure 22B-D), of Destination Vector pDEST2. This vector may also be referred to as pHis6-DEST2.

Figure 23 is a schematic depiction of the physical map and the GST expression cassette (Figure 23A) showing the promoter sequences at -35 and at -10 from the initiation codon, and the nucleotide sequence (Figure 23B-D), of Destination Vector pDEST3. This vector may also be referred to as pGST-DEST3.

Figure 24 is a schematic depiction of the physical map and the His6-Trx expression cassette (Figure 24A) showing the promoter sequences at -35 and at -10 from the initiation codon and a TEV protease cleavage site, and the nucleotide sequence (Figure 24B-D), of Destination Vector pDEST4. This vector may also be referred to as pTrx-DEST4.

Figure 25 is a schematic depiction of the attR1 and attR2 sites (Figure 25A), the physical map (Figure 25B), and the nucleotide sequence (Figure 25C-D), of Destination Vector pDEST5. This vector may also be referred to as pSPORT(+)-DEST5.

Figure 26 is a schematic depiction of the attR1 and attR2 sites (Figure 26A), the physical map (Figure 26B), and the nucleotide sequence (Figure 26C-D), of Destination Vector pDEST6. This vector may also be referred to as pSPORT(-)-DEST6.

Figure 27 is a schematic depiction of the attR1 site, CMV promoter, and the physical map (Figure 27A), and the nucleotide sequence (Figure 27B-C), of Destination Vector pDEST7. This vector may also be referred to as pCMV-DEST7.

Figure 28 is a schematic depiction of the attR1 site, baculovirus polyhedrin promoter, and the physical map (Figure 28A), and the nucleotide sequence (Figure 28B-D), of Destination Vector pDEST8. This vector may also be referred to as pFastBac-DEST8.

Figure 29 is a schematic depiction of the attR1 site, Semliki Forest Virus promoter, and the physical map (Figure 29A), and the nucleotide sequence (Figure 29B-E), of Destination Vector pDEST9. This vector may also be referred to as pSFV-DEST9.

Figure 30 is a schematic depiction of the attR1 site, baculovirus polyhedrin promoter, His6 fusion domain, and the physical map (Figure 30A), and the nucleotide sequence (Figure 30B-D), of Destination Vector pDEST10. This vector may also be referred to as pFastBacHT-DEST10.

Figure 31 is a schematic depiction of the attR1 cassette containing a tetracycline-regulated CMV promoter and the physical map (Figure 31A), and the nucleotide sequence (Figure 31B-D), of Destination Vector pDEST11. This vector may also be referred to as pTet-DEST11.

Figure 32 is a schematic depiction of the attR1 site, the start of the mRNA of the CMV promoter, and the physical map (Figure 32A), and the nucleotide sequence (Figure 32B-D), of Destination Vector pDEST12.2. This vector may also be referred to as pCMVneo-DEST12, as pCMV-DEST12, or as pDEST12.

Figure 33 is a schematic depiction of the attR1 site, the λP_L promoter, and the physical map (Figure 33A), and the nucleotide sequence (Figure 33B-C), of Destination Vector pDEST13. This vector may also be referred to as p λP_L -DEST13.

Figure 34 is a schematic depiction of the attR1 site, the T7 promoter, and the physical map (Figure 34A), and the nucleotide sequence (Figure 34B-D), of Destination Vector pDEST14. This vector may also be referred to as pT7-DEST14.

Figure 35 is a schematic depiction of the attR1 site, the T7 promoter, and the N-terminal GST fusion sequence, and the physical map (Figure 35A), and the nucleotide sequence (Figure 35B-D), of Destination Vector pDEST15. This vector may also be referred to as pT7 GST-DEST15.

Figure 36 is a schematic depiction of the attR1 site, the T7 promoter, and the N-terminal thioredoxin fusion sequence, and the physical map (Figure 36A), and the nucleotide sequence (Figure 36B-D), of Destination Vector pDEST16. This vector may also be referred to as pT7 Trx-DEST16.

Figure 37 is a schematic depiction of the attR1 site, the T7 promoter, and the N-terminal His6 fusion sequence, and the physical map (Figure 37A), and the

nucleotide sequence (Figure 37B-D), of Destination Vector pDEST17. This vector may also be referred to as pT7 His-DEST17.

5 **Figure 38** is a schematic depiction of the attR1 site and the p10 baculovirus promoter, and the physical map (Figure 38A), and the nucleotide sequence (Figure 38B-D), of Destination Vector pDEST18. This vector may also be referred to as pFBp10-DEST18.

10 **Figure 39** is a schematic depiction of the attR1 site, and the 39k baculovirus promoter, and the physical map (Figure 39A), and the nucleotide sequence (Figure 39B-D), of Destination Vector pDEST19. This vector may also be referred to as pFB39k-DEST19.

Figure 40 is a schematic depiction of the attR1 site, the *polh* baculovirus promoter, and the N-terminal GST fusion sequence, and the physical map (Figure 40A), and the nucleotide sequence (Figure 40B-D), of Destination Vector pDEST20. This vector may also be referred to as pFB GST-DEST20.

15 **Figure 41** is a schematic depiction of a 2-hybrid vector with a DNA-binding domain, the attR1 site, and the ADH promoter, and the physical map (Figure 41A), and the nucleotide sequence (Figure 41B-E), of Destination Vector pDEST21. This vector may also be referred to as pDB Leu-DEST21.

20 **Figure 42** is a schematic depiction of a 2-hybrid vector with an activation domain, the attR1 site, and the ADH promoter, and the physical map (Figure 42A), and the nucleotide sequence (Figure 42B-D), of Destination Vector pDEST22. This vector may also be referred to as pPC86-DEST22.

25 **Figure 43** is a schematic depiction of the attR1 and attR2 sites, the T7 promoter, and the C-terminal His6 fusion sequence, and the physical map (Figure 43A), and the nucleotide sequence (Figure 43B-D), of Destination Vector pDEST23. This vector may also be referred to as pC-term-His6-DEST23.

30 **Figure 44** is a schematic depiction of the attR1 and attR2 sites, the T7 promoter, and the C-terminal GST fusion sequence, and the physical map (Figure 44A), and the nucleotide sequence (Figure 44B-D), of Destination Vector pDEST24. This vector may also be referred to as pC-term-GST-DEST24.

Figure 45 is a schematic depiction of the attR1 and attR2 sites, the T7 promoter, and the C-terminal thioredoxin fusion sequence, and the physical map (Figure 45A), and the nucleotide sequence (Figure 45B-D), of Destination Vector pDEST25. This vector may also be referred to as pC-term-Trx-DEST25.

5 **Figure 46** is a schematic depiction of the attR1 site, the CMV promoter, and an N-terminal His6 fusion sequence, and the physical map (Figure 46A), and the nucleotide sequence (Figure 46B-D), of Destination Vector pDEST26. This vector may also be referred to as pCMV-SPneo-His-DEST26.

10 **Figure 47** is a schematic depiction of the attR1 site, the CMV promoter, and an N-terminal GST fusion sequence, and the physical map (Figure 47A), and the nucleotide sequence (Figure 47B-D), of Destination Vector pDEST27. This vector may also be referred to as pCMV-Spneo-GST-DEST27.

15 **Figure 48** is a depiction of the physical map (Figure 48A), the cloning sites (Figure 48B), and the nucleotide sequence (Figure 48C-D), for the attB cloning vector plasmid pEXP501. This vector may also be referred to equivalently herein as pCMV•SPORT6, pCMVSPORT6, and pCMVSpport6.

20 **Figure 49** is a depiction of the physical map (Figure 49A), and the nucleotide sequence (Figure 49B-C), for the Donor plasmid pDONR201 which donates a kanamycin-resistant vector in the BP Reaction. This vector may also be referred to as pAttPkanr Donor Plasmid, or as pAttPkan Donor Plasmid

Figure 50 is a depiction of the physical map (Figure 50A), and the nucleotide sequence (Figure 50B-C), for the Donor plasmid pDONR202 which donates a kanamycin-resistant vector in the BP Reaction.

25 **Figure 51** is a depiction of the physical map (Figure 51A), and the nucleotide sequence (Figure 51B-C), for the Donor plasmid pDONR203 which donates a kanamycin-resistant vector in the BP Reaction.

Figure 52 is a depiction of the physical map (Figure 52A), and the nucleotide sequence (Figure 52B-C), for the Donor plasmid pDONR204 which donates a kanamycin-resistant vector in the BP Reaction.

Figure 53 is a depiction of the physical map (Figure 53A), and the nucleotide sequence (Figure 53B-C), for the Donor plasmid pDONR205 which donates a tetracycline-resistant vector in the BP Reaction.

Figure 54 is a depiction of the physical map (Figure 54A), and the nucleotide sequence (Figure 54B-C), for the Donor plasmid pDONR206 which donates a gentamycin-resistant vector in the BP Reaction. This vector may also be referred to as pENTR22 attP Donor Plasmid, pAttPGenr Donor Plasmid, or pAttPgnt Donor Plasmid.

Figure 55 depicts the attB1 site, and the physical map, of an Entry Clone (pENTR7) of CAT subcloned into the Destination Vector pDEST2 (Figure 22).

Figure 56 depicts the DNA components of Reaction B of the one-tube BxP reaction described in Example 16, pEZC7102 and attB-tet-PCR.

Figure 57 is a physical map of the desired product of Reaction B of the one-tube BxP reaction described in Example 16, tetx7102.

Figure 58 is a physical map of the Destination Vector pEZC8402.

Figure 59 is a physical map of the expected tet^r subclone product, tetx8402, resulting from the LxR Reaction with tetx7102 (Figure 57) plus pEZC8402 (Figure 58).

Figure 60 is a schematic depiction of the bacteriophage lambda recombination pathways in *E. coli*.

Figure 61 is a schematic depiction of the DNA molecules participating in the LR Reaction. Two different co-integrates form during the LR Reaction (only one of which is shown here), depending on whether attL1 and attR1 or attL2 and attR2 are first to recombine. In one aspect, the invention provides directional cloning of a nucleic acid molecule of interest, since the recombination sites react with specificity (attL1 reacts with attR1; attL2 with attR2; attB1 with attP1; and attB2 with attP2). Thus, positioning of the sites allows construction of desired vectors having recombined fragments in the desired orientation.

Figure 62 is a depiction of native and fusion protein expression using the recombinational cloning methods and compositions of the invention. In the upper figure depicting native protein expression, all of the translational start signals are

included between the attB1 and attB2 sites; therefore, these signals must be present in the starting Entry Clone. The lower figure depicts fusion protein expression (here showing expression with both N-terminal and C-terminal fusion tags so that ribosomes read through attB1 and attB2 to create the fusion protein). Unlike native protein expression vectors, N-terminal fusion vectors have their

Figure 63 is a schematic depiction of three GATEWAY™ Cloning System cassettes. Three blunt-ended cassettes are depicted which convert standard expression vectors to Destination Vectors. Each of the depicted cassettes provides amino-terminal fusions in one of three possible reading frames, and each has a distinctive restriction cleavage site as shown.

Figure 64 shows the physical maps of plasmids containing three attR reading frame cassettes, pEZC15101 (reading frame A; Figure 64A), pEZC15102 (reading frame B; Figure 64B), and pEZC15103 (reading frame C; Figure 64C).

Figure 65 depicts the attB primers used for amplifying the tet^r and amp^r genes from pBR322 by the cloning methods of the invention.

Figure 66 is a table listing the results of recombinational cloning of the tet^r and amp^r PCR products made using the primers shown in Figure 65.

Figure 67 is a graph showing the effect of the number of guanines (G's) contained on the 5' end of the PCR primers on the cloning efficiency of PCR products. It is noted, however, that other nucleotides besides guanine (including A, T, C, U or combinations thereof) may be used as 5' extensions on the PCR primers to enhance cloning efficiency of PCR products.

Figure 68 is a graph showing a titration of various amounts of attP and attB reactants in the BxP reaction, and the effects on cloning efficiency of PCR products.

Figure 69 is a series of graphs showing the effects of various weights (Figure 69A) or moles (Figure 69B) of a 256 bp PCR product on formation of colonies, and on efficiency of cloning of the 256 bp PCR product into a Donor Vector (Figure 69C).

Figure 70 is a series of graphs showing the effects of various weights (Figure 70A) or moles (Figure 70B) of a 1 kb PCR product on formation of colonies, and on efficiency of cloning of the 1 kb PCR product into a Donor Vector (Figure 70C).

Figure 71 is a series of graphs showing the effects of various weights (Figure 71A) or moles (Figure 71B) of a 1.4 kb PCR product on formation of colonies, and on efficiency of cloning of the 1.4 kb PCR product into a Donor Vector (Figure 71C).

Figure 72 is a series of graphs showing the effects of various weights (Figure 72A) or moles (Figure 72B) of a 3.4 kb PCR product on formation of colonies, and on efficiency of cloning of the 3.4 kb PCR product into a Donor Vector (Figure 72C).

Figure 73 is a series of graphs showing the effects of various weights (Figure 73A) or moles (Figure 73B) of a 4.6 kb PCR product on formation of colonies, and on efficiency of cloning of the 4.6 kb PCR product into a Donor Vector (Figure 73C).

Figure 74 is photograph of an ethidium bromide-stained gel of a titration of a 6.9 kb PCR product in a BxP reaction.

Figure 75 is a graph showing the effects of various amounts of a 10.1 kb PCR product on formation of colonies upon cloning of the 10.1 kb PCR product into a Donor Vector.

Figure 76 is photograph of an ethidium bromide-stained gel of a titration of a 10.1 kb PCR product in a BxP reaction.

Figure 77 is a table summarizing the results of the PCR product cloning efficiency experiments depicted in Figures 69-74, for PCR fragments ranging in size from 0.256 kb to 6.9 kb.

Figure 78 is a depiction of the sequences at the ends of attR Cassettes. Sequences contributed by the Cm^r -ccdB cassette are shown, including the outer ends of the flanking attR sites (boxed). The staggered cleavage sites for Int are indicated in the boxed regions. Following recombination with an Entry Clone, only the outer sequences in attR sites contribute to the resulting attB sites in the

Expression Clone. The underlined sequences at both ends dictate the different reading frames (reading frames A, B, or C, with two alternative reading frame C cassettes depicted) for fusion proteins.

5 **Figure 79** is a depiction of several different attR cassettes (in reading frames A, B, or C) which may provide fusion codons at the amino-terminus of the encoded protein.

Figure 80 illustrates the single-cutting restriction sites in an attR reading frame A cassette of the invention.

10 **Figure 81** illustrates the single-cutting restriction sites in an attR reading frame B cassette of the invention.

Figure 82 illustrates the single-cutting restriction sites in two alternative attR reading frame C cassettes of the invention (Figures 82A and 82B) depicted in Figure 78.

15 **Figure 83** shows the physical map (Figure 83A), and the nucleotide sequence (Figure 83B-C), for an attR reading frame C parent plasmid prfC Parent III, which contains an attR reading frame C cassette of the invention (alternative A in Figures 78 and 82).

Figure 84 is a physical map of plasmid pEZC1301.

Figure 85 is a physical map of plasmid pEZC1313.

20 **Figure 86** is a physical map of plasmid pEZ14032.

Figure 87 is a physical map of plasmid pMAB58.

Figure 88 is a physical map of plasmid pMAB62.

Figure 89 is a depiction of a synthesis reaction using two pairs of homologous primers of the invention.

25 **Figure 90** is a schematic depiction of the physical map (Figure 90A), and the nucleotide sequence (Figure 90B-D), of Destination Vector pDEST28.

Figure 91 is a schematic depiction of the physical map (Figure 91A), and the nucleotide sequence (Figure 91B-D), of Destination Vector pDEST29.

30 **Figure 92** is a schematic depiction of the physical map (Figure 92A), and the nucleotide sequence (Figure 92B-D), of Destination Vector pDEST30.

Figure 93 is a schematic depiction of the physical map (Figure 93A), and the nucleotide sequence (Figure 93B-D), of Destination Vector pDEST31.

Figure 94 is a schematic depiction of the physical map (Figure 94A), and the nucleotide sequence (Figure 94B-E), of Destination Vector pDEST32.

Figure 95 is a schematic depiction of the physical map (Figure 95A), and the nucleotide sequence (Figure 95B-D), of Destination Vector pDEST33.

Figure 96 is a schematic depiction of the physical map (Figure 96A), and the nucleotide sequence (Figure 96B-D), of Destination Vector pDEST34.

Figure 97 is a depiction of the physical map (Figure 97A), and the nucleotide sequence (Figure 97B-C), for the Donor plasmid pDONR207 which donates a gentamycin-resistant vector in the BP Reaction.

Figure 98 is a schematic depiction of the physical map (Figure 98A), and the nucleotide sequence (Figure 98B-D), of the 2-hybrid vector pMAB85.

Figure 99 is a schematic depiction of the physical map (Figure 99A), and the nucleotide sequence (Figure 99B-D), of the 2-hybrid vector pMAB86.

DETAILED DESCRIPTION OF THE INVENTION

Definitions

In the description that follows, a number of terms used in recombinant DNA technology are utilized extensively. In order to provide a clear and consistent understanding of the specification and claims, including the scope to be given such terms, the following definitions are provided.

Byproduct: is a daughter molecule (a new clone produced after the second recombination event during the recombinational cloning process) lacking the segment which is desired to be cloned or subcloned.

Cointegrate: is at least one recombination intermediate nucleic acid molecule of the present invention that contains both parental (starting) molecules. It will usually be linear. In some embodiments it can be circular. RNA and polypeptides may be expressed from cointegrates using an appropriate host cell strain, for example *E. coli* DB3.1 (particularly *E. coli* LIBRARY EFFICIENCY®).

DB3.1™ Competent Cells), and selecting for both selection markers found on the cointegrate molecule.

Host: is any prokaryotic or eukaryotic organism that can be a recipient of the recombinational cloning Product, vector, or nucleic acid molecule of the invention. A "host," as the term is used herein, includes prokaryotic or eukaryotic organisms that can be genetically engineered. For examples of such hosts, see Maniatis *et al.*, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1982).

Insert or Inserts: include the desired nucleic acid segment or a population of nucleic acid segments (segment *A* of Figure 1) which may be manipulated by the methods of the present invention. Thus, the terms Insert(s) are meant to include a particular nucleic acid (preferably DNA) segment or a population of segments. Such Insert(s) can comprise one or more nucleic acid molecules.

Insert Donor: is one of the two parental nucleic acid molecules (e.g. RNA or DNA) of the present invention which carries the Insert. The Insert Donor molecule comprises the Insert flanked on both sides with recombination sites. The Insert Donor can be linear or circular. In one embodiment of the invention, the Insert Donor is a circular DNA molecule and further comprises a cloning vector sequence outside of the recombination signals (see Figure 1). When a population of Inserts or population of nucleic acid segments are used to make the Insert Donor, a population of Insert Donors results and may be used in accordance with the invention. Examples of such Insert Donor molecules are GATEWAY™ Entry Vectors, which include but are not limited to those Entry Vectors depicted in Figures 10-20, as well as other vectors comprising a gene of interest flanked by one or more *attL* sites (e.g., *attL1*, *attL2*, etc.), or by one or more *attB* sites (e.g., *attB1*, *attB2*, etc.) for the production of library clones.

Product: is one of the desired daughter molecules comprising the *A* and *D* sequences which is produced after the second recombination event during the recombinational cloning process (see Figure 1). The Product contains the nucleic acid which was to be cloned or subcloned. In accordance with the invention, when a population of Insert Donors are used, the resulting population of Product

molecules will contain all or a portion of the population of Inserts of the Insert Donors and preferably will contain a representative population of the original molecules of the Insert Donors.

Promoter: is a DNA sequence generally described as the 5'-region of a gene, located proximal to the start codon. The transcription of an adjacent DNA segment is initiated at the promoter region. A repressible promoter's rate of transcription decreases in response to a repressing agent. An inducible promoter's rate of transcription increases in response to an inducing agent. A constitutive promoter's rate of transcription is not specifically regulated, though it can vary under the influence of general metabolic conditions.

Recognition sequence: Recognition sequences are particular sequences which a protein, chemical compound, DNA, or RNA molecule (*e.g.*, restriction endonuclease, a modification methylase, or a recombinase) recognizes and binds. In the present invention, a recognition sequence will usually refer to a recombination site. For example, the recognition sequence for Cre recombinase is *loxP* which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as the recombinase binding sites) flanking an 8 base pair core sequence. See Figure 1 of Sauer, B., *Current Opinion in Biotechnology* 5:521-527 (1994). Other examples of recognition sequences are the *attB*, *attP*, *attL*, and *attR* sequences which are recognized by the recombinase enzyme λ Integrase. *attB* is an approximately 25 base pair sequence containing two 9 base pair core-type Int binding sites and a 7 base pair overlap region. *attP* is an approximately 240 base pair sequence containing core-type Int binding sites and arm-type Int binding sites as well as sites for auxiliary proteins integration host factor (IHF), FIS and excisionase (Xis). See Landy, *Current Opinion in Biotechnology* 3:699-707 (1993). Such sites may also be engineered according to the present invention to enhance production of products in the methods of the invention. When such engineered sites lack the P1 or H1 domains to make the recombination reactions irreversible (*e.g.*, *attR* or *attP*), such sites may be designated *attR'* or *attP'* to show that the domains of these sites have been modified in some way.

Recombination proteins: include excisive or integrative proteins, enzymes, co-factors or associated proteins that are involved in recombination reactions involving one or more recombination sites, which may be wild-type proteins (See Landy, *Current Opinion in Biotechnology* 3:699-707 (1993)), or
5 mutants, derivatives (e.g., fusion proteins containing the recombination protein sequences or fragments thereof), fragments, and variants thereof.

Recombination site: is a recognition sequence on a DNA molecule participating in an integration/recombination reaction by the recombinational cloning methods of the invention. Recombination sites are discrete sections or
10 segments of DNA on the participating nucleic acid molecules that are recognized and bound by a site-specific recombination protein during the initial stages of integration or recombination. For example, the recombination site for Cre recombinase is *loxP* which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as the recombinase binding sites) flanking an 8 base
15 pair core sequence. See Figure 1 of Sauer, B., *Curr. Opin. Biotech.* 5:521-527 (1994). Other examples of recognition sequences include the *attB*, *attP*, *attL*, and *attR* sequences described herein, and mutants, fragments, variants and derivatives thereof, which are recognized by the recombination protein λ Int and by the auxiliary proteins integration host factor (IHF), FIS and excisionase (Xis). See
20 Landy, *Curr. Opin. Biotech.* 3:699-707 (1993).

Recombinational Cloning: is a method described herein, whereby segments of nucleic acid molecules or populations of such molecules are exchanged, inserted, replaced, substituted or modified, *in vitro* or *in vivo*. By
25 "*in vitro*" and "*in vivo*" herein is meant recombinational cloning that is carried out outside of host cells (e.g., in cell-free systems) or inside of host cells (e.g., using recombination proteins expressed by host cells), respectively.

Repression cassette: is a nucleic acid segment that contains a repressor or a Selectable marker present in the subcloning vector.

Selectable marker: is a DNA segment that allows one to select for or
30 against a molecule (e.g., a replicon) or a cell that contains it, often under particular conditions. These markers can encode an activity, such as, but not limited to,

production of RNA, peptide, or protein, or can provide a binding site for RNA, peptides, proteins, inorganic and organic compounds or compositions and the like. Examples of Selectable markers include but are not limited to: (1) DNA segments that encode products which provide resistance against otherwise toxic compounds (e.g., antibiotics); (2) DNA segments that encode products which are otherwise lacking in the recipient cell (e.g., tRNA genes, auxotrophic markers); (3) DNA segments that encode products which suppress the activity of a gene product; (4) DNA segments that encode products which can be readily identified (e.g., phenotypic markers such as β -galactosidase, green fluorescent protein (GFP), and cell surface proteins); (5) DNA segments that bind products which are otherwise detrimental to cell survival and/or function; (6) DNA segments that otherwise inhibit the activity of any of the DNA segments described in Nos. 1-5 above (e.g., antisense oligonucleotides); (7) DNA segments that bind products that modify a substrate (e.g. restriction endonucleases); (8) DNA segments that can be used to isolate or identify a desired molecule (e.g. specific protein binding sites); (9) DNA segments that encode a specific nucleotide sequence which can be otherwise non-functional (e.g., for PCR amplification of subpopulations of molecules); (10) DNA segments, which when absent, directly or indirectly confer resistance or sensitivity to particular compounds; (11) DNA segments that encode products which are toxic in recipient cells; (12) DNA segments that inhibit replication, partition or heritability of nucleic acid molecules that contain them; and/or (13) DNA segments that encode conditional replication functions, e.g., replication in certain hosts or host cell strains or under certain environmental conditions (e.g., temperature, nutritional conditions, etc.).

Selection scheme: is any method which allows selection, enrichment, or identification of a desired Product or Product(s) from a mixture containing an Entry Clone or Vector, a Destination Vector, a Donor Vector, an Expression Clone or Vector, any intermediates (e.g. a Cointegrate or a replicon), and/or Byproducts. The selection schemes of one preferred embodiment have at least two components that are either linked or unlinked during recombinational cloning. One component is a Selectable marker. The other component controls the expression *in vitro* or *in vivo* of the Selectable marker, or survival of the cell (or

the nucleic acid molecule, *e.g.*, a replicon) harboring the plasmid carrying the Selectable marker. Generally, this controlling element will be a repressor or inducer of the Selectable marker, but other means for controlling expression or activity of the Selectable marker can be used. Whether a repressor or activator is used will depend on whether the marker is for a positive or negative selection, and the exact arrangement of the various DNA segments, as will be readily apparent to those skilled in the art. A preferred requirement is that the selection scheme results in selection of or enrichment for only one or more desired Products. As defined herein, selecting for a DNA molecule includes (a) selecting or enriching for the presence of the desired DNA molecule, and (b) selecting or enriching against the presence of DNA molecules that are not the desired DNA molecule.

In one embodiment, the selection schemes (which can be carried out in reverse) will take one of three forms, which will be discussed in terms of Figure 1. The first, exemplified herein with a Selectable marker and a repressor therefore, selects for molecules having segment *D* and lacking segment *C*. The second selects against molecules having segment *C* and for molecules having segment *D*. Possible embodiments of the second form would have a DNA segment carrying a gene toxic to cells into which the *in vitro* reaction products are to be introduced. A toxic gene can be a DNA that is expressed as a toxic gene product (a toxic protein or RNA), or can be toxic in and of itself. (In the latter case, the toxic gene is understood to carry its classical definition of "heritable trait".)

Examples of such toxic gene products are well known in the art, and include, but are not limited to, restriction endonucleases (*e.g.*, *DpnI*), apoptosis-related genes (*e.g.* ASK1 or members of the *bcl-2/ced-9* family), retroviral genes including those of the human immunodeficiency virus (HIV), defensins such as NP-1, inverted repeats or paired palindromic DNA sequences, bacteriophage lytic genes such as those from Φ X174 or bacteriophage T4; antibiotic sensitivity genes such as *rpsL*, antimicrobial sensitivity genes such as *pheS*, plasmid killer genes, eukaryotic transcriptional vector genes that produce a gene product toxic to bacteria, such as GATA-1, and genes that kill hosts in the absence of a suppressing function, *e.g.*, *kicB*, *ccdB*, Φ X174 *E* (Liu, Q. *et al.*, *Curr. Biol.*

8:1300-1309 (1998)), and other genes that negatively affect replicon stability and/or replication. A toxic gene can alternatively be selectable *in vitro*, e.g., a restriction site.

Many genes coding for restriction endonucleases operably linked to inducible promoters are known, and may be used in the present invention. See, e.g. U.S. Patent Nos. 4,960,707 (*DpnI* and *DpnII*); 5,000,333, 5,082,784 and 5,192,675 (*KpnI*); 5,147,800 (*NgoAIII* and *NgoAI*); 5,179,015 (*FspI* and *HaeIII*); 5,200,333 (*HaeII* and *TaqI*); 5,248,605 (*HpaII*); 5,312,746 (*ClaI*); 5,231,021 and 5,304,480 (*XhoI* and *XhoII*); 5,334,526 (*AluI*); 5,470,740 (*NsiI*); 5,534,428 (*SstI/SacI*); 5,202,248 (*NcoI*); 5,139,942 (*NdeI*); and 5,098,839 (*PacI*). See also Wilson, G.G., *Nucl. Acids Res.* 19:2539-2566 (1991); and Lunnen, K.D., *et al.*, *Gene* 74:25-32 (1988).

In the second form, segment *D* carries a Selectable marker. The toxic gene would eliminate transformants harboring the Vector Donor, Cointegrate, and Byproduct molecules, while the Selectable marker can be used to select for cells containing the Product and against cells harboring only the Insert Donor.

The third form selects for cells that have both segments *A* and *D* in *cis* on the same molecule, but not for cells that have both segments in *trans* on different molecules. This could be embodied by a Selectable marker that is split into two inactive fragments, one each on segments *A* and *D*.

The fragments are so arranged relative to the recombination sites that when the segments are brought together by the recombination event, they reconstitute a functional Selectable marker. For example, the recombinational event can link a promoter with a structural nucleic acid molecule (e.g., a gene), can link two fragments of a structural nucleic acid molecule, or can link nucleic acid molecules that encode a heterodimeric gene product needed for survival, or can link portions of a replicon.

Site-specific recombinase: is a type of recombinase which typically has at least the following four activities (or combinations thereof): (1) recognition of one or two specific nucleic acid sequences; (2) cleavage of said sequence or sequences; (3) topoisomerase activity involved in strand exchange; and (4) ligase

activity to reseal the cleaved strands of nucleic acid. See Sauer, B., *Current Opinions in Biotechnology* 5:521-527 (1994). Conservative site-specific recombination is distinguished from homologous recombination and transposition by a high degree of sequence specificity for both partners. The strand exchange mechanism involves the cleavage and rejoining of specific DNA sequences in the absence of DNA synthesis (Landy, A. (1989) *Ann. Rev. Biochem.* 58:913-949).

Subcloning vector: is a cloning vector comprising a circular or linear nucleic acid molecule which includes preferably an appropriate replicon. In the present invention, the subcloning vector (segment *D* in Figure 1) can also contain functional and/or regulatory elements that are desired to be incorporated into the final product to act upon or with the cloned DNA Insert (segment *A* in Figure 1). The subcloning vector can also contain a Selectable marker (preferably DNA).

Vector: is a nucleic acid molecule (preferably DNA) that provides a useful biological or biochemical property to an Insert. Examples include plasmids, phages, autonomously replicating sequences (ARS), centromeres, and other sequences which are able to replicate or be replicated *in vitro* or in a host cell, or to convey a desired nucleic acid segment to a desired location within a host cell. A Vector can have one or more restriction endonuclease recognition sites at which the sequences can be cut in a determinable fashion without loss of an essential biological function of the vector, and into which a nucleic acid fragment can be spliced in order to bring about its replication and cloning. Vectors can further provide primer sites, e.g., for PCR, transcriptional and/or translational initiation and/or regulation sites, recombinational signals, replicons, Selectable markers, etc. Clearly, methods of inserting a desired nucleic acid fragment which do not require the use of homologous recombination, transpositions or restriction enzymes (such as, but not limited to, UDG cloning of PCR fragments (U.S. Patent No. 5,334,575, entirely incorporated herein by reference), T:A cloning, and the like) can also be applied to clone a fragment into a cloning vector to be used according to the present invention. The cloning vector can further contain one or more selectable markers suitable for use in the identification of cells transformed with the cloning vector.

Vector Donor: is one of the two parental nucleic acid molecules (e.g. RNA or DNA) of the present invention which carries the DNA segments comprising the DNA vector which is to become part of the desired Product. The Vector Donor comprises a subcloning vector *D* (or it can be called the cloning vector if the Insert Donor does not already contain a cloning vector (e.g., for PCR fragments containing *attB* sites; see below)) and a segment *C* flanked by recombination sites (see Figure 1). Segments *C* and/or *D* can contain elements that contribute to selection for the desired Product daughter molecule, as described above for selection schemes. The recombination signals can be the same or different, and can be acted upon by the same or different recombinases. In addition, the Vector Donor can be linear or circular. Examples of such Vector Donor molecules include GATEWAY™ Destination Vectors, which include but are not limited to those Destination Vectors depicted in Figures 21-47 and 90-96.

Primer: refers to a single stranded or double stranded oligonucleotide that is extended by covalent bonding of nucleotide monomers during amplification or polymerization of a nucleic acid molecule (e.g. a DNA molecule). In a preferred aspect, a primer comprises one or more recombination sites or portions of such recombination sites. Portions of recombination sites comprise at least 2 bases (or basepairs, abbreviated herein as "bp"), at least 5-200 bases, at least 10-100 bases, at least 15-75 bases, at least 15-50 bases, at least 15-25 bases, or at least 16-25 bases, of the recombination sites of interest, as described in further detail below and in the Examples. When using portions of recombination sites, the missing portion of the recombination site may be provided as a template by the newly synthesized nucleic acid molecule. Such recombination sites may be located within and/or at one or both termini of the primer. Preferably, additional sequences are added to the primer adjacent to the recombination site(s) to enhance or improve recombination and/or to stabilize the recombination site during recombination. Such stabilization sequences may be any sequences (preferably G/C rich sequences) of any length. Preferably, such sequences range in size from 1 to about 1000 bases, 1 to about 500 bases, and 1 to about 100 bases, 1 to about 60 bases, 1 to about 25, 1 to about 10, 2 to about 10 and preferably about 4 bases.

Preferably, such sequences are greater than 1 base in length and preferably greater than 2 bases in length.

Template: refers to double stranded or single stranded nucleic acid molecules which are to be amplified, synthesized or sequenced. In the case of double stranded molecules, denaturation of its strands to form a first and a second strand is preferably performed before these molecules will be amplified, synthesized or sequenced, or the double stranded molecule may be used directly as a template. For single stranded templates, a primer complementary to a portion of the template is hybridized under appropriate conditions and one or more polypeptides having polymerase activity (e.g. DNA polymerases and/or reverse transcriptases) may then synthesize a nucleic acid molecule complementary to all or a portion of said template. Alternatively, for double stranded templates, one or more promoters may be used in combination with one or more polymerases to make nucleic acid molecules complementary to all or a portion of the template. The newly synthesized molecules, according to the invention, may be equal or shorter in length than the original template. Additionally, a population of nucleic acid templates may be used during synthesis or amplification to produce a population of nucleic acid molecules typically representative of the original template population.

Adapter: is an oligonucleotide or nucleic acid fragment or segment (preferably DNA) which comprises one or more recombination sites (or portions of such recombination sites) which in accordance with the invention can be added to a circular or linear Insert Donor molecule as well as other nucleic acid molecules described herein. When using portions of recombination sites, the missing portion may be provided by the Insert Donor molecule. Such adapters may be added at any location within a circular or linear molecule, although the adapters are preferably added at or near one or both termini of a linear molecule. Preferably, adapters are positioned to be located on both sides (flanking) a particular nucleic acid molecule of interest. In accordance with the invention, adapters may be added to nucleic acid molecules of interest by standard recombinant techniques (e.g. restriction digest and ligation). For example, adapters may be added to a circular molecule by first digesting the molecule with

an appropriate restriction enzyme, adding the adapter at the cleavage site and reforming the circular molecule which contains the adapter(s) at the site of cleavage. In other aspects, adapters may be added by homologous recombination, by integration of RNA molecules, and the like. Alternatively, adapters may be ligated directly to one or more and preferably both termini of a linear molecule thereby resulting in linear molecule(s) having adapters at one or both termini. In one aspect of the invention, adapters may be added to a population of linear molecules, (e.g. a cDNA library or genomic DNA which has been cleaved or digested) to form a population of linear molecules containing adapters at one and preferably both termini of all or substantial portion of said population.

Adapter-Primer: is primer molecule which comprises one or more recombination sites (or portions of such recombination sites) which in accordance with the invention can be added to a circular or linear nucleic acid molecule described herein. When using portions of recombination sites, the missing portion may be provided by a nucleic acid molecule (e.g., an adapter) of the invention. Such adapter-primers may be added at any location within a circular or linear molecule, although the adapter-primers are preferably added at or near one or both termini of a linear molecule. Examples of such adapter-primers and the use thereof in accordance with the methods of the invention are shown in Example 25 herein. Such adapter-primers may be used to add one or more recombination sites or portions thereof to circular or linear nucleic acid molecules in a variety of contexts and by a variety of techniques, including but not limited to amplification (e.g., PCR), ligation (e.g., enzymatic or chemical/synthetic ligation), recombination (e.g., homologous or non-homologous (illegitimate) recombination) and the like.

Library: refers to a collection of nucleic acid molecules (circular or linear). In one embodiment, a library may comprise a plurality (*i.e.*, two or more) of DNA molecules, which may or may not be from a common source organism, organ, tissue, or cell. In another embodiment, a library is representative of all or a portion or a significant portion of the DNA content of an organism (a "genomic" library), or a set of nucleic acid molecules representative of all or a portion or a significant portion of the expressed nucleic acid molecules (a cDNA library) in a

cell, tissue, organ or organism. A library may also comprise random sequences made by *de novo* synthesis, mutagenesis of one or more sequences and the like. Such libraries may or may not be contained in one or more vectors.

Amplification: refers to any *in vitro* method for increasing a number of copies of a nucleotide sequence with the use of a polymerase. Nucleic acid amplification results in the incorporation of nucleotides into a DNA and/or RNA molecule or primer thereby forming a new molecule complementary to a template. The formed nucleic acid molecule and its template can be used as templates to synthesize additional nucleic acid molecules. As used herein, one amplification reaction may consist of many rounds of replication. DNA amplification reactions include, for example, polymerase chain reaction (PCR). One PCR reaction may consist of 5-100 "cycles" of denaturation and synthesis of a DNA molecule.

Oligonucleotide: refers to a synthetic or natural molecule comprising a covalently linked sequence of nucleotides which are joined by a phosphodiester bond between the 3' position of the deoxyribose or ribose of one nucleotide and the 5' position of the deoxyribose or ribose of the adjacent nucleotide. This term may be used interchangeably herein with the terms "nucleic acid molecule" and "polynucleotide," without any of these terms necessarily indicating any particular length of the nucleic acid molecule to which the term specifically refers.

Nucleotide: refers to a base-sugar-phosphate combination. Nucleotides are monomeric units of a nucleic acid molecule (DNA and RNA). The term nucleotide includes ribonucleoside triphosphates ATP, UTP, CTG, GTP and deoxyribonucleoside triphosphates such as dATP, dCTP, dITP, dUTP, dGTP, dTTP, or derivatives thereof. Such derivatives include, for example, [α S]dATP, 7-deaza-dGTP and 7-deaza-dATP. The term nucleotide as used herein also refers to dideoxyribonucleoside triphosphates (ddNTPs) and their derivatives. Illustrated examples of dideoxyribonucleoside triphosphates include, but are not limited to, ddATP, ddCTP, ddGTP, ddITP, and ddTTP. According to the present invention, a "nucleotide" may be unlabeled or detectably labeled by well known techniques. Detectable labels include, for example, radioactive isotopes, fluorescent labels, chemiluminescent labels, bioluminescent labels and enzyme labels.

Hybridization: The terms "hybridization" and "hybridizing" refers to base pairing of two complementary single-stranded nucleic acid molecules (RNA and/or DNA) to give a double stranded molecule. As used herein, two nucleic acid molecules may be hybridized, although the base pairing is not completely complementary. Accordingly, mismatched bases do not prevent hybridization of two nucleic acid molecules provided that appropriate conditions, well known in the art, are used. In some aspects, hybridization is said to be under "stringent conditions." By "stringent conditions" as used herein is meant overnight incubation at 42°C in a solution comprising: 50% formamide, 5x SSC (150 mM NaCl, 15mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 g/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65°C.

Other terms used in the fields of recombinant DNA technology and molecular and cell biology as used herein will be generally understood by one of ordinary skill in the applicable arts.

Overview

Two reactions constitute the recombinational cloning system of the present invention, referred to herein as the "GATEWAY™ Cloning System," as depicted generally in Figure 1. The first of these reactions, the **LR Reaction** (Figure 2), which may also be referred to interchangeably herein as the **Destination Reaction**, is the main pathway of this system. The LR Reaction is a recombination reaction between an Entry vector or clone and a Destination Vector, mediated by a cocktail of recombination proteins such as the GATEWAY™ LR Clonase™ Enzyme Mix described herein. This reaction transfers nucleic acid molecules of interest (which may be genes, cDNAs, cDNA libraries, or fragments thereof) from the Entry Clone to an Expression Vector, to create an Expression Clone.

The sites labeled L, R, B, and P are respectively the attL, attR, attB, and attP recombination sites for the bacteriophage λ recombination proteins that constitute the Clonase cocktail (referred to herein variously as "Clonase" or

“GATEWAY™ LR Clonase™ Enzyme Mix” (for recombination protein mixtures mediating attL x attR recombination reactions, as described herein) or “GATEWAY™ BP Clonase™ Enzyme Mix” (for recombination protein mixtures mediating attB x attP recombination reactions, as described herein)). The
5 Recombinational Cloning reactions are equivalent to concerted, highly specific, cutting and ligation reactions. Viewed in this way, the recombination proteins cut to the left and right of the nucleic acid molecule of interest in the Entry Clone and ligate it into the Destination vector, creating a new Expression Clone.

The nucleic acid molecule of interest in an Expression Clone is flanked by
10 the small attB1 and attB2 sites. The orientation and reading frame of the nucleic acid molecule of interest are maintained throughout the subcloning, because attL1 reacts only with attR1, and attL2 reacts only with attR2. Likewise, attB1 reacts only with attP1, and attB2 reacts only with attP2. Thus, the invention also relates to methods of controlled or directional cloning using the recombination sites of the
15 invention (or portions thereof), including variants, fragments, mutants and derivatives thereof which may have altered or enhanced specificity. The invention also relates more generally to any number of recombination site partners or pairs (where each recombination site is specific for and interacts with its corresponding recombination site). Such recombination sites are preferably made by mutating or
20 modifying the recombination site to provide any number of necessary specificities (e.g., attB1-10, attP1-10, attL1-10, attR1-10, etc.), non-limiting examples of which are described in detail in the Examples herein.

When an aliquot from the recombination reaction is transformed into host cells (e.g., *E. coli*) and spread on plates containing an appropriate selection agent,
25 e.g., an antibiotic such as ampicillin with or without methicillin, cells that take up the desired clone form colonies. The unreacted Destination Vector does not give ampicillin-resistant colonies, even though it carries the ampicillin-resistance gene, because it contains a toxic gene, e.g., *ccdB*. Thus selection for ampicillin resistance selects for *E. coli* cells that carry the desired product, which usually
30 comprise >90% of the colonies on the ampicillin plate.

To participate in the Recombinational (or “GATEWAY™”) Cloning Reaction, a nucleic acid molecule of interest first may be cloned into an Entry

Vector, creating an Entry Clone. Multiple options are available for creating Entry Clones, including: cloning of PCR sequences with terminal attB recombination sites into Entry Vectors; using the GATEWAY™ Cloning System recombination reaction; transfer of genes from libraries prepared in GATEWAY™ Cloning System vectors by recombination into Entry Vectors; and cloning of restriction enzyme-generated fragments and PCR fragments into Entry Vectors by standard recombinant DNA methods. These approaches are discussed in further detail herein.

A key advantage of the GATEWAY™ Cloning System is that a nucleic acid molecule of interest (or even a population of nucleic acid molecules of interest) present as an Entry Clone can be subcloned in parallel into one or more Destination Vectors in a simple reactions for anywhere from about 30 seconds to about 60 minutes (preferably about 1-60 minutes, about 1-45 minutes, about 1-30 minutes, about 2-60 minutes, about 2-45 minutes, about 2-30 minutes, about 1-2 minutes, about 30-60 minutes, about 45-60 minutes, or about 30-45 minutes). Longer reaction times (e.g., 2-24 hours, or overnight) may increase recombination efficiency, particularly where larger nucleic acid molecules are used, as described in the Examples herein. Moreover, a high percentage of the colonies obtained carry the desired Expression Clone. This process is illustrated schematically in Figure 3, which shows an advantage of the invention in which the molecule of interest can be moved simultaneously or separately into multiple Destination Vectors. In the LR Reaction, one or both of the nucleic acid molecules to be recombined may have any topology (e.g., linear, relaxed circular, nicked circular, supercoiled, etc.), although one or both are preferably linear.

The second major pathway of the GATEWAY™ Cloning System is the **BP Reaction** (Figure 4), which may also be referred to interchangeably herein as the **Entry Reaction** or the **Gateward Reaction**. The BP Reaction may recombine an Expression Clone with a Donor Plasmid (the counterpart of the byproduct in Figure 2). This reaction transfers the nucleic acid molecule of interest (which may have any of a variety of topologies, including linear, coiled, supercoiled, etc.) in the Expression Clone into an Entry Vector, to produce a new Entry Clone. Once this nucleic acid molecule of interest is cloned into an Entry

Vector, it can be transferred into new Expression Vectors, through the LR Reaction as described above. In the BP Reaction, one or both of the nucleic acid molecules to be recombined may have any topology (*e.g.*, linear, relaxed circular, nicked circular, supercoiled, etc.), although one or both are preferably linear.

5 A useful variation of the BP Reaction permits rapid cloning and expression of products of amplification (*e.g.*, PCR) or nucleic acid synthesis. Amplification (*e.g.*, PCR) products synthesized with primers containing terminal 25 bp attB sites serve as efficient substrates for the Gateway Cloning reaction. Such amplification products may be recombined with a Donor Vector to produce an Entry Clone (see
10 Figure 7). The result is an Entry Clone containing the amplification fragment. Such Entry Clones can then be recombined with Destination Vectors -- through the LR Reaction -- to yield Expression Clones of the PCR product.

Additional details of the LR Reaction are shown in Figure 5A. The GATEWAY™ LR Clonase™ Enzyme Mix that mediates this reaction contains
15 lambda recombination proteins Int (Integrase), Xis (Excisionase), and IHF (Integration Host Factor). In contrast, the GATEWAY™ BP Clonase™ Enzyme Mix, which mediates the BP Reaction (Figure 5B), comprises Int and IHF alone.

The recombination (att) sites of each vector comprise two distinct segments, donated by the parental vectors. The staggered lines dividing the two
20 portions of each att site, depicted in Figures 5A and 5B, represent the seven-base staggered cut produced by Int during the recombination reactions. This structure is seen in greater detail in Figure 6, which displays the attB recombination sequences of an Expression Clone, generated by recombination between the attL1 and attL2 sites of an Entry Clone and the attR1 and attR2 sites of a Destination
25 Vector.

The nucleic acid molecule of interest in the Expression Clone is flanked by attB sites: attB1 to the left (amino terminus) and attB2 to the right (carboxy terminus). The bases in attB1 to the left of the seven-base staggered cut produced by Int are derived from the Destination vector, and the bases to the right of the
30 staggered cut are derived from the Entry Vector (see Figure 6). Note that the sequence is displayed in triplets corresponding to an open reading frame. If the reading frame of the nucleic acid molecule of interest cloned in the Entry Vector

is in phase with the reading frame shown for attB1, amino-terminal protein fusions can be made between the nucleic acid molecule of interest and any GATEWAY™ Cloning System Destination Vector encoding an amino-terminal fusion domain. Entry Vectors and Destination Vectors that enable cloning in all three reading frames are described in more detail herein, particularly in the Examples.

The LR Reaction allows the transfer of a desired nucleic acid molecule of interest into new Expression Vectors by recombining a Entry Clone with various Destination Vectors. To participate in the LR or Destination Reaction, however, a nucleic acid molecule of interest preferably is first converted to a Entry Clone. Entry Clones can be made in a number of ways, as shown in Figure 7.

One approach is to clone the nucleic acid molecule of interest into one or more of the Entry Vectors, using standard recombinant DNA methods, with restriction enzymes and ligase. The starting DNA fragment can be generated by restriction enzyme digestion or as a PCR product. The fragment is cloned between the attL1 and attL2 recombination sites in the Entry Vector. Note that a toxic or "death" gene (*e.g.*, *ccdB*), provided to minimize background colonies from incompletely digested Entry Vector, must be excised and replaced by the nucleic acid molecule of interest.

A second approach to making an Entry Clone (Figure 7) is to make a library (genomic or cDNA) in an Entry Vector, as described in detail herein. Such libraries may then be transferred into Destination Vectors for expression screening, for example in appropriate host cells such as yeast cells or mammalian cells.

A third approach to making Entry Clones (Figure 7) is to use Expression Clones obtained from cDNA molecules or libraries prepared in Expression Vectors. Such cDNAs or libraries, flanked by attB sites, can be introduced into a Entry Vector by recombination with a Donor Vector via the BP Reaction. If desired, an entire Expression Clone library can be transferred into the Entry Vector through the BP Reaction. Expression Clone cDNA libraries may also be constructed in a variety of prokaryotic and eukaryotic GATEWAY™-modified vectors (*e.g.*, the pEXP501 Expression Vector (see Figure 48), and 2-hybrid and

attB library vectors), as described in detail herein, particularly in the Examples below.

A fourth, and potentially most versatile, approach to making an Entry Clone (Figure 7) is to introduce a sequence for a nucleic acid molecule of interest into an Entry Vector by amplification (*e.g.*, PCR) fragment cloning. This method is diagramed in Figure 8. The DNA sequence first is amplified (for example, with PCR) as outlined in detail below and in the Examples herein, using primers containing one or more bp, two or more bp, three or more bp, four or more bp, five or more bp, preferably six or more bp, more preferably 6-25 bp (particularly 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 or 25) bp of the attB nucleotide sequences (such as, but not limited to, those depicted in Figure 9), and optionally one or more, two or more, three or more, four or more, and most preferably four or five or more additional terminal nucleotide bases which preferably are guanines. The PCR product then may be converted to a Entry Clone by performing a BP Reaction, in which the attB-PCR product recombines with a Donor Vector containing one or more attP sites. Details of this approach and protocols for PCR fragment subcloning are provided in Examples 8 and 21-25.

A variety of Entry Clones may be produced by these methods, providing a wide array of cloning options; a number of specific Entry Vectors are also available commercially from Life Technologies, Inc. (Rockville, MD). The Examples herein provide a more in-depth description of selected Entry Vectors and details of their cloning sites. Choosing the optimal Entry Vector for a particular application is discussed in Example 4.

Entry Vectors and Destination Vectors should be constructed so that the amino-terminal region of a nucleic acid molecule of interest (*e.g.*, a gene, cDNA library or insert, or fragment thereof) will be positioned next to the attL1 site. Entry Vectors preferably contain the *rrnB* transcriptional terminator upstream of the attL1 site. This sequence ensures that expression of cloned nucleic acid molecules of interest is reliably "off" in *E. coli*, so that even toxic genes can be successfully cloned. Thus, Entry Clones may be designed to be transcriptionally silent. Note also that Entry Vectors, and hence Entry Clones, may contain the kanamycin antibiotic resistance (*kan^r*) gene to facilitate selection of host cells

containing Entry Clones after transformation. In certain applications, however, Entry Clones may contain other selection markers, including but not limited to a gentamycin resistance (*gen^r*) or tetracycline resistance (*tet^r*) gene, to facilitate selection of host cells containing Entry Clones after transformation.

5 Once a nucleic acid molecule of interest has been cloned into an Entry Vector, it may be moved into a Destination Vector. The upper right portion of Figure 5A shows a schematic of a Destination Vector. The thick arrow represents some function (often transcription or translation) that will act on the nucleic acid molecule of interest in the clone. During the recombination reaction, the region
10 between the attR1 and attR2 sites, including a toxic or "death" gene (*e.g.*, *ccdB*), is replaced by the DNA segment from the Entry Clone. Selection for recombinants that have acquired the ampicillin resistance (*amp^r*) gene (carried on the Destination Vector) and that have also lost the death gene ensures that a high percentage (usually >90%) of the resulting colonies will contain the correct insert.

15 To move a nucleic acid molecule of interest into a Destination Vector, the Destination Vector is mixed with the Entry Clone comprising the desired nucleic acid molecule of interest, a cocktail of recombination proteins (*e.g.*, GATEWAY™ LR Clonase™ Enzyme Mix) is added, the mixture is incubated (preferably at about 25°C for about 60 minutes, or longer under certain
20 circumstances, *e.g.* for transfer of large nucleic acid molecules, as described below) and any standard host cell (including bacterial cells such as *E. coli*; animal cells such as insect cells, mammalian cells, nematode cells and the like; plant cells; and yeast cells) strain is transformed with the reaction mixture. The host cell used will be determined by the desired selection (*e.g.*, *E. coli* DB3.1, available
25 commercially from Life Technologies, Inc., allows survival of clones containing the *ccdB* death gene, and thus can be used to select for cointegrate molecules -- *i.e.*, molecules that are hybrids between the Entry Clone and Destination Vector). The Examples below provide further details and protocols for use of Entry and Destination Vectors in transferring nucleic acid molecules of interest and
30 expressing RNAs or polypeptides encoded by these nucleic acid molecules in a variety of host cells.

The cloning system of the invention therefore offers multiple advantages:

- Once a nucleic acid molecule of interest is cloned into the GATEWAY™ Cloning System, it can be moved into and out of other vectors with complete fidelity of reading frame and orientation. That is, since the reactions proceed whereby attL1 on the Entry Clone recombines with attR1 on the Destination Vector, the directionality of the nucleic acid molecule of interest is maintained or may be controlled upon transfer from the Entry Clone into the Destination Vector. Hence, the GATEWAY™ Cloning System provides a powerful and easy method of directional cloning of nucleic acid molecule of interest.
- One-step cloning or subcloning: Mix the Entry Clone and the Destination Vector with Clonase, incubate, and transform.
- Clone PCR products readily by *in vitro* recombination, by adding attB sites to PCR primers. Then directly transfer these Entry Clones into Destination Vectors. This process may also be carried out in one step (see Examples below).
- Powerful selections give high reliability: >90% (and often >99%) of the colonies contain the desired DNA in its new vector.
- One-step conversion of existing standard vectors into GATEWAY™ Cloning System vectors.
- Ideal for large vectors or those with few cloning sites.
- Recombination sites are short (25 bp), and may be engineered to contain no stop codons or secondary structures.
- Reactions may be automated, for high-throughput applications (*e.g.*, for diagnostic purposes or for therapeutic candidate screening).
- The reactions are economical: 0.3 µg of each DNA; no restriction enzymes, phosphatase, ligase, or gel purification. Reactions work well with miniprep DNA.
- Transfer multiple clones, and even libraries, into one or more Destination Vectors, in a single experiment.
- A variety of Destination Vectors may be produced, for applications including, but not limited to:

- Protein expression in *E. coli*: native proteins; fusion proteins with GST, His6, thioredoxin, etc., for purification, or one or more epitope tags; any promoter useful in expressing proteins in *E. coli* may be used, such as ptrc, λP_L , and T7 promoters.
- Protein expression in eukaryotic cells: CMV promoter, baculovirus (with or without His6 tag), Semliki Forest virus, Tet regulation.
- DNA sequencing (all *lac* primers), RNA probes, phagemids (both strands)
- A variety of Entry Vectors (for recombinational cloning entry by standard recombinant DNA methods) may be produced:
 - Strong transcription stop just upstream, for genes toxic to *E. coli*.
 - Three reading frames.
 - With or without TEV protease cleavage site.
 - Motifs for prokaryotic and / or eukaryotic translation.
 - Compatible with commercial cDNA libraries.
- Expression Clone cDNA (attB) libraries, for expression screening, including 2-hybrid libraries and phage display libraries, may also be constructed.

Recombination Site Sequences

In one aspect, the invention relates to nucleic acid molecules, which may or may not be isolated nucleic acid molecules, comprising one or more nucleotide sequences encoding one or more recombination sites or portions thereof. In particular, this aspect of the invention relates to such nucleic acid molecules comprising one or more nucleotide sequences encoding *attB*, *attP*, *attL*, or *attR*, or portions of these recombination site sequences. The invention also relates to mutants, derivatives, and fragments of such nucleic acid molecules. Unless otherwise indicated, all nucleotide sequences that may have been determined by sequencing a DNA molecule herein were determined using manual or automated DNA sequencing, such as dideoxy sequencing, according to methods that are routine to one of ordinary skill in the art (Sanger, F., and Coulson, A.R., *J. Mol. Biol.* 94:444-448 (1975); Sanger, F., *et al.*, *Proc. Natl. Acad. Sci. USA* 74:5463-5467 (1977)). All amino acid sequences of polypeptides encoded by DNA

molecules determined herein were predicted by conceptual translation of a DNA sequence determined as above. Therefore, as is known in the art for any DNA sequence determined by these approaches, any nucleotide sequence determined herein may contain some errors. Nucleotide sequences determined by such methods are typically at least about 90% identical, more typically at least about 95% to at least about 99.9% identical to the actual nucleotide sequence of the sequenced DNA molecule. As is also known in the art, a single insertion or deletion in a determined nucleotide sequence compared to the actual sequence will cause a frame shift in translation of the nucleotide sequence such that the predicted amino acid sequence encoded by a determined nucleotide sequence will be completely different from the amino acid sequence actually encoded by the sequenced DNA molecule, beginning at the point of such an insertion or deletion.

Unless otherwise indicated, each "nucleotide sequence" set forth herein is presented as a sequence of deoxyribonucleotides (abbreviated A, G, C and T). However, by "nucleotide sequence" of a nucleic acid molecule or polynucleotide is intended, for a DNA molecule or polynucleotide, a sequence of deoxyribonucleotides, and for an RNA molecule or polynucleotide, the corresponding sequence of ribonucleotides (A, G, C and U), where each thymidine deoxyribonucleotide (T) in the specified deoxyribonucleotide sequence is replaced by the ribonucleotide uridine (U). Thus, the invention relates to sequences of the invention in the form of DNA or RNA molecules, or hybrid DNA/RNA molecules, and their corresponding complementary DNA, RNA, or DNA/RNA strands.

In a first such aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding *attB1*, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an *attB1* nucleotide sequence having the sequence set forth in Figure 9, such as: ACAAGTTTGTACAAAAAGCAGGCT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for *attB1*, or mutants, fragments, variants or derivatives thereof. As one of ordinary skill will appreciate, however, certain mutations, insertions, or deletions of one or more bases in the *attB1* sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional

integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the *attB1* sequence are encompassed within the scope of the invention.

In a related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding *attB2*, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an *attB2* nucleotide sequence having the sequence set forth in Figure 9, such as: ACCCAGCTTTCTTGTACAAAGTGGT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for *attB2*, or mutants, fragments, variants or derivatives thereof. As noted above for *attB1*, certain mutations, insertions, or deletions of one or more bases in the *attB2* sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the *attB2* sequence are encompassed within the scope of the invention.

A recombinant host cell comprising a nucleic acid molecule containing *attB1* and *attB2* sites (the vector pEXP501, also known as pCMVSPORT6; see Figure 48), *E. coli* DB3.1(pCMVSPORT6), was deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit No. NRRL B-30108. The *attB1* and *attB2* sites within the deposited nucleic acid molecule are contained in nucleic acid cassettes in association with one or more additional functional sequences as described in more detail below.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding *attP1*, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an *attP1* nucleotide sequence having the sequence set forth in Figure 9, such as: TACAGGTCACCTAATACCATCTAAGTAGTTGATTCATAGTGA-CTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTAT-GCAAAATCTAATTTAATATATTGATATTTATATCATTTTACGTT-TCTCGTTCAGCTTTTTTGTACAAAGTTGGCATTATAAAAAAGCATTG-CTCATCAATTTGTTGCAACGAACAGGTCACCTATCAGTCAAAATAA-

AATCATTATTTG, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for *attP1*, or mutants, fragments, variants or derivatives thereof. As noted above for *attB1*, certain mutations, insertions, or deletions of one or more bases in the *attP1* sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the *attP1* sequence are encompassed within the scope of the invention.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding *attP2*, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an *attP2* nucleotide sequence having the sequence set forth in Figure 9, such as: CAAATAATGATTTTATTTTGACTGATAGTGACCTGTTTCGTTG-CAACAAATTGATAAGCAATGCTTTCTTATAATGCCAACTTT-GTACAAGAAAGCTGAACGAGAAACGTAAAATGATA-TAAATATCAATATATTAAATTAGATTTTGCATAAAAAACAG-ACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAACTACTTAGATGGTATTAGTGACCTGTA, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for *attP2*, or mutants, fragments, variants or derivatives thereof. As noted above for *attB1*, certain mutations, insertions, or deletions of one or more bases in the *attP2* sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the *attP2* sequence are encompassed within the scope of the invention.

A recombinant host cell comprising a nucleic acid molecule (the *attP* vector pDONR201, also known as pENTR21-*attPkan* or p*AttPkan*; see Figure 49) containing *attP1* and *attP2* sites, *E. coli* DB3.1(p*AttPkan*) (also called *E. coli* DB3.1(pAHK*an*)), was deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit No. NRRL B-30099. The *attP1* and *attP2* sites within the deposited nucleic acid molecule are contained in nucleic acid

cassettes in association with one or more additional functional sequences as described in more detail below.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding *attR1*, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an *attR1* nucleotide sequence having the sequence set forth in Figure 9, such as: ACAAGTTTGTACAAAAAGCTGAACGAG-AAACGTAATAATGATATAAATATCAATATATTAAATTAGATTTTGCAT-AAAAACAGACTACATAATACTGTAAACACAACATATCCAGTCA-CTATG, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for *attR1*, or mutants, fragments, variants or derivatives thereof. As noted above for *attB1*, certain mutations, insertions, or deletions of one or more bases in the *attR1* sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the *attR1* sequence are encompassed within the scope of the invention.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding *attR2*, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an *attR2* nucleotide sequence having the sequence set forth in Figure 9, such as: GCAGGTCGACCATAGTGACTGGATAT-GTTGTGTTTTACAGTATTATGTAGTCTGTTTTTATGCAAAATCTA-ATTTAATATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTT-TCTTGTACAAAGTGGT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for *attR2*, or mutants, fragments, variants or derivatives thereof. As noted above for *attB1*, certain mutations, insertions, or deletions of one or more bases in the *attR2* sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the *attR2* sequence are encompassed within the scope of the invention.

Recombinant host cell strains containing attR1 sites apposed to cloning sites in reading frame A, reading frame B, and reading frame C, *E. coli* DB3.1(pEZC15101) (reading frame A; see Figure 64A), *E. coli* DB3.1(pEZC15102) (reading frame B; see Figure 64B), and *E. coli* DB3.1(pEZC15103) (reading frame C; see Figure 64C), and containing corresponding attR2 sites, were deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit Nos. NRRL B-30103, NRRL B-30104, and NRRL B-30105, respectively. The attR1 and attR2 sites within the deposited nucleic acid molecules are contained in nucleic acid cassettes in association with one or more additional functional sequences as described in more detail below.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attL1, or mutants, fragments, variants and derivatives thereof. Such nucleic acid molecules may comprise an attL1 nucleotide sequence having the sequence set forth in Figure 9, such as: CAA ATA ATG ATT TTA TTT TGA CTG ATA GTG ACC TGT TCG TTG CAA CAA ATT GAT AAG CAA TGC TTT TTT ATA ATG CCA ACT TTG TAC AAA AAA GCA GGC T, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attL1, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attL1 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attL1 sequence are encompassed within the scope of the invention.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attL2, or mutants, fragments, variants and derivatives thereof. Such nucleic acid molecules may comprise an attL2 nucleotide sequence having the sequence set forth in Figure 9, such as: C AAA TAA TGA TTT TAT TTT GAC TGA TAG TGA CCT GTT CGT TGC AAC AAA TTG ATA AGC AAT GCT TTC TTA TAA TGC CAA

CTT TGT ACA AGA AAG CTG GGT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for *attL2*, or mutants, fragments, variants or derivatives thereof. As noted above for *attB1*, certain mutations, insertions, or deletions of one or more bases in the *attL2* sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the *attL2* sequence are encompassed within the scope of the invention.

Recombinant host cell strains containing *attL1* sites apposed to cloning sites in reading frame A, reading frame B, and reading frame C, *E. coli* DB3.1(pENTR1A) (reading frame A; see Figure 10), *E. coli* DB3.1(pENTR2B) (reading frame B; see Figure 11), and *E. coli* DB3.1(pENTR3C) (reading frame C; see Figure 12), and containing corresponding *attL2* sites, were deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit Nos. NRRL B-30100, NRRL B-30101, and NRRL B-30102, respectively. The *attL1* and *attL2* sites within the deposited nucleic acid molecules are contained in nucleic acid cassettes in association with one or more additional functional sequences as described in more detail below.

Each of the recombination site sequences described herein or portions thereof, or the nucleotide sequence cassettes contained in the deposited clones, may be cloned or inserted into a vector of interest (for example, using the recombinational cloning methods described herein and/or standard restriction cloning techniques that are routine in the art) to generate, for example, Entry Vectors or Destination Vectors which may be used to transfer a desired segment of a nucleic acid molecule of interest (e.g., a gene, cDNA molecule, or cDNA library) into a desired vector or into a host cell.

Using the information provided herein, such as the nucleotide sequences for the recombination site sequences described herein, an isolated nucleic acid molecule of the present invention encoding one or more recombination sites or portions thereof may be obtained using standard cloning and screening procedures, such as those for cloning cDNAs using mRNA as starting material. Preferred such

methods include PCR-based cloning methods, such as reverse transcriptase-PCR (RT-PCR) using primers such as those described herein and in the Examples below. Alternatively, vectors comprising the cassettes containing the recombination site sequences described herein are available commercially from Life Technologies, Inc. (Rockville, MD).

The invention is also directed to nucleic acid molecules comprising one or more of the recombination site sequences or portions thereof and one or more additional nucleotide sequences, which may encode functional or structural sites such as one or more multiple cloning sites, one or more transcription termination sites, one or more transcriptional regulatory sequences (which may be promoters, enhancers, repressors, and the like), one or more translational signals (*e.g.*, secretion signal sequences), one or more origins of replication, one or more fusion partner peptides (particularly glutathione S-transferase (GST), hexahistidine (His₆), and thioredoxin (Trx)), one or more selection markers or modules, one or more nucleotide sequences encoding localization signals such as nuclear localization signals or secretion signals, one or more origins of replication, one or more protease cleavage sites, one or more genes or portions of genes encoding a protein or polypeptide of interest, and one or more 5' polynucleotide extensions (particularly an extension of guanine residues ranging in length from about 1 to about 20, from about 2 to about 15, from about 3 to about 10, from about 4 to about 10, and most preferably an extension of 4 or 5 guanine residues at the 5' end of the recombination site nucleotide sequence. The one or more additional functional or structural sequences may or may not flank one or more of the recombination site sequences contained on the nucleic acid molecules of the invention.

In some nucleic acid molecules of the invention, the one or more nucleotide sequences encoding one or more additional functional or structural sites may be operably linked to the nucleotide sequence encoding the recombination site. For example, certain nucleic acid molecules of the invention may have a promoter sequence operably linked to a nucleotide sequence encoding a recombination site or portion thereof of the invention, such as a T7 promoter, a phage lambda PL

promoter, an *E. coli lac*, *trp* or *tac* promoter, and other suitable promoters which will be familiar to the skilled artisan.

Nucleic acid molecules of the present invention, which may be isolated nucleic acid molecules, may be in the form of RNA, such as mRNA, or in the form of DNA, including, for instance, cDNA and genomic DNA obtained by cloning or produced synthetically, or in the form of DNA-RNA hybrids. The nucleic acid molecules of the invention may be double-stranded or single-stranded. Single-stranded DNA or RNA may be the coding strand, also known as the sense strand, or it may be the non-coding strand, also referred to as the anti-sense strand. The nucleic acid molecules of the invention may also have a number of topologies, including linear, circular, coiled, or supercoiled.

By "isolated" nucleic acid molecule(s) is intended a nucleic acid molecule, DNA or RNA, which has been removed from its native environment. For example, recombinant DNA molecules contained in a vector are considered isolated for the purposes of the present invention. Further examples of isolated DNA molecules include recombinant DNA molecules maintained in heterologous host cells, and those DNA molecules purified (partially or substantially) from a solution whether produced by recombinant DNA or synthetic chemistry techniques. Isolated RNA molecules include *in vivo* or *in vitro* RNA transcripts of the DNA molecules of the present invention.

The present invention further relates to mutants, fragments, variants and derivatives of the nucleic acid molecules of the present invention, which encode portions, analogs or derivatives of one or more recombination sites. Variants may occur naturally, such as a natural allelic variant. By an "allelic variant" is intended one of several alternate forms of a gene occupying a given locus on a chromosome of an organism (*see* Lewin, B., ed., *Genes II*, , John Wiley & Sons, New York (1985)). Non-naturally occurring variants may be produced using art-known mutagenesis techniques, such as those described hereinbelow.

Such variants include those produced by nucleotide substitutions, deletions or additions or portions thereof, or combinations thereof. The substitutions, deletions or additions may involve one or more nucleotides. The variants may be altered in coding regions, non-coding regions, or both. Alterations in the coding

regions may produce conservative or non-conservative amino acid substitutions, deletions or additions. Especially preferred among these are silent substitutions, additions and deletions, which do not alter the properties and activities of the encoded polypeptide(s) or portions thereof, and which also do not substantially alter the reactivities of the recombination site nucleic acid sequences in recombination reactions. Also especially preferred in this regard are conservative substitutions.

Particularly preferred mutants, fragments, variants, and derivatives of the nucleic acid molecules of the invention include, but are not limited to, insertions, deletions or substitutions of one or more nucleotide bases within the 15 bp core region (GCTTTTTTATACTAA) which is identical in all four wildtype lambda *att* sites, *attB*, *attP*, *attL* and *attR* (see U.S. Application Nos. 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed October 23, 1998, which describes the core region in further detail, and the disclosures of which are incorporated herein by reference in their entireties). Analogously, the core regions in *attB1*, *attP1*, *attL1* and *attR1* are identical to one another, as are the core regions in *attB2*, *attP2*, *attL2* and *attR2*. Particularly preferred in this regard are nucleic acid molecules comprising insertions, deletions or substitutions of one or more nucleotides within the seven bp overlap region (TTTATAC, which is defined by the cut sites for the integrase protein and is the region where strand exchange takes place) that occurs within this 15 bp core region (GCTTTTTTTTTATACTAA). Examples of such preferred mutants, fragments, variants and derivatives according to this aspect of the invention include, but are not limited to, nucleic acid molecules in which the thymine at position 1 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or adenine; in which the thymine at position 2 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or adenine; in which the thymine at position 3 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or adenine; in which the adenine at position 4 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or thymine; in which the thymine at position 5 of the seven bp overlap region has been deleted or substituted with a

guanine, cytosine, or adenine; in which the adenine at position 6 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or thymine; and in which the cytosine at position 7 of the seven bp overlap region has been deleted or substituted with a guanine, thymine, or adenine; or any combination of one or more such deletions and/or substitutions within this seven bp overlap region. As described in detail in Example 21 herein, mutants of the nucleic acid molecules of the invention in which substitutions have been made within the first three positions of the seven bp overlap (TTTATAC) have been found in the present invention to strongly affect the specificity of recombination, mutant nucleic acid molecules in which substitutions have been made in the last four positions (TTTATAC) only partially alter recombination specificity, and mutant nucleic acid molecules comprising nucleotide substitutions outside of the seven bp overlap, but elsewhere within the 15 bp core region, do not affect specificity of recombination but do influence the efficiency of recombination.

Hence, in an additional aspect, the present invention is also directed to nucleic acid molecules comprising one or more recombination site nucleotide sequences that affect recombination specificity, particularly one or more nucleotide sequences that may correspond substantially to the seven base pair overlap within the 15 bp core region, having one or more mutations that affect recombination specificity. Particularly preferred such molecules may comprise a consensus sequence (described in detail in Example 21 herein) such as NNNATAC, wherein "N" refers to any nucleotide (*i.e.*, may be A, G, T/U or C), with the proviso that if one of the first three nucleotides in the consensus sequence is a T/U, then at least one of the other two of the first three nucleotides is not a T/U.

In a related aspect, the present invention is also directed to nucleic acid molecules comprising one or more recombination site nucleotide sequences that enhance recombination efficiency, particularly one or more nucleotide sequences that may correspond substantially to the core region and having one or more mutations that enhance recombination efficiency. By sequences or mutations that "enhance recombination efficiency" is meant a sequence or mutation in a recombination site, preferably in the core region (*e.g.*, the 15 bp core region of *att* recombination sites), that results in an increase in cloning efficiency (typically

measured by determining successful cloning of a test sequence, *e.g.*, by determining CFU/ml for a given cloning mixture) when recombining molecules comprising the mutated sequence or core region as compared to molecules that do not comprise the mutated sequence or core region (*e.g.*, those comprising a wildtype recombination site core region sequence). More specifically, whether or not a given sequence or mutation enhances recombination efficiency may be determined using the sequence or mutation in recombinational cloning as described herein, and determining whether the sequence or mutation provides enhanced recombinational cloning efficiency when compared to a non-mutated (*e.g.*, wildtype) sequence. Methods of determining preferred cloning efficiency-enhancing mutations for a number of recombination sites, particularly for *att* recombination sites, are described herein, for example in Examples 22-25. Examples of preferred such mutant recombination sites include but are not limited to the *attL* consensus core sequence of caacttntntnnnannaagttg (wherein "n" represents any nucleotide), for example the *attL5* sequence agcctgctttattataactaagttggcatta and the *attL6* sequence agcctgcttttttatattaagttggcatta; the *attB1.6* sequence ggggacaactttgtacaaaaaagttggct; the *attB2.2* sequence ggggacaactttgtacaagaaagctgggt; and the *attB2.10* sequence ggggacaactttgtacaagaaagttgggt. Those of skill in the art will appreciate that, in addition to the core region, other portions of the *att* site may affect the efficiency of recombination. There are five so-called arm binding sites for the integrase protein in the bacteriophage lambda *attP* site, two in *attR* (P1 and P2), and three in *attL* (P'1, P'2 and P'3). Compared to the core binding sites, the integrase protein binds to arm sites with high affinity and interacts with core and arm sites through two different domains of the protein. As with the core binding site a consensus sequence for the arm binding site consisting of C/AAGTCACTAT has been inferred from sequence comparison of the five arm binding sites and seven non-*att* sites (Ross and Landy, *Proc. Natl. Acad. Sci. USA* 79:7724-7728 (1982)). Each arm site has been mutated and tested for its effect in the excision and integration reactions (Numrych *et al.*, *Nucl. Acids Res.* 18:3953 (1990)). Hence, specific sites are utilized in each reaction in different ways, namely, the P1 and P'3

sites are essential for the integration reaction whereas the other three sites are dispensable to the integration reaction to varying degrees. Similarly, the P2, P'1 and P'2 sites are most important for the excision reaction, whereas P1 and P'3 are completely dispensable. Interestingly, when P2 is mutated the integration reaction occurs more efficiently than with the wild type attP site. Similarly, when P1 and P'3 are mutated the excision reaction occurs more efficiently. The stimulatory effect of mutating integrase arm binding sites can be explained by removing sites that compete or inhibit a specific recombination pathway or that function in a reaction that converts products back to starting substrates. In fact there is evidence for an XIS-independent LR reaction (Abremski and Gottesman, *J. Mol. Biol.* 153:67-78 (1981)). Thus, in addition to modifications in the core region of the att site, the present invention contemplates the use of att sites containing one or more modifications in the integrase arm-type binding sites. In some preferred embodiments, one or more mutations may be introduced into one or more of the P1, P'1, P2, P'2 and P'3 sites. In some preferred embodiments, multiple mutations may be introduced into one or more of these sites. Preferred such mutations include those which increase the recombination *in vitro*. For example, in some embodiments mutations may be introduced into the arm-type binding sites such that integrative recombination, corresponding to the BP reaction, is enhanced. In other embodiments, mutations may be introduced into the arm-type binding sites such that excisive recombination, corresponding to the LR reaction, is enhanced. Of course, based on the guidance contained herein, particularly in the construction and evaluation of effects of mutated recombination sites upon recombinational specificity and efficiency, analogous mutated or engineered sequences may be produced for other recombination sites described herein (including but not limited to *lox*, FRT, and the like) and used in accordance with the invention. For example, much like the mutagenesis strategy used to select core binding sites that enhance recombination efficiency, similar strategies can be employed to select changes in the arms of attP, attL and attR, and in analogous sequences in other recombination sites such as *lox*, FRT and the like, that enhance recombination efficiency. Hence, the construction and evaluation of such mutants is well within the abilities of those of ordinary skill in the art without undue experimentation.

One suitable methodology for preparing and evaluating such mutations is found in Numrych, *et al.*, (1990) *Nucleic Acids Research* 18(13): 3953-3959.

Other mutant sequences and nucleic acid molecules that may be suitable to enhance recombination efficiency will be apparent from the description herein, or may be easily determined by one of ordinary skill using only routine experimentation in molecular biology in view of the description herein and information that is readily available in the art

Since the genetic code is well known in the art, it is also routine for one of ordinary skill in the art to produce degenerate variants of the nucleic acid molecules described herein without undue experimentation. Hence, nucleic acid molecules comprising degenerate variants of nucleic acid sequences encoding the recombination sites described herein are also encompassed within the scope of the invention.

Further embodiments of the invention include isolated nucleic acid molecules comprising a polynucleotide having a nucleotide sequence at least 50% identical, at least 60% identical, at least 70% identical, at least 75% identical, at least 80% identical, at least 85% identical, at least 90% identical, and more preferably at least 95%, 96%, 97%, 98% or 99% identical to the nucleotide sequences of the seven bp overlap region within the 15 bp core region of the recombination sites described herein, or the nucleotide sequences of *attB1*, *attB2*, *attP1*, *attP2*, *attL1*, *attL2*, *attR1* or *attR2* as set forth in Figure 9 (or portions thereof), or a nucleotide sequence complementary to any of these nucleotide sequences, or fragments, variants, mutants, and derivatives thereof.

By a polynucleotide having a nucleotide sequence at least, for example, 95% "identical" to a reference nucleotide sequence encoding a particular recombination site or portion thereof is intended that the nucleotide sequence of the polynucleotide is identical to the reference sequence except that the polynucleotide sequence may include up to five point mutations (*e.g.*, insertions, substitutions, or deletions) per each 100 nucleotides of the reference nucleotide sequence encoding the recombination site. For example, to obtain a polynucleotide having a nucleotide sequence at least 95% identical to a reference *attB1* nucleotide sequence, up to 5% of the nucleotides in the *attB1* reference sequence may be

deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the *attB1* reference sequence may be inserted into the *attB1* reference sequence. These mutations of the reference sequence may occur at the 5' or 3' terminal positions of the reference nucleotide sequence or
5 anywhere between those terminal positions, interspersed either individually among nucleotides in the reference sequence or in one or more contiguous groups within the reference sequence.

As a practical matter, whether any particular nucleic acid molecule is at least 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical
10 to, for instance, a given recombination site nucleotide sequence or portion thereof can be determined conventionally using known computer programs such as DNAsis software (Hitachi Software, San Bruno, California) for initial sequence alignment followed by ESEE version 3.0 DNA/protein sequence software (cabot@trog.mbb.sfu.ca) for multiple sequence alignments. Alternatively, such
15 determinations may be accomplished using the BESTFIT program (Wisconsin Sequence Analysis Package, Genetics Computer Group, University Research Park, 575 Science Drive, Madison, WI 53711), which employs a local homology algorithm (Smith and Waterman, *Advances in Applied Mathematics* 2: 482-489 (1981)) to find the best segment of homology between two sequences. When
20 using DNAsis, ESEE, BESTFIT or any other sequence alignment program to determine whether a particular sequence is, for instance, 95% identical to a reference sequence according to the present invention, the parameters are set such that the percentage of identity is calculated over the full length of the reference nucleotide sequence and that gaps in homology of up to 5% of the total number
25 of nucleotides in the reference sequence are allowed.

The present invention is directed to nucleic acid molecules at least 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to the *attB1*, *attB2*, *attP1*, *attP2*, *attL1*, *attL2*, *attR1* or *attR2* nucleotide sequences as set forth in Figure 9, or to the nucleotide sequence of the deposited clones, irrespective of
30 whether they encode particular functional polypeptides. This is because even where a particular nucleic acid molecule does not encode a particular functional polypeptide, one of skill in the art would still know how to use the nucleic acid

molecule, for instance, as a hybridization probe or a polymerase chain reaction (PCR) primer.

5 Mutations can also be introduced into the recombination site nucleotide sequences for enhancing site specific recombination or altering the specificities of the reactants, etc. Such mutations include, but are not limited to: recombination sites without translation stop codons that allow fusion proteins to be encoded; recombination sites recognized by the same proteins but differing in base sequence such that they react largely or exclusively with their homologous partners allowing multiple reactions to be contemplated; and mutations that prevent hairpin formation of recombination sites. Which particular reactions take place can be specified by which particular partners are present in the reaction mixture.

10 There are well known procedures for introducing specific mutations into nucleic acid sequences. A number of these are described in Ausubel, F.M. *et al.*, *Current Protocols in Molecular Biology*, Wiley Interscience, New York (1989-1996). Mutations can be designed into oligonucleotides, which can be used to modify existing cloned sequences, or in amplification reactions. Random mutagenesis can also be employed if appropriate selection methods are available to isolate the desired mutant DNA or RNA. The presence of the desired mutations can be confirmed by sequencing the nucleic acid by well known methods.

20 The following non-limiting methods can be used to modify or mutate a given nucleic acid molecule encoding a particular recombination site to provide mutated sites that can be used in the present invention:

- 25 1. By recombination of two parental DNA sequences by site-specific (e.g. attL and attR to give attP) or other (e.g. homologous) recombination mechanisms where the parental DNA segments contain one or more base alterations resulting in the final mutated nucleic acid molecule;
2. By mutation or mutagenesis (site-specific, PCR, random, spontaneous, etc) directly of the desired nucleic acid molecule;
- 30 3. By mutagenesis (site-specific, PCR, random, spontaneous, etc) of parental DNA sequences, which are recombined to generate a desired nucleic acid molecule;

4. By reverse transcription of an RNA encoding the desired core sequence;
and
5. By *de novo* synthesis (chemical synthesis) of a sequence having the desired
base changes, or random base changes followed by sequencing or
functional analysis according to methods that are routine in the art.

The functionality of the mutant recombination sites can be demonstrated in ways that depend on the particular characteristic that is desired. For example, the lack of translation stop codons in a recombination site can be demonstrated by expressing the appropriate fusion proteins. Specificity of recombination between homologous partners can be demonstrated by introducing the appropriate molecules into *in vitro* reactions, and assaying for recombination products as described herein or known in the art. Other desired mutations in recombination sites might include the presence or absence of restriction sites, translation or transcription start signals, protein binding sites, particular coding sequences, and other known functionalities of nucleic acid base sequences. Genetic selection schemes for particular functional attributes in the recombination sites can be used according to known method steps. For example, the modification of sites to provide (from a pair of sites that do not interact) partners that do interact could be achieved by requiring deletion, via recombination between the sites, of a DNA sequence encoding a toxic substance. Similarly, selection for sites that remove translation stop sequences, the presence or absence of protein binding sites, etc., can be easily devised by those skilled in the art.

Accordingly, the present invention also provides a nucleic acid molecule, comprising at least one DNA segment having at least one, and preferably at least two, engineered recombination site nucleotide sequences of the invention flanking a selectable marker and/or a desired DNA segment, wherein at least one of said recombination site nucleotide sequences has at least one engineered mutation that enhances recombination *in vitro* in the formation of a Cointegrate DNA or a Product DNA. Such engineered mutations may be in the core sequence of the recombination site nucleotide sequence of the invention; *see* U.S. Application Nos. 08/486,139, filed June 7, 1995, 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed

October 23, 1998, the disclosures of which are all incorporated herein by reference in their entireties.

While in the preferred embodiment the recombination sites differ in sequence and do not interact with each other, it is recognized that sites comprising the same sequence, which may interact with each other, can be manipulated or engineered to inhibit recombination with each other. Such conceptions are considered and incorporated herein. For example, a protein binding site (*e.g.*, an antibody-binding site, a histone-binding site, an enzyme-binding site, or a binding site for any nucleic acid molecule-binding protein) can be engineered adjacent to one of the sites. In the presence of the protein that recognizes the engineered site, the recombinase fails to access the site and another recombination site in the nucleic acid molecule is therefore used preferentially. In the cointegrate this site can no longer react since it has been changed, *e.g.*, from attB to attL. During or upon resolution of the cointegrate, the protein can be inactivated (*e.g.*, by antibody, heat or a change of buffer) and the second site can undergo recombination.

The nucleic acid molecules of the invention can have at least one mutation that confers at least one enhancement of said recombination, said enhancement selected from the group consisting of substantially (i) favoring integration; (ii) favoring recombination; (iii) relieving the requirement for host factors; (iv) increasing the efficiency of said Cointegrate DNA or Product DNA formation; (v) increasing the specificity of said Cointegrate DNA or Product DNA formation; and (vi) adding or deleting protein binding sites.

In other embodiments, the nucleic acid molecules of the invention may be PCR primer molecules, which comprise one or more of the recombination site sequences described herein or portions thereof, particularly those shown in Figure 9 (or sequences complementary to those shown in Figure 9), or mutants, fragments, variants or derivatives thereof, attached at the 3' end to a target-specific template sequence which specifically interacts with a target nucleic acid molecule which is to be amplified. Primer molecules according to this aspect of the invention may further comprise one or more, (*e.g.*, 1, 2, 3, 4, 5, 10, 20, 25, 50, 100, 500, 1000, or more) additional bases at their 5' ends, and preferably comprise one or more (particularly four or five) additional bases, which are preferably

guanines, at their 5' ends, to increase the efficiency of the amplification products incorporating the primer molecules in the recombinational cloning system of the invention. Such nucleic acid molecules and primers are described in detail in the examples herein, particularly in Examples 22-25.

Certain primers of the invention may comprise one or more nucleotide deletions in the *attB1*, *attB2*, *attP1*, *attP2*, *attL1*, *attL2*, *attR1* or *attR2* sequences as set forth in Figure 9. In one such aspect, for example, *attB2* primers may be constructed in which one or more of the first four nucleotides at the 5' end of the *attB2* sequence shown in Figure 9 have been deleted. Primers according to this aspect of the invention may therefore have the sequence:

(*attB2*(-1)): CCCAGCTTCTTGTACAAAGTGGTnnnnnnnnnnnn . . . n

(*attB2*(-2)): CCAGCTTCTTGTACAAAGTGGTnnnnnnnnnnnn . . . n

(*attB2*(-3)): CAGCTTCTTGTACAAAGTGGTnnnnnnnnnnnn . . . n

(*attB2*(-4)): AGCTTCTTGTACAAAGTGGTnnnnnnnnnnnn . . . n,

wherein "nnnnnnnnnnnn . . . n" at the 3' end of the primer represents a target-specific sequence of any length, for example from one base up to all of the bases of a target nucleic acid molecule (e.g., a gene) or a portion thereof, the sequence and length which will depend upon the identity of the target nucleic acid molecule which is to be amplified.

The primer nucleic acid molecules according to this aspect of the invention may be produced synthetically by attaching the recombination site sequences depicted in Figure 9, or portions thereof, to the 5' end of a standard PCR target-specific primer according to methods that are well-known in the art. Alternatively, additional primer nucleic acid molecules of the invention may be produced synthetically by adding one or more nucleotide bases, which preferably correspond to one or more, preferably five or more, and more preferably six or more, contiguous nucleotides of the *att* nucleotide sequences described herein (see, e.g., Example 20 herein; see also U.S. Application Nos. 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed October 23, 1998, the disclosures of which are all incorporated herein by reference in their entireties), to the 5' end of a standard PCR target-specific primer according to methods that are well-known in the art, to provide

primers having the specific nucleotide sequences described herein. As noted above, primer nucleic acid molecules according to this aspect of the invention may also optionally comprise one, two, three, four, five, or more additional nucleotide bases at their 5' ends, and preferably will comprise four or five guanines at their 5' ends. In one particularly preferred such aspect, the primer nucleic acid molecules of the invention may comprise one or more, preferably five or more, more preferably six or more, still more preferably 6-18 or 6-25, and most preferably 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 or 25, contiguous nucleotides or bp of the *attB1* or *attB2* nucleotide sequences depicted in Figure 9 (or nucleotides complementary thereto), linked to the 5' end of a target-specific (e.g., a gene-specific) primer molecule. Primer nucleic acid molecules according to this aspect of the invention include, but are not limited to, *attB1*- and *attB2*-derived primer nucleic acid molecules having the following nucleotide sequences:

ACAAGTTTGTACAAAAAAGCAGGCT-nnnnnnnnnnnnn . . . n
ACCACTTTGTACAAGAAAGCTGGGT-nnnnnnnnnnnnn . . . n
TGTACAAAAAAGCAGGCT-nnnnnnnnnnnnn . . . n
TGTACAAGAAAGCTGGGT-nnnnnnnnnnnnn . . . n
ACAAAAAAGCAGGCT-nnnnnnnnnnnnn . . . n
ACAAGAAAGCTGGGT-nnnnnnnnnnnnn . . . n
AAAAAGCAGGCT-nnnnnnnnnnnnn . . . n
AGAAAGCTGGGT-nnnnnnnnnnnnn . . . n
AAAAGCAGGCT-nnnnnnnnnnnnn . . . n
GAAAGCTGGGT-nnnnnnnnnnnnn . . . n
AAAGCAGGCT-nnnnnnnnnnnnn . . . n
AAAGCTGGGT-nnnnnnnnnnnnn . . . n
AAGCAGGCT-nnnnnnnnnnnnn . . . n
AAGCTGGGT-nnnnnnnnnnnnn . . . n
AGCAGGCT-nnnnnnnnnnnnn . . . n
AGCTGGGT-nnnnnnnnnnnnn . . . n
GCAGGCT-nnnnnnnnnnnnn . . . n
GCTGGGT-nnnnnnnnnnnnn . . . n

CAGGCT-nnnnnnnnnnnnn . . . n

CTGGGT-nnnnnnnnnnnnn . . . n,

wherein "nnnnnnnnnnnn . . . n" at the 3' end of the primer represents a target-specific sequence of any length, for example from one base up to all of the bases of a target nucleic acid molecule (e.g., a gene) or a portion thereof, the sequence and length which will depend upon the identity of the target nucleic acid molecule which is to be amplified.

Of course, it will be apparent to one of ordinary skill from the teachings contained herein that additional primer nucleic acid molecules analogous to those specifically described herein may be produced using one or more, preferably five or more, more preferably six or more, still more preferably ten or more, 15 or more, 20 or more, 25 or more, 30 or more, etc. (through to and including all) of the contiguous nucleotides or bp of the *attP1*, *attP2*, *attL1*, *attL2*, *attR1* or *attR2* nucleotide sequences depicted in Figure 9 (or nucleotides complementary thereto), linked to the 5' end of a target-specific (e.g., a gene-specific) primer molecule. As noted above, such primer nucleic acid molecules may optionally further comprise one, two, three, four, five, or more additional nucleotide bases at their 5' ends, and preferably will comprise four guanines at their 5' ends. Other primer molecules comprising the *attB1*, *attB2*, *attP1*, *attP2*, *attL1*, *attL2*, *attR1* and *attR2* sequences depicted in Figure 9, or portions thereof, may be made by one of ordinary skill without resorting to undue experimentation in accordance with the guidance provided herein.

The primers of the invention described herein are useful in producing PCR fragments having a nucleic acid molecule of interest flanked at each end by a recombination site sequence (as described in detail below in Example 9), for use in cloning of PCR-amplified DNA fragments using the recombination system of the invention (as described in detail below in Examples 8, 19 and 21-25).

Vectors

The invention also relates to vectors comprising one or more of the nucleic acid molecules of the invention, as described herein. In accordance with the invention, any vector may be used to construct the vectors of the invention. In

particular, vectors known in the art and those commercially available (and variants or derivatives thereof) may in accordance with the invention be engineered to include one or more nucleic acid molecules encoding one or more recombination sites (or portions thereof), or mutants, fragments, or derivatives thereof, for use
5 in the methods of the invention. Such vectors may be obtained from, for example, Vector Laboratories Inc., Invitrogen, Promega, Novagen, New England Biolabs, Clontech, Roche, Pharmacia, EpiCenter, OriGenes Technologies Inc., Stratagene, Perkin Elmer, Pharmingen, Life Technologies, Inc., and Research Genetics. Such vectors may then for example be used for cloning or subcloning nucleic acid
10 molecules of interest. General classes of vectors of particular interest include prokaryotic and/or eukaryotic cloning vectors, Expression Vectors, fusion vectors, two-hybrid or reverse two-hybrid vectors, shuttle vectors for use in different hosts, mutagenesis vectors, transcription vectors, vectors for receiving large inserts and the like.

15 Other vectors of interest include viral origin vectors (M13 vectors, bacterial phage λ vectors, bacteriophage P1 vectors, adenovirus vectors, herpesvirus vectors, retrovirus vectors, phage display vectors, combinatorial library vectors), high, low, and adjustable copy number vectors, vectors which have compatible replicons for use in combination in a single host (pACYC184 and pBR322) and
20 eukaryotic episomal replication vectors (pCDM8).

Particular vectors of interest include prokaryotic Expression Vectors such as pcDNA II, pSL301, pSE280, pSE380, pSE420, pTrcHisA, B, and C, pRSET A, B, and C (Invitrogen, Inc.), pGEMEX-1, and pGEMEX-2 (Promega, Inc.), the pET vectors (Novagen, Inc.), pTrc99A, pKK223-3, the pGEX vectors, pEZZ18,
25 pRIT2T, and pMC1871 (Pharmacia, Inc.), pKK233-2 and pKK388-1 (Clontech, Inc.), and pProEx-HT (Life Technologies, Inc.) and variants and derivatives thereof. Destination Vectors can also be made from eukaryotic Expression Vectors such as pFastBac, pFastBac HT, pFastBac DUAL, pSFV, and pTet-Splice (Life Technologies, Inc.), pEUK-C1, pPUR, pMAM, pMAMneo, pBI101,
30 pBI121, pDR2, pCMVEBNA, and pYACneo (Clontech), pSVK3, pSVL, pMSG, pCH110, and pKK232-8 (Pharmacia, Inc.), p3'SS, pXT1, pSG5, pPbac, pMbac, pMC1neo, and pOG44 (Stratagene, Inc.), and pYES2, pAC360, pBlueBacHis A,

B, and C, pVL1392, pBsueBacIII, pCDM8, pcDNA1, pZeoSV, pcDNA3 pREP4, pCEP4, and pEBVHis (Invitrogen, Inc.) and variants or derivatives thereof.

Other vectors of particular interest include pUC18, pUC19, pBlueScript, pSPORT, cosmid, phagemids, YACs (yeast artificial chromosomes), BACs (bacterial artificial chromosomes), MACs (mammalian artificial chromosomes), pQE70, pQE60, pQE9 (Quiagen), pBS vectors, PhageScript vectors, BlueScript vectors, pNH8A, pNH16A, pNH18A, pNH46A (Stratagene), pcDNA3 (Invitrogen), pGEX, pTrsfus, pTrc99A, pET-5, pET-9, pKK223-3, pKK233-3, pDR540, pRIT5 (Pharmacia), pSPORT1, pSPORT2, pCMVSPORT2.0 and pSVSPORT1 (Life Technologies, Inc.) and variants or derivatives thereof.

Additional vectors of interest include pTrxFus, pThioHis, pLEX, pTrcHis, pTrcHis2, pRSET, pBlueBacHis2, pcDNA3.1/His, pcDNA3.1(-)/Myc-His, pSecTag, pEBVHis, pPIC9K, pPIC3.5K, pAO815, pPICZ, pPICZ α , pGAPZ, pGAPZ α , pBlueBac4.5, pBlueBacHis2, pMelBac, pSinRep5, pSinHis, pIND, pIND(SP1), pVgRXR, pcDNA2.1, pYES2, pZerO1.1, pZerO-2.1, pCR-Blunt, pSE280, pSE380, pSE420, pVL1392, pVL1393, pCDM8, pcDNA1.1, pcDNA1.1/Amp, pcDNA3.1, pcDNA3.1/Zeo, pSe,SV2, pRc/CMV2, pRc/RSV, pREP4, pREP7, pREP8, pREP9, pREP10, pCEP4, pEBVHis, pCR3.1, pCR2.1, pCR3.1-Uni, and pCRBac from Invitrogen; λ ExCell, λ gt11, pTrc99A, pKK223-3, pGEX-1 λ T, pGEX-2T, pGEX-2TK, pGEX-4T-1, pGEX-4T-2, pGEX-4T-3, pGEX-3X, pGEX-5X-1, pGEX-5X-2, pGEX-5X-3, pEZZ18, pRIT2T, pMC1871, pSVK3, pSVL, pMSG, pCH110, pKK232-8, pSL1180, pNEO, and pUC4K from Pharmacia; pSCREEN-1b(+), pT7Blue(R), pT7Blue-2, pCITE-4abc(+), pOCUS-2, pTag, pET-32 LIC, pET-30 LIC, pBAC-2cp LIC, pBACgus-2cp LIC, pT7Blue-2 LIC, pT7Blue-2, λ SCREEN-1, λ BlueSTAR, pET-3abcd, pET-7abc, pET9abcd, pET11abcd, pET12abc, pET-14b, pET-15b, pET-16b, pET-17b-pET-17xb, pET-19b, pET-20b(+), pET-21abcd(+), pET-22b(+), pET-23abcd(+), pET-24abcd(+), pET-25b(+), pET-26b(+), pET-27b(+), pET-28abc(+), pET-29abc(+), pET-30abc(+), pET-31b(+), pET-32abc(+), pET-33b(+), pBAC-1, pBACgus-1, pBAC4x-1, pBACgus4x-1, pBAC-3cp, pBACgus-2cp, pBACsurf-1, plg, Signal plg, pYX, Selecta Vecta-Neo, Selecta Vecta - Hyg, and Selecta Vecta - Gpt from Novagen; pLexA, pB42AD, pGBT9, pAS2-1,

pGAD424, pACT2, pGAD GL, pGAD GH, pGAD10, pGilda, pEZM3, pEGFP, pEGFP-1, pEGFP-N, pEGFP-C, pEBFP, pGFPuv, pGFP, p6xHis-GFP, pSEAP2-Basic, pSEAP2-Contral, pSEAP2-Promoter, pSEAP2-Enhancer, p β gal-Basic, p β gal-Control, p β gal-Promoter, p β gal-Enhancer, pCMV β , pTet-Off, pTet-On, pTK-Hyg, pRetro-Off, pRetro-On, pIRES1neo, pIRES1hyg, pLXSN, pLNCX, pLAPSN, pMAMneo, pMAMneo-CAT, pMAMneo-LUC, pPUR, pSV2neo, pYEX4T-1/2/3, pYEX-S1, pBacPAK-His, pBacPAK8/9, pAcUW31, BacPAK6, pTriplEx, λ gt10, λ gt11, pWE15, and λ TriplEx from Clontech; Lambda ZAP II, pBK-CMV, pBK-RSV, pBluescript II KS +/-, pBluescript II SK +/-, pAD-GAL4, pBD-GAL4 Cam, pSurfscrip, Lambda FIX II, Lambda DASH, Lambda EMBL3, Lambda EMBL4, SuperCos, pCR-Script Amp, pCR-Script Cam, pCR-Script Direct, pBS +/-, pBC KS +/-, pBC SK +/-, Phagescript, pCAL-n-EK, pCAL-n, pCAL-c, pCAL-kc, pET-3abcd, pET-11abcd, pSPUTK, pESP-1, pCMVLacI, pOPRSVI/MCS, pOPI3 CAT, pXT1, pSG5, pPbac, pMbac, pMC1neo, pMC1neo Poly A, pOG44, pOG45, pFRT β GAL, pNEO β GAL, pRS403, pRS404, pRS405, pRS406, pRS413, pRS414, pRS415, and pRS416 from Stratagene.

Two-hybrid and reverse two-hybrid vectors of particular interest include pPC86, pDBLeu, pDBTrp, pPC97, p2.5, pGAD1-3, pGAD10, pACt, pACT2, pGADGL, pGADGH, pAS2-1, pGAD424, pGBT8, pGBT9, pGAD-GAL4, pLexA, pBD-GAL4, pHISi, pHISi-1, placZi, pB42AD, pDG202, pJK202, pJG4-5, pNLexA, pYESTrp and variants or derivatives thereof.

Yeast Expression Vectors of particular interest include pESP-1, pESP-2, pESC-His, pESC-Trp, pESC-URA, pESC-Leu (Stratagene), pRS401, pRS402, pRS411, pRS412, pRS421, pRS422, and variants or derivatives thereof.

According to the invention, the vectors comprising one or more nucleic acid molecules encoding one or more recombination sites, or mutants, variants, fragments, or derivatives thereof, may be produced by one of ordinary skill in the art without resorting to undue experimentation using standard molecular biology methods. For example, the vectors of the invention may be produced by introducing one or more of the nucleic acid molecules encoding one or more recombination sites (or mutants, fragments, variants or derivatives thereof) into one or more of the vectors described herein, according to the methods described,

for example, in Maniatis *et al.*, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1982). In a related aspect of the invention, the vectors may be engineered to contain, in addition to one or more nucleic acid molecules encoding one or more recombination sites (or portions thereof), one or more additional physical or functional nucleotide sequences, such as those encoding one or more multiple cloning sites, one or more transcription termination sites, one or more transcriptional regulatory sequences (*e.g.*, one or more promoters, enhancers, or repressors), one or more selection markers or modules, one or more genes or portions of genes encoding a protein or polypeptide of interest, one or more translational signal sequences, one or more nucleotide sequences encoding a fusion partner protein or peptide (*e.g.*, GST, His, or thioredoxin), one or more origins of replication, and one or more 5' or 3' polynucleotide tails (particularly a poly-G tail). According to this aspect of the invention, the one or more recombination site nucleotide sequences (or portions thereof) may optionally be operably linked to the one or more additional physical or functional nucleotide sequences described herein.

Preferred vectors according to this aspect of the invention include, but are not limited to: pENTR1A (Figures 10A and 10B), pENTR2B (Figures 11A and 11B), pENTR3C (Figures 12A and 12B), pENTR4 (Figures 13A and 13B), pENTR5 (Figures 14A and 14B), pENTR6 (Figures 15A and 15B), pENTR7 (Figures 16A and 16B), pENTR8 (Figures 17A and 17B), pENTR9 (Figures 18A and 18B), pENTR10 (Figures 19A and 19B), pENTR11 (Figures 20A and 20B), pDEST1 (Figures 21A-D), pDEST2 (Figure 22A-D), pDEST3 (Figure 23A-D), pDEST4 (Figure 24A-D), pDEST5 (Figure 25A-D), pDEST6 (Figure 26A-D), pDEST7 (Figure 27A-C), pDEST8 (Figure 28A-D), pDEST9 (Figure 29A-E), pDEST10 (Figure 30A-D), pDEST11 (Figure 31A-D), pDEST12.2 (also known as pDEST12) (Figure 32A-D), pDEST13 (Figure 33A-C), pDEST14 (Figure 34A-D), pDEST15 (Figure 35A-D), pDEST16 (Figure 36A-D), pDEST17 (Figure 37A-D), pDEST18 (Figure 38A-D), pDEST19 (Figure 39A-D), pDEST20 (Figure 40A-D), pDEST21 (Figure 41A-E), pDEST22 (Figure 42A-D), pDEST23 (Figure 43A-D), pDEST24 (Figure 44A-D), pDEST25 (Figure 45A-D), pDEST26 (Figure 46A-D), pDEST27 (Figure 47A-D), pEXP501 (also known

as pCMVSPORT6) (Figure 48A-B), pDONR201 (also known as pENTR21 attP vector or pAttPkan Donor Vector) (Figure 49), pDONR202 (Figure 50), pDONR203 (also known as pEZ15812) (Figure 51), pDONR204 (Figure 52), pDONR205 (Figure 53), pDONR206 (also known as pENTR22 attP vector or pAttPgen Donor Vector) (Figure 54), pMAB58 (Figure 87), pMAB62 (Figure 88), pDEST28 (Figure 90), pDEST29 (Figure 91), pDEST30 (Figure 92), pDEST31 (Figure 93), pDEST32 (Figure 94), pDEST33 (Figure 95), pDEST34 (Figure 96), pDONR207 (Figure 97), pMAB85 (Figure 98), pMAB86 (Figure 99), and fragments, mutants, variants, and derivatives thereof. However, it will be understood by one of ordinary skill that the present invention also encompasses other vectors not specifically designated herein, which comprise one or more of the isolated nucleic acid molecules of the invention encoding one or more recombination sites or portions thereof (or mutants, fragments, variants or derivatives thereof), and which may further comprise one or more additional physical or functional nucleotide sequences described herein which may optionally be operably linked to the one or more nucleic acid molecules encoding one or more recombination sites or portions thereof. Such additional vectors may be produced by one of ordinary skill according to the guidance provided in the present specification.

Polymerases

Preferred polypeptides having reverse transcriptase activity (*i.e.*, those polypeptides able to catalyze the synthesis of a DNA molecule from an RNA template) for use in accordance with the present invention include, but are not limited to Moloney Murine Leukemia Virus (M-MLV) reverse transcriptase, Rous Sarcoma Virus (RSV) reverse transcriptase, Avian Myeloblastosis Virus (AMV) reverse transcriptase, Rous Associated Virus (RAV) reverse transcriptase, Myeloblastosis Associated Virus (MAV) reverse transcriptase, Human Immunodeficiency Virus (HIV) reverse transcriptase, retroviral reverse transcriptase, retrotransposon reverse transcriptase, hepatitis B reverse transcriptase, cauliflower mosaic virus reverse transcriptase and bacterial reverse transcriptase. Particularly preferred are those polypeptides having reverse

transcriptase activity that are also substantially reduced in RNase H activity (*i.e.*, “RNase H” polypeptides). By a polypeptide that is “substantially reduced in RNase H activity” is meant that the polypeptide has less than about 20%, more preferably less than about 15%, 10% or 5%, and most preferably less than about 2%, of the RNase H activity of a wildtype or RNase H⁻ enzyme such as wildtype M-MLV reverse transcriptase. The RNase H activity may be determined by a variety of assays, such as those described, for example, in U.S. Patent No. 5,244,797, in Kotewicz, M.L. *et al.*, *Nucl. Acids Res.* 16:265 (1988) and in Gerard, G.F., *et al.*, *FOCUS* 14(5):91 (1992), the disclosures of all of which are fully incorporated herein by reference. Suitable RNase H⁻ polypeptides for use in the present invention include, but are not limited to, M-MLV H⁻ reverse transcriptase, RSV H⁻ reverse transcriptase, AMV H⁻ reverse transcriptase, RAV H⁻ reverse transcriptase, MAV H⁻ reverse transcriptase, HIV H⁻ reverse transcriptase, THERMOSCRIPT™ reverse transcriptase and THERMOSCRIPT™ II reverse transcriptase, and SUPERScript™ I reverse transcriptase and SUPERScript™ II reverse transcriptase, which are obtainable, for example, from Life Technologies, Inc. (Rockville, Maryland). See generally published PCT application WO 98/47912.

Other polypeptides having nucleic acid polymerase activity suitable for use in the present methods include thermophilic DNA polymerases such as DNA polymerase I, DNA polymerase III, Klenow fragment, T7 polymerase, and T5 polymerase, and thermostable DNA polymerases including, but not limited to, *Thermus thermophilus* (*Tth*) DNA polymerase, *Thermus aquaticus* (*Taq*) DNA polymerase, *Thermotoga neopolitana* (*Tne*) DNA polymerase, *Thermotoga maritima* (*Tma*) DNA polymerase, *Thermococcus litoralis* (*Tli* or VENT®) DNA polymerase, *Pyrococcus furiosus* (*Pfu*) DNA polymerase, *Pyrococcus* species GB-D (or DEEPVENT®) DNA polymerase, *Pyrococcus woosii* (*Pwo*) DNA polymerase, *Bacillus stearothermophilus* (*Bst*) DNA polymerase, *Sulfolobus acidocaldarius* (*Sac*) DNA polymerase, *Thermoplasma acidophilum* (*Tac*) DNA polymerase, *Thermus flavus* (*Tfi/Tub*) DNA polymerase, *Thermus ruber* (*Tru*) DNA polymerase, *Thermus brockianus* (DYNAZYME®) DNA polymerase, *Methanobacterium thermoautotrophicum* (*Mth*) DNA polymerase, and mutants,

variants and derivatives thereof. Such polypeptides are available commercially, for example from Life Technologies, Inc. (Rockville, MD), New England BioLabs (Beverly, MA), and Sigma/Aldrich (St. Louis, MO).

Host Cells

The invention also relates to host cells comprising one or more of the nucleic acid molecules or vectors of the invention, particularly those nucleic acid molecules and vectors described in detail herein. Representative host cells that may be used according to this aspect of the invention include, but are not limited to, bacterial cells, yeast cells, plant cells and animal cells. Preferred bacterial host cells include *Escherichia* spp. cells (particularly *E. coli* cells and most particularly *E. coli* strains DH10B, Stbl2, DH5 α , DB3, DB3.1 (preferably *E. coli* LIBRARY EFFICIENCY \otimes DB3.1TM Competent Cells; Life Technologies, Inc., Rockville, MD), DB4 and DB5; see U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, the disclosure of which is incorporated by reference herein in its entirety), *Bacillus* spp. cells (particularly *B. subtilis* and *B. megaterium* cells), *Streptomyces* spp. cells, *Erwinia* spp. cells, *Klebsiella* spp. cells, *Serratia* spp. cells (particularly *S. marcessans* cells), *Pseudomonas* spp. cells (particularly *P. aeruginosa* cells), and *Salmonella* spp. cells (particularly *S. typhimurium* and *S. typhi* cells). Preferred animal host cells include insect cells (most particularly *Drosophila melanogaster* cells, *Spodoptera frugiperda* Sf9 and Sf21 cells and *Trichoplusia* High-Five cells), nematode cells (particularly *C. elegans* cells), avian cells, amphibian cells (particularly *Xenopus laevis* cells), reptilian cells, and mammalian cells (most particularly CHO, COS, VERO, BHK and human cells). Preferred yeast host cells include *Saccharomyces cerevisiae* cells and *Pichia pastoris* cells. These and other suitable host cells are available commercially, for example from Life Technologies, Inc. (Rockville, Maryland), American Type Culture Collection (Manassas, Virginia), and Agricultural Research Culture Collection (NRRL; Peoria, Illinois).

Methods for introducing the nucleic acid molecules and/or vectors of the invention into the host cells described herein, to produce host cells comprising one or more of the nucleic acid molecules and/or vectors of the invention, will be

familiar to those of ordinary skill in the art. For instance, the nucleic acid molecules and/or vectors of the invention may be introduced into host cells using well known techniques of infection, transduction, transfection, and transformation. The nucleic acid molecules and/or vectors of the invention may be introduced alone or in conjunction with other the nucleic acid molecules and/or vectors. Alternatively, the nucleic acid molecules and/or vectors of the invention may be introduced into host cells as a precipitate, such as a calcium phosphate precipitate, or in a complex with a lipid. Electroporation also may be used to introduce the nucleic acid molecules and/or vectors of the invention into a host. Likewise, such molecules may be introduced into chemically competent cells such as *E. coli*. If the vector is a virus, it may be packaged *in vitro* or introduced into a packaging cell and the packaged virus may be transduced into cells. Hence, a wide variety of techniques suitable for introducing the nucleic acid molecules and/or vectors of the invention into cells in accordance with this aspect of the invention are well known and routine to those of skill in the art. Such techniques are reviewed at length, for example, in Sambrook, J., *et al.*, *Molecular Cloning, a Laboratory Manual, 2nd Ed.*, Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press, pp. 16.30-16.55 (1989), Watson, J.D., *et al.*, *Recombinant DNA, 2nd Ed.*, New York: W.H. Freeman and Co., pp. 213-234 (1992), and Winnacker, E.-L., *From Genes to Clones*, New York: VCH Publishers (1987), which are illustrative of the many laboratory manuals that detail these techniques and which are incorporated by reference herein in their entireties for their relevant disclosures.

Polypeptides

In another aspect, the invention relates to polypeptides encoded by the nucleic acid molecules of the invention (including polypeptides and amino acid sequences encoded by all possible reading frames of the nucleic acid molecules of the invention), and to methods of producing such polypeptides. Polypeptides of the present invention include purified or isolated natural products, products of chemical synthetic procedures, and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, insect, mammalian, avian and higher plant cells.

The polypeptides of the invention may be produced by synthetic organic chemistry, and are preferably produced by standard recombinant methods, employing one or more of the host cells of the invention comprising the vectors or isolated nucleic acid molecules of the invention. According to the invention, polypeptides are produced by cultivating the host cells of the invention (which comprise one or more of the nucleic acid molecules of the invention, preferably contained within an Expression Vector) under conditions favoring the expression of the nucleotide sequence contained on the nucleic acid molecule of the invention, such that the polypeptide encoded by the nucleic acid molecule of the invention is produced by the host cell. As used herein, "conditions favoring the expression of the nucleotide sequence" or "conditions favoring the production of a polypeptide" include optimal physical (e.g., temperature, humidity, etc.) and nutritional (e.g., culture medium, ionic) conditions required for production of a recombinant polypeptide by a given host cell. Such optimal conditions for a variety of host cells, including prokaryotic (bacterial), mammalian, insect, yeast, and plant cells will be familiar to one of ordinary skill in the art, and may be found, for example, in Sambrook, J., *et al.*, *Molecular Cloning, A Laboratory Manual, 2nd Ed.*, Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press, (1989), Watson, J.D., *et al.*, *Recombinant DNA, 2nd Ed.*, New York: W.H. Freeman and Co., and Winnacker, E.-L., *From Genes to Clones*, New York: VCH Publishers (1987).

In some aspects, it may be desirable to isolate or purify the polypeptides of the invention (e.g., for production of antibodies as described below), resulting in the production of the polypeptides of the invention in isolated form. The polypeptides of the invention can be recovered and purified from recombinant cell cultures by well-known methods of protein purification that are routine in the art, including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. For example, His6 or GST fusion tags on polypeptides made by the methods of the invention may be isolated using appropriate affinity chromatography matrices which bind polypeptides bearing

His6 or GST tags, as will be familiar to one of ordinary skill in the art. Polypeptides of the present invention include naturally purified products, products of chemical synthetic procedures, and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect and mammalian cells. Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. In addition, polypeptides of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes.

Isolated polypeptides of the invention include those comprising the amino acid sequences encoded by one or more of the reading frames of the polynucleotides comprising one or more of the recombination site-encoding nucleic acid molecules of the invention, including those encoding *attB1*, *attB2*, *attP1*, *attP2*, *attL1*, *attL2*, *attR1* and *attR2* having the nucleotide sequences set forth in Figure 9 (or nucleotide sequences complementary thereto), or fragments, variants, mutants and derivatives thereof; the complete amino acid sequences encoded by the polynucleotides contained in the deposited clones described herein; the amino acid sequences encoded by polynucleotides which hybridize under stringent hybridization conditions to polynucleotides having the nucleotide sequences encoding the recombination site sequences of the invention as set forth in Figure 9 (or a nucleotide sequence complementary thereto); or a peptide or polypeptide comprising a portion or a fragment of the above polypeptides. The invention also relates to additional polypeptides having one or more additional amino acids linked (typically by peptidyl bonds to form a nascent polypeptide) to the polypeptides encoded by the recombination site nucleotide sequences or the deposited clones. Such additional amino acid residues may comprise one or more functional peptide sequences, for example one or more fusion partner peptides (e.g., GST, His₆, Trx, etc.) and the like.

As used herein, the terms "protein," "peptide," "oligopeptide" and "polypeptide" are considered synonymous (as is commonly recognized) and each term can be used interchangeably as the context requires to indicate a chain of two or more amino acids, preferably five or more amino acids, or more preferably ten

or more amino acids, coupled by (a) peptidyl linkage(s), unless otherwise defined in the specific contexts below. As is commonly recognized in the art, all polypeptide formulas or sequences herein are written from left to right and in the direction from amino terminus to carboxy terminus.

5 It will be recognized by those of ordinary skill in the art that some amino acid sequences of the polypeptides of the invention can be varied without significant effect on the structure or function of the polypeptides. If such differences in sequence are contemplated, it should be remembered that there will be critical areas on the protein which determine structure and activity. In general, it is possible to replace residues which form the tertiary structure, provided that
10 residues performing a similar function are used. In other instances, the type of residue may be completely unimportant if the alteration occurs at a non-critical region of the polypeptide.

Thus, the invention further includes variants of the polypeptides of the invention, including allelic variants, which show substantial structural homology
15 to the polypeptides described herein, or which include specific regions of these polypeptides such as the portions discussed below. Such mutants may include deletions, insertions, inversions, repeats, and type substitutions (for example, substituting one hydrophilic residue for another, but not strongly hydrophilic for
20 strongly hydrophobic as a rule). Small changes or such "neutral" or "conservative" amino acid substitutions will generally have little effect on activity.

Typical conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala, Val, Leu and Ile; interchange of the hydroxylated residues Ser and Thr; exchange of the acidic residues Asp and Glu;
25 substitution between the amidated residues Asn and Gln; exchange of the basic residues Lys and Arg; and replacements among the aromatic residues Phe and Tyr.

Thus, the fragment, derivative or analog of the polypeptides of the invention, such as those comprising peptides encoded by the recombination site nucleotide sequences described herein, may be (i) one in which one or more of the amino acid
30 residues are substituted with a conservative or non-conservative amino acid residue (preferably a conservative amino acid residue), and such substituted amino acid residue may be encoded by the genetic code or may be an amino acid (*e.g.*,

desmosine, citrulline, ornithine, etc.) that is not encoded by the genetic code; (ii) one in which one or more of the amino acid residues includes a substituent group (e.g., a phosphate, hydroxyl, sulfate or other group) in addition to the normal "R" group of the amino acid; (iii) one in which the mature polypeptide is fused with another compound, such as a compound to increase the half-life of the polypeptide (for example, polyethylene glycol), or (iv) one in which additional amino acids are fused to the mature polypeptide, such as an immunoglobulin Fc region peptide, a leader or secretory sequence, a sequence which is employed for purification of the mature polypeptide (such as GST) or a proprotein sequence. Such fragments, derivatives and analogs are intended to be encompassed by the present invention, and are within the scope of those skilled in the art from the teachings herein and the state of the art at the time of invention.

The polypeptides of the present invention are preferably provided in an isolated form, and preferably are substantially purified. Recombinantly produced versions of the polypeptides of the invention can be substantially purified by the one-step method described in Smith and Johnson, *Gene* 67:31-40 (1988). As used herein, the term "substantially purified" means a preparation of an individual polypeptide of the invention wherein at least 50%, preferably at least 60%, 70%, or 75% and more preferably at least 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% (by mass) of contaminating proteins (*i.e.*, those that are not the individual polypeptides described herein or fragments, variants, mutants or derivatives thereof) have been removed from the preparation.

The polypeptides of the present invention include those which are at least about 50% identical, at least 60% identical, at least 65% identical, more preferably at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, at least about 96%, at least about 97%, at least about 98% or at least about 99% identical, to the polypeptides described herein. For example, preferred *attB1*-containing polypeptides of the invention include those that are at least about 50% identical, at least 60% identical, at least 65% identical, more preferably at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, at least about 96%, at least about 97%, at least about 98% or at least about 99% identical,

to the polypeptide(s) encoded by the three reading frames of a polynucleotide comprising a nucleotide sequence of *attB1* having a nucleic acid sequence as set forth in Figure 9 (or a nucleic acid sequence complementary thereto), to a polypeptide encoded by a polynucleotide contained in the deposited cDNA clones described herein, or to a polypeptide encoded by a polynucleotide hybridizing under stringent conditions to a polynucleotide comprising a nucleotide sequence of *attB1* having a nucleic acid sequence as set forth in Figure 9 (or a nucleic acid sequence complementary thereto). Analogous polypeptides may be prepared that are at least about 65% identical, more preferably at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, at least about 96%, at least about 97%, at least about 98% or at least about 99% identical, to the *attB2*, *attP1*, *attP2*, *attL1*, *attL2*, *attR1* and *attR2* polypeptides of the invention as depicted in Figure 9. The present polypeptides also include portions or fragments of the above-described polypeptides with at least 5, 10, 15, 20, or 25 amino acids.

By a polypeptide having an amino acid sequence at least, for example, 65% "identical" to a reference amino acid sequence of a given polypeptide of the invention is intended that the amino acid sequence of the polypeptide is identical to the reference sequence except that the polypeptide sequence may include up to 35 amino acid alterations per each 100 amino acids of the reference amino acid sequence of a given polypeptide of the invention. In other words, to obtain a polypeptide having an amino acid sequence at least 65% identical to a reference amino acid sequence, up to 35% of the amino acid residues in the reference sequence may be deleted or substituted with another amino acid, or a number of amino acids up to 35% of the total amino acid residues in the reference sequence may be inserted into the reference sequence. These alterations of the reference sequence may occur at the amino (N-) or carboxy (C-) terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence. As a practical matter, whether a given amino acid sequence is, for example, at least 65% identical to the amino acid sequence of a given polypeptide of the invention can be determined

conventionally using known computer programs such as those described above for nucleic acid sequence identity determinations, or more preferably using the CLUSTAL W program (Thompson, J.D., *et al.*, *Nucleic Acids Res.* 22:4673-4680 (1994)).

5 The polypeptides of the present invention can be used as molecular weight markers on SDS-PAGE gels or on molecular sieve gel filtration columns using methods well known to those of skill in the art. In addition, as described in detail below, the polypeptides of the present invention can be used to raise polyclonal and monoclonal antibodies which are useful in a variety of assays for detecting
10 protein expression, localization, detection of interactions with other molecules, or for the isolation of a polypeptide (including a fusion polypeptide) of the invention.

 In another aspect, the present invention provides a peptide or polypeptide comprising an epitope-bearing portion of a polypeptide of the invention, which may be used to raise antibodies, particularly monoclonal antibodies, that bind
15 specifically to a one or more of the polypeptides of the invention. The epitope of this polypeptide portion is an immunogenic or antigenic epitope of a polypeptide of the invention. An "immunogenic epitope" is defined as a part of a protein that elicits an antibody response when the whole protein is the immunogen. These immunogenic epitopes are believed to be confined to a few loci on the molecule.
20 On the other hand, a region of a protein molecule to which an antibody can bind is defined as an "antigenic epitope." The number of immunogenic epitopes of a protein generally is less than the number of antigenic epitopes (*see, e.g.*, Geysen *et al.*, *Proc. Natl. Acad. Sci. USA* 81:3998-4002 (1983)).

 As to the selection of peptides or polypeptides bearing an antigenic epitope
25 (*i.e.*, that contain a region of a protein molecule to which an antibody can bind), it is well-known in the art that relatively short synthetic peptides that mimic part of a protein sequence are routinely capable of eliciting an antiserum that reacts with the partially mimicked protein (*see, e.g.*, Sutcliffe, J.G., *et al.*, *Science* 219:660-666 (1983)). Peptides capable of eliciting protein-reactive sera are
30 frequently represented in the primary sequence of a protein, can be characterized by a set of simple chemical rules, and are not confined to the immunodominant regions of intact proteins (*i.e.*, immunogenic epitopes) or to the amino or carboxy

termini. Peptides that are extremely hydrophobic and those of six or fewer residues generally are ineffective at inducing antibodies that bind to the mimicked protein; longer peptides, especially those containing proline residues, usually are effective (Sutcliffe, J.G., *et al.*, *Science* 219:660-666 (1983)).

5 Epitope-bearing peptides and polypeptides of the invention designed according to the above guidelines preferably contain a sequence of at least five, more preferably at least seven or more amino acids contained within the amino acid sequence of a polypeptide of the invention. However, peptides or polypeptides comprising a larger portion of an amino acid sequence of a polypeptide of the invention, containing about 30 to about 50 amino acids, or any length up to and including the entire amino acid sequence of a given polypeptide of the invention, also are considered epitope-bearing peptides or polypeptides of the invention and also are useful for inducing antibodies that react with the mimicked protein. Preferably, the amino acid sequence of the epitope-bearing peptide is selected to provide substantial solubility in aqueous solvents (*i.e.*, the sequence includes relatively hydrophilic residues and highly hydrophobic sequences are preferably avoided); sequences containing proline residues are particularly preferred.

15 Non-limiting examples of epitope-bearing polypeptides or peptides that can be used to generate antibodies specific for the polypeptides of the invention include certain epitope-bearing regions of the polypeptides comprising amino acid sequences encoded by polynucleotides comprising one or more of the recombination site-encoding nucleic acid molecules of the invention, including those encoding *attB1*, *attB2*, *attP1*, *attP2*, *attL1*, *attL2*, *attR1* and *attR2* having the nucleotide sequences set forth in Figure 9 (or a nucleotide sequence complementary thereto); the complete amino acid sequences encoded by the three reading frames of the polynucleotides contained in the deposited clones described herein; and the amino acid sequences encoded by all reading frames of polynucleotides which hybridize under stringent hybridization conditions to polynucleotides having the nucleotide sequences encoding the recombination site sequences (or portions thereof) of the invention as set forth in Figure 9 (or a nucleic acid sequence complementary thereto). Other epitope-bearing polypeptides or peptides that may be used to generate antibodies specific for the polypeptides

of the invention will be apparent to one of ordinary skill in the art based on the primary amino acid sequences of the polypeptides of the invention described herein, via the construction of Kyte-Doolittle hydrophilicity and Jameson-Wolf antigenic index plots of the polypeptides of the invention using, for example, 5 PROTEAN computer software (DNASTAR, Inc.; Madison, Wisconsin).

The epitope-bearing peptides and polypeptides of the invention may be produced by any conventional means for making peptides or polypeptides including recombinant means using nucleic acid molecules of the invention. For instance, a short epitope-bearing amino acid sequence may be fused to a larger 10 polypeptide which acts as a carrier during recombinant production and purification, as well as during immunization to produce anti-peptide antibodies. Epitope-bearing peptides also may be synthesized using known methods of chemical synthesis (*see, e.g.*, U.S. Patent No. 4,631,211 and Houghten, R. A., *Proc. Natl. Acad. Sci. USA* 82:5131-5135 (1985), both of which are incorporated 15 by reference herein in their entireties).

As one of skill in the art will appreciate, the polypeptides of the present invention and epitope-bearing fragments thereof may be immobilized onto a solid support, by techniques that are well-known and routine in the art. By "solid support" is intended any solid support to which a peptide can be immobilized. 20 Such solid supports include, but are not limited to nitrocellulose, diazocellulose, glass, polystyrene, polyvinylchloride, polypropylene, polyethylene, dextran, Sepharose, agar, starch, nylon, beads and microtitre plates. Linkage of the peptide of the invention to a solid support can be accomplished by attaching one or both ends of the peptide to the support. Attachment may also be made at one or more 25 internal sites in the peptide. Multiple attachments (both internal and at the ends of the peptide) may also be used according to the invention. Attachment can be via an amino acid linkage group such as a primary amino group, a carboxyl group, or a sulfhydryl (SH) group or by chemical linkage groups such as with cyanogen bromide (CNBr) linkage through a spacer. For non-covalent attachments to the support, addition of an affinity tag sequence to the peptide can be used such as 30 GST (Smith, D.B., and Johnson, K.S., *Gene* 67:31 (1988)), polyhistidines (Hochuli, E., *et al.*, *J. Chromatog.* 411:77 (1987)), or biotin. Such affinity tags

may be used for the reversible attachment of the peptide to the support. Such immobilized polypeptides or fragments may be useful, for example, in isolating antibodies directed against one or more of the polypeptides of the invention, or other proteins or peptides that recognize other proteins or peptides that bind to one or more of the polypeptides of the invention, as described below.

As one of skill in the art will also appreciate, the polypeptides of the present invention and the epitope-bearing fragments thereof described herein can be combined with one or more fusion partner proteins or peptides, or portions thereof, including but not limited to GST, His₆, Trx, and portions of the constant domain of immunoglobulins (Ig), resulting in chimeric or fusion polypeptides. These fusion polypeptides facilitate purification of the polypeptides of the invention (EP 0 394 827; Traunecker *et al.*, *Nature* 331:84-86 (1988)) for use in analytical or diagnostic (including high-throughput) format.

Antibodies

In another aspect, the invention relates to antibodies that recognize and bind to the polypeptides (or epitope-bearing fragments thereof) or nucleic acid molecules (or portions thereof) of the invention. In a related aspect, the invention relates to antibodies that recognize and bind to one or more polypeptides encoded by all reading frames of one or more recombination site nucleic acid sequences or portions thereof, or to one or more nucleic acid molecules comprising one or more recombination site nucleic acid sequences or portions thereof, including but not limited to *att* sites (including *attB*1, *attB*2, *attP*1, *attP*2, *attL*1, *attL*2, *attR*1, *attR*2 and the like), *lox* sites (*e.g.*, *loxP*, *loxP*511, and the like), FRT, and the like, or mutants, fragments, variants and derivatives thereof. See generally U.S. Patent No. 5,888,732, which is incorporated herein by reference in its entirety. The antibodies of the present invention may be polyclonal or monoclonal, and may be prepared by any of a variety of methods and in a variety of species according to methods that are well-known in the art. See, for instance, U.S. Patent No. 5,587,287; Sutcliffe, J.G., *et al.*, *Science* 219:660-666 (1983); Wilson *et al.*, *Cell* 37: 767 (1984); and Bittle, F.J., *et al.*, *J. Gen. Virol.* 66:2347-2354 (1985). Antibodies specific for any of the polypeptides or nucleic acid molecules described

herein, such as antibodies specifically binding to one or more of the polypeptides encoded by the recombination site nucleotide sequences, or one or more nucleic acid molecules, described herein or contained in the deposited clones, antibodies against fusion polypeptides (e.g., binding to fusion polypeptides between one or more of the fusion partner proteins and one or more of the recombination site polypeptides of the invention, as described herein), and the like, can be raised against the intact polypeptides or polynucleotides of the invention or one or more antigenic polypeptide fragments thereof.

As used herein, the term "antibody" (Ab) may be used interchangeably with the terms "polyclonal antibody" or "monoclonal antibody" (mAb), except in specific contexts as described below. These terms, as used herein, are meant to include intact molecules as well as antibody fragments (such as, for example, Fab and F(ab')₂ fragments) which are capable of specifically binding to a polypeptide or nucleic acid molecule of the invention or a portion thereof. It will therefore be appreciated that, in addition to the intact antibodies of the invention, Fab, F(ab')₂ and other fragments of the antibodies described herein, and other peptides and peptide fragments that bind one or more polypeptides or polynucleotides of the invention, are also encompassed within the scope of the invention. Such antibody fragments are typically produced by proteolytic cleavage of intact antibodies, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F(ab')₂ fragments). Antibody fragments, and peptides or peptide fragments, may also be produced through the application of recombinant DNA technology or through synthetic chemistry.

Epitope-bearing peptides and polypeptides, and nucleic acid molecules or portions thereof, of the invention may be used to induce antibodies according to methods well known in the art, as generally described herein (*see, e.g., Sutcliffe, et al., supra; Wilson, et al., supra; and Bittle, F. J., et al., J. Gen. Virol.* 66:2347-2354 (1985)).

Polyclonal antibodies according to this aspect of the invention may be made by immunizing an animal with one or more of the polypeptides or nucleic acid molecules of the invention described herein or portions thereof according to standard techniques (*see, e.g., Harlow, E., and Lane, D., Antibodies: A*

Laboratory Manual, Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press (1988); Kaufman, P.B., *et al.*, In: *Handbook of Molecular and Cellular Methods in Biology and Medicine*, Boca Raton, Florida: CRC Press, pp. 468-469 (1995)). For producing antibodies that recognize and bind to the polypeptides or nucleic acid molecules of the invention or portions thereof, animals may be immunized with free peptide or free nucleic acid molecules; however, antibody titer may be boosted by coupling of the peptide to a macromolecular carrier, such as albumin, KLH, or tetanus toxoid (particularly for producing antibodies against the nucleic acid molecules of the invention or portions thereof; *see* Harlow and Lane, *supra*, at page 154), or to a solid phase carrier such as a latex or glass microbead. For instance, peptides containing cysteine may be coupled to carrier using a linker such as m-maleimidobenzoyl-N- hydroxysuccinimide ester (MBS), while other peptides may be coupled to carrier using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice may be immunized with either free (if the polypeptide immunogen is larger than about 25 amino acids in length) or carrier-coupled peptides or nucleic acid molecules, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 µg peptide, polynucleotide, or carrier protein, and Freund's adjuvant. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of antibody which can be detected, for example, by ELISA assay using free peptide or nucleic acid molecule adsorbed to a solid surface. In another approach, cells expressing one or more of the polypeptides or polynucleotides of the invention or an antigenic fragment thereof can be administered to an animal in order to induce the production of sera containing polyclonal antibodies, according to routine immunological methods. In yet another method, a preparation of one or more of the polypeptides or polynucleotides of the invention is prepared and purified as described herein, to render it substantially free of natural contaminants. Such a preparation may then be introduced into an animal in order to produce polyclonal antisera of greater specific activity. The titer of antibodies in serum from an immunized animal, regardless of the method of immunization used, may be increased by selection of anti-peptide or anti-polynucleotide antibodies, for

instance, by adsorption to the peptide or polynucleotide on a solid support and elution of the selected antibodies according to methods well known in the art.

In an alternative method, the antibodies of the present invention are monoclonal antibodies (or fragments thereof which bind to one or more of the polypeptides of the invention). Such monoclonal antibodies can be prepared using hybridoma technology (Kohler *et al.*, *Nature* 256:495 (1975); Köhler *et al.*, *Eur. J. Immunol.* 6:511 (1976); Köhler *et al.*, *Eur. J. Immunol.* 6:292 (1976); Hammerling *et al.*, In: *Monoclonal Antibodies and T-Cell Hybridomas*, Elsevier, N.Y., pp. 563-681 (1981)). In general, such procedures involve immunizing an animal (preferably a mouse) with a polypeptide or polynucleotide of the invention (or a fragment thereof), or with a cell expressing a polypeptide or polynucleotide of the invention (or a fragment thereof). The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention; however, it is preferable to employ the parent myeloma cell line (SP₂O), available from the American Type Culture Collection, Rockville, Maryland. After fusion, the resulting hybridoma cells are selectively maintained in HAT medium, and then cloned by limiting dilution as described by Wands *et al.* (*Gastroenterol.* 80:225-232 (1981)). The hybridoma cells obtained through such a selection are then assayed to identify clones which secrete antibodies capable of binding one or more of the polypeptides or nucleic acid molecules of the invention, or fragments thereof. Hence, the present invention also provides hybridoma cells and cell lines producing monoclonal antibodies of the invention, particularly that recognize and bind to one or more of the polypeptides or nucleic acid molecules of the invention.

Alternatively, additional antibodies capable of binding to one or more of the polypeptides of the invention, or fragments thereof, may be produced in a two-step procedure through the use of anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and that, therefore, it is possible to obtain an antibody which binds to a second antibody. In accordance with this method, antibodies specific for one or more of the polypeptides or polynucleotides of the invention, prepared as described above, are used to immunize an animal, preferably a mouse. The splenocytes of such an

animal are then used to produce hybridoma cells, and the hybridoma cells are screened to identify clones which produce an antibody whose ability to bind to an antibody specific for one or more of the polypeptides or polynucleotides of the invention can be blocked by polypeptides of the invention themselves. Such antibodies comprise anti-idiotypic antibodies to the antibodies recognizing one or more of the polypeptides or polynucleotides of the invention, and can be used to immunize an animal to induce formation of further antibodies specific for one or more of the polypeptides or polynucleotides of the invention.

For use, the antibodies of the invention may optionally be detectably labeled by covalent or non-covalent attachment of one or more labels, including but not limited to chromogenic, enzymatic, radioisotopic, isotopic, fluorescent, toxic, chemiluminescent, or nuclear magnetic resonance contrast agents or other labels.

Examples of suitable enzyme labels include malate dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast-alcohol dehydrogenase, alpha-glycerol phosphate dehydrogenase, triose phosphate isomerase, peroxidase, alkaline phosphatase, asparaginase, glucose oxidase, beta-galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase, and acetylcholine esterase.

Examples of suitable radioisotopic labels include ^3H , ^{111}In , ^{125}I , ^{131}I , ^{32}P , ^{35}S , ^{14}C , ^{51}Cr , ^{57}Co , ^{58}Co , ^{59}Fe , ^{75}Se , ^{152}Eu , ^{90}Y , ^{67}Cu , ^{217}Bi , ^{211}At , ^{212}Pb , ^{47}Sc , ^{109}Pd , etc. ^{111}In is a preferred isotope where in vivo imaging is used since it avoids the problem of dehalogenation of the ^{125}I or ^{131}I -labeled monoclonal antibody by the liver. In addition, this radionuclide has a more favorable gamma emission energy for imaging (Perkins *et al.*, *Eur. J. Nucl. Med.* 10:296-301 (1985); Carasquillo *et al.*, *J. Nucl. Med.* 28:281-287 (1987)). For example, ^{111}In coupled to monoclonal antibodies with 1-(P-isothiocyanatobenzyl)-DPTA has shown little uptake in non-tumorous tissues, particularly the liver, and therefore enhances specificity of tumor localization (Esteban *et al.*, *J. Nucl. Med.* 28:861-870 (1987)).

Examples of suitable non-radioactive isotopic labels include ^{157}Gd , ^{55}Mn , ^{162}Dy , ^{52}Tr , and ^{56}Fe .

Examples of suitable fluorescent labels include an ^{152}Eu label, a fluorescein label, an isothiocyanate label, a rhodamine label, a phycoerythrin label, a

phycocyanin label, an allophycocyanin label, an o-phthaldehyde label, a green fluorescent protein (GFP) label, and a fluorescamine label.

Examples of suitable toxin labels include diphtheria toxin, ricin, and cholera toxin.

5 Examples of chemiluminescent labels include a luminal label, an isoluminal label, an aromatic acridinium ester label, an imidazole label, an acridinium salt label, an oxalate ester label, a luciferin label, a luciferase label, and an aequorin label.

10 Examples of nuclear magnetic resonance contrasting agents include heavy metal nuclei such as Gd, Mn, and iron.

Typical techniques for binding the above-described labels to the antibodies of the invention are provided by Kennedy *et al.*, *Clin. Chim. Acta* 70:1-31 (1976), and Schurs *et al.*, *Clin. Chim. Acta* 81:1-40 (1977). Coupling techniques mentioned in the latter are the glutaraldehyde method, the periodate method, the dimaleimide method, the m-maleimidobenzyl-N-hydroxy-succinimide ester method, all of which methods are incorporated by reference herein.

15 It will be appreciated by one of ordinary skill that the antibodies of the present invention may alternatively be coupled to a solid support, to facilitate, for example, chromatographic and other immunological procedures using such solid phase-immobilized antibodies. Included among such procedures are the use of the antibodies of the invention to isolate or purify polypeptides comprising one or more epitopes encoded by the nucleic acid molecules of the invention (which may be fusion polypeptides or other polypeptides of the invention described herein), or to isolate or purify polynucleotides comprising one or more recombination site sequences of the invention or portions thereof. Methods for isolation and purification of polypeptides (and, by analogy, polynucleotides) by affinity chromatography, for example using the antibodies of the invention coupled to a solid phase support, are well-known in the art and will be familiar to one of ordinary skill. The antibodies of the invention may also be used in other applications, for example to cross-link or couple two or more proteins, polypeptides, polynucleotides, or portions thereof into a structural and/or functional complex. In one such use, an antibody of the invention may have two

20

25

30

or more distinct epitope-binding regions that may bind, for example, a first polypeptide (which may be a polypeptide of the invention) at one epitope-binding region on the antibody and a second polypeptide (which may be a polypeptide of the invention) at a second epitope-binding region on the antibody, thereby bringing the first and second polypeptides into close proximity to each other such that the first and second polypeptides are able to interact structurally and/or functionally (as, for example, linking an enzyme and its substrate to carry out enzymatic catalysis, or linking an effector molecule and its receptor to carry out or induce a specific binding of the effector molecule to the receptor or a response to the effector molecule mediated by the receptor). Additional applications for the antibodies of the invention include, for example, the preparation of large-scale arrays of the antibodies, polypeptides, or nucleic acid molecules of the invention, or portions thereof, on a solid support, for example to facilitate high-throughput screening of protein or RNA expression by host cells containing nucleic acid molecules of the invention (known in the art as "chip array" protocols; *see, e.g.*, U.S. Patent Nos. 5,856,101, 5,837,832, 5,770,456, 5,744,305, 5,631,734, and 5,593,839, which are directed to production and use of chip arrays of polypeptides (including antibodies) and polynucleotides, and the disclosures of which are incorporated herein by reference in their entireties). By "solid support" is intended any solid support to which an antibody can be immobilized. Such solid supports include, but are not limited to nitrocellulose, diazocellulose, glass, polystyrene, polyvinylchloride, polycarbonate, polypropylene, polyethylene, dextran, Sepharose, agar, starch, nylon, beads and microtitre plates. Preferred are beads made of glass, latex or a magnetic material. Linkage of an antibody of the invention to a solid support can be accomplished by attaching one or both ends of the antibody to the support. Attachment may also be made at one or more internal sites in the antibody. Multiple attachments (both internal and at the ends of the antibody) may also be used according to the invention. Attachment can be via an amino acid linkage group such as a primary amino group, a carboxyl group, or a sulfhydryl (SH) group or by chemical linkage groups such as with cyanogen bromide (CNBr) linkage through a spacer. For non-covalent attachments, addition of an affinity tag sequence to the peptide can be used such as GST

(Smith, D.B., and Johnson, K.S., *Gene* 67:31 (1988)), polyhistidines (Hochuli, E., *et al.*, *J. Chromatog.* 411:77 (1987)), or biotin. Alternatively, attachment can be accomplished using a ligand which binds the Fc region of the antibodies of the invention, *e.g.*, protein A or protein G. Such affinity tags may be used for the reversible attachment of the antibodies to the support. Peptides may also be recognized via specific ligand-receptor interactions or using phage display methodologies that will be familiar to the skilled artisan, for their ability to bind polypeptides of the invention or fragments thereof.

Kits

In another aspect, the invention provides kits which may be used in producing the nucleic acid molecules, polypeptides, vectors, host cells, and antibodies, and in the recombinational cloning methods, of the invention. Kits according to this aspect of the invention may comprise one or more containers, which may contain one or more of the nucleic acid molecules, primers, polypeptides, vectors, host cells, or antibodies of the invention. In particular, a kit of the invention may comprise one or more components (or combinations thereof) selected from the group consisting of one or more recombination proteins (*e.g.*, Int) or auxiliary factors (*e.g.* IHF and/or Xis) or combinations thereof, one or more compositions comprising one or more recombination proteins or auxiliary factors or combinations thereof (for example, GATEWAY™ LR Clonase™ Enzyme Mix or GATEWAY™ BP Clonase™ Enzyme Mix) one or more Destination Vector molecules (including those described herein), one or more Entry Clone or Entry Vector molecules (including those described herein), one or more primer nucleic acid molecules (particularly those described herein), one or more host cells (*e.g.* competent cells, such as *E. coli* cells, yeast cells, animal cells (including mammalian cells, insect cells, nematode cells, avian cells, fish cells, etc.), plant cells, and most particularly *E. coli* DB3, DB3.1 (preferably *E. coli* LIBRARY EFFICIENCY® DB3.1™ Competent Cells; Life Technologies, Inc., Rockville, MD), DB4 and DB5; *see* U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, and the corresponding U.S. Utility Application No. _____ of Hartley *et al.*, entitled "Cells Resistant to Toxic Genes and Uses Thereof," filed

on even day herewith, the disclosures of which are incorporated by reference herein in its entirety), and the like. In related aspects, the kits of the invention may comprise one or more nucleic acid molecules encoding one or more recombination sites or portions thereof, such as one or more nucleic acid molecules comprising a nucleotide sequence encoding the one or more recombination sites (or portions thereof) of the invention, and particularly one or more of the nucleic acid molecules contained in the deposited clones described herein. Kits according to this aspect of the invention may also comprise one or more isolated nucleic acid molecules of the invention, one or more vectors of the invention, one or more primer nucleic acid molecules of the invention, and/or one or more antibodies of the invention. The kits of the invention may further comprise one or more additional containers containing one or more additional components useful in combination with the nucleic acid molecules, polypeptides, vectors, host cells, or antibodies of the invention, such as one or more buffers, one or more detergents, one or more polypeptides having nucleic acid polymerase activity, one or more polypeptides having reverse transcriptase activity, one or more transfection reagents, one or more nucleotides, and the like. Such kits may be used in any process advantageously using the nucleic acid molecules, primers, vectors, host cells, polypeptides, antibodies and other compositions of the invention, for example in methods of synthesizing nucleic acid molecules (*e.g.*, via amplification such as via PCR), in methods of cloning nucleic acid molecules (preferably via recombinational cloning as described herein), and the like.

Optimization of Recombinational Cloning System

The usefulness of a particular nucleic acid molecule, or vector comprising a nucleic acid molecule, of the invention in methods of recombinational cloning may be determined by any one of a number of assay methods. For example, Entry and Destination vectors of the present invention may be assessed for their ability to function (*i.e.*, to mediate the transfer of a nucleic acid molecule, DNA segment, gene, cDNA molecule or library from a cloning vector to an Expression Vector) by carrying out a recombinational cloning reaction as described in more detail in the Examples below and as described in U.S. Application Nos. 08/663,002, filed

June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, 09/177,387, filed October 23, 1998, and 60/108,324, filed November 13, 1998, the disclosures of which are incorporated by reference herein in their entireties. Alternatively, the functionality of Entry and Destination Vectors prepared according to the invention may be assessed by examining the ability of these vectors to recombine and create cointegrate molecules, or to transfer a nucleic acid molecule of interest, using an assay such as that described in detail below in Example 19. Analogously, the formulation of compositions comprising one or more recombination proteins or combinations thereof, for example GATEWAY™ LR Clonase™ Enzyme Mix and GATEWAY™ BP Clonase™ Enzyme Mix, may be optimized using assays such as those described below in Example 18.

Uses

There are a number of applications for the compositions, methods and kits of the present invention. These uses include, but are not limited to, changing vectors, targeting gene products to intracellular locations, cleaving fusion tags from desired proteins, operably linking nucleic acid molecules of interest to regulatory genetic sequences (*e.g.*, promoters, enhancers, and the like), constructing genes for fusion proteins, changing copy number, changing replicons, cloning into phages, and cloning, *e.g.*, PCR products, genomic DNAs, and cDNAs. In addition, the nucleic acid molecules, vectors, and host cells of the invention may be used in the production of polypeptides encoded by the nucleic acid molecules, in the production of antibodies directed against such polypeptides, in recombinational cloning of desired nucleic acid sequences, and in other applications that may be enhanced or facilitated by the use of the nucleic acid molecules, vectors, and host cells of the invention.

In particular, the nucleic acid molecules, vectors, host cells, polypeptides, antibodies, and kits of the invention may be used in methods of transferring one or more desired nucleic acid molecules or DNA segments, for example one or more genes, cDNA molecules or cDNA libraries, into a cloning or Expression Vector for use in transforming additional host cells for use in cloning or

amplification of, or expression of the polypeptide encoded by, the desired nucleic acid molecule or DNA segment. Such recombinational cloning methods which may advantageously use the nucleic acid molecules, vectors, and host cells of the invention, are described in detail in the Examples below, and in commonly owned
5 U.S. Application Nos. 08/486,139, filed June 7, 1995, 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, 09/177,387, filed October 23, 1998, and 60/108,324, filed November 13, 1998, the disclosures of all of which are incorporated by reference herein in their entireties.


10 It will be understood by one of ordinary skill in the relevant arts that other suitable modifications and adaptations to the methods and applications described herein are readily apparent from the description of the invention contained herein in view of information known to the ordinarily skilled artisan, and may be made
15 without departing from the scope of the invention or any embodiment thereof. Having now described the present invention in detail, the same will be more clearly understood by reference to the following examples, which are included herewith for purposes of illustration only and are not intended to be limiting of the invention.

20 *Examples*

Example 1: Recombination Reactions of Bacteriophage λ

25 The *E. coli* bacteriophage λ can grow as a lytic phage, in which case the host cell is lysed, with the release of progeny virus. Alternatively, lambda can integrate into the genome of its host by a process called lysogenization (see Figure 60). In this lysogenic state, the phage genome can be transmitted to daughter cells for many generations, until conditions arise that trigger its excision from the genome.
30 At this point, the virus enters the lytic part of its life cycle. The control of the switch between the lytic and lysogenic pathways is one of the best understood processes in molecular biology (M. Ptashne, *A Genetic Switch*, Cell Press, 1992).

The integrative and excisive recombination reactions of λ , performed *in vitro*, are the basis of Recombinational Cloning System of the present invention. They can be represented schematically as follows:



10 The four att sites contain binding sites for the proteins that mediate the reactions. The wild type attP, attB, attL, and attR sites contain about 243, 25, 100, and 168 base pairs, respectively. The attB x attP reaction (hereinafter referred to as a "BP Reaction," or alternatively and equivalently as an "Entry Reaction" or a "Gateward Reaction") is mediated by the proteins Int and IHF. The attL x attR reaction (hereinafter referred to as an "LR Reaction," or alternatively and equivalently as a "Destination Reaction") is mediated by the proteins Int, IHF, and Xis. Int (integrase) and Xis (excisionase) are encoded by
15 the λ genome, while IHF (integration host factor) is an *E. coli* protein. For a general review of lambda recombination, see: A. Landy, *Ann. Rev. Biochem.* 58: 913-949 (1989).

20 ***Example 2: Recombination Reactions of the Recombinational Cloning System***

The LR Reaction -- the exchange of a DNA segment from an Entry Clone to a Destination Vector -- is the *in vitro* version of the λ excision reaction:



30 There is a practical imperative for this configuration: after an LR Reaction in one configuration of the present method, an att site usually separates a functional motif (such as a promoter or a fusion tag) from a nucleic acid molecule of interest in an Expression Clone, and the 25 bp attB site is much smaller than the attP, attL, and attR sites.

Note that the recombination reaction is conservative, i.e., there is no net synthesis or loss of base pairs. The DNA segments that flank the recombination

sites are merely switched. The wild type λ recombination sites are modified for purposes of the GATEWAY™ Cloning System, as follows:

To create certain preferred Destination Vectors, a part (43 bp) of attR was removed, to make the excisive reaction irreversible and more efficient (W. Bushman et al., *Science* 230: 906, 1985). The attR sites in preferred Destination Vectors of the invention are 125 bp in length. Mutations were made to the core regions of the att sites, for two reasons: (1) to eliminate stop codons, and (2) to ensure specificity of the recombination reactions (i.e., attR1 reacts only with attL1, attR2 reacts only with attL2, etc.).

Other mutations were introduced into the short (5 bp) regions flanking the 15 bp core regions of the attB sites to minimize secondary structure formation in single-stranded forms of attB plasmids, e.g., in phagemid ssDNA or in mRNA. Sequences of attB1 and attB2 to the left and right of a nucleic acid molecule of interest after it has been cloned into a Destination Vector are given in Figure 6.

Figure 61 illustrates how an Entry Clone and a Destination Vector recombine in the LR Reaction to form a co-integrate, which resolves through a second reaction into two daughter molecules. The two daughter molecules have the same general structure regardless of which pair of sites, attL1 and attR1 or attL2 and attR2, react first to form the co-integrate. The segments change partners by these reactions, regardless of whether the parental molecules are both circular, one is circular and one is linear, or both are linear. In this example, selection for ampicillin resistance carried on the Destination Vector, which also carries the death gene *ccdB*, provides the means for selecting only for the desired attB product plasmid.

Example 3: Protein Expression in the Recombinational Cloning System

Proteins are expressed *in vivo* as a result of two processes, transcription (DNA into RNA), and translation (RNA into protein). For a review of protein expression in prokaryotes and eukaryotes, see Example 13 below. Many vectors (pUC, BlueScript, pGem) use interruption of a transcribed *lacZ* gene for blue-white screening. These plasmids, and many Expression Vectors, use the *lac* promoter to control expression of cloned genes. Transcription from the *lac*

promoter is turned on by adding the inducer IPTG. However, a low level of RNA is made in the absence of inducer, i.e., the lac promoter is never completely off. The result of this "leakiness" is that genes whose expression is harmful to *E. coli* may prove difficult or impossible to clone in vectors that contain the lac promoter, or they may be cloned only as inactive mutants.

In contrast to other gene expression systems, nucleic acid molecules cloned into an Entry Vector may be designed *not* to be expressed. The presence of the strong transcriptional terminator *rrnB* (Orosz, et al., *Eur. J. Biochem.* 201: 653, 1991) just upstream of the attL1 site keeps transcription from the vector promoters (drug resistance and replication origin) from reaching the cloned gene. However, if a toxic gene is cloned into a Destination Vector, the host may be sick, just as in other expression systems. But the reliability of subcloning by *in vitro* recombination makes it easier to recognize that this has happened -- and easier to try another expression option in accordance with the methods of the invention, if necessary.

Example 4: Choosing the Right Entry Vector

There are two kinds of choices that must be made in choosing the best Entry Vector, dictated by (1) the particular DNA segment that is to be cloned, and (2) what is to be accomplished with the cloned DNA segment. These factors are critical in the choice of Entry Vector used, because when the desired nucleic acid molecule of interest is moved from the Entry Vector to a Destination Vector, all the base pairs between the nucleic acid molecule of interest and the Int cutting sites in attL1 and attL2 (such as in Figure 6) move into the Destination Vector as well. For genomic DNAs that are not expressed as a result of moving into a Destination Vector, these decisions are not as critical.

For example, if an Entry Vector with certain translation start signals is used, those sequences will be translated into amino acids if an amino-terminal fusion to the desired nucleic acid molecule of interest is made. Whether the desired nucleic acid molecule of interest is to be expressed as fusion protein, native protein, or both, dictates whether translational start sequences must be included between the attB sites of the clone (native protein) or, alternatively, supplied by the Destination

Vector (fusion protein). In particular, Entry Clones that include translational start sequences may prove less suitable for making fusion proteins, as internal initiation of translation at these sites can decrease the yield of N-terminal fusion protein. These two types of expression afforded by the compositions and methods of the invention are illustrated in Figure 62.

No Entry Vector is likely to be optimal for all applications. The nucleic acid molecule of interest may be cloned into any of several optimal Entry Vectors.

As an example, consider pENTR7 (Figure 16) and pENTR11 (Figure 20), which are useful in a variety of applications, including (but not limited to):

- Cloning cDNAs from most of the commercially available libraries. The sites to the left and right of the *ccdB* death gene have been chosen so that directional cloning is possible if the DNA to be cloned does not have two or more of these restriction sites.

- Cloning of genes directionally: *Sall*, *BamHI*, *XmnI* (blunt), or *KpnI* on the left of *ccdB*; *NotI*, *XhoI*, *XbaI*, or *EcoRV* (blunt), on the right.

- Cloning of genes or gene fragments with a blunt amino end at the *XmnI* site. The *XmnI* site has four of the six most favored bases for eukaryotic expression (see Example 13, below), so that if the first three bases of the DNA to be cloned are ATG, the open reading frame (ORF) will be expressed in eukaryotic cells (e.g., mammalian cells, insect cells, yeast cells) when it is transcribed in the appropriate Destination Vector. In addition, in pENTR11, a Shine-Dalgarno sequence is situated 8 bp upstream, for initiating protein synthesis in a prokaryotic host cell (particularly a bacterial cell, such as *E. coli*) at an ATG.

- Cleaving off amino terminal fusions (e.g., His₆, GST, or thioredoxin) using the highly specific TEV (Tobacco Etch Virus) protease (available from Life Technologies, Inc.). If the nucleic acid molecule of interest is cloned at the

blunt *Xmn*I site, TEV cleavage will leave two amino acids on the amino end of the expressed protein.

•Selecting against uncut or singly cut Entry Vector molecules during cloning with restriction enzymes and ligase. If the *ccdB* gene is not removed with a double digest, it will kill any recipient *E. coli* cell that does not contain a mutation that makes the cell resistant to *ccdB* (see U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, the disclosure of which is incorporated by reference herein in its entirety).

•Allowing production of amino fusions with ORFs in all cloning sites. There are no stop codons (in the *attL1* reading frame) upstream of the *ccdB* gene.

In addition, pENTR11 is also useful in the following applications:

•Cloning cDNAs that have an *Nco*I site at the initiating ATG into the *Nco*I site. Similar to the *Xmn*I site, this site has four of the six most favored bases for eukaryotic expression. Also, a Shine-Dalgarno sequence is situated 8 bp upstream, for initiating protein synthesis in a prokaryotic host cell (particularly a bacterial cell, such as *E. coli*) at an ATG.

•Producing carboxy fusion proteins with ORFs positioned in phase with the reading frame convention for carboxy-terminal fusions (see Figure 20A).

Table 1 lists some non-limiting examples of Entry Vectors and their characteristics, and Figures 10-20 show their cloning sites. All of the Entry Vectors listed in Table 1 are available commercially from Life Technologies, Inc., Rockville, Maryland. Other Entry Vectors not specifically listed here, which comprise alternative or additional features may be made by one of ordinary skill using routine methods of molecular and cellular biology, in view of the disclosure contained herein.

Table 1
Examples of Entry Vectors

Designation	Mnemonic Name	Class of Entry Vector	Distinctive Cloning Sites	Amino Fusions	Native Protein in E.coli	Native Protein in Eukaryotic Cells	Protein Synthesis Features
pENTR-1A, 2B, 3C	Minimal blunt RF A, B, C	Alternative Reading Frame Vectors	Reading frame A, B, or C; blunt cut closest to attL1	Good	Poor	Good	Minimal amino acids between tag and protein; no SD
pENTR4	Minimal Nco	Restr. Enz. Cleavage Vectors	Nco I site (common in euk. cDNAs) closest to attL1	Good	Poor	Good	Good Kozac; no SD
pENTR5	Minimal Nde	Restr. Enz. Cleavage Vectors	NdeI site closest to attL1	Good	Poor	Poor at Nde I, Good at Xmn I	No SD; poor Kozac at Nde, good at Xmn
pENTR6	Minimal Sph	Restr. Enz. Cleavage Vectors	Sph I site closest to attL1	Good	Poor	Poor at Sph I, Good at Xmn I	No SD; poor Kozac at Sph, good at Xmn
pENTR7	TEV Blunt	TEV Cleavage Site Present	Xmn I (blunt) is first cloning site after TEV site	Good	Poor	Good at Xmn I site	TEV protease leaves Gly-Thr on amino end of protein; no SD
pENTR8	TEV Nco	TEV Cleavage Site Present	Nco I is first cloning site after TEV site	Good	Poor	Good	TEV protease leaves Gly-Thr on amino end of protein; no SD

pENTR9	TEV Nde	TEV Cleavage Site Present	Nde I is first cloning site after TEV site	Good	Poor	Poor	TEV protease leaves Gly-Thr on amino end of protein; no SD, poor Kozac
pENTR10	Nde with SD	Good SD for E.coli Expression	Strong SD; Nde I site, no TEV	Poor	Good	Poor	Strong SD, internal starts in amino fusions. Poor Kz. No TEV
pENTR11	2 X SD+Kozac	Good SD for E.coli Expression	Xmn I (blunt) and Nco I sites each preceded by SD and Kozac	Good	Good	Good	Strong SD/Koz Internal starts in amino fusions. No TEV

Entry vectors pENTR1A (Figures 10A and 10B), pENTR2B (Figures 11A and 11B), and pENTR3C (Figures 12A and 12B) are almost identical, except that the restriction sites are in different reading frames. Entry vectors pENTR4 (Figures 13A and 13B), pENTR5 (Figures 14A and 14B), and pENTR6 (Figures 15A and 15B) are essentially identical to pENTR1A, except that the blunt *DraI* site has been replaced with sites containing the ATG methionine codon: *NcoI* in pENTR4, *NdeI* in pENTR5, and *SphI* in pENTR6. Nucleic acid molecules that contain one of these sites at the initiating ATG can be conveniently cloned in these Entry vectors. The *NcoI* site in pENTR4 is especially useful for expression of nucleic acid molecules in eukaryotic cells, since it contains many of the bases that give efficient translation (*see* Example 13, below). (Nucleic acid molecules of interest cloned into the *NdeI* site of pENTR5 are not expected to be highly expressed in eukaryotic cells, because the cytosine at position -3 from the initiating ATG is rare in eukaryotic genes.)

Entry vectors pENTR7 (Figures 16A and 16B), pENTR8 (Figures 17A and 17B), and pENTR9 (Figures 18A and 18B) contain the recognition site for the TEV protease between the attL1 site and the cloning sites. Cleavage sites for *XmnI* (blunt), *NcoI*, and *NdeI*, respectively, are the most 5' sites in these Entry vectors. Amino fusions can be removed efficiently if nucleic acid molecules are cloned into these Entry vectors. TEV protease is highly active and highly specific.

Example 5: Controlling Reading Frame

One of the trickiest tasks in expression of cloned nucleic acid molecules is making sure the reading frame is correct. (Reading frame is important if fusions are being made between two ORFs, for example between a nucleic acid molecule of interest and a His6 or GST domain.) For purposes of the present invention, the following convention has been adopted: The reading frame of the DNA cloned into any Entry Vector must be in phase with that of the attB1 site shown in Figure 16A, pENTR7. Notice that the six As of the attL1 site are split into two lysine codons (aaa aaa). The Destination Vectors that make amino fusions were constructed such that they enter the attR1 site in this reading frame.

Destination Vectors for carboxy terminal fusions were also constructed, including those containing His₆ (pDEST23; Figure 43), GST (pDEST24; Figure 44), or thioredoxin (pDEST25; Figure 45) C-terminal fusion sequences.

Therefore, if a nucleic acid molecule of interest is cloned into an Entry Vector so that the aaa aaa reading frame within the attL1 site is in phase with the nucleic acid molecule's ORF, amino terminal fusions will automatically be correctly phased, for all the fusion tags. This is a significant improvement over the usual case, where each different vector can have different restriction sites and different reading frames.

See Example 15 for a practical example of how to choose the most appropriate combinations of Entry Vector and Destination Vector.

Materials

Unless otherwise indicated, the following materials were used in the remaining Examples included herein:

5X LR Reaction Buffer:

200-250 mM (preferably 250 mM) Tris-HCl, pH 7.5

250-350 mM (preferably 320 mM) NaCl

1.25-5 mM (preferably 4.75 mM) EDTA

12.5-35 mM (preferably 22-35 mM, and most preferably 35 mM)

Spermidine-HCl

1 mg/ml bovine serum albumin

GATEWAY™ LR Clonase™ Enzyme Mix:

per 4 μl of 1X LR Reaction Buffer:

150 ng carboxy-His6-tagged Int (see U.S. Appl. Nos. 60/108,324, filed November 13, 1998, and 09/438,358, filed November 12, 1999, both entirely incorporated by reference herein)

-106-

25 ng carboxy-His6-tagged Xis (see U.S. Appl. Nos. 60/108,324, filed
November 13, 1998, and 09/438,358, filed November 12,
1999, both entirely incorporated by reference herein)

30 ng IHF

50% glycerol

5X BP Reaction Buffer:

125 mM Tris-HCl, pH 7.5

110 mM NaCl

25 mM EDTA

25 mM Spermidine-HCl

5 mg/ml bovine serum albumin

GATEWAY™ BP Clonase™ Enzyme Mix:

per 4 µl of 1X BP Reaction Buffer:

200 ng carboxy-His6-tagged Int (see U.S. Appl. Nos. 60/108,324, filed
November 13, 1998, and 09/438,358, filed November 12,
1999, both entirely incorporated by reference herein)

80 ng IHF

50% glycerol

10X Clonase Stop Solution:

50 mM Tris-HCl, pH 8.0

1 mM EDTA

2 mg/ml Proteinase K

Example 6: LR ("Destination") Reaction

To create a new Expression Clone containing the nucleic acid molecule of
interest (and which may be introduced into a host cell, ultimately for production
of the polypeptide encoded by the nucleic acid molecule), an Entry Clone or
Vector containing the nucleic acid molecule of interest, prepared as described

herein, is reacted with a Destination Vector. In the present example, a β -Gal gene flanked by attL sites is transferred from an Entry Clone to a Destination Vector.

Materials needed:

- 5 X LR Reaction buffer
- Destination Vector (preferably linearized), 75-150 ng/ μ l
- Entry Clone containing nucleic acid molecule of interest, 100-300 ng in $\leq 8 \mu$ l TE buffer
- Positive control Entry Clone (pENTR- β -Gal) DNA (See note, below)
- Positive control Destination Vector, pDEST1 (pTrc), 75 ng/ μ l
- GATEWAY™ LR Clonase™ Enzyme Mix (stored at - 80° C)
- 10X Clonase Stop solution
- pUC19 DNA, 10 pg/ μ l
- Chemically competent *E. coli* cells (competence: $\geq 1 \times 10^7$ CFU/ μ g), 400 μ l.
- LB Plates containing ampicillin (100 μ g/ml) and methicillin (200 μ g/ml) \pm X-gal and IPTG (See below)

Notes:

Preparation of the Entry Clone DNA: Miniprep DNA that has been treated with RNase works well. A reasonably accurate quantitation ($\pm 50\%$) of the DNA to be cloned is advised, as the GATEWAY™ reaction appears to have an optimum of about 100-300 ng of Entry Clone per 20 μ l of reaction mix.

The positive control Entry Clone, pENTR- β -Gal, permits functional analysis of clones based on the numbers of expected blue vs. white colonies on LB plates containing IPTG + Blueo-gal (or X-gal), in addition to ampicillin (100 μ g/ml) and methicillin (200 μ g/ml). Because β -Galactosidase is a large protein, it often yields a less prominent band than many smaller proteins do on SDS protein gels.

In the Positive Control Entry Vector pENTR- β -Gal, the coding sequence of β -Gal has been cloned into pENTR11 (Figures 20A and 20B), with translational start signals permitting expression in *E. coli*, as well as in eukaryotic

cells. The positive control Destination Vector, for example pDEST1 (Figure 21), is preferably linearized.

To prepare X-gal + IPTG plates, either of the following protocols may be used:

5 A. With a glass rod, spread over the surface of an LB agar plate: 40 μ l of 20 mg/ml X-gal (or Bluo-gal) in DMF plus 4 μ l 200 mg/ml IPTG. Allow liquid to adsorb into agar for 3-4 hours at 37° C before plating cells.

10 B. To liquid LB agar at ~45°C, add: X-gal (or Bluo-Gal) (20 mg/ml in DMF) to make 50 μ g/ml and IPTG (200 mM in water) to make 0.5-1 mM, just prior to pouring plates. Store X-gal and Bluo-Gal in a light-shielded container.

15 Colony color may be enhanced by placing the plates at 5° C for a few hours after the overnight incubation at 37° C. Protocol B can give more consistent colony color than A, but A is more convenient when selection plates are needed on short notice.

20 Recombination in Clonase reactions continues for many hours. While incubations of 45-60 minutes are usually sufficient, reactions with large DNAs, or in which both parental DNAs are supercoiled, or which will be transformed into cells of low competence, can be improved with longer incubation times, such as 2-24 hours at 25° C.

Procedure:

25 1. Assemble reactions as follows (combine all components at room temperature, except GATEWAY™ LR Clonase™ Enzyme Mix ("Clonase LR"), before removing Clonase LR from frozen storage):

Component	Tube 1	Tube 2	Tube 3	Tube 4
	Neg.	Pos.	Neg.	Test
p-Gate- β Gal, (Positive control Entry Clone) 75 ng/ μ l	4 μ l	4 μ l		
pDEST1 (Positive control Destination Vector), 75 ng/ μ l	4 μ l	4 μ l		
Your Entry Clone (100-300 ng)			1 - 8 μ l	1 - 8 μ l
Destination Vector for your nucleic acid molecule, 75 ng/ μ l			4 μ l	4 μ l
5 X LR Reaction Buffer	4 μ l	4 μ l	4 μ l	4 μ l
TE	8 μ l	4 μ l	To 20 μ l	To 16 μ l
GATEWAY™ LR Clonase™ Enzyme Mix (store at -80° C, add last)	---	4 μ l	---	4 μ l
Total Volume	20 μ l	20 μ l	20 μ l	20 μ l

2. Remove the GATEWAY™ LR Clonase™ Enzyme Mix from the -80° C freezer, place immediately on ice. The Clonase takes only a few minutes to thaw.
3. Add 4 μ l of GATEWAY™ LR Clonase™ Enzyme Mix to reactions #2 and #4;
4. Return GATEWAY™ LR Clonase™ Enzyme Mix to -80° C freezer.
5. Incubate tubes at 25° for at least 60 minutes.
6. Add 2 μ l Clonase Stop solution to all reactions. Incubate for 20 min at 37°C. (This step usually increases the total number of colonies obtained by 10-20 fold.)
7. Transform 2 μ l into 100 μ l competent *E. coli*. Select on plates containing ampicillin at 100 μ g/ml.

Example 7: Transformation of *E. coli*

To introduce cloning or Expression Vectors prepared using the recombinational cloning system of the invention, any standard *E. coli* transformation protocol should be satisfactory. The following steps are recommended for best results:

1. Let the mixture of competent cells and Recombinational Cloning System reaction product stand on ice at least 15 minutes prior to the heat-shock step. This gives time for the recombination proteins to dissociate from the DNA, and improves the transformation efficiency.

2. Expect the reaction to be about 1%-5% efficient, i.e., 2 μ l of the reaction should contain at least 100 pg of the Expression Clone plasmid (taking into account the amounts of each parental plasmid in the reaction, and the subsequent dilution). If the E. coli cells have a competence of 10^7 CFU/ μ g, 100 pg of the desired clone plasmid will give about 1000 colonies, or more, if the entire transformation is spread on one ampicillin plate.

3. Always do a control pUC DNA transformation. If the number of colonies is not what you expect, the pUC DNA transformation gives you an indication of where the problem was.

Example 8: Preparation of attB-PCR Product

For preparation of attB-PCR products in the PCR cloning methods described in Example 9 below, PCR primers containing attB1 and attB2 sequences are used. The attB1 and attB2 primer sequences are as follows:

attB1: 5'-GGGGACAAGTTTGTACAAAAAGCAGGCT-(template-specific sequence)-3'

attB2: 5'-GGGGACCACTTTGTACAAGAAAGCTGGGT-(template-specific sequence)-3'

The attB1 sequence should be added to the amino primer, and the attB2 sequence to the carboxy primer. The 4 guanines at the 5' ends of each of these primers enhance the efficiency of the minimal 25 bp attB sequences as substrates for use in the cloning methods of the invention.

Standard PCR conditions may be used to prepare the PCR product. The following suggested protocol employs PLATNUM *Taq* DNA Polymerase High

-111-

Fidelity®, available commercially from Life Technologies, Inc. (Rockville, MD). This enzyme mix eliminates the need for hot starts, has improved fidelity over Taq, and permits synthesis of a wide range of amplicon sizes, from 200 bp to 10 kb, or more, even on genomic templates.

Materials needed:

- PLATINUM Taq DNA Polymerase High Fidelity® (Life Technologies, Inc.)
- attB1- and attB2- containing primer pair (see above) specific for your template
- DNA template (linearized plasmid or genomic DNA)
- 10X High Fidelity PCR Buffer
- 10 mM dNTP mix
- PEG/MgCl₂ Mix (30% PEG 8000, 30 mM MgCl₂)

Procedure:

1.) Assemble the reaction as follows:

Component	Reaction with Plasmid Target	Reaction with <u>Genomic</u> Target
10X High Fidelity PCR Buffer	5 µl	5 µl
dNTP Mix 10 mM	1 µl	1 µl
MgSO ₄ , 50mM	2 µl	2 µl
attB1 Primer, 10 µM	2 µl	1 µl
attB2 Primer, 10 µM	2 µl	1 µl
Template DNA	1-5 ng*	≥ 100 ng
PLATINUM Taq High Fidelity	2 µl	1 µl
Water	to 50 µl	to 50 µl

* Use of higher amounts of plasmid template may permit fewer cycles (10-15) of PCR

2.) Add 2 drops mineral oil, as appropriate.

3.) Denature for 30 sec. at 94°C.

4.) Perform 25 cycles:

94°C for 15 sec-30 sec

55°C for 15 sec-30 sec

68°C for 1 min per kb of template.

5.) Following the PCR reaction, apply 1-2 µl of the reaction mixture to an agarose gel, together with size standards (*e.g.*, 1 Kb Plus Ladder, Life Technologies, Inc.) and quantitation standards (*e.g.*, Low Mass Ladder, Life Technologies, Inc.), to assess the yield and uniformity of the product.

Purification of the PCR product is recommended, to remove attB primer dimers which can clone efficiently into the Entry Vector. The following protocol is fast and will remove DNA <300 bp in size:

6.) Dilute the 50 µl PCR reaction to 200 µl with TE.

7.) Add 100 µl PEG/MgCl₂ Solution. Mix and centrifuge immediately at 13,000 RPM for 10 min at room temperature. Remove the supernatant (pellet is clear and hard to see).

8.) Dissolve the pellet in 50 µl TE and check recovery on a gel.

If the starting PCR template is a plasmid that contains the gene for Kan^r, it is advisable to treat the completed PCR reaction with the restriction enzyme *DpnI*, to degrade the plasmid since unreacted residual starting plasmid is a potential source of false-positive colonies from the transformation of the GATEWAY™ Cloning System reaction. Adding ~5 units of *DpnI* to the completed PCR reaction and incubating for 15 min at 37°C will eliminate this potential problem. Heat inactivate the *DpnI* at 65°C for 15 min, prior to using the PCR product in the GATEWAY™ Cloning System reaction.

Example 9: Cloning attB-PCR products into Entry Vectors via the BP ("Gateway") Reaction

The addition of 5'-terminal attB sequences to PCR primers allows synthesis of a PCR product that is an efficient substrate for recombination with a Donor (attP) Plasmid in the presence of GATEWAY™ BP Clonase™ Enzyme Mix. This reaction produces an Entry Clone of the PCR product (See Figure 8).

The conditions of the Gateway Cloning reaction with an attB PCR substrate are similar to those of the BP Reaction (see Example 10 below), except that the attB-PCR product (see Example 8) substitutes for the Expression Clone, and the attB-PCR positive control (attB-tet^r) substitutes for the Expression Clone Positive Control (GFP).

Materials needed:

- 5 X BP Reaction Buffer
- Desired attB-PCR product DNA, 50-100 ng in $\leq 8 \mu\text{l}$ TE.
- Donor (attP) Plasmid (Figures 49-54), 75 ng/ μl , supercoiled DNA
- attB-tet^r PCR product positive control, 25 ng/ μl
- GATEWAY™ BP Clonase™ Enzyme Mix (stored at - 80° C)
- 10x Clonase Stop Solution
- pUC19 DNA, 10 pg/ μl .
- Chemically competent E.coli cells (competence: $\geq 1 \times 10^7$ CFU/ μg), 400 μl

Notes:

- Preparation of attB-PCR DNA: see Example 8.
- The Positive Control attB-tet^r PCR product contains a functional copy of the tet^r gene of pBR322, with its own promoter. By plating the transformation of the control BP Reaction on kanamycin (50 $\mu\text{g/ml}$) plates (if kan^r Donor Plasmids are used; see Figures 49-52) or an alternative selection agent (e.g., gentamycin, if gen^r Donor Plasmids are used; see Figure 54), and then picking about 50 of these colonies onto plates with tetracycline (20 $\mu\text{g/ml}$), the

percentage of Entry Clones containing functional tet^r among the colonies from the positive control reaction can be determined (% Expression Clones = (number of tet^r + kan^r (or gen^r) colonies/kan^r (or gen^r) colonies).

Procedure:

1. Assemble reactions as follows. Combine all components except GATEWAY™ BP Clonase™ Enzyme Mix, before removing GATEWAY™ BP Clonase™ Enzyme Mix from frozen storage.

	Neg.	Pos.	Test
Component	Tube 1	Tube 2	Tube 3
attB-PCR product, 50-100 ng			1 - 8 µl
Donor (attP) Plasmid 75 ng/µl	2 µl	2 µl	2 µl
attB-PCR tet ^r control DNA (75 ng/µl)		4 µl	
5 X BP Reaction Buffer	4 µl	4 µl	4 µl
TE	10 µl	6 µl	To 16 µl
GATEWAY™ BP Clonase™ Enzyme Mix (store at -80° C, add last)	4 µl	4 µl	4 µl
Total Volume	20 µl	20 µl	20 µl

2. Remove the GATEWAY™ BP Clonase™ Enzyme Mix from the -80° C freezer, place immediately on ice. The Clonase takes only a few minutes to thaw.
3. Add 4 µl of GATEWAY™ BP Clonase™ Enzyme Mix to the subcloning reaction, mix.
4. Return GATEWAY™ BP Clonase™ Enzyme Mix to - 80° C freezer.
5. Incubate tubes at 25° for at least 60 minutes.

6. Add 2 μ l Proteinase K (2 μ g/ μ l) to all reactions. Incubate for 20 min at 37°C.
7. Transform 2 μ l into 100 μ l competent *E. coli*, as per 3.2, above. Select on LB plates containing kanamycin, 50 μ g/ml.

Results:

In initial experiments, primers for amplifying tetR and ampR from pBR322 were constructed containing only the tetR- or ampR-specific targeting sequences, the targeting sequences plus attB1 (for forward primers) or attB2 (for reverse primers) sequences shown in Figure 9, or the attB1 or attB2 sequences with a 5' tail of four guanines. The construction of these primers is depicted in Figure 65. After PCR amplification of tetR and ampR from pBR322 using these primers and cloning the PCR products into host cells using the recombinational cloning system of the invention, the results shown in Figure 66 were obtained. These results demonstrated that primers containing attB sequences provided for a somewhat higher number of colonies on the tetracycline and ampicillin plates. However, inclusion of the 5' extensions of four or five guanines on the primers in addition to the attB sequences provided significantly better cloning results, as shown in Figures 66 and 67. These results indicate that the optimal primers for cloning of PCR products using recombinational cloning will contain the recombination site sequences with a 5' extension of four or five guanine bases.

To determine the optimal stoichiometry between attB-containing PCR products and attP-containing Donor plasmid, experiments were conducted where the amount of PCR product and Donor plasmid were varied during the BP Reaction. Reaction mixtures were then transformed into host cells and plated on tetracycline plates as above. Results are shown in Figure 68. These results indicate that, for optimal recombinational cloning results with a PCR product in the size range of the tet gene, the amounts of attP-containing Donor plasmids are between about 100-500 ng (most preferably about 200-300 ng), while the optimal concentrations of attB-containing PCR products is about 25-100 ng (most preferably about 100 ng), per 20 μ l reaction.

Experiments were then conducted to examine the effect of PCR product size on efficiency of cloning via the recombinational cloning approach of the invention.

PCR products containing attB1 and attB2 sites, at sizes 256 bp, 1 kb, 1.4 kb, 3.4 kb, 4.6 kb, 6.9 kb and 10.1 kb were prepared and cloned into Entry vectors as described above, and host cells were transformed with the Entry vectors containing the cloned PCR products. For each PCR product, cloning efficiency was calculated relative to cloning of pUC19 positive control plasmids as follows:

$$\text{Cloning Efficiency} = \frac{\text{CFU/ng attB PCR product}}{\text{CFU/ng pUC19 control}} \times \frac{\text{Size (kb) PCR product}}{\text{Size (kb) pUC19 control}}$$

The results of these experiments are depicted in Figures 69A-69C (for 256 bp PCR fragments), 70A-70C (for 1 kb PCR fragments), 71A-71C (for 1.4 kb PCR fragments), 72A-72C (for 3.4 kb PCR fragments), 73A-73C (for 4.6 kb PCR fragments), 74 (for 6.9 kb PCR fragments), and 75-76 (for 10.1 kb PCR fragments). The results shown in these figures are summarized in Figure 77, for different weights and moles of input PCR DNA.

Together, these results demonstrate that attB-containing PCR products ranging in size from about 0.25 kb to about 5 kb clone relatively efficiently in the recombinational cloning system of the invention. While PCR products larger than about 5 kb clone less efficiently (apparently due to slow resolution of cointegrates), longer incubation times during the recombination reaction appears to improve the efficiency of cloning of these larger PCR fragments. Alternatively, it may also be possible to improve efficiency of cloning of large (> about 5 kb) PCR fragments by using lower levels of input attP Donor plasmid and perhaps attB-containing PCR product, and/or by adjusting reaction conditions (*e.g.*, buffer conditions) to favor more rapid resolution of the cointegrates.

Example 10: The BP Reaction

One purpose of the Gateward ("Entry") reaction is to convert an Expression Clone into an Entry Clone. This is useful when you have isolated an individual Expression Clone from an Expression Clone cDNA library, and you wish to transfer the nucleic acid molecule of interest into another Expression Vector, or

to move a population of molecules from an attB or attL library. Alternatively, you may have mutated an Expression Clone and now wish to transfer the mutated nucleic acid molecule of interest into one or more new Expression Vectors. In both cases, it is necessary first to convert the nucleic acid molecule of interest to an Entry Clone.

Materials needed:

- 5 X BP Reaction Buffer
- Expression Clone DNA, 100-300 ng in $\leq 8 \mu\text{l}$ TE.
- Donor (attP) Vector, 75 ng/ μl , supercoiled DNA
- Positive control attB-tet-PCR DNA, 25 ng/ μl
- GATEWAY™ BP Clonase™ Enzyme Mix (stored at -80°C)
- Clonase Stop Solution (Proteinase K, 2 $\mu\text{g}/\mu\text{l}$).

Notes:

Preparation of the Expression Clone DNA: Miniprep DNA treated with RNase works well.

1. As with the LR Reaction (see Example 14), the BP Reaction is strongly influenced by the topology of the reacting DNAs. In general, the reaction is most efficient when one of the DNAs is linear and the other is supercoiled, compared to reactions where the DNAs are both linear or both supercoiled. Further, linearizing the attB Expression Clone (anywhere within the vector) will usually give more colonies than linearizing the Donor (attP) Plasmid. If finding a suitable cleavage site within your Expression Clone vector proves difficult, you may linearize the Donor (attP) Plasmid between the attP1 and attP2 sites (for example, at the *Nco*I site), avoiding the *ccdB* gene. Maps of Donor (attP) Plasmids are given in Figures 49-54.

Procedure:

1. Assemble reactions as follows. Combine all components at room temperature, except GATEWAY™ BP Clonase™ Enzyme Mix, before removing GATEWAY™ BP Clonase™ Enzyme Mix from freezer.

	Neg.	Pos.	Test
Component	Tube 1	Tube 2	Tube 3
Positive Control, attB-tet-PCR DNA, 25 ng/ μ l	4 μ l	4 μ l	
Desired attB Expression Clone DNA (100ng) linearized			1 - 8 μ l
Donor (attP) Plasmid, 75 ng/ μ l	2 μ l	2 μ l	2 μ l
5 X BP Reaction Buffer	4 μ l	4 μ l	4 μ l
TE	10 μ l	6 μ l	To 16 μ l
GATEWAY™ BP Clonase™ Enzyme Mix (store at - 80° C, add last)	---	4 μ l	4 μ l
Total Volume	20 μ l	20 μ l	20 μ l

2. Remove the GATEWAY™ BP Clonase™ Enzyme Mix from the -80°C freezer, place immediately on ice. The mixture takes only a few minutes to thaw.
3. Add 4 μ l of GATEWAY™ BP Clonase™ Enzyme Mix to the subcloning reaction, mix.
4. Return GATEWAY™ BP Clonase™ Enzyme Mix to - 80° C freezer.
5. Incubate tubes at 25° for at least 60 minutes. If both the attB and attP DNAs are supercoiled, incubation for 2-24 hours at 25°C is recommended.
6. Add 2 μ l Clonase Stop Solution. Incubate for 10 min at 37°C.
7. Transform 2 μ l into 100 μ l competent E. coli, as above. Select on LB plates containing 50 μ g/ml kanamycin.

Example 11: Cloning PCR Products into Entry Vectors using Standard Cloning Methods

Preparation of Entry Vectors for Cloning of PCR Products

All of the Entry Vectors of the invention contain the death gene ccdB as a stuffer between the "left" and "right" restriction sites. The advantage of this arrangement is that there is virtually no background from vector that has not been cut with both restriction enzymes, because the presence of the ccdB gene will kill

all standard *E. coli* strains. Thus it is necessary to cut each Entry Vector twice, to remove the *ccdB* fragment.

We strongly recommend that, after digestion of the Entry Vector with the second restriction enzyme, you treat the reaction with phosphatase (calf intestine alkaline phosphatase, CIAP or thermosensitive alkaline phosphatase, TSAP). The phosphatase can be added directly to the reaction mixture, incubated for an additional time, and inactivated. This step dephosphorylates both the vector and *ccdB* fragments, so that during subsequent ligation there is less competition between the *ccdB* fragment and the DNA of interest for the termini of the Entry Vector.

Blunt Cloning of PCR products

Generally PCR products do not have 5' phosphates (because the primers are usually 5' OH), and they are not necessarily blunt. (On this latter point, see Brownstein, et al., *BioTechniques* 20: 1006, 1996 for a discussion of how the sequence of the primers affects the addition of single 3' bases.) The following protocol repairs these two defects.

In a 0.5 ml tube, ethanol precipitate about 40 ng of PCR product (as judged from an agarose gel).

1. Dissolve the precipitated DNA in 10 μ l comprising 1 μ l 10 mM rATP, 1 μ l mixed 2 mM dNTPs (i.e., 2 mM each dATP, dCTP, dTTP, and dGTP), 2 μ l 5x T4 polynucleotide kinase buffer (350 mM Tris HCl (pH7.6), 50 mM $MgCl_2$, 500mM KCl, 5 mM 2-mercaptoethanol) 10 units T4 polynucleotide kinase, 1 μ l T4 DNA polymerase, and water to 10 μ l.
2. Incubate the tube at 37° for 10 minutes, then at 65° for 15 minutes, cool, centrifuge briefly to bring any condensate to the tip of the tube.
3. Add 5 μ l of the PEG/ $MgCl_2$ solution, mix and centrifuge at room temperature for 10 minutes. Discard supernatant.
4. Dissolve the invisible precipitate in 10 μ l containing 2 μ l 5x T4 DNA ligase buffer (Life Technologies, Inc.), 0.5 units T4 DNA ligase, and about 50 ng of blunt, phosphatase-treated Entry Vector.

5. Incubate at 25° for 1 hour, then 65° for 10 minutes. Add 90 µl TE, transform 10 µl into 50 - 100 µl competent *E. coli* cells.
6. Plate on kanamycin.

5 **Note:** In the above protocol, steps b-c simultaneously polish the ends of the PCR product (through the exonuclease and polymerase activities of T4 DNA polymerase) and phosphorylate the 5' ends (using T4 polynucleotide kinase). It is necessary to inactivate the kinase, so that the blunt, dephosphorylated vector in step e cannot self ligate. Step d (the PEG precipitation) removes all small
10 molecules (primers, nucleotides), and has also been found to improve the yield of cloned PCR product by 50 fold.

Cloning PCR Products after Digestion with Restriction Enzymes

Efficient cloning of PCR products that have been digested with restriction
15 enzymes includes three steps: inactivation of *Taq* DNA polymerase, efficient restriction enzyme cutting, and removal of small DNA fragments.

Inactivation of Taq DNA Polymerase: Carryover of *Taq* DNA polymerase and dNTPs into a RE digestion significantly reduces the success in cloning a PCR product (D. Fox et al., *FOCUS* 20(1):15, 1998), because *Taq* DNA polymerase
20 can fill in sticky ends and add bases to blunt ends. Either TAQQUENCH™ (obtainable from Life Technologies, Inc.; Rockville, Maryland) or extraction with phenol can be used to inactivate the *Taq*.

Efficient Restriction Enzyme Cutting: Extra bases on the 5' end of each PCR primer help the RE cut near ends of PCR products. With the availability of
25 cheap primers, adding 6 to 9 bases on the 5' sides of the restriction sites is a good investment to ensure that most of the ends are digested. Incubation of the DNA with a 5-fold excess of restriction enzyme for an hour or more helps ensure success.

Removal of Small Molecules before Ligation: Primers, nucleotides,
30 primer dimers, and small fragments produced by the restriction enzyme digestion,

can all inhibit or compete with the desired ligation of the PCR product to the cloning vector. This protocol uses PEG precipitation to remove small molecules.

Protocol for cutting the ends of PCR products with restriction enzyme(s):

5

1. Inactivation of Taq DNA polymerase in the PCR product:

Option A: Extraction with Phenol

10

A1. Dilute the PCR reaction to 200 μ l with TE. Add an equal volume of phenol:chloroform:isoamyl alcohol, vortex vigorously for 20 seconds, and centrifuge for 1 minute at room temperature. Discard the lower phase.

15

A2. Extract the phenol from the DNA and concentrate as follows. Add an equal volume of 2-butanol (colored red with "Oil Red O" from Aldrich, if desired), vortex briefly, centrifuge briefly at room temperature. Discard the upper butanol phase. Repeat the extraction with 2-butanol. This time the volume of the lower aqueous phase should decrease significantly. Discard the upper 2-butanol phase.

20

A3. Ethanol precipitate the DNA from the aqueous phase of the above extractions. Dissolve in a 200 μ l of a suitable restriction enzyme (RE) buffer.

Option B: Inactivation with TaqQuench

25

B1. Ethanol precipitate an appropriate amount of PCR product (100 ng to 1 μ g), dissolve in 200 μ l of a suitable RE buffer.

B2. Add 2 μ l TaqQuench.

30

2. Add 10 to 50 units of restriction enzyme and incubate for at least 1 hour. Ethanol precipitate if necessary to change buffers for digestion at the other end of the PCR product.

3. Add ½ volume of the PEG/MgCl₂ mix to the RE digestion. Mix well and immediately centrifuge at room temperature for 10 minutes. Discard the supernatant (pellet is usually invisible), centrifuge again for a few seconds, discard any remaining supernatant.

4. Dissolve the DNA in a suitable volume of TE (depending on the amount of PCR product in the original amplification reaction) and apply an aliquot to an agarose gel to confirm recovery. Apply to the same gel 20-100 ng of the appropriate Entry Vector that will be used for the cloning.

Example 12: Determining The Expected Size of the GATEWAY™ Cloning Reaction Products

If you have access to a software program that will electronically cut and splice sequences, you can create electronic clones to aid you in predicting the sizes and restriction patterns of GATEWAY™ Cloning System recombination products.

The cleavage and ligation steps performed by the enzyme Int in the GATEWAY™ Cloning System recombination reactions mimic a restriction enzyme cleavage that creates a 7-bp 5'-end overhang followed by a ligation step that reseals the ends of the daughter molecules. The recombination proteins present in the Clonase cocktails (see Example 19 below) recognize the 15 bp core sequence present within all four types of att sites (in addition to other flanking sequences characteristic of each of the different types of att sites).

By treating these sites in your software program as if they were restriction sites, you can cut and splice your Entry Clones with various Destination Vectors and obtain accurate maps and sequences of the expected results from your GATEWAY™ Cloning System reactions.

Example 13: Protein Expression

Brief Review of Protein Expression

Transcription: The most commonly used promoters in *E. coli* Expression Vectors are variants of the lac promoter, and these can be turned on by adding

IPTG to the growth medium. It is usually good to keep promoters off until expression is desired, so that the host cells are not made sick by the overabundance of some heterologous protein. This is reasonably easy in the case of the lac promoters used in *E. coli*. One needs to supply the *lac I* gene (or its more productive relative, the *lac I^q* gene) to make *lac* repressor protein, which binds near the promoter and keeps transcription levels low. Some Destination Vectors for *E. coli* expression carry their own *lacI^q* gene for this purpose. (However, lac promoters are always a little "on," even in the absence of IPTG.)

Controlling transcription in eukaryotic cells is not nearly so straightforward or efficient. The tetracycline system of Bujard and colleagues is the most successful approach, and one of the Destination Vectors (pDEST11; Figure 31) has been constructed to supply this function.

Translation: Ribosomes convert the information present in mRNA into protein. Ribosomes scan RNA molecules looking for methionine (AUG) codons, which begin nearly all nascent proteins. Ribosomes must, however, be able to distinguish between AUG codons that code for methionine in the middle of proteins from those at the start. Most often ribosomes choose AUGs that are 1) first in the RNA (toward the 5' end), and 2) have the proper sequence context. In *E. coli* the favored context (first recognized by Shine and Dalgarno, *Eur. J. Biochem.* 57: 221 (1975)) is a run of purines (As and Gs) from five to 12 bases upstream of the initiating AUG, especially AGGAGG or some variant.

In eukaryotes, a survey of translated mRNAs by Kozak (*J. Biol. Chem.* 266: 19867 (1991)) has revealed a preferred sequence context, gcc Acc ATGG, around the initiating methionine, with the A at -3 being most important, and a purine at +4 (where the A of the ATG is +1), preferably a G, being next most influential. Having an A at -3 is enough to make most ribosomes choose the first AUG of an mRNA, in plants, insects, yeast, and mammals. (For a review of initiation of protein synthesis in eukaryotic cells, see: Pain, V.M. *Eur. J. Biochem.* 236:747-771, 1996.)

Consequences of Translation Signals for GATEWAY™ Cloning System: First, translation signals (Shine-Dalgarno in *E. coli*, Kozak in eukaryotes) have to be close to the initiating ATG. The attB site is 25 base pairs long. Thus if

translation signals are desired near the natural ATG of the nucleic acid molecule of interest, they must be present in the Entry Clone of that nucleic acid molecule of interest. Also, when a nucleic acid molecule of interest is moved from an Entry Clone to a Destination vector, any translation signals will move along. The result is that the presence or absence of Shine-Dalgarno and/or Kozak sequences in the Entry Clone must be considered, with the eventual Destination Vectors to be used in mind.

Second, although ribosomes choose the 5' ATG most often, internal ATGs are also used to begin protein synthesis. The better the translation context around this internal ATG, the more internal translation initiation will be seen. This is important in the GATEWAY™ Cloning System, because you can make an Entry Clone of your nucleic acid molecule of interest, and arrange to have Shine-Dalgarno and/or Kozak sequences near the ATG. When this cassette is recombined into a Destination Vector that transcribes your nucleic acid molecule of interest, you get native protein. If you want, you can make a fusion protein in a different Destination Vector, since the Shine-Dalgarno and/or Kozak sequences do not contain any stop signals in the same reading frame. However, the presence of these internal translation signals may result in a significant amount of native protein being made, contaminating, and lowering the yield of, your fusion protein. This is especially likely with short fusion tags, like His6.

A good compromise can be recommended. If an Entry Vector like pENTR7 (Figure 16) or pENTR8 (Figure 17) is chosen, the Kozak bases are present for native eukaryotic expression. The context for *E. coli* translation is poor, so the yield of an amino-terminal fusion should be good, and the fusion protein can be digested with the TEV protease to make near-native protein following purification.

Recommended Conditions for Synthesis of Proteins in E. coli: When making proteins in *E. coli* it is advisable, at least initially, to incubate your cultures at 30°C, instead of at 37°C. Our experience indicates that proteins are less likely to form aggregates at 30°C. In addition, the yields of proteins from cells grown at 30°C frequently are improved.

The yields of proteins that are difficult to express may also be improved by inducing the cultures in mid-log phase of growth, using cultures begun in the morning from overnight growths, as opposed to harvesting directly from an overnight culture. In the latter case, the cells are preferably in late log or stationary growth, which can favor the formation of insoluble aggregates.

Example 14: Constructing Destination Vectors from Existing Vectors

Destination Vectors function because they have two recombination sites, attR1 and attR2, flanking a chloramphenicol resistance (CmR) gene and a death gene, ccdB. The GATEWAY™ Cloning System recombination reactions exchange the entire Cassette (except for a few bases comprising part of the attB sites) for the DNA segment of interest from the Entry Vector. Because attR1, CmR, ccdB gene, and attR2 are contiguous, they can be moved on a single DNA segment. If this Cassette is cloned into a plasmid, the plasmid becomes a Destination Vector. Figure 63 shows a schematic of the GATEWAY™ Cloning System Cassette; attR cassettes in all three reading frames contained in vectors pEYC15101, pEYC15102 and pEYC15103 are shown in Figures 64A, 64B, and 64C, respectively.

The protocol for constructing a Destination Vector is presented below. Keep in mind the following points:

- Destination Vectors must be constructed and propagated in one of the DB strains of *E. coli* (e.g., DB3.1, and particularly *E. coli* LIBRARY EFFICIENCY® DB3.1™ Competent Cells) available from Life Technologies, Inc. (and described in detail in U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, which is incorporated herein by reference), because the ccdB death gene will kill any *E. coli* strain that has not been mutated such that it will survive the presence of the ccdB gene.
- If your Destination Vector will be used to make a fusion protein, a GATEWAY™ Cloning System cassette with the correct reading frame must be used. The nucleotide sequences of the ends of the cassettes are shown in Figure 78. The reading frame of the fusion protein domain must

be in frame with the core region of the attR1 site (for an amino terminal fusion) so that the six As are translated into two lysine codons. For a C-terminal fusion protein, translation through the core region of the attR2 site should be in frame with -TAC-AAA-, to yield -Tyr-Lys-.

- Note that each reading frame Cassette has a different unique restriction site between the chloramphenicol resistance and ccdB genes (*MluI* for reading frame A, *BglII* for reading frame B, and *XbaI* for reading frame C; see Figure 63).
- Most standard vectors can be converted to Destination Vectors, by inserting the Entry Cassette into the MCS of that vector.

Protocol for Making a Destination Vector

1. If the vector will make an amino fusion protein, it is necessary to keep the “aaa” triplets in attR1 in phase with the triplets of the fusion protein. Determine which Entry cassette to use as follows:

a.) Write out the nucleotide sequence of the existing vector near the restriction site into which the Entry cassette will be cloned. These must be written in triplets corresponding to the amino acid sequence of the fusion domain.

b.) Draw a vertical line through the sequence that corresponds to the restriction site end, after it has been cut and made blunt, i.e., after filling in a protruding 5' end or polishing a protruding 3' end.

c.) Choose the appropriate reading frame cassette:

- If the coding sequence of the blunt end ends after a complete codon triplet, use the reading frame A cassette. See Figures 78, 79 and 80.

•If the coding sequence of the blunt end ends in a single base, use the reading frame B cassette. See Figures 78, 79 and 81.

•If the coding sequence of the blunt end ends in two bases, use the reading frame C cassette. See Figures 78, 79, 82A-B, and 83A-C.

2. Cut one to five micrograms of the existing plasmid at the position where you wish your nucleic acid molecule of interest (flanked by att sites) to be after the recombination reactions. **Note:** it is better to remove as many of the MCS restriction sites as possible at this step. This makes it more likely that restriction enzyme sites within the GATEWAY™ Cloning System Cassette will be unique in the new plasmid, which is important for linearizing the Destination Vector (Example 14, below).

3. Remove the 5' phosphates with alkaline phosphatase. While this is not mandatory, it increases the probability of success.

4. Make the end(s) blunt with fill-in or polishing reactions. For example, to 1 µg of restriction enzyme-cut, ethanol-precipitated vector DNA, add:

- i. 20 µl 5x T4 DNA Polymerase Buffer (165 mM Tris-acetate (pH 7.9), 330 mM Na acetate, 50 mM Mg acetate, 500 µg/ml BSA, 2.5 mM DTT)
- ii. 5 µl 10mM dNTP mix
- iii. 1 Unit of T4 DNA Polymerase
- iv. Water to a final volume of 100 µl
- v. Incubate for 15 min at 37°C.

5. Remove dNTPs and small DNA fragments: Ethanol precipitate (add three volumes of room temperature ethanol containing 0.1 M sodium acetate, mix well, immediately centrifuge at room temperature 5 - 10 minutes), dissolve wet precipitate in 200 µl TE, add 100 µl 30% PEG 8000, 30 mM MgCl₂, mix well,

-128-

immediately centrifuge for 10 minutes at room temperature, discard supernatant, centrifuge again a few seconds, discard any residual liquid.

6. Dissolve the DNA to a final concentration of 10 - 50 ng per microliter. Apply 20 - 100 ng to a gel next to supercoiled plasmid and linear size standards to confirm cutting and recovery. The cutting does not have to be 100% complete, since you will be selecting for the chloramphenicol marker on the Entry cassette.

7. In a 10 μ l ligation reaction combine 10 - 50 ng vector, 10 - 20 ng of Entry Cassette (Figure 79), and 0.5 units T4 DNA ligase in ligase buffer. After one hour (or overnight, whichever is most convenient), transform 1 μ l into one of the DB strains of competent *E. coli* cells with a *gyrA462* mutation (See U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, which is incorporated herein by reference), preferably DB3.1, and most preferably *E. coli* LIBRARY EFFICIENCY@DB3.1™ Competent Cells. The *ccdB* gene on the Entry Cassette will kill other strains of *E. coli* that have not been mutated so as to survive the presence of the *ccdB* gene.

8. After expression in SOC medium, plate 10 μ l and 100 μ l on chloramphenicol-containing (30 μ g / ml) plates, incubate at 37° C.

9. Pick colonies, make miniprep DNA. Treat the miniprep with RNase A and store in TE. Cut with the appropriate restriction enzyme to determine the orientation of the Cassette. Choose clones with the attR1 site next to the amino end of the protein expression function of the plasmid.

Notes on Using Destination Vectors

- We have found that about ten-fold more colonies result from a GATEWAY™ Cloning System reaction if the Destination Vector is linear or relaxed. If the competent cells you use are highly competent ($>10^8$ per microgram), linearizing the Destination Vector is less essential.

- The site or sites used for the linearization must be within the Entry Cassette. Sites that cut once or twice within each cassette are shown in Figures 80-82.
- Minipreps of Destination Vectors will work fine, so long as they have been treated with RNase. Since most DB strains are *endA*- (See U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, which is incorporated herein by reference), minipreps can be digested with restriction enzymes without a prior phenol extraction.
- Reading the OD₂₆₀ of miniprep DNA is inaccurate unless the RNA and ribonucleotides have been removed, for example, by a PEG precipitation.

Example 15: Some Options in Choosing Appropriate Entry Vectors and Destination Vectors: An Example

In some applications, it may be desirable to express a nucleic acid molecule of interest in two forms: as an amino-terminal fusion in *E. coli*, and as a native protein in eukaryotic cells. This may be accomplished in any of several ways:

Option 1: Your choices depend on your nucleic acid molecule of interest and the fragment that contains it, as well as the available Entry Vectors. For eukaryotic translation, you need consensus bases according to Kozak (*J. Biol. Chem.* 266:19867, 1991) near the initiating methionine (ATG) codon. All of the Entry Vectors offer this motif upstream of the *XmnI* site (blunt cutter). One option is to amplify your nucleic acid molecule of interest, with its ATG, by PCR, making the amino end blunt and the carboxy end containing the natural stop codon followed by one of the "right side" restriction sites (*EcoRI*, *NotI*, *XhoI*, *EcoRV*, or *XbaI* of the pENTR vectors).

If you know your nucleic acid molecule of interest does not have, for example, an *XhoI* site, you can make a PCR product that has this structure:

Xho I

```

5' ATG nnn nnn --- nnn TAA ctc gag nnn nnn 3'
3' tac nnn nnn --- nnn att gag ctc nnn nnn 5'
  
```

After cutting with *Xho*I, the fragment is ready to clone:

```
5' ATG nnn nnn --- nnn TAA c      3'
3' tac nnn nnn --- nnn att gag ct  5'
```

(If you follow this example, don't forget to put a phosphate on the amino oligo.)

Option 2: This PCR product could be cloned into two Entry Vectors to give the desired products, between the *Xmn*I and *Xho*I sites: pENTR1A (Figures 10A, 10B) or pENTR7 (Figures 16A, 16B). If you clone into pENTR1A, amino fusions will have the minimal number of amino acids between the fusion domain and your nucleic acid molecule of interest, but the fusion cannot be removed with TEV protease. The converse is true of clones in pENTR7, i.e., an amino fusion can be cleaved with TEV protease, at the cost of more amino acids between the fusion and your nucleic acid molecule of interest.

In this example, let us choose to clone our hypothetical nucleic acid molecule of interest into pENTR7, between the *Xmn*I and *Xho*I sites. Once this is accomplished, several optional protocols using the Entry Clone pENTR7 may be followed:

Option 3: Since the nucleic acid molecule of interest has been amplified with PCR, it may be desirable to sequence it. To do this, transfer the nucleic acid molecule of interest from the Entry Vector into a vector that has priming sites for the standard sequencing primers. Such a vector is pDEST6 (Figures 26A, 26B). This Destination Vector places the nucleic acid molecule of interest in the opposite orientation to the lac promoter (which is leaky -- see Example 3 above). If the gene product is toxic to *E. coli*, this Destination Vector will minimize its toxicity.

Option 4: While the sequencing is going on, you might wish to check the expression of the nucleic acid molecule of interest in, for example, CHO cells, by recombining the nucleic acid molecule of interest into a CMV promoter vector (pDEST7, Figure 27; or pDEST12, Figure 32), or into a baculovirus vector (pDEST8, Figure 28; or pDEST10, Figure 30) for expression in insect cells. Both

of these vectors will transcribe the coding sequence of your nucleic acid molecule of interest, and translate it from the ATG of the PCR product using the Kozak bases upstream of the *Xmn*I site.

Option 5: If you wish to purify protein, for example to make antibodies, you can clone the nucleic acid molecule of interest into a His6 fusion vector, pDEST2 (Figure 22). Since the nucleic acid molecule of interest is cloned downstream of the TEV protease cleavage domain of pENTR7 (Figure 16), the amino acid sequence of the protein produced will be:

[----- attB1 -----] TEV protease

NH₂- MSYYHHHHHHGITSLYKKAGFENLYFQ↓ GTM----COOH

The attB site and the restriction sites used to make the Destination and Entry Vectors are translated into the underlined 11 amino acids (GITSLYKKAGF). Cleavage with TEV protease (arrow) leaves two amino acids, GT, on the amino end of the gene product.

See Figure 55 for an example of a nucleic acid molecule of interest, the chloramphenicol acetyl transferase (CAT) gene, cloned into pENTR7 (Figure 16) as a blunt (amino)-*Xho*I (carboxy) fragment, then cloned by recombination into the His6 fusion vector pDEST2 (Figure 22).

Option 6: If the His6 fusion protein is insoluble, you may go on and try a GST fusion. The appropriate Destination vector is pDEST3 (Figure 23).

Option 7: If you need to make RNA probes and prefer SP6 RNA polymerase, you can make the top strand RNA with your nucleic acid molecule of interest cloned into pSPORT+ (pDEST5 (Figures 25A, 25B)), and the bottom strand RNA with the nucleic acid molecule of interest cloned into pSPORT(-) (pDEST6 (Figures 26A, 26B)). Opposing promoters for T7 RNA polymerase and SP6 RNA polymerase are also present in these clones.

Option 8: It is often worthwhile to clone your nucleic acid molecule of interest into a variety of Destination Vectors in the same experiment. For example, if the number of colonies varies widely when the various recombination reactions are transformed into *E. coli*, this may be an indication that the nucleic acid molecule of interest is toxic in some contexts. (This problem is more clearly evident when a positive control gene is used for each Destination Vector.) Specifically, if many more colonies are obtained when the nucleic acid molecule of interest is recombined into pDEST6 than in pDEST5, there is a good chance that leakiness of the lac promoter is causing some expression of the nucleic acid molecule of interest in pSPORT "+" (which is not harmful in pDEST6 because the nucleic acid molecule of interest is in the opposite orientation).

Example 16: Demonstration of a One-tube Transfer of a PCR Product (or Expression Clone) to Expression Clone via a Recombinational Cloning Reaction

In the BxP recombination (Entry or Gateward) reaction described herein, a DNA segment flanked by attB1 and attB2 sites in a plasmid conferring ampicillin resistance was transferred by recombination into an attP plasmid conferring kanamycin resistance, which resulted in a product molecule wherein the DNA segment was flanked by attL sites (attL1 and attL2). This product plasmid comprises an "attL Entry Clone" molecule, because it can react with a "attR Destination Vector" molecule via the LxR (Destination) reaction, resulting in the transfer of the DNA segment to a new (ampicillin resistant) vector. In the previously described examples, it was necessary to transform the BxP reaction products into *E. coli*, select kanamycin resistant colonies, grow those colonies in liquid culture, and prepare miniprep DNA, before reacting this DNA with a Destination Vector in an LxR reaction.

The goal of the following experiment was to eliminate the transformation and miniprep DNA steps, by adding the BxP Reaction products directly to an LxR Reaction. This is especially appropriate when the DNA segment flanked by attB sites is a PCR product instead of a plasmid, because the PCR product cannot give

ampicillin-resistant colonies upon transformation, whereas attB plasmids (in general) carry an ampicillin resistance gene. Thus use of a PCR product flanked by attB sites in a BxP Reaction allows one to select for the ampicillin resistance encoded by the desired attB product of a subsequent LxR Reaction.

Two reactions were prepared: Reaction A, negative control, no attB PCR product, (8 μ l) contained 50 ng pEYC7102 (attP Donor plasmid, confers kanamycin resistance) and 2 μ l BxP Clonase (22 ng / μ l Int protein and 8 ng/ μ l IHF protein) in BxP buffer (25 mM Tris HCl, pH 7.8, 70 mM KCl, 5 mM spermidine, 0.5 mM EDTA, 250 μ g / ml BSA). Reaction B (24 μ l) contained 150 ng pEYC7102, 6 μ l BxP Clonase, and 120 ng of the attB -tet-PCR product in the same buffer as reaction A. The attB - tet - PCR product comprised the tetracycline resistance gene of plasmid pBR322, amplified with two primers containing either attB1 or attB2 sites, and having 4 Gs at their 5' ends, as described earlier.

The two reactions were incubated at 25°C for 30 minutes. Then aliquots of these reactions were added to new components that comprised LxR Reactions or appropriate controls for the LxR Reaction. Five new reactions were thus produced:

Reaction 1: 5 μ l of reaction A was added to a 5 μ l LxR Reaction containing 25 ng NcoI-cut pEYC8402 (the attR Destination Vector plasmid) in LxR buffer (37.5 mM Tris HCl, pH 7.7, 16.5 mM NaCl, 35 mM KCl, 5 mM spermidine, 375 μ g / ml BSA), and 1 μ l of GATEWAY™ LR Clonase™ Enzyme Mix (total volume of 10 μ l).

Reaction 2: Same as reaction 1, except 5 μ l of reaction B (positive) were added instead of reaction A (negative).

Reaction 3: Same as reaction 2, except that the amounts of Nco-cut pEYC8402 and GATEWAY™ LR Clonase™ Enzyme Mix were doubled, to 50 ng and 2 μ l, respectively.

Reaction 4: Same as reaction 2, except that 25 ng of pEZ11104 (a positive control attL Entry Clone plasmid) were added in addition to the aliquot of reaction B.

Reaction 5: Positive control LxR Reaction, containing 25 ng *Nco*I-cut pEZX8402, 25 ng pEZ11104, 37.5 mM Tris HCl pH 7.7, 16.5 mM NaCl, 35 mM KCl, 5 mM spermidine, 375 µg / ml BSA and 1 µl GATEWAY™ LR Clonase™ Enzyme Mix in a total volume of 5 µl.

All five reactions were incubated at 25°C for 30 minutes. Then, 1 µl aliquots of each of the above five reactions, plus 1 µl from the remaining volume of Reaction B, the standard BxP Reaction, were used to transform 50 µl competent DH5α *E. coli*. DNA and cells were incubated on ice for 15 min., heat shocked at 42°C for 45 sec., and 450 µl SOC were added. Each tube was incubated with shaking at 37°C for 60 min. Aliquots of 100 µl and 400 µl of each transformation were plated on LB plates containing either 50 µg/ml kanamycin or 100 µg/ml ampicillin (see Table 2). A transformation with 10 pg of pUC19 DNA (plated on LB-amp₁₀₀) served as a control on the transformation efficiency of the DH5α cells. Following incubation overnight at 37°C, the number of colonies on each plate was determined.

Results of these reactions are shown in Table 2.

Table 2*

Reaction No.	1	2	3	4	5	6
	Number of Colonies					
Vol. plated:	Neg. Control BxP Reaction	1X pEZX8402 and LR Clonase™	2X pEZX8402 and LR Clonase™	LxR Reaction with Pos. Control DNA	LxR Reaction alone	BxP Reaction alone
100 µl	2	1	8	9	~1000	~1000
400 µl	5	10	35	62	>2000	>2000
Selection:	Kan	Amp	Amp	Amp	Amp	Kan

*(Transformation with pUC 19 DNA yielded 1.4×10^9 CFU/µg DNA.)

34 of the 43 colonies obtained from Reaction 3 were picked into 2 ml Terrific Broth with 100 µg/ml ampicillin and these cultures were grown overnight, with shaking, at 37°C. 27 of the 34 cultures gave at least moderate growth, and of these 24 were used to prepare miniprep DNA, using the standard protocol. These 24 DNAs were initially analyzed as supercoiled (SC) DNA on a 1% agarose gel to identify those with inserts and to estimate the sizes of the inserts. Fifteen of the 24 samples displayed SC DNA of the size predicted (5553 bp) if **tetx7102** had correctly recombined with **pEYC8402** to yield **tetx8402**. One of these samples contained two plasmids, one of ~5500 bp and a one of ~3500 bp. The majority of the remaining clones were approximately 4100 bp in size.

All 15 of the clones displaying SC DNA of predicted size (~5500 bp) were analyzed by two different double digests with restriction endonucleases to confirm the structure of the expected product: **tetx8402**. (See plasmid maps, Figures 57-59) In one set of digests, the DNAs were treated with Not I and Eco RI, which should cut the predicted product just outside both attB sites, releasing the tet^r insert on a fragment of 1475 bp. In the second set of digests, the DNAs were digested with *NotI* and with *NruI*. *NruI* cleaves asymmetrically within the subcloned tet^r insert, and together with *NotI* will release a fragment of 1019 bp.

Of the 15 clones analyzed by double restriction digestion, 14 revealed the predicted sizes of fragments for the expected product.

Interpretation:

The DNA components of Reaction B, **pEYC7102** and attB-tet-PCR, are shown in Figure 56. The desired product of BxP Reaction B is **tetx7102**, depicted in Figure 57. The LxR Reaction recombines the product of the BxP Reaction, **tetx7102** (Figure 57), with the Destination Vector, **pEYC8402**, shown in Figure 58. The LxR Reaction with **tetx7102** plus **pEYC8402** is predicted to yield the desired product **tetx8402**, shown in Figure 59.

Reaction 2, which combined the BxP Reaction and LxR Reaction, gave few colonies beyond those of the negative control Reaction. In contrast, Reaction 3, with twice the amount of **pEYC8402** (Figure 58) and LxR Clonase, yielded a

larger number of colonies. These colonies were analyzed further, by restriction digestion, to confirm the presence of expected product. Reaction 4 included a known amount of attL Entry Clone plasmid in the combined BxP-plus-LxR reaction. But reaction 4 yielded only about 1% of the colonies obtained when the same DNA was used in a LxR reaction alone, Reaction 6. This result suggests that the LxR reaction may be inhibited by components of the BxP reaction.

Restriction endonuclease analysis of the products of Reaction 3 revealed that a sizeable proportion of the colonies (14 of the 34 analyzed) contained the desired tet^r subclone, tetx8402 (Figure 59).

The above results establish the feasibility of performing first a BxP recombination reaction followed by a LxR recombination reaction -- in the same tube -- simply by adding the appropriate buffer mix, recombination proteins, and DNAs to a completed BxP reaction. This method should prove useful as a faster method to convert attB-containing PCR products into different Expression Clones, eliminating the need to isolate first the intermediate attL-PCR insert subclones, before recombining these with Destination Vectors. This may prove especially valuable for automated applications of these reactions.

This same one-tube approach allows for the rapid transfer of nucleic acid molecules contained in attB plasmid clones into new functional vectors as well. As in the above examples, attL subclones generated in a BxP Reaction can be recombined directly with various Destination Vectors in a LxR reaction. The only additional requirement for using attB plasmids, instead of attB-containing PCR products, is that the Destination Vector(s) employed must contain a different selection marker from the one present on the attB plasmid itself and the attP vector.

Two alternative protocols for a one-tube reaction have also proven useful and somewhat more optimal than the conditions described above.

Alternative 1:

Reaction buffer contained 50 mM Tris-HCl (pH 7.5), 50 mM NaCl, 0.25 mM EDTA, 2.5 mM spermidine, and 200 µg/ml BSA. After a 16 (or 3) hour incubation of the PCR product (100 ng) + attP Donor plasmid (100 ng) +

GATEWAY™ BP Clonase™ Enzyme Mix + Destination Vector (100 ng), 2 µl of GATEWAY™ LR Clonase™ Enzyme Mix (per 10 µl reaction mix) was added and the mixture was incubated an additional 6 (or 2) hours at 25°C. Stop solution was then added as above and the mixture was incubated at 37°C as above and transformed by electroporation with 1 µl directly into electrocompetent host cells. Results of this series of experiments demonstrated that longer incubation times (16 hours vs. 3 hours for the BP Reaction, 6 hours vs. 2 hours for the LR Reaction) resulted in about twice as many colonies being obtained as for the shorter incubation times. With two independent genes, 10/10 colonies having the correct cloning patterns were obtained.

Alternative 2:

A standard BP Reaction under the reaction conditions described above for Alternative 1 was performed for 2 hours at 25°C. Following the BP Reaction, the following components were added to the reaction mixture in a total volume of 7 µl:

20 mM Tris-HCl, pH 7.5
100 mM NaCl
5 µg/ml Xis-His6
15% glycerol
~1000 ng of Destination Vector

The reaction mixture was then incubated for 2 hours at 25°C, and 2.5 µl of stop solution (containing 2 µg/ml proteinase K) was added and the mixture was incubated at 37°C for an additional 10 minutes. Chemically competent host cells were then transformed with 2 µl of the reaction mixture, or electrocompetent host cells (e.g., EMax DH10B cells; Life Technologies, Inc.) were electroporated with 2 µl of the reaction mixture per 25-40 µl of cells. Following transformation, mixtures were diluted with SOC, incubated at 37°C, and plated as described above on media selecting for the selection markers on the Destination Vector and the Entry clone (B x P reaction product). Analogous results to those described for Alternative 1 were obtained with these reaction conditions -- a higher level of colonies containing correctly recombined reaction products were observed.

Example 17: Demonstration of a One-tube Transfer of a PCR Product (or Expression Clone) to Expression Clone via a Recombinational Cloning Reaction

5 Single-tube transfer of PCR product DNA or Expression Clones into Expression Clones by recombinational cloning has also been accomplished using a procedure modified from that described in Example 16. This procedure is as follows:

10 •Perform a standard BP (Gateway) Reaction (see Examples 9 and 10) in 20 µl volume at 25°C for 1 hour.

15 •After the incubation is over, take a 10 µl aliquot from the 20 µl total volume and add 1 µl of Proteinase K (2 mg/ml) and incubate at 37°C for 10 minutes. This first aliquot can be used for transformation and gel assay of BP reaction analysis. Plate BP reaction transformation on LB plates with **Kanamycin** (50 µg/ml).

20 •Add the following reagents to the remaining 10 µl aliquot of the BP reaction:

1 µl of 0.75 M NaCl

2 µl of destination vector (150 ng/µl)

4 µl of LR Clonase™ (after thawing and brief mixing)

25 •Mix all reagents well and incubate at 25°C for 3 hours. Stop the reaction at the end of incubation with 1.7 µl of Proteinase K (2 mg/ml) and incubate at 37°C for 10 minutes.

30 •Transform 2 µl of the completed reaction into 100 µl of competent cells. Plate 100 µl and 400 µl on LB plates with **Ampicillin** (100 µg/ml).

Notes:

•If your competent cells are less than 10⁸ CFU/µg, and you are concerned about getting enough colonies, you can improve the yield several fold by incubating the

BP reaction for 6-20 hours. Electroporation also can yield better colony output than chemical transformation.

•PCR products greater than about 5-6 kb show significantly lower cloning efficiency in the BP reaction. In this case, we recommend using longer incubation times for both BP and LR steps.

•If you want to move your insert gene into several destination vectors simultaneously, then scale up the initial BP reaction volume so that you have a 10 µl aliquot for adding each destination vector.

Example 18: Optimization of GATEWAY™ Clonase™ Enzyme Compositions

The enzyme compositions containing Int and IHF (for BP Reactions) were optimized using a standard functional recombinational cloning reaction (a BP reaction) between attB-containing plasmids and attP-containing plasmids, according to the following protocol:

Materials and Methods:

Substrates:

AttP - supercoiled pDONR201

AttB - linear ~ 1Kb [³H]PCR product amplified from pEZC7501

Proteins:

IntH6 -- His₆-carboxy- tagged λ Integrase

IHF -- Integration Host Factor

Clonase:

50 ng/µl IntH6 and 20 ng/µl IHF, admixed in 25 mM Tris- HCl (pH 7.5), 22 mM NaCl, 5 mM EDTA, 1 mg/ml BSA, 5 mM Spermidine, and 50% glycerol.

-140-

Reaction Mixture (total volume of 40 μ l):

1000 ng AttP plasmid
600 ng AttB [3 H] PCR product
8 μ l Clonase (400 ng IntH6, 160 ng IHF) in 25 mM Tris-HCl (pH 7.5),
22 mM NaCl, 5 mM EDTA, 1 mg/ml BSA, 5 mM Spermidine, 5 mM
DTT.

Reaction mixture was incubated for 1 hour at 25°C, 4 μ l of 2 μ g/ μ l
proteinase K was added and mixture was incubated for an additional 20 minutes
at 37°C. Mixture was then extracted with an equal volume of Phenol/Chloroform/
Isoamyl alcohol. The aqueous layer was then collected, and 0.1 volumes of 3 M
sodium acetate and 2 volumes of cold 100% ethanol were added. Tubes were
then spun in a microcentrifuge at maximum RPM for 10 minutes at room
temperature. Ethanol was decanted, and pellets were rinsed with 70% ethanol and
re-centrifuged as above. Ethanol was decanted, and pellets were allowed to air
dry for 5-10 minutes and then dissolved in 20 μ l of 33 mM Tris-Acetate (pH 7.8),
66 mM potassium acetate, 10 mM magnesium acetate, 1 mM DTT, and 1mM
ATP. 2 units of exonuclease V (e.g., Plasmid Safe; EpiCentre, Inc., Madison, WI)
was then added, and the mixture was incubated at 37°C for 30 minutes.

Samples were then TCA-washed by spotting 30 μ l of reaction mixture
onto a Whatman GF/C filter, washing filters once with 10% TCA + 1% NaPPi for
10 minutes, three times with 5% TCA for 5 minutes each, and twice with ethanol
for 5 minutes each. Filters were then dried under a heat lamp, placed into a
scintillation vial, and counted on a β liquid scintillation counter (LSC).

The principle behind this assay is that, after exonuclease V digestion, only
double-stranded circular DNA survives in an acid-insoluble form. All DNA
substrates and products that have free ends are digested to an acid-soluble form
and are not retained on the filters. Therefore, only the 3 H-labeled attB linear DNA
which ends up in circular form after both inter- and intramolecular integration is
complete is resistant to digestion and is recovered as acid-insoluble product.
Optimal enzyme and buffer formulations in the Clonase compositions therefore are
those that give the highest levels of circularized 3 H-labeled attB-containing

sequences, as determined by highest cpm in the LSC. Although this assay was designed for optimization of GATEWAY™ BP Clonase™ Enzyme Mix compositions (Int + IHF), the same type of assay may be performed to optimize GATEWAY™ LR Clonase™ Enzyme Mix compositions (Int + IHF + Xis), except that the reaction mixtures would comprise 1000 ng of AttR (instead of AttP) and 600 ng of AttL (instead of AttB), and 40 ng of His₆-carboxy- tagged Xis (XisH6) in addition to the IntH6 and IHF.

Example 19: Testing Functionality of Entry and Destination Vectors

As part of assessment of the functionality of particular vectors of the invention, it is important to functionally test the ability of the vectors to recombine. This assessment can be carried out by performing a recombinational cloning reaction (as schematized in Figures 2, 4, and 5A and 5B, and as described herein and in commonly owned U.S. Application Nos. 08/486,139, filed June 7, 1995, 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed October 23, 1998, the disclosures of all of which are incorporated by reference herein in their entireties), by transforming E. coli and scoring colony forming units. However, an alternative assay may also be performed to allow faster, more simple assessment of the functionality of a given Entry or Destination Vector by agarose gel electrophoresis. The following is a description of such an in vitro assay.

Materials and Methods:

Plasmid templates pEYC1301 (Figure 84) and pEYC1313 (Figure 85), each containing a single wild type att site, were used for the generation of PCR products containing attL or attR sites, respectively. Plasmid templates were linearized with A1wNI, phenol extracted, ethanol precipitated and dissolved in TE to a concentration of 1 ng/μl.

PCR primers (capital letters represent base changes from wildtype):

attL1 gggg agcct gctttttGtacAaa gttggcatta taaaaaagca ttgc
attL2 gggg agcct gctttCttGtacAaa gttggcatta taaaaaagca ttgc
attL right tgttgccggg aagctagagt aa

attR1 gggg Acaag ttTgtaCaaaaaagc tgaacgaga aacgtaaaat
attR2 gggg Acaag ttTgtaCaaGaaagc tgaacgaga aacgtaaaat
attR right ca gacggcatga tgaacctgaa

PCR primers were dissolved in TE to a concentration of 500 pmol/ μ l. Primer mixes were prepared, consisting of attL1 + attLright primers, attL2 + attLright primers, attR1 + attRright primers, and attR2 + attRright primers, each mix containing 20 pmol/ μ l of each primer.

PCR reactions:

1 μ l plasmid template (1 ng)
1 μ l primer pairs (20 pmoles of each)
3 μ l of H₂O
45 μ l of Platinum PCR SuperMix® (Life Technologies, Inc.)

Cycling conditions (performed in MJ thermocycler):

95°C/2 minutes
94°C/30 seconds
25 cycles of 58°C/30 seconds and 72°C/1.5 minutes
72°C/5 minutes
5°C/hold

The resulting attL PCR product was 1.5 kb, and the resulting attR PCR product was 1.0 kb.

PCR reactions were PEG/MgCl₂ precipitated by adding 150 μ l H₂O and 100 μ l of 3x PEG/ MgCl₂ solution followed by centrifugation. The PCR products were dissolved in 50 μ l of TE. Quantification of the PCR product was performed by gel electrophoresis of 1 μ l and was estimated to be 50-100 ng/ μ l.

Recombination reactions of PCR products containing attL or attR sites with GATEWAY™ plasmids was performed as follows:

8 µl of H₂O

2 µl of attL or attR PCR product (100-200 ng)

5 2 µl of GATEWAY™ plasmid (100 ng)

4 µl of 5x Destination buffer

4 µl of GATEWAY™ LR Clonase™ Enzyme Mix

20 µl total volume (the reactions can be scaled down to a 5 µl total volume by adjusting the volumes of the components to about ¼ of those shown above, while keeping the stoichiometries the same).

10

Clonase reactions were incubated at 25°C for 2 hours. 2 µl of proteinase K (2 mg/ml) was added to stop the reaction. 10 µl was then run on a 1 % agarose gel. Positive control reactions were performed by reacting attL1 PCR product (1.0 kb) with attR1 PCR product (1.5 kb) and by similarly reacting attL2 PCR product with attR2 PCR product to observe the formation of a larger (2.5 kb) recombination product. Negative controls were similarly performed by reacting attL1 PCR product with attR2 PCR product and vice versa or reactions of attL PCR product with an attL plasmid, etc.

15

In alternative assays, to test attB Entry vectors, plasmids containing single attP sites were used. Plasmids containing single att sites could also be used as recombination substrates in general to test all Entry and Destination vectors (*i.e.*, those containing attL, attR, attB and attP sites). This would eliminate the need to do PCR reactions.

20

25 Results:

Destination and Entry plasmids when reacted with appropriate att-containing PCR products formed linear recombinant molecules that could be easily visualized on an agarose gel when compared to control reactions containing no attL or attR PCR product. Thus, the functionality of Destination and Entry vectors constructed according to the invention may be determined either by carrying out the Destination or Entry recombination reactions as depicted in

30

Figures 2, 4, and 5A and 5B, or more rapidly by carrying out the linearization assay described in this Example.

Example 20: PCR Cloning Using Universal Adapter-Primers

As described herein, the cloning of PCR products using the GATEWAY™ PCR Cloning System (Life Technologies, Inc.; Rockville, MD) requires the addition of attB sites (attB1 and attB2) to the ends of gene-specific primers used in the PCR reaction. The protocols described in the preceding Examples suggest that the user add 29 bp (25 bp containing the attB site plus four G residues) to the gene-specific primer. It would be advantageous to high volume users of the GATEWAY™ PCR Cloning System to generate attB-containing PCR product using universal attB adapter-primers in combination with shorter gene-specific primers containing a specified overlap to the adapters. The following experiments demonstrate the utility of this strategy using universal attB adapter-primers and gene-specific primers containing overlaps of various lengths from 6 bp to 18 bp. The results demonstrate that gene-specific primers with overlaps of 10 bp to 18 bp can be used successfully in PCR amplifications with universal attB adapter-primers to generate full-length PCR products. These PCR products can then be successfully cloned with high fidelity in a specified orientation using the GATEWAY™ PCR Cloning System.

Methods and Results:

To demonstrate that universal attB adapter-primers can be used with gene-specific primers containing partial attB sites in PCR reactions to generate full-length PCR product, a small 256 bp region of the human hemoglobin cDNA was chosen as a target so that intermediate sized products could be distinguished from full-length products by agarose gel electrophoresis.

The following oligonucleotides were used:

B1-Hgb: GGGG ACA AGT TTG TAC AAA AAA GCA GGC T-5'-Hgb*
B2-Hgb: GGGG ACC ACT TTG TAC AAG AAA GCT GGG T-3'-Hgb**

-145-

18B1-Hgb: TG TAC AAA AAA GCA GGC T-5'-Hgb
 18B2-Hgb: TG TAC AAG AAA GCT GGG T-3'-Hgb
 15B1-Hgb: AC AAA AAA GCA GGC T-5'-Hgb
 15B2-Hgb: AC AAG AAA GCT GGG T-3'-Hgb
 5 12B1-Hgb: AA AAA GCA GGC T-5'-Hgb
 12B2-Hgb: AG AAA GCT GGG T-3'-Hgb
 11B1-Hgb: A AAA GCA GGC T-5'-Hgb
 11B2-Hgb: G AAA GCT GGG T-3'-Hgb
 10B1-Hgb: AAA GCA GGC T-5'-Hgb
 10 10B2-Hgb: AAA GCT GGG T-3'-Hgb
 9B1-Hgb: AA GCA GGC T-5'-Hgb
 9B2-Hgb: AA GCT GGG T-3'-Hgb
 8B1-Hgb: A GCA GGC T-5'-Hgb
 8B2-Hgb: A GCT GGG T-3'-Hgb
 15 7B1-Hgb: GCA GGC T-5'-Hgb
 7B2-Hgb: GCT GGG T-3'-Hgb
 6B1-Hgb: CA GGC T-5'-Hgb
 6B2-Hgb: CT GGG T-3'-Hgb

 20 attB1 adapter: GGGG ACA AGT TTG TAC AAA AAA GCA GGC T
 attB2 adapter: GGGG ACC ACT TTG TAC AAG AAA GCT GGG T

 * -5'-Hgb = GTC ACT AGC CTG TGG AGC AAG A
 ** -3'-Hgb = AGG ATG GCA GAG GGA GAC GAC A

25

The aim of these experiments was to develop a simple and efficient universal adapter PCR method to generate attB containing PCR products suitable for use in the GATEWAY™ PCR Cloning System. The reaction mixtures and thermocycling conditions should be simple and efficient so that the universal adapter PCR method could be routinely applicable to any PCR product cloning application.

30

35

PCR reaction conditions were initially found that could successfully amplify predominately full-length PCR product using gene-specific primers containing 18bp and 15 bp overlap with universal attB primers. These conditions are outlined below:

-146-

10 pmoles of gene-specific primers

10 pmoles of universal attB adapter-primers

1 ng of plasmid containing the human hemoglobin cDNA.

100 ng of human leukocyte cDNA library DNA.

5 μ l of 10x PLATINUM Taq HiFi® reaction buffer (Life Technologies, Inc.)

2 μ l of 50 mM MgSO₄

1 μ l of 10 mM dNTPs

0.2 μ l of PLATINUM Taq HiFi® (1.0 unit)

H₂O to 50 μ l total reaction volume

Cycling conditions:

25 x $\left\{ \begin{array}{l} 95^{\circ}\text{C}/5 \text{ min} \\ 94^{\circ}\text{C}/15 \text{ sec} \\ 50^{\circ}\text{C}/30 \text{ sec} \\ 68^{\circ}\text{C}/1 \text{ min} \\ 68^{\circ}\text{C}/5 \text{ min} \\ 5^{\circ}\text{C}/\text{hold} \end{array} \right.$

To assess the efficiency of the method, 2 μ l (1/25) of the 50 μ l PCR reaction was electrophoresed in a 3 % Agarose-1000 gel. With overlaps of 12 bp or less, smaller intermediate products containing one or no universal attB adapter predominated the reactions. Further optimization of PCR reaction conditions was obtained by titrating the amounts of gene-specific primers and universal attB adapter-primers. The PCR reactions were set up as outlined above except that the amounts of primers added were:

0, 1, 3 or 10 pmoles of gene-specific primers

0, 10, 30 or 100 pmoles of adapter-primers

Cycling conditions:

25 x	95°C/3 min
	94°C/15 sec
	50°C/45 sec
	68°C/1 min
	68°C/5 min
	5°C/hold

The use of limiting amounts of gene-specific primers (3 pmoles) and excess adapter-primers (30 pmoles) reduced the amounts of smaller intermediate products. Using these reaction conditions the overlap necessary to obtain predominately full-length PCR product was reduced to 12 bp. The amounts of gene-specific and adapter-primers was further optimized in the following PCR reactions:

0, 1, 2 or 3 pmoles of gene-specific primers
0, 30, 40 or 50 pmoles of adapter-primers

Cycling conditions:

25 x		95°C/3 min
		94°C/15 sec
		48°C/1 min
		68°C/1 min
		68°C/5 min
		5°C/hold

The use of 2 pmoles of gene-specific primers and 40 pmoles of adapter-primers further reduced the amounts of intermediate products and generated predominately full-length PCR products with gene-specific primers containing an 11 bp overlap. The success of the PCR reactions can be assessed in any PCR application by performing a no adapter control. The use of limiting amounts of gene-specific primers should give faint or barely visible bands when 1/25 to 1/10 of the PCR reaction is electrophoresed on a standard agarose gel. Addition of the

universal attB adapter-primers should generate a robust PCR reaction with a much higher overall yield of product.

PCR products from reactions using the 18 bp, 15 bp, 12 bp, 11 bp and 10 bp overlap gene-specific primers were purified using the CONCERT® Rapid PCR Purification System (PCR products greater than 500 bp can be PEG precipitated). The purified PCR products were subsequently cloned into an attP containing plasmid vector using the GATEWAY™ PCR Cloning System (Life Technologies, Inc.; Rockville, MD) and transformed into *E. coli*. Colonies were selected and counted on the appropriate antibiotic media and screened by PCR for correct inserts and orientation.

Raw PCR products (unpurified) from the attB adapter PCR of a plasmid clone of part of the human beta-globin (Hgb) gene were also used in GATEWAY™ PCR Cloning System reactions. PCR products generated with the full attB B1/B2-Hgb, the 12B1/B2, 11B1/B2 and 10B1/B2 attB overlap Hgb primers were successfully cloned into the GATEWAY™ pENTR21 attP vector (Figure 49). 24 colonies from each (24 x 4 = 96 total) were tested and each was verified by PCR to contain correct inserts. The cloning efficiency expressed as cfu/ml is shown below:

Primer Used	cfu/ml
Hgb full attB	8,700
Hgb 12 bp overlap	21,000
Hgb 11 bp overlap	20,500
Hgb 10 bp overlap	13,500
GFP control	1,300

Interestingly, the overlap PCR products cloned with higher efficiency than did the full attB PCR product. Presumably, and as verified by visualization on agarose gel, the adapter PCR products were slightly cleaner than was the full attB PCR product. The differences in colony output may also reflect the proportion of PCR product molecules with intact attB sites.

Using the attB adapter PCR method, PCR primers with 12 bp attB overlaps were used to amplify cDNAs of different sizes (ranging from 1 to 4 kb)

from a leukocyte cDNA library and from first strand cDNA prepared from HeLa total RNA. While three of the four cDNAs were able to be amplified by this method, a non-specific amplification product was also observed that under some conditions would interfere with the gene-specific amplification. This non-specific product was amplified in reactions containing the attB adapter-primers alone without any gene-specific overlap primers present. The non-specific amplification product was reduced by increasing the stringency of the PCR reaction and lowering the attB adapter PCR primer concentration.

These results indicate that the adapter-primer PCR approach described in this Example will work well for cloned genes. These results also demonstrate the development of a simple and efficient method to amplify PCR products that are compatible with the GATEWAY™ PCR Cloning System that allows the use of shorter gene-specific primers that partially overlap universal attB adapter-primers. In routine PCR cloning applications, the use of 12 bp overlaps is recommended. The methods described in this Example can thus reduce the length of gene-specific primers by up to 17 residues or more, resulting in a significant savings in oligonucleotide costs for high volume users of the GATEWAY™ PCR Cloning System. In addition, using the methods and assays described in this Example, one of ordinary skill can, using only routine experimentation, design and use analogous primer-adapters based on or containing other recombination sites or fragments thereof, such as attL, attR, attP, lox, FRT, etc.

Example 21: Mutational Analysis of the Bacteriophage Lambda attL and attR Sites: Determinants of att Site Specificity in Site-specific Recombination

To investigate the determinants of att site specificity, the bacteriophage lambda attL and attR sites were systematically mutagenized. As noted herein, the determinants of specificity have previously been localized to the 7 bp overlap region (TTTATAC, which is defined by the cut sites for the integrase protein and is the region where strand exchange takes place) within the 15 bp core region (GCTTTTTTATACTAA) which is identical in all four lambda att sites, attB, attP, attL and attR. This core region, however, has not heretofore been systematically

mutagenized and examined to define precisely which mutations produce unique changes in *att* site specificity.

Therefore, to examine the effect of *att* sequence on site specificity, mutant *attL* and *attR* sites were generated by PCR and tested in an *in vitro* site-specific recombination assay. In this way all possible single base pair changes within the 7 bp overlap region of the core *att* site were generated as well as five additional changes outside the 7 bp overlap but within the 15 bp core *att* site. Each *attL* PCR substrate was tested in the *in vitro* recombination assay with each of the *attR* PCR substrates.

Methods

To examine both the efficiency and specificity of recombination of mutant *attL* and *attR* sites, a simple *in vitro* site-specific recombination assay was developed. Since the core regions of *attL* and *attR* lie near the ends of these sites, it was possible to incorporate the desired nucleotide base changes within PCR primers and generate a series of PCR products containing mutant *attL* and *attR* sites. PCR products containing *attL* and *attR* sites were used as substrates in an *in vitro* reaction with GATEWAY™ LR Clonase™ Enzyme Mix (Life Technologies, Inc.; Rockville, MD). Recombination between a 1.5 kb *attL* PCR product and a 1.0 kb *attR* PCR product resulted in a 2.5 kb recombinant molecule that was monitored using agarose gel electrophoresis and ethidium bromide staining.

Plasmid templates pEZC1301 (Figure 84) and pEZC1313 (Figure 85), each containing a single wild type *attL* or *attR* site, respectively, were used for the generation of recombination substrates. The following list shows primers that were used in PCR reactions to generate the *attL* PCR products that were used as substrates in L x R Clonase reactions (capital letters represent changes from the wild-type sequence, and the underline represents the 7 bp overlap region within the 15 bp core *att* site; a similar set of PCR primers was used to prepare the *attR* PCR products containing matching mutations):

-151-

GATEWAY™ sites (note: attL2 sequence in GATEWAY™ plasmids begins "accca" while the attL2 site in this example begins "agcct" to reflect wild-type attL outside the core region.):

5

attL1: gggg agcct gcttttttGtacAaa gttggcatta taaaaa-
agca ttgc

10

attL2: gggg agcct gcttttCttGtacAaa gttggcatta taaaaa-
agca ttgc

Wild-type:

15

attL0: gggg agcct gctttttttatactaa gttggcatta taaaaa-
agca ttgc

Single base changes from wild-type:

attLT1A: gggg agcct gcttttAttatactaa gttggcatta taaaaa-
agca ttgc

20

attLT1C: gggg agcct gcttttCttatactaa gttggcatta taaaaa-
agca ttgc

attLT1G: gggg agcct gcttttGttatactaa gttggcatta taaaaa-
agca ttgc

25

attLT2A: gggg agcct gcttttAtatactaa gttggcatta taaaaa-
agca ttgc

30

attLT2C: gggg agcct gcttttCtatactaa gttggcatta taaaaa-
agca ttgc

attLT2G: gggg agcct gcttttGtatactaa gttggcatta taaaa-
aagca ttgc

35

-152-

attLT3A: gggg agcct gcttttttAatactaa gttggcatta taaaa-
aagca ttgc

5 attLT3C: gggg agcct gcttttttCatactaa gttggcatta taaaa-
aagca ttgc

10 attLT3G: gggg agcct gcttttttGatactaa gttggcatta taaaa-
aagca ttgc

15 attLA4C: gggg agcct gcttttttCtactaa gttggcatta taaaa-
aagca ttgc

attLA4G: gggg agcct gcttttttGtactaa gttggcatta taaaa-
aagca ttgc

20 attLA4T: gggg agcct gcttttttTtactaa gttggcatta taaaa-
aagca ttgc

25 attLT5A: gggg agcct gcttttttAaactaa gttggcatta taaaa-
aagca ttgc

attLT5C: gggg agcct gcttttttCaactaa gttggcatta taaaa-
aagca ttgc

30 attLT5G: gggg agcct gcttttttGaactaa gttggcatta taaaa-
aagca ttgc

35 attLA6C: gggg agcct gcttttttCctaa gttggcatta taaaa-
aagca ttgc

-153-

attLA6G: gggg agcct gcttttttatGctaa gttggcatta taaaa-
aagca ttgc

5 attLA6T: gggg agcct gcttttttatTctaa gttggcatta taaaa-
aagca ttgc

10 attLC7A: gggg agcct gcttttttataAtaa gttggcatta taaaa-
aagca ttgc

15 attLC7G: gggg agcct gcttttttataGtaa gttggcatta taaaa-
aagca ttgc

attLC7T: gggg agcct gcttttttataTtaa gttggcatta taaaa-
aagca ttgc

Single base changes outside of the 7 bp overlap:

20 attL8: gggg agcct Acttttttataactaa gttggcatta taaaa-
aagca ttgc

25 attL9: gggg agcct gcCtttttataactaa gttggcatta taaaaa-
agca ttgc

attL10: gggg agcct gcttCtttataactaa gttggcatta taaaaa-
agca ttgc

30 attL14: gggg agcct gcttttttatacCaa gttggcatta taaaaa-
agca ttgc

35 attL15: gggg agcct gcttttttataactaG gttggcatta taaaaa-
agca ttgc

Note: additional vectors wherein the first nine bases are gggg agcca (*i.e.*, substituting an adenine for the thymine in the position immediately preceding the 15-bp core region), which may or may not contain the single base pair substitutions (or deletions) outlined above, can also be used in these experiments.

Recombination reactions of *attL*- and *attR*-containing PCR products was performed as follows:

8 µl of H₂O
2 µl of attL PCR product (100 ng)
2 µl of attR PCR product (100 ng)
4 µl of 5x buffer
4 µl of GATEWAY™ LR Clonase™ Enzyme Mix
20 µl total volume

Clonase reactions were incubated at 25°C for 2 hours.

2 µl of 10X Clonase stop solution (proteinase K, 2 mg/ml) were added to stop the reaction.

10 µl were run on a 1 % agarose gel.

Results

Each *attL* PCR substrate was tested in the *in vitro* recombination assay with each of the *attR* PCR substrates. Changes within the first three positions of the 7 bp overlap (TTTATAC) strongly altered the specificity of recombination. These mutant *att* sites each recombined as well as the wild-type, but only with their cognate partner mutant; they did not recombine detectably with any other *att* site mutant. In contrast, changes in the last four positions (TTTATAC) only partially altered specificity; these mutants recombined with their cognate mutant as well as wild-type *att* sites and recombined partially with all other mutant *att* sites except for those having mutations in the first three positions of the 7 bp

overlap. Changes outside of the 7 bp overlap were found not to affect specificity of recombination, but some did influence the efficiency of recombination.

Based on these results, the following rules for *att* site specificity were determined:

- Only changes within the 7 bp overlap affect specificity.
- Changes within the first 3 positions strongly affect specificity.
- Changes within the last 4 positions weakly affect specificity.

Mutations that affected the overall efficiency of the recombination reaction were also assessed by this method. In these experiments, a slightly increased (less than 2-fold) recombination efficiency with *attLT1A* and *attLC7T* substrates was observed when these substrates were reacted with their cognate *attR* partners. Also observed were mutations that decreased recombination efficiency (approximately 2-3 fold), including *attLA6G*, *attL14* and *attL15*. These mutations presumably reflect changes that affect Int protein binding at the core *att* site.

The results of these experiments demonstrate that changes within the first three positions of the 7 bp overlap (TTTATAC) strongly altered the specificity of recombination (*i.e.*, *att* sequences with one or more mutations in the first three thymidines would only recombine with their cognate partners and would not cross-react with any other *att* site mutation). In contrast, mutations in the last four positions (TTTATAC) only partially altered specificity (*i.e.*, *att* sequences with one or more mutations in the last four base positions would cross-react partially with the wild-type *att* site and all other mutant *att* sites, except for those having mutations in one or more of the first three positions of the 7 bp overlap). Mutations outside of the 7 bp overlap were not found to affect specificity of recombination, but some were found to influence (*i.e.*, to cause a decrease in) the efficiency of recombination.

Example 22: Discovery of Att Site Mutations That Increase the Cloning Efficiency of GATEWAY™ Cloning Reactions

In experiments designed to understand the determinants of *att* site specificity, point mutations in the core region of *attL* were made. Nucleic acid molecules containing these mutated *attL* sequences were then reacted in an LR

reaction with nucleic acid molecules containing the cognate *attR* site (*i.e.*, an *attR* site containing a mutation corresponding to that in the *attL* site), and recombinational efficiency was determined as described above. Several mutations located in the core region of the att site were noted that either slightly increased (less than 2-fold) or decreased (between 2-4-fold) the efficiency of the recombination reaction (Table 3).

Table 3. *Effects of attL mutations on Recombination Reactions.*

Site	Sequence	Effect on Recombination
attL0	agcctgcttttttataactaagttggcatta	
attL5	agcctgcttttAttataactaagttggcatta	slightly increased
attL6	agcctgcttttttataTtaagttggcatta	slightly increased
attL13	agcctgctttttttatGctaagttggcatta	decreased
attL14	agcctgctttttttatacCaagttggcatta	decreased
attL15	agcctgctttttttatactaGgttggcatta	decreased
consensus	CAACTTnnTnnnAnnAAGTTG	

It was also noted that these mutations presumably reflected changes that either increased or decreased, respectively, the relative affinity of the integrase protein for binding the core att site. A consensus sequence for an integrase core-binding site (CAACTTNNT) has been inferred in the literature but not directly tested (see, *e.g.*, Ross and Landy, *Cell* 33:261-272 (1983)). This consensus core integrase-binding sequence was established by comparing the sequences of each of the four core att sites found in attP and attB as well as the sequences of five non-att sites that resemble the core sequence and to which integrase has been shown to bind in vitro. These experiments suggest that many more att site mutations might be identified which increase the binding of integrase to the core att site and thus increase the efficiency of GATEWAY™ cloning reactions.

Example 23: Effects of Core Region Mutations on Recombination Efficiency

To directly compare the cloning efficiency of mutations in the att site core region, single base changes were made in the attB2 site of an attB1-TET-attB2 PCR product. Nucleic acid molecules containing these mutated attB2 sequences were then reacted in a BP reaction with nucleic acid molecules containing non-cognate attP sites (i.e., wildtype attP2), and recombinational efficiency was determined as described above. The cloning efficiency of these mutant attB2 containing PCR products compared to standard attB1-TET-attB2 PCR product are shown in Table 4.

Table 4. Efficiency of Recombination With Mutated attB2 Sites.

<u>Site</u>	<u>Sequence</u>	<u>Mutation</u>	<u>Cloning Efficiency</u>
attB0	tcaagttagtagataaaaaagcaggct		
attB1	ggggacaagtttgtacaaaaagcaggct		
attB2	ggggaccactttgtacaagaaagctgggt		100%
attB2.1	ggggAacactttgtacaagaaagctgggt	C→A	40%
attB2.2	ggggacAactttgtacaagaaagctgggt	C→A	131%
attB2.3	ggggaccCctttgtacaagaaagctgggt	A→C	4%
attB2.4	ggggaccaAttgtgtacaagaaagctgggt	C→A	11%
attB2.5	ggggaccacGttgtacaagaaagctgggt	T→G	4%
attB2.6	ggggaccactGtgtacaagaaagctgggt	T→G	6%
attB2.7	ggggaccacttGgtacaagaaagctgggt	T→G	1%
attB2.8	ggggaccacttTtacaagaaagctgggt	G→T	0.5%

As noted above, a single base change in the attB2.2 site increased the cloning efficiency of the attB1-TET-attB2.2 PCR product to 131% compared to the attB1-TET-attB2 PCR product. Interestingly, this mutation changes the integrase core binding site of attB2 to a sequence that matches more closely the proposed consensus sequence.

Additional experiments were performed to directly compare the cloning efficiency of an attB1-TET-attB2 PCR product with a PCR product that contained attB sites containing the proposed consensus sequence (*see* Example 22) of an integrase core binding site. The following attB sites were used to amplify attB-TET PCR products:

attB1 ggggacaagtttgtacaaaaaagcaggct
attB1.6 ggggacaaCtttgtacaaaaaagTTggct
attB2 ggggaccactttgtacaagaaagctgggt
attB2.10 ggggacAactttgtacaagaaagTtgggt

BP reactions were carried out between 300 ng (100 fmoles) of pDONR201 (Figure 49A) with 80 ng (80 fmoles) of attB-TET PCR product in a 20 µl volume with incubation for 1.5 hrs at 25°C, creating pENTR201-TET Entry clones. A comparison of the cloning efficiencies of the above-noted attB sites in BP reactions is shown in Table 5.

Table 5. Cloning efficiency of BP Reactions.

PCR product	CFU/ml	Fold Increase
B1-tet-B2	7,500	
B1.6-tet-B2	12,000	1.6 x
B1-tet-B2.10	20,900	2.8 x
B1.6-tet-B2.10	30,100	4.0 x

These results demonstrate that attB PCR products containing sequences that perfectly match the proposed consensus sequence for integrase core binding sites can produce Entry clones with four-fold higher efficiency than standard Gateway attB1 and attB2 PCR products.

The entry clones produced above were then transferred to pDEST20 (Figure 40A) via LR reactions (300 ng (64 fmoles) pDEST20 mixed with 50 ng (77 fmoles) of the respective pENTR201-TET Entry clone in 20 µl volume; incubated for 1 hr incubation at 25°C). The efficiencies of cloning for these reactions are compared in Table 6.

Table 6. Cloning Efficiency of LR Reactions.

pENTR201-TET x pDEST20	CFU/ml	Fold Increase
L1-tet-L2	5,800	
L1.6-tet-L2	8,000	1.4
L1-tet-L2.10	10,000	1.7
L1.6-tet-L2.10	9,300	1.6

These results demonstrate that the mutations introduced into attB1.6 and attB2.10 that transfer with the gene into entry clones slightly increase the efficiency of LR reactions. Thus, the present invention encompasses not only mutations in *attB* sites that increase recombination efficiency, but also to the corresponding mutations that result in the *attL* sites created by the BP reaction.

To examine the increased cloning efficiency of the attB1.6-TET-attB2.10 PCR product over a range of PCR product amounts, experiments analogous to those described above were performed in which the amount of attB PCR product was titrated into the reaction mixture. The results are shown in Table 7.

Table 7. Titration of attB PCR products.

Amount of attB PCR product (ng)	PCR product	CFU/ml	Fold Increase
20	attB1-TET-attB2	3,500	6.1
	attB1.6-TET-attB2.10	21,500	
50	attB1-TET-attB2	9,800	5.0
	attB1.6-TET-attB2.10	49,000	
100	attB1-TET-attB2	18,800	2.8
	attB1.6-TET-attB2.10	53,000	
200	attB1-TET-attB2	19,000	2.5
	attB1.6-TET-attB2.10	48,000	

These results demonstrate that as much as a six-fold increase in cloning efficiency is achieved with the attB1.6-TET-attB2.10 PCR product as compared to the standard attB1-TET-attB2 PCR product at the 20 ng amount.

Example 24: Determination of attB Sequence Requirements for Optimum Recombination Efficiency

To examine the sequence requirements for attB and to determine which attB sites would clone with the highest efficiency from populations of degenerate attB sites, a series of experiments was performed. Degenerate PCR primers were designed which contained five bases of degeneracy in the B-arm of the attB site. These degenerate sequences would thus transfer with the gene into Entry clone in BP reactions and subsequently be transferred with the gene into expression clones in LR reactions. The populations of degenerate attB and attL sites could thus be cycled from attB to attL back and forth for any number of cycles. By altering the reaction conditions at each transfer step (for example by decreasing the reaction time and/or decreasing the concentration of DNA) the reaction can be made increasingly more stringent at each cycle and thus enrich for populations of attB and attL sites that react more efficiently.

The following degenerate PCR primers were used to amplify a 500 bp fragment from pUC18 which contained the lacZ alpha fragment (only the attB portion of each primer is shown):

```

attB1      GGGG ACAAGTTTGTACAAA AAAGC AGGCT
attB1n16-20 GGGG ACAAGTTTGTACAAA nnnnn AGGCT
attB1n21-25 GGGG ACAAGTTTGTACAAA AAAGC nnnnn

attB2      GGGG ACCACTTTGTACAAG AAAGC TGGGT
attB2n16-20 GGGG ACCACTTTGTACAAG nnnnn TGGGT
attB2n21-25 GGGG ACCACTTTGTACAAG AAAGC nnnnn

```

The starting population size of degenerate att sites is 4^5 or 1024 molecules. Four different populations were transferred through two BP reactions and two LR reactions. Following transformation of each reaction, the population of transformants was amplified by growth in liquid media containing the appropriate selection antibiotic. DNA was prepared from the population of clones by alkaline

-161-

lysis miniprep and used in the next reaction. The results of the BP and LR cloning reactions are shown below.

BP-1, overnight reactions

	cfu/ml	percent of control
attB1-LacZa-attB2	78,500	100 %
attB1n16-20-LacZa-attB2	1,140	1.5 %
attB1n21-25-LacZa-attB2	11,100	14 %
attB1-LacZa-attB2n16-20	710	0.9 %
attB1-LacZa-attB2n21-25	16,600	21 %

LR-1, pENTR201-LacZa x pDEST20/*Eco*RI, 1hr reactions

	cfu/ml	percent of control
attL1-LacZa-attL2	20,000	100 %
attL1n16-20-LacZa-attL2	2,125	11 %
attL1n21-25-LacZa-attL2	2,920	15 %
attL1-LacZa-attL2n16-20	3,190	16 %
attL1-LacZa-attL2n21-25	1,405	7 %

BP-2, pEXP20-LacZa/*Sca*I x pDONR 201, 1hr reactions

	cfu/ml	percent of control
attB1-LacZa-attB2	48,600	100 %
attB1n16-20-LacZa-attB2	22,800	47 %
attB1n21-25-LacZa-attB2	31,500	65 %
attB1-LacZa-attB2n16-20	42,400	87 %
attB1-LacZa-attB2n21-25	34,500	71 %

LR-2, pENTR201-LacZa x pDEST6/*Nco*I, 1hr reactions

	cfu/ml	percent of control
attL1-LacZa-attL2	23,000	100 %
attL1n16-20-LacZa-attL2	49,000	213 %
attL1n21-25-LacZa-attL2	18,000	80 %
attL1-LacZa-attL2n16-20	37,000	160 %
attL1-LacZa-attL2n21-25	57,000	250 %

These results demonstrate that at each successive transfer, the cloning efficiency of the entire population of att sites increases, and that there is a great deal of flexibility in the definition of an attB site. Specific clones may be isolated from the above reactions, tested individually for recombination efficiency, and

sequenced. Such new specificities may then be compared to known examples to guide the design of new sequences with new recombination specificities. In addition, based on the enrichment and screening protocols described herein, one of ordinary skill can easily identify and use sequences in other recombination sites, *e.g.*, other *att* sites, *lox*, FRT, etc., that result in increased specificity in the recombination reactions using nucleic acid molecules containing such sequences.

Example 25: Design of att Site PCR Adapter-Primers

Additional studies were performed to design gene-specific primers with 12bp of attB1 and attB2 at their 5'-ends. The optimal primer design for *att*-containing primers is the same as for any PCR primers: the gene-specific portion of the primers should ideally have a T_m of $> 50^\circ\text{C}$ at 50 mM salt (calculation of T_m is based on the formula $59.9 + 41(\%GC) - 675/n$).

Primers:

12bp attB1: AA AAA GCA GGC TNN - forward gene-specific primer

12bp attB2: A GAA AGC TGG GTN - reverse gene-specific primer

attB1 adapter primer: GGGGACAAGTTTGTACAAAAAAGCAGGCT

attB2 adapter primer: GGGGACCACTTTGTACAAGAAAGCTGGGT

Protocol:

(1) Mix 200 ng of cDNA library or 1 ng of plasmid clone DNA (alternatively, genomic DNA or RNA could be used) with 10 pmoles of gene specific primers in a 50 μl PCR reaction, using one or more polypeptides having DNA polymerase activity such as those described herein. (The addition of greater than 10 pmoles of gene-specific primers can decrease the yield of attB PCR product. In addition, if RNA is used, a standard reverse transcriptase-PCR (RT-

PCR) protocol should be followed; *see, e.g.,* Gerard, G.F., *et al.*, *FOCUS* 11:60 (1989); Myers, T.W., and Gelfand, D.H., *Biochem.* 30:7661 (1991); Freeman, W.N., *et al.*, *BioTechniques* 20:782 (1996); and U.S. Application No. 09/064,057, filed April 22, 1998, the disclosures of all of which are incorporated herein by reference.)

1st PCR profile:

(a) 95°C for 3 minutes

(b) 10 cycles of:

(i) 94°C for 15 seconds

(ii) 50°C* for 30 seconds

(iii) 68°C for 1 minute/kb of target amplicon

(c) 68°C for 5 minutes

(d) 10°C hold

*The optimal annealing temperature is determined by the calculated T_m of the gene-specific part of the primer.

(2) Transfer 10 µl to a 40 µl PCR reaction mix containing 35 pmoles each of the attB1 and attB2 adapter primers.

2nd PCR profile:

(a) 95°C for 1 minute

(b) 5 cycles of:

(i) 94°C for 15 seconds

(ii) 45°C* for 30 seconds

(iii) 68°C for 1 minute/kb of target amplicon

(c) 15-20 cycles** of:

(i) 94°C for 15 seconds

(ii) 55°C* for 30 seconds

(iii) 68°C for 1 minute/kb of target amplicon

(d) 68°C for 5 minutes

(e) 10°C hold

*The optimal annealing temperature is determined by the calculated T_m of the gene-specific part of the primer.

**15 cycles is sufficient for low complexity targets.

Notes:

1. It is useful to perform a no-adapter primer control to assess the yield of attB PCR product produced.
2. Linearized template usually results in slightly greater yield of PCR product.

Example 26: One-Tube Recombinational Cloning Using the GATEWAY™ Cloning System

To provide for easier and more rapid cloning using the GATEWAY™ cloning system, we have designed a protocol whereby the BP and LR reactions may be performed in a single tube (a "one-tube" protocol). The following is an example of such a one-tube protocol; in this example, an aliquot of the BP reaction is taken before adding the LR components, but the BP and LR reactions may be performed in a one-tube protocol without first taking the BP aliquot:

<u>Reaction Component</u>	<u>Volume</u>
attB DNA (100-200 ng/25 µl reaction)	1-12.5 µl
attP DNA (pDONR201) 150 ng/µl	2.5 µl
5X BP Reaction Buffer	5.0 µl
Tris-EDTA	(to 20 µl)
<u>BP Clonase</u>	<u>5.0 µl</u>
Total vol.	25 µl

After the above components were mixed in a single tube, the reaction mixtures were incubated for 4 hours at 25°C. A 5 µl aliquot of reaction mixture was removed, and 0.5 µl of 10X stop solution was added to this reaction mixture and incubated for 10 minutes at 37°C. Competent cells were then transformed with 1-2 µl of the BP reaction per 100 µl of cells; this transformation yielded colonies of Entry Clones for isolation of individual Entry Clones and for quantitation of the BP Reaction efficiency.

To the remaining 20 µl of BP reaction mixture, the following components of the LR reaction were added:

<u>Reaction Component</u>	<u>Final Concentration</u>	<u>Volume Added</u>
NaCl	0.75 M	1 µl
Destination Vector	150 ng/ul	3 µl
<u>LR Clonase</u>		<u>6 µl</u>
Total vol.		30 µl

After the above components were mixed in a single tube, the reaction mixtures were incubated for 2 hours at 25°C. 3 µl of 10X stop solution was added, and the mixture was incubated for 10 minutes at 37°C. Competent cells were then transformed with 1-2 µl of the reaction mixture per 100 µl of cells

Notes:

1. If desired, the Destination Vector can be added to the initial BP reaction.
2. The reactions can be scaled down by 2x, if desired.
3. Shorter incubation times for the BP and/or LR reactions can be used (scaled to the desired cloning efficiencies of the reaction), but a lower number of colonies will typically result.
4. To increase the number of colonies obtained by several fold, incubate the BP reaction for 6-20 hours and increase the LR reaction to 3 hours. Electroporation also works well with 1-2 ul of the PK-treated reaction mixture.

5. PCR products greater than about 5 kb may show significantly lower cloning efficiency in the BP reaction. In this case, we recommend using a one-tube reaction with longer incubation times (e.g., 6-18 hours) for both the BP and LR steps.

Example 27: Relaxation of Destination Vectors During the LR Reaction

To further optimize the LR Reaction, the composition of the LR Reaction buffer was modified from that described above and this modified buffer was used in a protocol to examine the impact of enzymatic relaxation of Destination Vectors during the LR Reaction.

LR Reactions were set up as usual (see, e.g., Example 6), except that 5X BP Reaction Buffer (see Example 5) was used for the LR Reaction. To accomplish Destination Vector relaxation during the LR Reaction, Topoisomerase I (Life Technologies, Inc., Rockville, MD; Catalogue No. 38042-016) was added to the reaction mixture at a final concentration of ~15U per µg of total DNA in the reaction (for example, for reaction mixtures with a total of 400ng DNA in the 20 µl LR Reaction, ~6units of Topoisomerase I was added). Reaction mixtures were set up as follows:

<u>Reaction Component</u>	<u>Volume</u>
ddH ₂ O	6.5 µl
4X BP Reaction Buffer	5 µl
100ng single chain/linear pENTR CAT, 50 ng/µl	2 µl
300ng single chain/linear pDEST6, 150ng/µl	2 µl
Topoisomerase I, 15 U/ml	0.5 µl
LR Clonase	4 µl

Reaction mixtures were incubated at 25°C for 1hour, and 2 µl of 2 µg/µl Proteinase K was then added and mixtures incubated for 10 minutes at 37°C to stop the LR Reaction. Competent cells were then transformed as described in the preceding examples. The results of these studies demonstrated that relaxation of

substrates in the LR reaction using Topoisomerase I resulted in a 2- to 10-fold increase in colony output compared to those LR reactions performed without including Topoisomerase I.

5 Having now fully described the present invention in some detail by way of illustration and example for purposes of clarity of understanding, it will be obvious to one of ordinary skill in the art that the same can be performed by modifying or changing the invention within a wide and equivalent range of conditions, formulations and other parameters without affecting the scope of the invention or
10 any specific embodiment thereof, and that such modifications or changes are intended to be encompassed within the scope of the appended claims.

 All publications, patents and patent applications mentioned in this specification are indicative of the level of skill of those skilled in the art to which this invention pertains, and are herein incorporated by reference to the same extent
15 as if each individual publication, patent or patent application was specifically and individually indicated to be incorporated by reference.

167.1

Applicant's or agent's file reference number	0942.~J8PC03	International application No. ^{tl}	PCT/US 00/05432
---	--------------	---	-----------------

INDICATIONS RELATING TO DEPOSITED MICROORGANISM
OR OTHER BIOLOGICAL MATERIAL
(PCT Rule 13bis)

REC'D 17 APR 2000

WIPO

PCT

A. The indications made below relate to the microorganism referred to in the description on page 52, line 31.

B. IDENTIFICATION OF DEPOSIT

Further deposits are identified on an additional sheet ☒

Name of depositary institution
Agricultural Research Culture Collection (NRRL)
International Depositary Authority

Address of depositary institution (including postal code and country)

1815 N. University Street
Peoria, Illinois 61604
United States of America

Date of deposit
February 27, 1999

Accession Number
NRRL B-30099

C. ADDITIONAL INDICATIONS (leave blank if not applicable)

This information is continued on an additional sheet ☐

Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKan)

D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)

E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)

The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")

For receiving Office use only

☒ This sheet was received with the international application

Authorized officer

Signature: [Signature]
Name: [Name]
Address: [Address]
Phone: [Phone]

For International Bureau use only

☐ This sheet was received by the International Bureau on:

Authorized officer

167.2

Applicant's or agent's file reference number	0942.468PC03	International application No. tl PCT/US 00/05432
---	--------------	--

**INDICATIONS RELATING TO DEPOSITED MICROORGANISM
OR OTHER BIOLOGICAL MATERIAL**
(PCT Rule 13bis)

REC'D 17 APR 2000

WIPO PCT

A. The indications made below relate to the microorganism referred to in the description on page 35, line 16.

B. IDENTIFICATION OF DEPOSITFurther deposits are identified on an additional sheet ☒

Name of depositary institution
Agricultural Research Culture Collection (NRRL)
International Depository Authority

Address of depositary institution (including postal code and country)

1815 N. University Street
Peoria, Illinois 61604
United States of America

Date of deposit
February 27, 1999

Accession Number
NRRL B-30100

C. ADDITIONAL INDICATIONS (leave blank if not applicable)This information is continued on an additional sheet ☐

Escherichia coli DB3.1(pENTR-1A)

D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)**E. SEPARATE FURNISHING OF INDICATIONS** (leave blank if not applicable)

The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g.,
"Accession Number of Deposit")

For receiving Office use only

For International Bureau use only

☒ This sheet was received with the international application☐ This sheet was received by the International Bureau on:

Authorized officer

Barbara Fridis

Authorized officer

167 3

Applicant's or agent's file reference number	0942.468PC03	International application No. tb. PCT/US00/05432
---	--------------	---

**INDICATIONS RELATING TO DEPOSITED MICROORGANISM
OR OTHER BIOLOGICAL MATERIAL**
(PCT Rule 13bis)

REC 1 1999

A. The indications made below relate to the microorganism referred to in the description on page 16, line 33

WIPO PCT

B. IDENTIFICATION OF DEPOSITFurther deposits are identified on an additional sheet ☒

Name of depositary institution
Agricultural Research Culture Collection (NRRL)
International Depository Authority

Address of depositary institution (including postal code and country)

1815 N. University Street
Peoria, Illinois 61604
United States of America

Date of deposit
February 27, 1999

Accession Number
NRRL B-30101

C. ADDITIONAL INDICATIONS (leave blank if not applicable)This information is continued on an additional sheet ☐

Escherichia coli DB3.1(pENTR-2B)

D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)**E. SEPARATE FURNISHING OF INDICATIONS** (leave blank if not applicable)

The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")

For receiving Office use only

For International Bureau use only

☒ This sheet was received with the international application☐ This sheet was received by the International Bureau on:

Authorized officer

M. G. F. F. F. F.

PCT/US00/05432

PCT/US00/05432 (P)

Authorized officer

167.4

INDICATIONS RELATING TO DEPOSITED MICROORGANISM
OR OTHER BIOLOGICAL MATERIAL
(PCT Rule 13bis)

REC'D 17 APR 2000

WIPPO


PCT

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer [Signature]	Authorized officer

167.5

Applicant's or agent's file reference number	0942.468PC03	International application No. tb PCT/US 00/05432
---	--------------	---

**INDICATIONS RELATING TO DEPOSITED MICROORGANISM
OR OTHER BIOLOGICAL MATERIAL**
(PCT Rule 13bis)



A. The indications made below relate to the microorganism referred to in the description on page 8.

REC'D 17 APR 2000

WIPO PCT

B. IDENTIFICATION OF DEPOSITFurther deposits are identified on an additional sheet ☒

Name of depositary institution
Agricultural Research Culture Collection (NRRL)
International Depository Authority

Address of depositary institution (including postal code and country)

1815 N. University Street
Peoria, Illinois 61604
United States of America

Date of deposit
February 27, 1999

Accession Number
NRRL B-30103

C. ADDITIONAL INDICATIONS (leave blank if not applicable)This information is continued on an additional sheet ☐

Escherichia coli DB3.1(pEZC15101)

D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)**E. SEPARATE FURNISHING OF INDICATIONS** (leave blank if not applicable)

The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")

For receiving Office use only

For International Bureau use only

☒ This sheet was received with the international application

☐ This sheet was received by the International Bureau on:

Authorized officer

1000-0000
1000-0000

1000-0000
1000-0000

1000-0000
1000-0000
1000-0000

Authorized officer

167.6

Applicant's or agent's file reference number 0942.468PC03	International application No. 1. PCT/US 00/05432
--	---

**INDICATIONS RELATING TO DEPOSITED MICROORGANISM
OR OTHER BIOLOGICAL MATERIAL**
(PCT Rule 13bis)

REC'D 17

WIPO

A. The indications made below relate to the microorganism referred to in the description on page <u>54</u> , line <u>9</u> .	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30104
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB3.1(pEZC15102)	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Barbara F. H. [Signature] [Stamp: FEB 28 1999]	Authorized officer

167.7

Applicant's or agent's file reference number	0942.468PC03	International application No. PCT/US	00/05432
---	--------------	---	-----------------

INDICATIONS RELATING TO DEPOSITED MICROORGANISMS
OR OTHER BIOLOGICAL MATERIAL
(PCT Rule 13bis)

RECEIVED 17 APR 2000

V T


A. The indications made below relate to the microorganism referred to in the description on page <u>54</u> , line <u>9</u> .	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30105
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB3.1(pEZC15103)	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Barbara Fride <i>BF</i>	Authorized officer

167.8

Applicant's or agent's file reference number	0942.408PC03	International application No. tl PCT/US 00/05432
---	--------------	--

**INDICATIONS RELATING TO DEPOSITED MICROORGANISM
OR OTHER BIOLOGICAL MATERIAL**
(PCT Rule 13bis)



A. The indications made below relate to the microorganism referred to in the description on page 51, line 20-21.

B. IDENTIFICATION OF DEPOSIT

Further deposits are identified on an additional sheet ☒

Name of depositary institution
Agricultural Research Culture Collection (NRRL)
International Depository Authority

Address of depositary institution (including postal code and country)

1815 N. University Street
Peoria, Illinois 61604
United States of America

Date of deposit
February 27, 1999

Accession Number
NRRL B-30108

C. ADDITIONAL INDICATIONS (leave blank if not applicable)

This information is continued on an additional sheet ☐

Escherichia coli DB10B(pCMVSPORT6)

D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)

E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)

The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer: Barbara Fricke <i>BF</i>	Authorized officer:

WHAT IS CLAIMED IS:

1. An isolated nucleic acid molecule comprising a nucleotide sequence selected from the group of nucleotide sequences consisting of an attB1 nucleotide sequence as set forth in Figure 9, an attB2 nucleotide sequence as set forth in Figure 9, an attP1 nucleotide sequence as set forth in Figure 9, an attP2 nucleotide sequence as set forth in Figure 9, an attL1 nucleotide sequence as set forth in Figure 9, an attL2 nucleotide sequence as set forth in Figure 9, an attR1 nucleotide sequence as set forth in Figure 9, an attR2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, and a mutant, fragment, or derivative thereof.

2. An isolated nucleic acid molecule comprising an attB1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

3. An isolated nucleic acid molecule comprising an attB2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

4. An isolated nucleic acid molecule comprising an attP1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

5. An isolated nucleic acid molecule comprising an attP2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

6. An isolated nucleic acid molecule comprising an attL1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

7. An isolated nucleic acid molecule comprising an attL2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

5 8. An isolated nucleic acid molecule comprising an attR1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

10 9. An isolated nucleic acid molecule comprising an attR2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

15 10. The isolated nucleic acid molecule of claim 1, further comprising one or more functional or structural nucleotide sequences selected from the group consisting of one or more multiple cloning sites, one or more localization signals, one or more transcription termination sites, one or more transcriptional regulatory sequences, one or more translational signals, one or more origins of replication, one or more fusion partner peptide-encoding nucleic acid molecules, one or more protease cleavage sites, and one or more 5' polynucleotide extensions.

20 11. The nucleic acid molecule of claim 10, wherein said transcriptional regulatory sequence is a promoter, an enhancer, or a repressor.

25 12. The nucleic acid molecule of claim 10, wherein said fusion partner peptide-encoding nucleic acid molecule encodes glutathione S-transferase (GST), hexahistidine (His₆), or thioredoxin (Trx).

30 13. The nucleic acid molecule of claim 10, wherein said 5' polynucleotide extension consists of from one to five nucleotide bases.

14. The nucleic acid molecule of claim 13, wherein said 5' polynucleotide extension consists of four or five guanine nucleotide bases.

15. A primer nucleic acid molecule suitable for amplifying a target nucleotide sequence, comprising the isolated nucleic acid molecule of claim 1 or a portion thereof linked to a target-specific nucleotide sequence useful in amplifying said target nucleotide sequence.

16. The primer nucleic acid molecule of claim 15, wherein said primer comprises an attB1 nucleotide sequence having the sequence shown in Figure 9 or a portion thereof, or a polynucleotide complementary to the sequence shown in Figure 9 or a portion thereof.

17. The primer nucleic acid molecule of claim 15, wherein said primer comprises an attB2 nucleotide sequence having the sequence shown in Figure 9 or a portion thereof, or a polynucleotide complementary to the sequence shown in Figure 9 or a portion thereof.

18. The primer nucleic acid molecule of claim 15, further comprising a 5' terminal extension of four or five guanine bases.

19. A vector comprising the isolated nucleic acid molecule of claim 1.

20. The vector of claim 19, wherein said vector is an Expression Vector.

21. A host cell comprising the isolated nucleic acid molecule of claim 1 or the vector of claim 19.

22. A method of synthesizing or amplifying one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template-specific sequence that is complementary to or capable of hybridizing to said

templates and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said second primer is homologous to or complementary to at least a portion of said first primer; and

- 5 (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one or both termini of said molecules.

10 23. A method of synthesizing or amplifying one or more nucleic acid molecules comprising:

- 15 (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template-specific sequence that is complementary to or capable of hybridizing to said templates and at least a portion of a recombination site, and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said recombination site on said second primer is complementary to or homologous to at least a portion of said recombination site on said first primer; and
- 20 (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one or both termini of said molecules.
- 25

30 24. A method of amplifying or synthesizing one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity

and one or more first primers comprising at least a portion of a recombination site and a template-specific sequence that is complementary to or capable of hybridizing to said template;

(b) incubating said mixture under conditions sufficient to synthesize or amplify one or more first nucleic acid molecules complementary to all or a portion of said templates wherein said molecules comprise at least a portion of a recombination site at one or both termini of said molecules;

(c) mixing said molecules with one or more second primers comprising one or more recombination sites, wherein said recombination sites of said second primers are homologous to or complementary to at least a portion of said recombination sites on said first nucleic acid molecules; and

(d) incubating said mixture under conditions sufficient to synthesize or amplify one or more second nucleic acid molecules complementary to all or a portion of said first nucleic acid molecules and which comprise one or more recombination sites at one or both termini of said molecules.

25. A polypeptide encoded by the isolated nucleic acid molecule of any one of claims 1-10.

26. An isolated nucleic acid molecule comprising one or more *att* recombination sites comprising at least one mutation in its core region that increases the specificity of interaction between said recombination site and a second *att* recombination site.

27. The isolated nucleic acid molecule of claim 26, wherein said mutation is at least one substitution mutation of at least one nucleotide in the seven basepair overlap region of said core region of said recombination site.

28. The isolated nucleic acid molecule of claim 26, wherein said nucleic acid molecule comprises the sequence NNNATAC, wherein "N" refers to any nucleotide with the proviso that if one of the first three nucleotides in the consensus sequence is a T/U, then at least one of the other two of the first three nucleotides is not a T/U.

29. An isolated nucleic acid molecule comprising one or more mutated *att* recombination sites comprising at least one mutation in its core region that enhances the efficiency of recombination between a first nucleic acid molecule comprising said mutated *att* recombination site and a second nucleic acid molecule comprising a second recombination site that interacts with said mutated *att* recombination site.

30. The isolated nucleic acid molecule of claim 29, wherein said mutated *att* recombination site is a mutated *attL* site comprising a core region having the nucleotide sequence caactnntnnnannaagttg, wherein "n" represents any nucleotide.

31. The isolated nucleic acid molecule of claim 30, wherein said mutated *attL* recombination site comprises a core region having a nucleotide sequence selected from agcctgctttattataactaagttggcatta (*attL5*) and agcctgctttttatattaagttggcatta (*attL6*).

32. The isolated nucleic acid molecule of claim 29, wherein said mutated *att* recombination site comprises a core region having a nucleotide sequence selected from the group consisting of ggggacaactttgtacaaaaagttggct (*attB1.6*), ggggacaactttgtacaagaaagctgggt (*attB2.2*), and ggggacaactttgtacaagaaagttgggt (*attB2.10*).

33. A vector selected from the group consisting of pENTR1A, pENTR2B, pENTR3C, pENTR4, pENTR5, pENTR6, pENTR7, pENTR8, pENTR9, pENTR10, pENTR11, pDEST1, pDEST2, pDEST3, pDEST4,

pDEST5, pDEST6, pDEST7, pDEST8, pDEST9, pDEST10, pDEST11, pDEST12.2 (also known as pDEST12), pDEST13, pDEST14, pDEST15, pDEST16, pDEST17, pDEST18, pDEST19, pDEST20, pDEST21, pDEST22, pDEST23, pDEST24, pDEST25, pDEST26, pDEST27, pDEST28, pDEST29, pDEST30, pDEST31, pDEST32, pDEST33, pDEST34, pDONR201 (also known as pENTR21 attP vector or pAttPkan Donor Vector), pDONR202, pDONR203 (also known as pEZ15812), pDONR204, pDONR205, pDONR206 (also known as pENTR22 attP vector or pAttPgen Donor Vector), pDONR207, pMAB58, pMAB62, pMAB85 and pMAB86.

34. A host cell comprising the vector of claim 33.

35. A polypeptide encoded by the vector of claim 33.

36. A kit for use in synthesizing a nucleic acid molecule, said kit comprising the isolated nucleic acid molecule of any one of claims 1-10, 26 and 29.

37. A kit for use in synthesizing a nucleic acid molecule, said kit comprising the primer of claim 15 or claim 18.

38. A kit for use in cloning a nucleic acid molecule, said kit comprising the vector of claim 19 or claim 33.




Figure 1

2/240




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7

8/240




FIGURE 8

Recombination Site Nucleotide Sequences

attB1: 5'-ACAAGTTTGTACAAAAAAGCAGGCT-3'

attB2: 5'-ACCCAGCTTTCTTGTACAAAGTGGT-3'

attP1: 5'-TACAGGTCCTAATACCATCTAAGTAGTTGATTCATAGTGACTGGATATG-
TTGTGTTTTACAGTATTATGTAGTCTGTTTTTATGCAAAATCTAATTTA-
ATATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTTTTGTAC-
AAAGTTGGCATTATAAAAAAGCATTGCTCATCAATTTGTTGCAACGAACA-
GGTCACTATCAGTCAAAATAAAATCATTATTTG-3'

attP2: 5'-CAAATAATGATTTTATTTTGACTGATAGTGACCTGTTTCGTTGCAACAAAT-
TGATAAGCAATGCTTTCTTATAATGCCAACTTTGTACAAGAAAGCTGAAC-
GAGAAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCAT-
AAAAACAGACTACATAATACTGTAAACACAACATATCCAGTCACTATGA-
ATCAACTACTTAGATGGTATTAGTGACCTGTA-3'

attR1: 5'-ACAAGTTTGTACAAAAAAGCTGAACGAGAAACGTAAAATGATATAAA-
TATCAATATATTAAATTAGATTTTGCATAAAAAACAGACTACATAATAC-
TGTAACACAACATATCCAGTCACTATG-3'



attR2: 5'-GCAGGTCGACCATAGTGACTGGATATGTTGTGTTTTACAGTATTAT-
GTAGTCTGTTTTTATGCAAAATCTAATTTAATATATTGATATTT-
ATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGTGGT-3'

attL1: 5'-CAAATAATGATTTTATTTTGACTGATAGTGACCTGTTTCGTTGCAAC-
AAATTGATAAGCAATGCTTTTTTATAATGCCAACTTTGTACAAAAAA-
GCAGGCT-3'

attL2: 5'-CAAATAATGATTTTATTTTGACTGATAGTGACCTGTTTCGTTGCAACAA-
ATTGATAAGCAATGCTTTCTTATAATGCCAACTTTGTACAAGAAAGCTGGGT-3'

Figure 9

Figure 10A: Cloning sites of the Entry Vector pENTRTM 1A (reading frame A)



11/240

pENTR1A 2717 bp

<u>Base Nos.</u>	<u>Gene Encoded</u>
67..166	attL1
321..626	ccdB
655..754	attL2
877..1686	KmR
1791..2364	ori

```

1 CTGACGGATG GCCTTTTTCG GTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC
61 GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT
121 AAGCAATGCT TTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTTTAA AGGAACCAAT
181 TCAGTCGACT GGATCCGGTA CCGAATTCGC TTAATAAAG CCAGATAACA GTATGCGTAT
241 TTGCGCGCTG ATTTTTCGGG TATAAGAATA TATACTGATA TGTATACCCG AAGTATGTCA
301 AAAAGAGGTG TGCTTCTAGA ATGCAGTTTA AGGTTTACAC CTATAAAAGA GAGAGCCGTT
361 ATCGTCTGTT TGTGGATGTA CAGAGTGATA TTATTGACAC GCCCGGGCGA CGGATAGTGA
421 TCCCCCTGGC CAGTGCACGT CTGCTGTCAG ATAAAGTCTC CCGTGAACCT TACCCGGTGG
481 TGCATATCGG GGATGAAAGC TGGCGCATGA TGACCACCGA TATGGCCAGT GTGCCGCTCT
541 CCGTTATCGG GGAAGAAGTG GCTGATCTCA GCCACCGCGA AAATGACATC AAAAACGCCA
601 TTAACCTGAT GTTCTGGGGA ATATAGAATT CGCGGCCGCA CTCGAGATAT CTAGACCCAG
661 CTTTCTTGTA CAAAGTTGGC ATTATAAGAA AGCATTGCTT ATCAATTTGT TGCAACGAAC
721 AGGTCACTAT CAGTCAAAAT AAAATCATT TTTGCCATCC AGCTGCAGCT CTGGCCCGTG
781 TCTCAAAATC TCTGATGTTA CATTGCACAA GATAAAAATA TATCATCATG AACAATAAAA
841 CTGCTGCTT ACATAAACAG TAATACAAGG GGTGTTATGA GCCATATTCA ACGGGAAACG
901 TCGAGGCCGC GATTAAATTC CAACATGGAT GCTGATTAT ATGGGTATAA ATGGGCTCGC
961 GATAATGTCG GGCAATCAGG TCGGACAATC TATCGCTTGT ATGGGAAGCC CGATGCGCCA
1021 GAGTTGTTTC TGAAACATGG CAAAGGTAGC GTTGCCAATG ATGTTACAGA TGAGATGGTC
1081 AGACTAAACT GGCTGACGGA ATTTATGCCT CTTCCGACCA TCAAGCATT TATCCGTACT
1141 CCTGATGATG CATGGTTACT CACCACTGCG ATCCCCGGAA AAACAGCATT CCAGGTATTA
1201 GAAGAATATC CTGATTCAGG TGAAAATATT GTTGATGCGC TGGCAGTGTC CCTGCGCCGG
1261 TTGCATTGCA TTCCTGTTG TAATTGTCCT TTTAACAGCG ATCGCGTATT TCGTCTCGCT
1321 CAGGCGCAAT CACGAATGAA TAACGGTTTG GTTGATGCGA GTGATTTTGA TGACGAGCGT
1381 AATGGCTGGC CTGTTGAACA AGTCTGAAA GAAATGCATA AACTTTTGCC ATTCTCACCG
1441 GATTTCAGTCG TCACTCATGG TGATTTCTCA CTTGATAACC TTATTTTGA CGAGGGGAAA
1501 TTAATAGGTT GTATTGATGT TGGACGAGTC GGAATCGCAG ACCGATACCA GGATCTTGCC
1561 ATCCTATGGA ACTGCCTCGG TGAGTTTCT CCTTCATTAC AGAAACGGCT TTTTCAAAAA
1621 TATGGGTATTG ATAATCCTGA TATGAATAAA TTGCAGTTTC ATTTGATGCT CGATGAGTTT
1681 TTCTAATCAG AATTGGTTAA TTGGTTGTAA CATTATTCAG ATTGGGCCCC GTTCCACTGA
1741 GCGTCAGACC CCGTAGAAAA GATCAAAGGA TCTTCTTGAG ATCCTTTTTT TCTGCGCGTA
1801 ATCTGCTGCT TGCAAACAAA AAAACCACCG CTACCAGCGG TGGTTTGTGT GCCGGATCAA
1861 GAGCTACCAA CTCTTTTTCG GAAGGTAAC TGGCTTCAGCA GAGCGCAGAT ACCAAATACT
1921 GTTCTTCTAG TGTAGCCGTA GTTAGGCCAC CACTTCAAGA ACTCTGTAGC ACCGCCTACA
1981 TACCTCGCTC TGCTAATCCT GTTACCAGTG GCTGCTGCCA GTGGCGATAA GTCGTGTCTT
2041 ACCGGGTTGG ACTCAAGACG ATAGTTACCG GATAAGGCGC AGCGGTCGGG CTGAACGGGG
2101 GGTTCGTGCA CACAGCCAG CTTGGAGCGA ACGACCTACA CCGAACTGAG ATACCTACAG
2161 CGTGAGCTAT GAGAAAGCGC CACGCTTCCC GAAGGGAGAA AGGCGGACAG GTATCCGGTA
2221 AGCGGCAGGG TCGGAACAGG AGAGCGCACG AGGGAGCTTC CAGGGGGAAA CGCCTGTGAT
2281 CTTTATAGTC CTGTCGGGTT TCGCCACCTC TGACTTGAGC GTCGATTTTT GTGATGCTCG
2341 TCAGGGGGGC GGAGCCTATG GAAAAACGCC AGCAACGCGG CCTTTTACG GTTCTTGGCC
2401 TTTTGCTGGC CTTTGTCTCA CATGTTCTTT CTTGCGTTAT CCCCTGATT TGTGGATAAC
2461 CGTATTACCG CTAGCATGGA TCTCGGGGAC GTCTAACTAC TAAGCGAGAG TAGGGAACTG
2521 CCAGGCATCA AATAAACCGA AAGGCTCAGT CGGAAGACTG GGCCTTTCGT TTTATCTGTT
2581 GTTTGTCGGT GAACGCTCTC CTGAGTAGGA CAAATCCGCC GGGAGCGGAT TTGAACGTTG
2641 TGAAGCAACG GCCCGGAGGG TGGCGGGCAG GACGCCCCGC ATAAACTGCC AGGCATCAAA
2701 CTAAGCAGAA GGCCATC

```

FIGURE 10B

Figure 11A: Cloning Sites of the Entry Vector pENTR2B (reading frame B)

Int	attL1	EheI	XmnI	Sall	BamHI											
TTG	TAC	AAA	AAA	GCA	GGC	TGG	CPC	CGG	AAC	CAA	TTC	AGT	CGA	CTG	GAT	CCG
AAC	ATG	TTT	TTT	CGT	CCG	ACC	GCG	GCC	TTG	GTT	AAG	TCA	GCT	GAC	CTA	GSC
Leu	Tyr	Lys	Lys	Ala	Gly	Trp	Arg	Arg	Asn	Gln	Phe	Ser	Arg	Leu	Asp	Pro

KpnI	EcoRI	EcoRI	NotI	XhoI	EcoRV	XbaI										
GTA	CCG	AAT	TC	ccdB	--G	AAT	TCG	CGG	CCG	CAC	TCG	AGA	TAT	CTA	GAC	CCA
CAT	GGC	TTA	AG			C	TTA	AGC	GCC	GGC	GTG	AGC	TCT	ATA	GAT	CTG
Val	Pro	Asn				Asn	Ser	Arg	Pro	His	Ser	Arg	Tyr	Leu	Asp	Pro

Int	attL2				
GCT	TTC	TTG	TAC	AAA	G
CGA	AAG	AAC	ATG	TTT	C
Ala	Phe	Leu	Tyr	Lys	

pENTR2B 2718 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
67..166		attL1
322..627		ccdB
656..755		attL2
878..1687		KmR
1792..2365		ori
1	CTGACGGATG GCCTTTTTGC GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC	
61	GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT	
121	AAGCAATGCT TTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTGGCG CCGGAACCAA	
181	TTCACTCGAC TGGATCCGGT ACCGAATTCTG CTTACTAAAA GCCAGATAAC AGTATGCGTA	
241	TTTGCGCGCT GATTTTTGCG GTATAAGAAT ATATACTGAT ATGTATACCC GAAGTATGTC	
301	AAAAAGAGGT GTGCTTCTAG AATGCAGTTT AAGGTTTACA CCTATAAAAG AGAGAGCCGT	
361	TATCGTCTGT TTGTGGATGT ACAGAGTGAT ATTATTGACA CGCCCGGGCG ACCGATGGTG	
421	ATCCCCCTGG CCAGTGCACG TCTGCTGTCA GATAAAGTCT CCCGTGAAC TACCCGGTG	
481	GTGCATATCG GGGATGAAAG CTGGCGCATG ATGACCACCG ATATGGCCAG TGTGCCGGTC	
541	TCCGTTATCG GGGGAAGAAG GGCTGATCTC AGCCACCGCG AAAATGACAT CAAAAACGCC	
601	ATTAACCTGA TGTCTGCGG AATATAGAAT TCGCGGCCGC ACTCGAGATA TCTAGACCCA	
661	GCTTTCTTGT ACAAAGTTGG CATTATAAGA AAGCATTGCT TATCAATTG TTGCAACGAA	
721	CAGGTCACCTA TCAGTCAAAA TAAATCATT ATTTGCCATC CAGCTGCAGC TCTGGCCCGT	
781	GTCTCAAAAT CTCTGATGTT ACATTGCACA AGATAAAAAT ATATCATCAT GAACAATAAA	
841	ACTGTCTGCT TACATAAACA GTAATACAAG GGGTGTTATG AGCCATATTC AACGGGAAC	
901	GTCGAGGCCG CGATTAAATT CCAACATGGA TGCTGATTTA TATGGGTATA AATGGGCTCG	
961	CGATAATGTC GGGCAATCAG GTGCGACAAT CTATCGCTTG TATGGGAAGC CCGATGCGCC	
1021	AGAGTTGTTT CTGAAACATG GCAAAGGTAG CGTTGCCAAT GATGTTACAG ATGAGATGGT	
1081	CAGACTAAAC TGGCTGACGG AATTTATGCC TCTTCCGACC ATCAAGCATT TTATCCGTAC	
1141	TCCTGATGAT GCATGGTTAC TCACCACTGC GATCCCCGGA AAAACAGCAT TCCAGGTATT	
1201	AGAAGAATAT CCTGATTGAG GTGAAAATAT TGTGATGCG CTGGCAGTGT TCCTGCGCCG	
1261	GTTGCATTGCT ATTCTGTTT GTAATTGTCC TTTTAACAGC GATCGCGTAT TTCGTCTCGC	
1321	TCAGGCGCAA TCACGAATGA ATAACGGTTT GGTGATGCG AGTGATTTTG ATGACGAGCG	
1381	TAATGGCTGG CCTGTTGAAC AAGTCTGGAA AGAAATGCAT AAACCTTTGC CATCTCCACC	
1441	GGATTGAGTC GTCACTCATG GTGATTCTC ACTTGATAAC CTTATTTTTC ACAGAGGGAA	
1501	ATTAATAGGT TGTATTGATG TTGGACGAGT CGGAATCGCA GACCGATAAC AGGATCTTGC	
1561	CATCCTATGG AACTGCCTCG GTGAGTTTTC TCCTTCATTA CAGAAACGGC TTTTCAAAA	
1621	ATATGGTATT GATAATCTG ATATGAATAA ATTGCAGTTT CATTTGATGC TCGATGAGTT	
1681	TTTCTAATCA GAATTGGTTA ATTGGTTGTA ACATTATTCA GATTGGGCCC CGTTCCACTG	
1741	AGCGTCAGAC CCCGTAGAAA AGATCAAAGG ATCTTCTTGA GATCCTTTT TTCTGCGCGT	
1801	AATCTGCTGC TTGCAAACAA AAAAACCACC GCTACCAGCG GTGGTTTGTG TGCCGGATCA	
1861	AGAGCTACCA ACTCTTTTTC CGAAGGTAAC TGGCTTCAGC AGAGCGCAGA TACCAAATAC	
1921	TGTTCTTCTA GTGTAGCCGT AGTTAGGCCA CCACTTCAAG AACTCTGTAG CACCGCCTAC	
1981	ATACCTCGCT CTGCTAATCC TGTTACCAGT GGCTGCTGCC AGTGCGGATA AGTCGTGTCT	
2041	TACCGGGTTG GACTCAAGAC GATAGTTACC GGATAAGGCG CAGCGGTCGG GCTGAACGGG	
2101	GGGTTCTGTC ACACAGCCCA GCTTGGAGCG AACGACCTAC ACCGAACTGA GATACCTACA	
2161	GCGTGAGCTA TGAGAAAGCG CCACGCTTCC CGAAGGGAGA AAGGCGGACA GGTATCCGGT	
2221	AAGCGGCAGG GTCGGAACAG GAGAGCGCAC GAGGGAGCTT CCAGGGGGAA ACGCCCTGGT	
2281	TCTTTATAGT CCTGTCGGGT TTCGCCACCT CTGACTTGAG CGTCGATTTT TGTGATGCTC	
2341	GTCAGGGGGG CGGAGCCTAT GGA AAAACGC CAGCAACGCG GCCTTTTTAC GGTTCCTGGC	
2401	CTTTTGCTCG CTTTTGCTC ACATGTTCTT TCCTGCGTTA TCCCTGATT CTGTGATAA	
2461	CCGTATTACC GCTAGCATGG ATCTCGGGGA CGTCTAACTA CTAAGCGAGA GTAGGGAAC	
2521	GCCAGGCATC AAATAAAACG AAAGGCTCAG TCGGAAGACT GGGCCTTTTC TTTTATCTGT	
2581	TGTTTGCTCG TGAACGCTCT CCTGAGTAGG ACAAATCCGC CGGGAGCGGA TTTGAACGTT	
2641	GTGAAGCAAC GGCCCGGAGG GTGGCGGGCA GGACGCCCCG CATAACTGC CAGGCATCAA	
2701	ACTAAGCAGA AGGCCATC	

FIGURE 1B

Figure 1A: Cloning Sites of the Entry Vector pENTR3C (reading frame C)

Int	attL1	DraI	XmnI	SalI	BamHI
TTG TAC AAA AAA GCA GGC TCT TTA AAG GAA CCA ATT CAG TCG ACT GGA TCC GGT					
AAC ATG TTT TTT CGT CCG AGA AAT TTC CTT GGT TAA GTC AGC TGA CCT AGG CCA					
Leu Tyr Lys Lys Ala Gly Ser Leu Lys Glu Pro Ile Gln Ser Thr Gly Ser Gly					

KpnI	EcoRI	PvuI	EcoRI	NotI	XhoI	EcoRV	XbaI
AAC GAA TTC GAT GGC-- ccdb --G AAT TCG CCG CCG CAC TCG AGA TAT CTA							
TGG CTT AAG CTA GCG C TTA AGC GCC GGC GTG AGC TCT ATA GAT							
Thr Glu Phe Asn Ser Arg Pro His Ser Arg Tyr Leu							

attL2	Int
GAC CCA GCT TTC TTG TAC AAA G	
CTG GGT CGA AAG AAC ATG TTT C	
Asp Pro Ala Phe Leu Tyr Lys	

15/240

pENTR3C 2723 bp


<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
67..166	attL1
327..632	ccdB
661..760	attL2
883..1692	KmR
1797..2370	ori

```

1 CTGACGGATG GCCTTTTTCG GTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC
61 GGGCCCCAAA TAATGATTTT ATTTTGA CTGATGACCT GTTCGTTGCA ACAAATTGAT
121 AAGCAATGCT TTTTATAAT GCCAACTTTG TACAAAAAG CAGGCTCTTT AAAGGAACCA
181 ATTCAGTCGA CTGGATCCGG TACCGAATTC GATCGCTTAC TAAAAGCCAG ATAACAGTAT
241 GCGTATTTGC GCGCTGATTT TTGCGGTATA AGAATATATA CTGATATGTA TACCCGAAGT
301 ATGTCAAAAA GAGGTGTGCT TCTAGAATGC AGTTTAAAGT TTACACCTAT AAAAGAGAGA
361 GCCGTTATCG TCTGTTTGTG GATGTACAGA GTGATATTAT TGACACGCCC GGGCGACGGA
421 TGGTGATCCC CCTGGCCAGT GCACGTCTGC TGTCAGATAA AGTCTCCCGT GAACTTTACC
481 CCGTGGTGCA TATCGGGGAT GAAAGCTGGC GCATGATGAC CACCGATATG GCCAGTGTGC
541 CCGTCTCCGT TATCGGGGAA GAAGTGGCTG ATCTCAGCCA CCGCGAAAAT GACATCAAAA
601 ACGCCATTAA CCTGATGTTT TGGGGAATAT AGAATTCGCG GCCGCACTCG AGATATCTAG
661 ACCCAGCTTT CTTGTACAAA GTTGGCATT TAAGAAAGCA TTGCTTATCA ATTTGTTGCA
721 ACGAACAGGT CACTATCAGT CAAAATAAAA TCATTATTTG CCATCCAGCT GCAGCTCTGG
781 CCCGTGTCTC AAAATCTCTG ATGTTACATT GCACAAGATA AAAATATATC ATCATGAACA
841 ATAAACTGT CTGCTTACAT AAACAGTAAT ACAAGGGGTG TTATGAGCCA TATTCAACGG
901 GAAACGTCGA GGCCGCGATT AAATCCAAC ATGGATGCTG ATTTATATGG GTATAAATGG
961 GCTCGCGATA ATGTCGGGCA ATCAGGTGCG ACAATCTATC GCTTGTATGG GAAGCCCAGT
1021 GCGCCAGAGT TGTTTCTGAA ACATGGCAAA GGTAGCGTTG CCAATGATGT TACAGATGAG
1081 ATGGTCAGAC TAAACTGGCT GACGGAATTT ATGCCTCTTC CGACCATCAA GCATTTTATC
1141 CGTACTCCTG ATGATGCATG GTTACTCACC ACTGCGATCC CCGGAAAAAC AGCATTCCAG
1201 GTATTAGAAG AATATCCTGA TTCAGGTGAA AATATTGTTG ATGCGCTGGC AGTGTTCCTG
1261 CGCCGGTTGC ATTCGATTCC TGTTTGTAAT TGTCCTTTTA ACAGCGATCG CGTATTTCTG
1321 CTCGCTCAGG CGCAATCACG AATGAATAAC GGTTTGGTTG ATGCGAGTGA TTTTGATGAC
1381 GAGCGTAATG GCTGGCCTGT TGAACAAGTC TGGAAAGAAA TGCATAAACT TTTGCCATTC
1441 TCACCCGATT CAGTCGTCAC TCATGGTGAT TTCTCACTTG ATAACCTTAT TTTTGACGAG
1501 GGGAAATTAA TAGGTTGTAT TGATGTTGGA CGAGTCGGAA TCGCAGACCG ATACCAGGAT
1561 CTTGGCATCC TATGGAACTG CCTCGGTGAG TTTTCTCCTT CATTACAGAA ACGGCTTTTT
1621 CAAAAATATG GTATTGATAA TCCTGATATG AATAAATTGC AGTTTCATTG GATGCTCGAT
1681 GAGTTTTTCT AATCAGAATT GGTTAATTGG TTGTAACATT ATTCAGATTG GGCCCCGTTT
1741 CACTGAGCGT CAGACCCCGT AGAAAAGATC AAAGGATCTT CTTGAGATCC TTTTTTCTG
1801 CGCGTAATCT GCTGCTTGCA AACAAAAAAA CCACCGCTAC CAGCGGTGGT TTGTTTGCCG
1861 GATCAAGAGC TACCAACTCT TTTTCCGAAG GTAACCTGGT TCAGCAGAGC GCAGATACCA
1921 AATACTGTTT TTCTAGTGTA GCCGTAGTTA GGCCACCACT TCAAGAACTC TGTAGACCCG
1981 CCTACATACC TCGCTCTGCT AATCCTGTTA CCAGTGGCTG CTGCCAGTGG CGATAAGTCG
2041 TGTCTTACCG GGTGGACTC AAGACGATAG TTACCGGATA AGGCGCAGCG GTCGGGCTGA
2101 ACGGGGGGTT CGTGCACACA GCCCAGCTTG GAGCGAACGA CCTACACCGA ACTGAGATAC
2161 CTACAGCGTG AGCTATGAGA AAGCGCCACG CTTCCCGAAG GGAGAAAGGC GGACAGGTAT
2221 CCGGTAAGCG GCAGGGTCCG AACAGGAGAG CGCACGAGGG AGCTTCCAGG GGGAAACGCC
2281 TGGTATCTTT ATAGTCTCTG CGGGTTTCGC CACCTCTGAC TTGAGCGTCG ATTTTGTGA
2341 TGCTCGTCAG GGGGCGGAG CCTATGGAAA AACGCCAGCA ACGCGCCTT TTTACGGTTC
2401 CTGGCCTTTT GCTGGCCTTT TGCTCACATG TTCTTCTCTG CGTTATCCCC TGATTCTGTG
2461 GATAACCGTA TTACCGCTAG CATGGATCTC GGGGACGTCT AACTACTAAG CGAGAGTAGG
2521 GAACTGCCAG GCATCAAATA AAACGAAAGG CTCAGTCGGA AGACTGGGCC TTTGTTTTTA
2581 TCTGTTGTTT GTCGGTGAAC GCTCTCTCTG GTAGGACAAA TCCGCCGGGA GCGGATTTGA
2641 ACGTTGTGAA GCAACGGCCC GGAGGGTGGC GGGCAGGACG CCCGCCATAA ACTGCCAGGC
2701 ATCAAATAA GCAGAAGGCC ATC

```

FIGURE 12B

Figure 13A: Cloning Sites of the Entry Vector pENTR4 :

17/240




pENTR4 2720 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>	
67..166		attL1	
324..629		ccdB	
658..757		attL2	
880..1689		KmR	
1794..2367		ori	
1	CTGACGGATG GCCTTTTTGC GTTCTACAA	ACTCTTCCTG TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA TAATGATTTT ATTTTGACTG	ATAGTGACCT GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT TTTTATAAT GCCAACTTTG	TACAAAAAAG CAGGCTCCAC	CATGGGAACC
181	AATTCAGTCG ACTGGATCCG GTACCGAATT	CGCTTACTAA AAGCCAGATA	ACAGTATGCG
241	TATTTGCGCG CTGATTTTTC CGGTATAAGA	ATATATACTG ATATGTATAC	CCGAAGTATG
301	TCAAAAAGAG GTGTGCTTCT AGAATGCAGT	TTAAGGTTTA CACCTATAAA	AGAGAGAGCC
361	GTTATCGTCT GTTTGTGGAT GTACAGAGTG	ATATTATTGA CACGCCCGGG	CGACGGATGG
421	TGATCCCCCT GGCCAGTGCA CGTCTGCTGT	CAGATAAAGT CTCCCGTGAA	CTTTACCCGG
481	TGGTGCATAT CGGGGATGAA AGCTGGCGCA	TGATGACCAC CGATATGGCC	AGTGTGCCGG
541	TCTCCGTTAT CGGGGAAGAA GTGGCTGATC	TCAGCCACCG CGAAAATGAC	ATCAAAAACG
601	CCATTAACCT GATGTTCTGG GGAATATAGA	ATTCGCGGCC GCACTCGAGA	TATCTAGACC
661	CAGCTTTCTT GTACAAAGTT GGCATTATAA	GAAAGCATTG CTTATCAATT	TGTTGCAACG
721	AACAGGTCAC TATCAGTCAA AATAAAATCA	TTATTGGCCA TCCAGCTGCA	GCTCTGGCCC
781	GTGTCTCAAA ATCTCTGATG TTACATTGCA	CAAGATAAAA ATATATCATC	ATGAACAATA
841	AAACTGTCTG CTTACATAAA CAGTAATACA	AGGGGTGTTA TGAGCCATAT	TCAACGGGAA
901	ACGTCGAGGC CGCGATTAAA TTCCAACATG	GATGCTGATT TATATGGGTA	TAAATGGGCT
961	CGCGATAATG TCGGGCAATC AGGTGCGACA	ATCTATCGCT TGTATGGGAA	GCCCGATGCG
1021	CCAGAGTTGT TTCTGAAACA TGGCAAAGST	AGCGTTGCCA ATGATGTTAC	AGATGAGATG
1081	GTCAAGCTAA ACTGGCTGAC GGAATTTATG	CCTCTTCCGA CCATCAAGCA	TTTTATCCGT
1141	ACTCCTGGTG ATGCATGGTT ACTCACCCT	GCGATCCCCG GAAAAACAGC	ATTCCAGGTA
1201	TTAGAAGAAT ATCCTGATTC AGGTGAAAAT	ATTGTTGATG CGCTGGCAGT	GTTCTGCGC
1261	CGGTTGCATT CGATTCTGTG TTGTAATTGT	CCTTTTAACA GCGATCGCGT	ATTTCTGCTC
1321	GCTCAGGCGC AATCACGAAT GAATAACGGT	TTGGTTGATG CGAGTGATTT	TGATGACCAG
1381	CGTAATGGCT GGCCTGTTGA ACAAGTCTGG	AAAGAAATGC ATAACTTTT	GCCATTCTCA
1441	CCGGATTTCAG TCGTCACTCA TGGTGATTTC	TCACCTGATA ACCTTATTTT	TGACGAGGGG
1501	AAATTAATAG GTTGTATTGA GTTTGGACGA	GTCGGAATCG CAGACCGATA	CCAGGATCTT
1561	GCCATCCTAT GGAAGTGCCT CGGTGAGTTT	TCTCCTTCAT TACAGAAACG	GCTTTTTCAA
1621	AAATATGGTA TTGATAATCC TGATATGAAT	AAATTGCAGT TTCATTTGAT	GCTCGATGAG
1681	TTTTTCTAAT CAGAATTGGT TAATTGGTTG	TAACATTATT CAGATTGGGC	CCCGTTCCAC
1741	TGAGCGTCAG ACCCGGTAGA AAAGATCAAA	GGATCTTCTT GAGATCCTTT	TTTTCTGCGC
1801	GTAATCTGCT GCTTGCAAAC AAAAAAACCA	CCGCTACCAG CGGTGGTTTG	TTTGCCGGAT
1861	CAAGAGCTAC CAACTCTTTT TCCGAAGGTA	ACTGGCTTCA GCAGAGCGCA	GATACCAAT
1921	ACTGTTCTTC TAGTGTAGCC GTAGTTAGGC	CACCACTTCA AGAACTCTGT	AGCACC GCCT
1981	ACATACCTCG CTCTGCTAAT CCTGTTACCA	GTGGCTGCTG CCAGTGGCGA	TAAGTCGTGT
2041	CTTACCGGGT TGGACTCAAG ACGATAGTTA	CCGGATAAGG CGCAGCGGTC	GGGCTGAACG
2101	GGGGGTTTCG GCACACAGCC CAGCTTGGAG	CGAACGACCT ACACCGAAT	GAGATACCTA
2161	CAGCGTGAGC TATGAGAAAG CGCCACGCTT	CCCGAAGGGA GAAAGGCGGA	CAGGTATCCG
2221	GTAAGCGGCA GGGTCGGAAC AGGAGAGCGC	ACGAGGGAGC TTCCAGGGG	AAACGCCTGG
2281	TATCTTTATA GTCCTGTCGG GTTTCGCCAC	CTCTGACTTG AGCGTCGATT	TTTGTGATGC
2341	TCGTCAGGGG GCGGAGCCT ATGGAAAAAC	GCCAGCAACG CGGCCTTTTT	ACGGTTCCTG
2401	GCCTTTTGCT GGCCTTTTGC TCACATGTTT	TTTCTGCGT TATCCCTGA	TTCTGTGGAT
2461	AACCGTATTA CCGCTAGCAT GGATCTCGGG	GACGTCTAAC TACTAAGCGA	GAGTAGGGAA
2521	CTGCCAGGCA TCAAATAAAA CGAAAGGCTC	AGTCGGAAGA CTGGGCCTTT	CGTTTTATCT
2581	GTTGTTTGTC GGTGAACGCT CTCCTGAGTA	GGACAAATCC GCCGGGAGCG	GATTTGAACG
2641	TTGTGAAGCA ACGGCCCGGA GGGTGGCGGG	CAGGACGCCC GCCATAAACT	GCCAGGCATC
2701	AAACTAAGCA GAAGGCCATC		

FIGURE 13B

18/240

Figure 14A: Cloning sites of the Entry Vector pENTR5



19/240

pENTR5 2720 bp

<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
67..166	attL1
324..629	ccdB
658..757	attL2
880..1689	KmR
1794..2367	ori

```

1 CTGACGGATG GCCTTTTTCG GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC
61 GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT
121 AAGCAATGCT TTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTTTCA TATGGGAACC
181 AATTCAGTCG ACTGGATCCG GTACCGAATT CGCTTACTAA AAGCCAGATA ACAGTATGCG
241 TATTTGCGCG CTGATTTTTG CGGTATAAGA ATATATACTG ATATGTATAC CCGAAGTATG
301 TCAAAAAGAG GTGTGCTTCT AGAATGCAGT TTAAGGTTTA CACCTATAAA AGAGAGAGCC
361 GTTATCGTCT GTTTGTGGAT GTACAGAGTG ATATTATTGA CACGCCCGGG CGACGGATGG
421 TGATCCCCCT GGCCAGTGCA CGTCTGCTGT CAGATAAAGT CTCCCGTGAA CTTTACCCGG
481 TGGTGATAT CGGGGATGAA AGCTGGCGCA TGATGACCAC CGATATGGCC AGTGTGCCGG
541 TCTCCGTTAT CGGGGAAGAA GTGGCTGATC TCAGCCACCG CGAAAATGAC ATCAAAAACG
601 CCATTAACTT GATGTTCTGG GGAATATAGA ATTCCGCGCC GCACTCGAGA TATCTAGACC
661 CAGCTTCTTT GTACAAAGTT GGCATTATAA GAAAGCATTG CTTATCAATT TGTGCAACG
721 AACAGGTCAC TATCAGTCAA AATAAAATCA TTATTTGCCA TCCAGCTGCA GCTCTGGCCC
781 GTGTCTCAAA ATCTCTGATG TTACATTGCA CAAGATAAAA ATATATCATC ATGAACAATA
841 AAAGTGTCTG CTTACATAAA CAGTAATACA AGGGGTGTTA TGAGCCATAT TCAACGGGAA
901 ACGTCGAGGC CGCGATTAAA TTCCAACATG GATGCTGATT TATATGGGTA TAAATGGGCT
961 CGCGATAATG TCGGGCAATC AGGTGCGACA ATCTATCGCT TGTATGGGAA GCCCGATGCG
1021 CCAGAGTTGT TTCTGAAACA TGGCAAAGGT AGCGTTGCCA ATGATGTTAC AGATGAGATG
1081 GTCAGACTAA ACTGGCTGAC GGAATTTATG CCTCTTCCGA CCATCAAGCA TTTTATCCGT
1141 ACTCCTGATG ATGCATGGTT ACTCACCCT GCGATCCCCG GAAAAACAGC ATTCCAGSTA
1201 TTAGAAGAAT ATCCTGATTC AGGTGAAAAT ATTGTTGATG CGCTGGCAGT GTTCTGCGC
1261 CGGTTGCATT CGATTCTGTG TTGTAATTGT CCTTTTAAAC GCGATCGCGT ATTTCTGTCT
1321 GCTCAGCGCG AATCACGAAT GAATAACGGT TTGGTTGATG CGAGTGATTT TGATGACGAG
1381 CGTAATGGCT GGCCTGTTGA ACAAGTCTGG AAAGAAATGC ATAAACTTTT GCCATTCTCA
1441 CCGGATTGAG TCCTCACTCA TGGTGATTTT TCACTTGATA ACCTTATTTT TGACGAGGGG
1501 AAATTAATAG GTTGATTTGA TGTGGAACGA GTCGGAATCG CAGACCGATA CCAGGATCTT
1561 GCCATCCCTAT GGAAGTGCCT CGGTGAGTTT TCTCCTTCAT TACAGAAACG GCTTTTTCAA
1621 AAATATGGTA TTGATAATCC TGATATGAAT AAATTGCACT TTCATTGATG GCTCGATGAG
1681 TTTTCTAAT CAGAATTGGT TAATTGGTTG TAACATTATT CAGATTGGGC CCCGTTCCAC
1741 TGAGCGTCAG ACCCCGTAGA AAAGATCAAA GGATCTTCTT GAGATCCTTT TTTTCTGCGC
1801 GTAATCTGCT GCTTGCAAAC AAAAAAACCA CCGCTACCAG CCGTGCTTTG TTGCGCGGAT
1861 CAAGAGCTAC CAACTCTTTT TCCGAAGGTA ACTGGCTTCA GCAGAGCGCA GATACCAAT
1921 ACTGTTCTTC TAGTGTAGCC GTAGTTAGGC CACCACTTCA AGAACTCTGT AGCACCGCCT
1981 ACATACCTCG CTCTGCTAAT CCTGTTACCA GTGGCTGCTG CCAGTGGCGA TAAGTCGTGT
2041 CTTACCGGGT TGGACTCAAG ACGATAGTTA CCGGATAAGG CGCAGCGGTC GGGCTGAACG
2101 GGGGGTTCGT GCACACAGCC CAGCTTGGAG CGAACGACCT ACACCGAACT GAGATACCTA
2161 CAGCGTGAGC TATGAGAAAG CGCCACGCTT CCCGAAGGGA GAAAGGCGGA CAGGTATCCG
2221 GTAAGCGGCA GGGTCGGAAC AGGAGAGCGC ACGAGGGGAG TTCCAGGGGG AAACGCCTGG
2281 TATCTTTATA GTCCTGTCGG GTTTCGCCAC CTCTGACTTG AGCGTCGATT TTTGTGATG
2341 TCGTCAGGGG GCGCGGAGCT ATGGAAAAAC GCCAGCAACG CGGCCTTTT ACGGTTCTCT
2401 GCCTTTTGCT GGCCTTTTGC TCACATGTTT TTTCTGCGT TATCCCTGTA TTCTGTGGAT
2461 AACCCTATTA CCGCTAGCAT GGATCTCGGG GACGTCTAAC TACTAAGCGA GAGTAGGGAA
2521 CTGCCAGGCA TCGAATAAAA CGAAAGGCTC AGTCGGAAGA CTGGGCCTTT CGTTTTATCT
2581 GTTGTGTTGC GGTGAACGCT CTCCTGAGTA GGACAAATCC GCCGGGAGCG GATTTGAACG
2641 TTGTGAAGCA ACGGCCCCGA GGGTGGCGGG CAGGACGCCC GCCATAAACT GCCAGGCATC
2701 AAATAAGCA GAAGGCCATC

```

FIGURE 14B

Figure 15A: Cloning sites of the Entry Vector pENTR6

Int attL1 Sph I Kpn I Xba I Sph I
 --- CCG tac aaa aaa gca ggc tgc atg cga acc aat tca gcc
 --- ~~acc atg tgc~~ ttc cgt ccg atg tao gct tgg tta agt cag
 Leu Tyr Lys Lys Ala Gly Cys Met Arg Thr Asn Ser Val

BamH I Kpn I EpeRI EpeRI
 gac tgg atc cgg tac cga att cgc --- Death --- aga att cgc
 cgg acc tag ggc atg gct taa ggc --- (codB) --- tct taa ggc
 Asp Trp Ile Arg Tyr Arg Ile

Not Xba I EpeRI Xba I Int attL2
 ggc cgc act cga gat atc tag acc cag att ~~acc tgc aca aag~~ ---
 ccg ggc tga gct cta tag atc tgg gtc gaa aga aca tgc ~~tcc~~ ---

21/240


pENTR6 2717 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>	
67..166		attL1	
321..626		ccdB	
655..754		attL2	
877..1686		KmR	
1791..2364		ori	
1	CTGACGGATG GCCTTTTTCG GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC		
61	GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT		
121	AAGCAATGCT TTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTGCAT GCGAACCAAT		
181	TCAGTCGACT GGATCCGGTA CCGAATTCGC TTACTAAAAG CCAGATAACA GTATGCGTAT		
241	TTGCGCGCTG ATTTTTCGGG TATAAGAATA TATACTGATA TGTATACCCG AAGTATGTCA		
301	AAAAGAGGTG TGCTTCTAGA ATGCAGTTTA AGGTTTACAC CTATAAAAGA GAGAGCCGTT		
361	ATCGTCTGTT TGTGGATGTA CAGAGTGATA TTATTGACAC GCCCGGGCGA CCGATGGTGA		
421	TCCCCCTGGC CAGTGCACGT CTGCTGTCAG ATAAAGTCTC CCGTGAACCT TACCCGGTGG		
481	TGCATATCGG GGATGAAAGC TGGCGCATGA TGACCACCGA TATGGCCAGT GTGCCGTCT		
541	CCGTTATCGG GGAAGAAGTG GCTGATCTCA GCCACCGCGA AAATGACATC AAAAACGCCA		
601	TTAACCTGAT GTTCTGGGGA ATATAGAATT CGCGGCCGCA CTCGAGATAT CTAGACCCAG		
661	CTTCTTGTA CAAAGTTGGC ATTATAAGAA AGCATTGCTT ATCAATTTGT TGCAACGAAC		
721	AGGTCACAT CAGTCAAAAT AAAATCATT TTTGCCATCC AGCTGCAGCT CTGGCCCGTG		
781	TCTCAAAATC TCTGATGTTA CATTGCACAA GATAAAAATA TATCATCATG AACAAATAAA		
841	CTGTCTGCTT ACATAAACAG TAATACAAGG GGTGTTATGA GCCATATTCA ACGGGAACG		
901	TCGAGGCCGC GATTAAATTC CAACATGGAT GCTGATTTAT ATGGGTATAA ATGGGCTCGC		
961	GATAATGTCG GGCAATCAGG TCGGACAATC TATCGCTTGT ATGGGAAGCC CGATGCGCCA		
1021	GAGTTGTTTC TGAAACATGG CAAAGGTAGC GTTGCCAATG ATGTTACAGA TGAGATGGTC		
1081	AGACTAAACT GGCTGACGGA ATTTATGCCT CTTCCGACCA TCAAGCATT TATCCGTACT		
1141	CCTGATGATG CATGGTTACT CACCACTGCG ATCCCCGAA AAACAGCATT CCAGGTATTA		
1201	GAAGAATATC CTGATTCAGG TGAAAATATT GTTGATGCGC TGGCAGTGT CCGCGCCGG		
1261	TTGCATTGCA TTCCTGTTTG TAATTGTCCT TTTAACAGCG ATCGCGTATT TCGTCTCGCT		
1321	CAGGCGCAAT CACGAATGAA TAACGGTTTG GTTGATGCGA GTGATTTTGA TGACGAGCGT		
1381	AATGGCTGGC CTGTTGAACA AGTCTGGAAA GAAATGCATA AACTTTTGCC ATTCTACCG		
1441	GATTCAGTCG TCACTCATGG TGATTTCTCA CTTGATAACC TTATTTTGA CGAGGGGAAA		
1501	TTAATAGGTT GTATTGATGT TGGACGAGTC GGAATCGCAG ACCGATACCA GGATCTTGCC		
1561	ATCCTATGGA ACTGCCTCGG TGAGTTTCTT CCTTCATTAC AGAAACGGCT TTTTCAAAA		
1621	TATGGTATTG ATAATCTGTA TATGAATAAA TTGCAGTTTC ATTTGATGCT CGATGAGTTT		
1681	TTCTAATCAG AATTGGTTAA TTGGTTGTAA CATTATTCAG ATTGGGCCCC GTTCCACTGA		
1741	CGGTCAGACC CCGTAGAAA GATCAAAGGA TCTTCTTGAG ATCCTTTTTT TCTGCGCGTA		
1801	ATCTGCTGCT TGCAAACAAA AAAACCACCG CTACCAGCGG TGGTTTGTG GCGGATCAA		
1861	GAGCTACCAA CTCTTTTTC GAAGGTAACCT GGCTTCAGCA GAGCGCAGAT ACCAAATACT		
1921	GTTCTTCTAG TGTAGCCGTA GTTAGGCCAC CACTTCAAGA ACTCTGTAGC ACCGCCTACA		
1981	TACCTCGCTC TGCTAATCCT GTTACCAGTG GCTGCTGCCA GTGGCGATAA GTCGTGTCTT		
2041	ACCGGGTTGG ACTCAAGACG ATAGTTACCG GATAAGGCGC AGCGGTCGGG CTGAACGGGG		
2101	GGTTCGTGCA CACAGCCCAG CTTGGAGCGA ACGACCTACA CCGAACTGAG ATACCTACAG		
2161	CGTGAGCTAT GAGAAAGCGC CACGCTTCCC GAAGGGAGAA AGGCGGACAG GTATCCGGTA		
2221	AGCGGCAGGG TCGGAACAGG AGAGCGCACG AGGGAGCTTC CAGGGGGAAA CGCCTGGTAT		
2281	CTTTATAGTC CTGTCGGGTT TCGCCACCTC TGACTTGAGC GTCGATTTTT GTGATGCTCG		
2341	TCAGGGGGGG GGAGCCTATG GAAAACGCC AGCAACGCGG CCTTTTACG GTTCTGGGCC		
2401	TTTTGCTGGC CTTTGTCTCA CATGTTCTTT CCTGCGTTAT CCCCTGATT TGTGGATAAC		
2461	CGTATTACCG CTAGCATGGA TCTCGGGGAC GTCTAACTAC TAAGCGAGAG TAGGGAAC TG		
2521	CCAGGCATCA AATAAACGA AAGGCTCAGT CGGAAGACTG GGCCTTTCGT TTTATCTGTT		
2581	GTTTGTGGT GAACGCTCTC CTGAGTAGGA CAAATCCGCC GGGAGCGGAT TTGAACGTTG		
2641	TGAAGCAACG GCGCGGAGG TGGCGGGCAG GACGCCCCC ATAAACTGCC AGGCATCAAA		
2701	CTAAGCAGAA GGCCATC		

Figure 15B

22/740

Figure 16A: Cloning sites of the Entry Vector pENTR7



pENTR7 2738 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
67..166		attL1
342..647		ccdB
676..775		attL2
898..1707		KmR
1812..2385		ori

1	CTGACGGATG	GCCTTTTTCG	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTTGA	AAACCTGTAT
181	TTTCAAGGAA	CCGTTTCATG	CATCGTCGAC	TGGATCCGGT	ACCGAATTCG	CTTACTAAAA
241	GCCAGATAAC	AGTATGCGTA	TTTGC GCGCT	GATTTTTCGG	GTATAAGAAT	ATATACTGAT
301	ATGTATACCC	GAAGTATGTC	AAAAAGAGGT	GTGCTTCTAG	AATGCAGTTT	AAGGTTTACA
361	CCTATAAAAG	AGAGAGCCGT	TATCGTCTGT	TTGTGGATGT	ACAGAGTGAT	ATTATTGACA
421	CGCCCGGGCG	ACGGATAGTG	ATCCCCCTGG	CCAGTGCACG	TCTGCTGTCA	GATAAAGTCT
481	CCCGTGAAC	TTACCCGGTG	GTGCATATCG	GGGATGAAAG	CTGGCGCATG	ATGACCACCG
541	ATATGGCCAG	TGTGCCGGTC	TCCGTTATCG	GGGAAGAAGT	GGCTGATCTC	AGCCACCGCG
601	AAAATGACAT	CAAAAACGCC	ATTAACCTGA	TGTTCTGGGG	AATATAGAAT	TCGCGGCCGC
661	ACTCGAGATA	TCTAGACCCA	GCTTCTTGT	ACAAAGTTGG	CATTATAAGA	AAGCATTGCT
721	TATCAATTTG	TTGCAACGAA	CAGGTCAC	TCAGTCAAAA	TAAATCATT	ATTTGCCATC
781	CAGCTGCAGC	TCTGGCCCGT	GTCTCAAAAT	CTCTGATGTT	ACATGTCACA	AGATAAAAAT
841	ATATCATCAT	GAACAATAAA	ACTGTCTGCT	TACATAAACA	GTAATACAAG	GGGTGTTATG
901	AGCCATATTC	AACGGGAAAC	GTGAGGCCG	CGATTAAATT	CCAACATGGA	TGCTGATTTA
961	TATGGGTATA	AATGGGCTCG	CGATAATGTC	GGGCAATCAG	GTGCGACAAT	CTATCGCTTG
1021	TATGGGAAGC	CCGATGCGCC	AGAGTTGTTT	CTGAAACATG	GCAAAGGTAG	CGTTGCCAAT
1081	GATGTTACAG	ATGAGATGGT	CAGACTAAAC	TGGCTGACGG	AATTTATGCC	TCTTCCGACC
1141	ATCAAGCATT	TTATCCGTAC	TCCTGATGAT	GCATGGTTAC	TCACCACTGC	GATCCCCGGA
1201	AAAACAGCAT	TCCAGGTATT	AGAAGAATAT	CCTGATTTCAG	GTGAAAATAT	TGTTGATGCG
1261	CTGGCAGTGT	TCCTGCGCCG	GTTGCATTTC	ATTCTGTTT	GTAATTGTCC	TTTAAACAGC
1321	GATCGCGTAT	TTCTCTCGC	TCAGGCGCAA	TCACGAATGA	ATAACGGTTT	GGTTGATGCG
1381	AGTGATTTTG	ATGACGAGCG	TAATGGCTGG	CCTGTTGAAC	AAGTCTGGAA	AGAAATGCAT
1441	AAACTTTTGC	CATTCTCACC	GGATTTCAGT	GTCACCTCAT	GTGATTTCTC	ACTTGATAAC
1501	CTTATTTTTC	ACGAGGGGAA	ATTAATAGGT	TGTATTGATG	TTGGACGAGT	CGGAATCGCA
1561	GACCGATAAC	AGGATCTTTC	CATCCTATGG	AACTGCCTCG	GTGAGTTTTC	TCCTTCATTA
1621	CAGAAACGGC	TTTTTCAAAA	ATATGGTATT	GATAATCCTG	ATATGAATAA	ATTGCAGTTT
1681	CATTTGATGC	TCGATGAGTT	TTTCTAATCA	GAATTGGTTA	ATTGGTTGTA	ACATTATTCA
1741	GATTGGGCCC	CGTTCCACTG	AGCGTCAGAC	CCCGTAGAAA	AGATCAAAGG	ATCTTCTTGA
1801	GATCCTTTTT	TTCTGCGCGT	AATCTGCTGC	TTGCAACAAA	AAAAACCACC	GCTACCAGCG
1861	GTGGTTTGTT	TGCCGGATCA	AGAGCTACCA	ACTCTTTTTC	CGAAGGTAAC	TGGCTTCAGC
1921	AGAGCGCAGA	TACCAAATAC	TGTTCTTCTA	GTGTAGCCGT	AGTTAGGCCA	CCACTTCAAG
1981	AACTCTGTAG	CACCGCCTAC	ATACCTCGCT	CTGCTAATCC	TGTTACCAGT	GGCTGCTGCC
2041	AGTGGCGATA	AGTCGTGTCT	TACCGGGTTG	GACTCAAGAC	GATAGTTACC	GGATAAGGCG
2101	CAGCGGTCGG	GCTGAACGGG	GGGTTTCGTG	ACACAGCCCA	GCTTGGAGCG	AACGACCTAC
2161	ACCGAACTGA	GATACCTACA	GCGTGAGCTA	TGAGAAAGCG	CCACGCTTCC	CGAAGGGAGA
2221	AAGGCGGACA	GGTATCCGGT	AAGCGGCAGG	GTCGGAACAG	GAGAGCGCAC	GAGGGAGCTT
2281	CCAGGGGGAA	ACGCCTGGTA	TCTTTATAGT	CCTGTCCGGT	TTCGCCACCT	CTGACTTGAG
2341	CGTCGATTTT	TGTGATGCTC	GTCAGGGGGG	CGGAGCCTAT	GGAAAAACGC	CAGCAACGCG
2401	GCCTTTTAC	GGTTCCTGGC	CTTTTGCTGG	CCTTTTGCTC	ACATGTTCTT	TCCTGCGTTA
2461	TCCCCTGATT	CTGTGGATAA	CCGTATTACC	GCTAGCATGG	ATCTCGGGGA	CGTCTAATA
2521	CTAAGCGAGA	GTAAGGAACT	GCCAGGCATC	AAATAAAACG	AAAGGCTCAG	TCGGAAGACT
2581	GGGCCTTTCG	TTTATCTGT	TGTTGTGCGG	TGAACGCTCT	CCTGAGTAGG	ACAAATCCGC
2641	CGGGAGCGGA	TTTGAACGTT	GTGAAGCAAC	GGCCCGGAGG	GTGGCGGGCA	GGACGCCCCG
2701	CATAAACTGC	CAGGCATCAA	ACTAAGCAGA	AGGCCATC		

FIGURE 16B

24/240

Figure 17A: Cloning Sites of the ENTRY Vector: pENTRY8

Int attC1

```

// ctt tac aaa aaa gca ggc ttt gaa aac ctg tat ttt caa gya
// gag gtc ttc ttt cgt cgg aaa ctt ttg gac ata aaa gtt cct

```

Leu Tyr Lys Lys Ala Gly Phe Glu Asn Leu Tyr Phe Gln Gly

TEV Protease

NotI AatII SalI BamHI KpnI EcoRI

```

acc atg gac cta gtc gac tgg atc cgg tac cga att cgc ---
tgg tac ctg gat cag cgg acc tag gcc atg gct taa ggc ---

```

Thr Met Asp Leu Val Asp Trp Ile Arg Tyr Arg Ile

EcoRI NotI XhoI EcoRI XbaI attC

```

Death --- aga att cgc ggc cgc act cga gat att tag acc cag
--- tct taa ggc cgc ggc tga gct cta tag atc tgg gtc

```

Int

```

ctt tct tct aga tag ---
gaa aga aca tgc ttc ---

```

25/240

pENTR8 2735 bp





<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
67..166		attL1
339..644		ccdB
673..772		attL2
895..1704		KmR
1809..2382		ori

1	CTGACGGATG	GCCTTTTTCG	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTTGA	AAACCTGTAT
181	TTTCAAGGAA	CCATGGACCT	AGTCGACTGG	ATCCGGTACC	GAATTCGCTT	ACTAAAAGCC
241	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTGCGGGTA	TAAGAATATA	TACTGATATG
301	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTTCTAGAAT	GCAGTTTAAAG	GTTTACACCT
361	ATAAAAGAGA	GAGCCGTTAT	CGTCTGTTTG	TGGATGTACA	GAGTGATATT	ATTGACACGC
421	CCGGGCGACG	GATAGTGATC	CCCCTGGCCA	GTGCACGTCT	GCTGTCAGAT	AAAGTCTCCC
481	GTGAACTTTA	CCCGGTGGTG	CATATCGGGG	ATGAAAGCTG	GCGCATGATG	ACCACCGATA
541	TGGCCAGTGT	GCCGGTCTCC	GTTATCGGGG	AAGAAAGTGGC	TGATCTCAGC	CACCCGCAAA
601	ATGACATCAA	AAACGCCATT	AACCTGATGT	TCTGGGGAAT	ATAGAATTCTG	CGGCCGCACT
661	CGAGATATCT	AGACCCAGCT	TTCTTGTACA	AAGTTGGCAT	TATAAGAAAG	CATTGCTTAT
721	CAATTTGTTG	CAACGAACAG	GTCACATATCA	GTCAAAATAA	AATCATTATT	TGCCATCCAG
781	CTGCAGCTCT	GGCCCGTGTC	TCAAAATCTC	TGATGTTACA	TGCAACAAGA	TAAAAATATA
841	TCATCATGAA	CAATAAAACT	GTCTGCTTAC	ATAAACAGTA	ATACAAGGGG	TGTTATGAGC
901	CATATTCAAC	GGGAAACGTC	GAGGCCGCGA	TTAAATTCCA	ACATGGATGC	TGATTTATAT
961	GGGTATAAAT	GGGCTCGCGA	TAATGTCGGG	CAATCAGGTG	CGACAATCTA	TCGCTTGTAT
1021	GGGAAGCCCC	ATGCGCCAGA	GTTGTTTCTG	AAACATGGCA	AAGGTAGCGT	TGCCAATGAT
1081	GTTACAGATG	AGATGGTCAG	ACTAACTGG	CTGACGGAAT	TTATGCCTCT	TCCGACCATC
1141	AAGCATTTTA	TCCGTACTCC	TGATGATGCA	TGGTTACTCA	CCACTGCGAT	CCCCGGAAAA
1201	ACAGCATTCC	AGGTATTAGA	AGAATATCCT	GATTCAGGTG	AAAATATTGT	TGATGCGCTG
1261	GCAGTGTCCC	TGCGCCGGTT	GCATTCGATT	CCTGTTTGTA	ATTGTCCTTT	TAACAGCGAT
1321	CGCGTATTTT	GTCTCGCTCA	GGCGCAATCA	CGAATGAATA	ACGGTTTGGT	TGATGCGAGT
1381	GATTTTGATG	ACGAGCGTAA	TGGCTGGCCT	GTTGAACAAG	TCTGGAAAGA	AATGCATAAA
1441	CTTTTGCCAT	TCTCACCGBA	TTCAGTCGTC	ACTCATGGTG	ATTCTCACT	TGATAACCTT
1501	ATTTTGTACG	AGGGGAAATT	AATAGGTTGT	ATTGATGTTG	GACGAGTCGG	AATCGCAGAC
1561	CGATACCAGG	ATCTTGCCAT	CCTATGGAAC	TGCCTCGGTG	AGTTTCTCTC	TTCAATTACAG
1621	AAACGGCTTT	TTCAAAAATA	TGGTATTGAT	AATCCTGATA	TGAATAAATT	GCAGTTTCAT
1681	TTGATGCTCG	ATGAGTTTTT	CTAATCAGAA	TTGGTTAATT	GGTTGTAACA	TTATTTCAGAT
1741	TGGGCCCCGT	TCCACTGAGC	GTCAGACCCC	GTAAGAAAAG	TCAAAGGATC	TTCTTGAGAT
1801	CCTTTTTTTC	TGCGCGTAAT	CTGCTGCTTG	CAAAACAAAA	AACCACCGCT	ACCAGCGGTG
1861	GTTTGTGTTG	CGGATCAAGA	GCTACCAACT	CTTTTTCCTG	AGGTAACCTG	CTTCAGCAGA
1921	GCGCAGATAC	CAAATACTGT	TCTTCTAGTG	TAGCCGTAGT	TAGGCCACCA	CTTCAAGAAC
1981	TCTGTAGCAC	CGCCTACATA	CCTCGCTCTG	CTAATCCTGT	TACCAGTGGC	TGCTGCCAGT
2041	GGCGATAAGT	CGTGTCTTAC	CGGGTTGGAC	TCAAGACGAT	AGTTACCGGA	TAAGGCGCAG
2101	CGGTGCGGCT	GAACGGGGGG	TTCGTGCACA	CAGCCCAGCT	TGGAGCGAAC	GACCTACACC
2161	GAACCTGAGAT	ACCTACAGCG	TGAGCTATGA	GAAAGCGCCA	CGCTTCCCGA	AGGGAGAAAAG
2221	GCGGACAGGT	ATCCGGTAAG	CGGCAGGGTC	GGAACAGGAG	AGCGCACGAG	GGAGCTTCCA
2281	GGGGGAAACG	CCTGGTATCT	TTATAGTCCT	GTCGGGTTTC	GCCACCTCTG	ACTTGAGCGT
2341	CGATTTTTGT	GATGCTCGTG	AGGGGGGCGG	AGCCTATGGA	AAAACGCCAG	CAACGCGGCC
2401	TTTTTACGGT	TCCTGGCCTT	TTGTGGCCTT	TTTGCTCACA	TGTTCTTTCC	TGCGTTATCC
2461	CCTGATTCTG	TGGATAACCG	TATTACCGCT	AGCATGGATC	TCGGGGACGT	CTAACTACTA
2521	AGCGAGAGTA	GGGAACGACC	AGGCATCAAA	TAAAACGAAA	GGCTCAGTCG	GAAGACTGGG
2581	CCTTTCGTTT	TATCTGTTGT	TTGTCGGTGA	ACGCTCTCCT	GAGTAGGACA	AATCCGCCGG
2641	GAGCGGATTT	GAACGTTGTG	AAGCAACGGC	CCGGAGGGTG	GCGGGCAGGA	CGCCCGCCAT
2701	AAACTGCCAG	GCATCAAACT	AAGCAGAAGG	CCATC		

FIGURE 17B

26/240

Figure 18: Cloning sites of the ENTRY Vector pENTRY



27/240

pENTR9 2735 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
67..166		attL1
339..644		ccdB
673..772		attL2
895..1704		KmR
1809..2382		ori
1	CTGACGGATG GCCTTTTTCG GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC	
61	GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT	
121	AAGCAATGCT TTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTTTGA AAACCTGTAT	
181	TTTCAAGGAC ATATGAGATC TGTCGACTGG ATCCGGTACC GAATTCGCTT ACTAAAAGCC	
241	AGATAACAGT ATGCGTATTT GCGCGCTGAT TTTTGCGGTA TAAGAATATA TACTGATATG	
301	TATACCCGAA GTATGTCAAA AAGAGGTGTG CTCTAGAAAT GCAGTTTAAG GTTTACACCT	
361	ATAAAAGAGA GAGCCGTTAT CGTCTGTTTG TGGATGTACA GAGTGATATT ATTGACACGC	
421	CCGGGCGACG GATAGTGATC CCCCTGGCCA GTGCACGTC TCTGTCAGAT AAAGTCTCCC	
481	GTGAACCTTA CCCGGTGGTG CATATCGGGG ATGAAAGCTG GCGCATGATG ACCACCGATA	
541	TGGCCAGTGT GCCGGTCTCC GTTATCGGGG AAGAAAGTGGC TGATCTCAGC CACCGCGAAA	
601	ATGACATCAA AAACGCCATT AACCTGATGT TCTGGGGAAT ATAGAATTCT CGGCCGCACT	
661	CGAGATATCT AGACCCAGCT TTCTGTACA AAGTTGGCAT TATAAGAAAG CATTTGCTTAT	
721	CAATTGTGTG CAACGAACAG GTCACATCA GTCAAAATAA AATCATTATT TGCCATCCAG	
781	CTGCAGCTCT GGCCCGTGTG TCAAAATCTC TGATGTTACA TTGCACAAGA TAAAAATATA	
841	TCATCATGAA CAATAAAACT GTCTGCTTAC ATAAACAGTA ATACAAGGGG TGTTATGAGC	
901	CATATTCAAC GGGAAACGTC GAGGCCGCGA TTAAATTCCA ACATGGATGC TGATTTATAT	
961	GGGTATAAAT GGGCTCGCGA TAATGTCGGG CAATCAGGTG CGACAATCTA TCGCTTGTAT	
1021	GGGAAGCCCG ATGCGCCAGA GTTGTTTCTG AAACATGGCA AAGGTAGCGT TGCCAATGAT	
1081	GTTACAGATG AGATGGTCAG ACTAACTGG CTGACGGAAT TTATGCCTCT TCCGACCATC	
1141	AAGCATTTTA TCCGTACTCC TGATGATGCA TGGTTACTCA CCACTGCGAT CCCCAGAAAA	
1201	ACAGCATTCC AGGTATTAGA AGAATATCCT GATTCAGGTG AAAATATTGT TGATGCGCTG	
1261	GCAGTGTCCT TGCGCCGGTT GCATTTCGATT CCTGTTTGTA ATTGTCCTTT TAACAGCGAT	
1321	CGCGTATTTT GTCTCGCTCA GCGCAATCA CGAATGAATA ACGGTTTGGT TGATGCGAGT	
1381	GATTTTGATG ACGAGCGTAA TGGCTGGCCT GTTGAACAAG TCTGGAAGA AATGCATAAA	
1441	CTTTTGCCAT TCTCACCCTG TTCAGTCGTC ACTCATGGTG ATTTCTCACT TGATAACCTT	
1501	ATTTTGTGACG AGGGGAAATT AATAGGTTGT ATTGATGTTG GACGAGTCGG AATCGCAGAC	
1561	CGATACCAGG ATCTTGCCAT CCTATGGAAC TGCCTCGGTG AGTTTTCTCC TTCATTACAG	
1621	AAACGGCTTT TTCAAAAATA TGGTATTGAT AATCCTGATA TGAATAAATT GCAGTTTCAT	
1681	TTGATGCTCG ATGAGTTTTT CTAATCAGAA TTGGTTAATT GGTGTGAACA TTATTAGAT	
1741	TGGGCCCCGT TCCACTGAGC GTCAGACCCC GTAGAAAAGA TCAAAGGATC TTCTTGAGAT	
1801	CCTTTTTTTC TGCGCGTAAT CTGCTGCTTG CAAACAAAAA AACCACCGCT ACCAGCGGTG	
1861	GTTTGTTTGC CGGATCAAGA GCTACCAACT CTTTTCCGA AGGTAACCTG CTTACAGCAG	
1921	GCGCAGATAC CAAATACTGT TCTTCTAGTG TAGCCGTAGT TAGGCCACCA CTTCAAGAAC	
1981	TCTGTAGCAC CGCCTACATA CCTCGCTCTG CTAATCCTGT TACCAGTGGC TGCTGCCAGT	
2041	GGCGATAAGT CGTGCTTAC CGGGTTGGAC TCAAGACGAT AGTTACCGGA TAAGGCGCAG	
2101	CGGTCGGGCT GAACGGGGGG TTCGTGCACA CAGCCCAGCT TGGAGCGAAC GACCTACACC	
2161	GAACGTAGAT ACCTACAGCG TGAGCTATGA GAAAGCGCCA CGCTTCCCGA AGGGAGAAAG	
2221	GCGGACAGGT ATCCGGTAAG CGGCAGGGTC GGAACAGGAG AGCGCACGAG GGAGCTTCCA	
2281	GGGGGAAACG CCTGGTATCT TTATAGTCCT GTCGGGTTTC GCCACCTCTG ACTTGAGCGT	
2341	CGATTTTTGT GATGCTCGTT AGGGGGCGG AGCCTATGGA AAAACGCCAG CAACGCGGCC	
2401	TTTTTACGGT TCCTGGCCTT TTGCTGGCCT TTTGCTCACA TGTTCTTTCC TCGGTTATCC	
2461	CCTGATTCTG TGGATAACCG TATTACCGCT AGCATGGATC TCGGGGACGT CTAACACTA	
2521	AGCGAGAGTA GGGAACTGCC AGGCATCAAA TAAAACGAAA GGCTCAGTCG GAAGACTGGG	
2581	CCTTTCGTTT TATCTGTTGT TTGTCGGTGA ACGTCTCCT GAGTAGGACA AATCCGCCGG	
2641	GAGCGGATTT GAACGTTGTG AAGCAACGGC CCGGAGGGTG GCGGGCAGGA CGCCCGCCAT	
2701	AAACTGCCAG GCATCAAACT AAGCAGAAGG CCATC	

FIGURE 18B

28/240

Figure 19A: Cloning sites of the ENTRY Vector pENTRY10

Int attL1 S.D. -12 Nde

--- cgg tac aaa aaa gca ggc ttc gaa cta agg aaa tac tta cgt
 --- aac atg att ttt cgt ccg aag ctt gat tcc ttt atg aat gta
 Leu Tyr Lys Lys Ala Gly Phe Glu Leu Arg Lys Tyr Leu His

K3 Xba Sal Bam Kpn EcoRI

atg gga acc aat tca gtc gac tgg atc cgg tac cga att cgc ---
 ttc cct tgg tta agt cag cgg acc tag gcp atg gct taa ggc ---
 Met Gly Thr Asn Ser Val Asp Trp Ile Arg Tyr Arg Ile

EcoRI Not Xho EcoRII Xba attL2

Death --- aga att cgc ggc cgc act cga gat atc tag acc cag
 (ccdB) --- tct taa gcg ccg gcg tga gct cta tag atc tgg gtc

Int

ctt ttt tgg aca aag
 gaa aga aca tgc tgc


29/240

pENTR10 2738 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
67..166		attL1
342..647		ccdB
676..775		attL2
898..1707		KmR
1812..2385		ori
1	CTGACGGATG GCCTTTTTCG GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC	
61	GGGCCCCAAA TAATGATTTT ATTTTACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT	
121	AAGCAATGCT TTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTTCGA ACTAAGGAAA	
181	TACTTACATA TGGGAACCAA TTCAGTCGAC TGGATCCGGT ACCGAATTCG CTTACTAAAA	
241	GCCAGATAAC AGTATGCGTA TTTGCGCGCT GATTTTTCG GTATAAGAAT ATATACTGAT	
301	ATGTATACCC GAAGTATGTC AAAAAGAGGT GTGCTTCTAG AATGCAGTTT AAGGTTTACA	
361	CCTATAAAAG AGAGAGCCGT TATCGTCTGT TTGTGGATGT ACAGAGTGAT ATTATTGACA	
421	CGCCCCGGCG ACGGATGGTG ATCCCCCTGG CCAGTGCACG TCTGCTGTCA GATAAAGTCT	
481	CCCGTGAAC TTTACCCGGT GTGCATATCG GGGATGAAAG CTGGCGCATG ATGACCACCG	
541	ATATGGCCAG TGTGCCGGTC TCCGTTATCG GGGAGAAGT GGCTGATCTC AGCCACCGCG	
601	AAAATGACAT CAAAACGCC ATTAACCTGA TGTCTGGGG AATATAGAAT TCGCGGCCGC	
661	ACTCGAGATA TCTAGACCCA GCTTTCTTGT ACAAAGTTGG CATTATAAGA AAGCATTGCT	
721	TATCAATTTG TTGCAACGAA CAGGTCACCTA TCAGTCAAAA TAAAATCATT ATTTGCCATC	
781	CAGCTGCAGC TCTGGCCCGT GTCTCAAAAT CTCTGATGTT ACATTGCACA AGATAAAAAT	
841	ATATCATCAT GAACAATAAA ACTGTCTGCT TACATAAACA GTAATACAAG GGGTGTATG	
901	AGCCATATTC AACGGGAAAC GTCGAGGCCG CGATTAAATT CCAACATGGA TGCTGATTTA	
961	TATGGGTATA AATGGGCTCG CGATAATGTC GGGCAATCAG GTGCGACAAT CTATCGCTTG	
1021	TATGGGAAGC CCGATGCGCC AGAGTTGTTT CTGAAACATG GCAAAGGTAG CGTTGCCAAT	
1081	GATGTTACAG ATGAGATGGT CAGACTAAAC TGGCTGACGG AATTTATGCC TCTTCCGACC	
1141	ATCAAGCATT TTATCCGTAC TCCTGATGAT GCATGGTTAC TCACCACTGC GATCCCCGGA	
1201	AAAACAGCAT TCCAGGTATT AGAAGAATAT CCTGATTGAG GTGAAAAATAT TGTGATGCG	
1261	CTGGCAGTGT TCCTGCGCCG GTTGCAATCG ATTCCTGTTT GTAATTGTCC TTTTAACAGC	
1321	GATCGCGTAT TTCGTCTCGC TCAGGCGCAA TCACGAATGA ATAACGGTTT GGTGATGCG	
1381	AGTGATTTTG ATGACGAGCG TAATGGCTGG CCTGTTGAAC AAGTCTGGAA AGAAATGCAT	
1441	AAACTTTTGC CATTCTCACC GGATTACGTC GTCACTCATG GTGATTTCTC ACTTGATAAC	
1501	CTTATTTTTC ACGAGGGGAA ATTAATAGGT TGTATTGATG TTGGACGAGT CGGAATCGCA	
1561	GACCGATACC AGGATCTTGC CATCCTATGG AACTGCCTCG GTGAGTTTTC TCCTTCATTA	
1621	CAGAAACGGC TTTTTCAAAA ATATGGTATT GATAATCCTG ATATGAATAA ATTGCAGTTT	
1681	CATTTGATGC TCGATGAGTT TTTCTAATCA GAATTGGTTA ATTGGTTGTA ACATTATTCA	
1741	GATTGGGCCC CGTTCCACTG AGCGTCAGAC CCCGTAGAAA AGATCAAAGG ATCTTCTTGA	
1801	GATCCTTTTT TTCTGCGCGT AATCTGCTGC TTGCAAACAA AAAAACCACC GCTACCAGCG	
1861	GTGGTTTGTT TGCCGGATCA AGAGCTACCA ACTCTTTTTC CGAAGGTAAC TGGCTTCAGC	
1921	AGAGCGCAGA TACCAAATAC TGTCTTCTA GTGTAGCCGT AGTTAGGCCA CCACTTCAAG	
1981	AACCTGTAG CACCGCTAC ATACCTCGCT CTGCTAATCC TGTACCAGT GGTGCTGCC	
2041	AGTGGCGATA AGTCGTGTCT TACCGGGTTG GACTCAAGAC GATAGTTACC GGATAAGGCG	
2101	CAGCGGTCGG GCTGAACGGG GGGTTCGTGC ACACAGCCCA GCTTGAGCG AACGACCTAC	
2161	ACCGAACTGA GATACCTACA GCGTGAGCTA TGAGAAAGCG CCACGCTTCC CGAAGGGAGA	
2221	AAGGCGGACA GGTATCCGGT AAGCGGCAGG GTCGGAACAG GAGAGCGCAC GAGGGAGCTT	
2281	CCAGGGGGAA ACGCCTGGTA TCTTTATAGT CCTGTCGGGT TTCGCCACCT CTGACTTGAG	
2341	CGTCGATTTT TGTGATGCTC GTCAGGGGGG CGGAGCCTAT GGAAAAACGC CAGCAACGCG	
2401	GCCTTTTTAC GGTTCCTGGC CTTTGTCTGG CCTTTGCTC ACATGTTCTT TCCTGCGTTA	
2461	TCCCTTGATT CTGTGGATAA CCGTATTACC GCTAGCATGG ATCTCGGGGA CGTCTAACTA	
2521	CTAAGCGAGA GTAGGGAAC GCCAGGCATC GAATAAAACG AAAGGCTCAG TCGGAAGACT	
2581	GGGCCTTTTC TTTTATCTGT TGTGTCGGG TGAACGCTCT CCTGAGTAGG ACAAATCCGC	
2641	CGGGAGCGGA TTTGAACGTT GTGAAGCAAC GGCCCGGAGG GTGGCGGGCA GGACGCCCCG	
2701	CATAAACTGC CAGGCATCAA ACTAAGCAGA AGGCCATC	

FIGURE 19B

30/240

Figure 20A: Cloning Sites of the Entry Vector pENTR11

pENTR11 2744 bp (rotated to position 2578)


<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
67..166		attL1
348..653		ccdB
683..781		attL2
904..1713		KmR
1818..2391		ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCTGTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTCGA	AGGAGATAGA
181	ACCAATTCTC	TAAGGAAATA	CTTAACCATG	GTCGACTGGA	TCCGGTACCG	AATTCGCTTA
241	CTAAAAGCCA	GATAACAGTA	TGCGTATTTG	CGCGCTGATT	TTTGCGGTAT	AAGAATATAT
301	ACTGATATGT	ATACCCGAAG	TATGTCAAAA	AGAGGTGTGC	TTCTAGAATG	CAGTTTAAAG
361	TTTACACCTA	TAAAAGAGAG	AGCCGTTATC	GTCTGTTTGT	GGATGTACAG	AGTGATATTA
421	TTGACACGCC	CGGGCGACGG	ATAGTGATCC	CCCTGGCCAG	TGCACGTCCT	CTGTCAGATA
481	AAGTCTCCCG	TGAACTTTAC	CCGGTGGTGC	ATATCGGGGA	TGAAAGCTGG	CGCATGATGA
541	CCACCGATAT	GGCCAGTGTG	CCGCTCTCCG	TTATCGGGGA	AGAAGTGGCT	GATCTCAGCC
601	ACCGCGAAAA	TGACATCAAA	AACGCCATTA	ACCTGATGTT	CTGGGGAATA	TAGAATTGCG
661	GGCCGCACTC	GAGATATCTA	GACCCAGCTT	TCTTGTAACA	AGTTGGCATT	ATAAGAAAGC
721	ATTGCTTATC	AATTTGTTGC	AACGAACAGG	TCACTATCAG	TCAAAATAAA	ATCATTATTT
781	GCCATCCAGC	TGCAGCTCTG	GCCCGTGTCT	CAAAATCTCT	GATGTTACAT	TGCACAAGAT
841	AAAAATATAT	CATCATGAAC	AATAAACTG	TCTGCTTACA	TAAACAGTAA	TACAAGGGGT
901	GTTATGAGCC	ATATTCAACG	GGAAACGTCG	AGGCCGCGAT	TAAATTCCAA	CATGGATGCT
961	GATTTATATG	GGTATAAATG	GGCTCGCGAT	AATGTCGGGC	AATCAGGTGC	GACAATCTAT
1021	CGCTTGATG	GGAAGCCCGA	TGCGCCAGAG	TTGTTTCTGA	AACATGGCAA	AGGTAGCGTT
1081	GCCAAATGAT	TTACAGATGA	GATGGTCAGA	CTAAACTGGC	TGACGGAATT	TATGCCTCTT
1141	CCGACCATCA	AGCATTTTAT	CCGTACTCCT	GATGATGCAT	GGTTACTCAC	CACTGCGATC
1201	CCCGGAAAAA	CAGCATTCCA	GGTATTAGAA	GAATATCCCT	ATTGAGGTGA	AAATATTGTT
1261	GATGCGCTGG	CAGTGTTTCT	GCGCCGTTTG	CATTGCTATC	CTGTTTGTA	TTGTCTTTT
1321	AACAGCGATC	GCGTATTTTC	TCTCGCTCAG	GCGCAATCAC	GAATGAATAA	CGGTTTGGTT
1381	GATGCGAGTG	ATTTTGATGA	CGAGCGTAAT	GGCTGGCCTG	TTGAACAAGT	CTGGAAGGAA
1441	ATGCATAAAC	TTTTGCCATT	CTCACCAGAT	TCAGTCGTCA	CTCATGGTGA	TTTCTCACTT
1501	GATAACCTTA	TTTTTGACGA	GGGGAAATTA	ATAGGTTGTA	TTGATGTTGG	ACGAGTCGGA
1561	ATCGCAGACC	GATACCAGGA	TCTTGCCATC	CTATGGAAC	GCCTCGGTGA	GTTTTCTCCT
1621	TCATTACAGA	AACGGCTTTT	TCAAAAATAT	GGTATTGATA	ATCCTGATAT	GAATAAATTG
1681	CAGTTTCATT	TGATGCTCGA	TGAGTTTTC	TAATCAGAAT	TGTTAATTG	GTTGTAAACAT
1741	TATTCAGATT	GGGCCCCGTT	CCACTGAGCG	TCAGACCCCG	TAGAAAAGAT	CAAAGGATCT
1801	TCTTGAGATC	CTTTTTTCT	GCGCGTAATC	TGCTGCTTGC	AAACAAAAAA	ACCACCGCTA
1861	CCAGCGGTGG	TTGTTTGGCC	GGATCAAGAG	CTACCAACTC	TTTTTCCGAA	GGTAACGTGC
1921	TTGAGCAGAG	CGCAGATACC	AAATACTGTT	CTTCTAGTGT	AGCCGTAGTT	AGGCCACCAC
1981	TTCAAGAACT	CTGTAGCACC	GCCTACATAC	CTCGCTCTGC	TAATCCTGTT	ACCAGTGGCT
2041	GCTGCCAGTG	GCGATAAGTC	GTGCTTACC	GGGTGGACT	CAAGACGATA	GTTACCGGAT
2101	AAGGCGCAGC	GGTCGGGCTG	AACGGGGGGT	TCGTGCACAC	AGCCAGCTT	GGAGCGAACC
2161	ACCTACACCG	AACTGAGATA	CCTACAGCGT	GAGCTATGAG	AAAGCGCCAC	GCTTCCCGAA
2221	GGGAGAAAGG	CGGACAGGTA	TCCGGTAAGC	GGCAGGGTCG	GAACAGGAGA	GCGCACGAGG
2281	GAGCTTCCAG	GGGGAAACGC	CTGGTATCTT	TATAGTCCTG	TCGGGTTTCG	CCACCTCTGA
2341	CTTGAGCGTC	GATTTTGTG	ATGCTCGTCA	GGGGGGCGGA	GCCTATGGAA	AAACGCCAGC
2401	AACGGCGCCT	TTTTACGGTT	CCTGGCCTTT	TGCTGGCCTT	TTGCTCACAT	GTTCTTTCTT
2461	GCGTTATCCC	CTGATTCTGT	GGATAACCGT	ATTACCGCTA	GCAATGGATCT	CGGGGACGTC
2521	TAATACTATA	GCGAGAGTAG	GGAAGTCCA	GGCATCAAAT	AAAACGAAAG	GCTCAGTCGG
2581	AAGACTGGGC	CTTTCGTTTT	ATCTGTTGTT	TGTCGGTGAA	CGCTCTCCTG	AGTAGGACAA
2641	ATCCGCCGGG	AGCGGATTG	AACGTTGTGA	AGCAACGGCC	CGGAGGGTGG	CGGGCAGGAC
2701	GCCCGCCATA	AACTGCCAGG	CATCAAACCTA	AGCAGAAAGC	CATC	

FIGURE 20B

Figure 2/A: pDEST1 Native Protein Expression in E. coli

-35 Trc promoter -10 RNA
 1 atgagctgtt gacaattaat catccggctc gataatttg tggattgtg agcggataac
 tactcgacha ctgttaatta gtagccgag catattcac accttaaac tcgcctattg
 61 aatttcacac aggaacaga caggtatagg atcacaagtt ~~tatpdaada agctgaagta~~
 ttaaagtgtg tcctttgtct gtccatatcc tagtgttcaa acatgttttc ~~tcgacttct~~



33/240

pDEST1 6464 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
216..257		Trc promoter
397..273		attR1
647..1306		CmR
1426..1510		inactivated ccdA
1648..1953		ccdB
1994..2118		attR2
2598..3503		ampR
4104..4264		ori
4504..4941		flori (f1 intergenic region)
5340..6420		lacIq

1	GTTTGACAGC	TTATCATCGA	CTGCACGGTG	CACCAATGCT	TCTGGCGTCA	GGCAGCCATC
61	GGAAGCTGTG	GTATGGCTGT	GCAGGTCGTA	AATCACTGCA	TAATTCGTGT	CGCTCAAGGC
121	GCACTCCCGT	TCTGGATAAT	GTTTTTTGCG	CCGACATCAT	AACGGTTCTG	GCAAATATTC
181	TGAAATGAGC	TGTTGACAAT	TAATCATCCG	GTCCGTATAA	TCTGTGGAAT	TGTGAGCGGG
241	ATAACAATTT	CATCGCGAGG	TACCAAGCTA	TCACAAGTTT	GTACAAAAAA	GCTGAACGAG
301	AAACGTAAAA	TGATATAAAT	ATCAATATAT	TAAATTAGAT	TTTGCATAAA	AAACAGACTA
361	CATAATACTG	TAAAAACAAA	CATATCCAGT	CACTATGGCG	GCCGCTAAGT	TGGCAGCATC
421	ACCCGACGCA	CTTTGCGCCG	AATAAATACC	TGTGACGGAA	GATCACTTCG	CAGAATAAAT
481	AAATCCTGGT	GTCCCTGTTG	ATACCGGGAA	GCCCTGGGCC	AACTTTTGGC	GAAAATGAGA
541	CGTTGATCGG	CACGTAAGAG	GTTCCAACCT	TCACCATAAT	GAAATAAGAT	CACTACCGGG
601	CGTATTTTTT	GAGTTATCGA	GATTTTCAGG	AGCTAAGGAA	GCTAAAAATG	AGAAAAAAAT
661	CACTGGATAT	ACCACCGTTG	ATATATCCCA	ATGGCATCGT	AAAGAACATT	TTGAGGCATT
721	TCAGTCAGTT	GCTCAATGTA	CCTATAACCA	GACCGTTCAG	CTGGATATTA	CGGCCCTTTT
781	AAAGACCGTA	AAGAAAAATA	AGCACAAAGT	TTATCCGGCC	TTTATTCAAC	TTCTTGCCCC
841	CCTGATGAAT	GCTCATCCGG	AATTCGGTAT	GGCAATGAAA	GACGGTGAGC	TGGTGATATG
901	GGATAGTGTT	CACCCTTGTT	ACACCGTTTT	CCATGAGCAA	ACTGAAACGT	TTTCATCGCT
961	CTGGAGTGAA	TACCACGACG	ATTTCCGGCA	GTTTCTACAC	ATATATTTCG	AAGATGTGGC
1021	GTGTTACGGT	GAAAACCTGG	CCTATTTCCC	TAAAGGGTTT	ATTGAGAATA	TGTTTTTCGT
1081	CTCAGCCAAT	CCCTGGGTGA	GTTTCACCAG	TTTTGATTTA	AACGTGGCCA	ATATGGACAA
1141	CTTCTTCGCC	CCCGTTTTCA	CCATGGGCAA	ATATTATACG	CAAGGCGACA	AGGTGCTGAT
1201	GCCGCTGGCG	ATTCAGGTTT	ATCATGCCGT	CTGTGATGGC	TTCCATGTCT	GCAGAATGCT
1261	TAATGAATTA	CAACAGTACT	CCGATGAGTG	GCAGGGCGGG	GCGTAAACGC	GTGGATCCGG
1321	CTTACTAAAA	GCCAGATAAC	AGTATGCGTA	TTTGCGCGCT	GATTTTTGCG	GTATAAGAA
1381	ATATACTGAT	ATGTATACCC	GAAGTATGTC	AAAAAGAGGT	GTGCTATGAA	GCAGCGTATT
1441	ACAGTGACAG	TTGACAGCGA	CAGCTATCAG	TTGCTCAAGG	CATATATGAT	GTCAATATCT
1501	CCGGTCTGGT	AAGCACAACC	ATGCAGAATG	AAGCCCGTCG	TCTGCGTGCC	GAACGCTGGA
1561	AAGCGGAAAA	TCAGGAAGGG	ATGGCTGAGG	TCGCCCGGTT	TATTGAAATG	AACGGCTCTT
1621	TTGCTGACGA	GAACAGGGAC	TGGTGAAATG	CAGTTTAAGG	TTTACACCTA	TAAAAGAGAG
1681	AGCCGTTATC	GTCTGTTTGT	GGATGTACAG	AGTGATATTA	TTGACACGCC	CGGGCGACGG
1741	ATGGTGATCC	CCCTGGCCAG	TGCACGCTCT	CTGTCAAGTA	AAGTCTCCCG	TGAACCTTAC
1801	CCGGTGGTGC	ATATCGGGGA	TGAAAGCTGG	CGCATGATGA	CCACCGATAT	GGCCAGTGTG
1861	CCGGTCTCCG	TTATCGGGGA	AGAAGTGGCT	GATCTCAGCC	ACCGCGAAAA	TGACATCAAA
1921	AACGCCATTA	ACCTGATGTT	CTGGGGAATA	TAAATGTCAG	GCTCCCTTAT	ACACAGCCAG
1981	TCTGCAGGTC	GACCATAGTG	ACTGGATATG	TTGTGTTTTA	CAGTATTATG	TAGTCTGTTT
2041	TTTATGCAAA	ATCTAATTTA	ATATATTGAT	ATTTATATCA	TTTTACGTTT	CTCGTTTCAGC
2101	TTTCTGTGAC	AAAGTGGTGA	TAGCTTGGCT	GTTTTGGCGG	ATGAGAGAAG	ATTTTCAGCC
2161	TGATACAGAT	TAAATCAGAA	CGCAGAAGCG	GTCTGATAAA	ACAGAATTTG	CCTGGCGGCA
2221	GTAGCGCGGT	GGTCCCACCT	GACCCCATGC	CGAACTCAGA	AGTGAAACGC	CGTAGCGCCG
2281	ATGGTAGTGT	GGGGTCTCCC	CATGCGAGAG	TAGGGAAGTG	CCAGGCATCA	AATAAAACGA
2341	AAGGCTCAGT	CGAAAGACTG	GGCCTTTCGT	TTTATCTGTT	GTTTGTCCGG	GAACGCTCTC
2401	CTGAGTAGGA	CAAAATCCGCC	GGGAGCGGAT	TTGAACGTTG	CGAAGCAACG	GCCCGGAGGG
2461	TGGCGGCGAG	GACGCGCGCC	ATAAACTGCC	AGGCATCAAA	TTAAGCAGAA	GGCCATCCTG
2521	ACGGATGGCC	TTTTTGCGTT	TCTACAAACT	CTTTTTGTTT	ATTTTCTTAA	ATACATTCAA-

FIGURE 2/B

34/240

2581 ATATGTATCC GCTCATGAGA CAATAACCCT GATAAATGCT TCAATAATAT TGAAAAAGGA
2641 AGAGTATGAG TATTCAACAT TTCCGTGTCC CCCTTATTCC CTTTTTGGC GCATTTTGCC
2701 TTCCTGTTTT TGCTCACCCA GAAACGCTGG TGAAAGTAAA AGATGCTGAA GATCAGTTGG
2761 GTGCACGAGT GGGTTACATC GAACTGGATC TCAACAGCGG TAAGATCCTT GAGAGTTTTC
2821 GCCCCGAAGA ACGTTTTCCA ATGATGAGCA CTTTTAAAGT TCTGCTATGT GCGCGGTAT
2881 TATCCCGTGT TGACGCCGGG CAAGAGCAAC TCGGTCGCCG CATACACTAT TCTCAGAATG
2941 ACTTGGTTGA GTACTCACCA GTCACAGAAA AGCATCTTAC GGATGGCATG ACAGTAAGAG
3001 AATTATGCAG TGCTGCCATA ACCATGAGTG ATAACACTGC GGCCAACTTA CTTCTGACAA
3061 CGATCGGAGG ACCGAAGGAG CTAACCGCTT TTTTGCACAA CATGGGGGAT CATGTAACCT
3121 GCCTTGATCG TTGGGAACCG GAGCTGAATG AAGCCATACC AAACGACGAG CGTGACACCA
3181 CGATGCCTAC AGCAATGGCA ACAACGTTGC GCAAACCTATT AACTGGCGAA CTACTTACTC
3241 TAGCTTCCCG GCAACAATTA ATAGACTGGA TGGAGGCGGA TAAAGTTGCA GGACCACTTC
3301 TCGCTCGGC CCTTCCGGCT GGCTGGTTTA TTGCTGATAA ATCTGGAGCC GGTGAGCGTG
3361 GGCTCGCGG TATCATTGCA GCACTGGGGC CAGATGGTAA GCCCTCCCGT ATCGTAGTTA
3421 TCTACACGAC GGGGAGTCAG GCAACTATGG ATGAACGAAA TAGACAGATC GCTGAGATAG
3481 TGCCCTCACT GATTAAGCAT TGGTAAGTGT CAGACCAAGT TTACTCATAT ATACTTTAGA
3541 TTGATTTAAA ACTTCATTTT TAATTTAAAA GGATCTAGGT GAAGATCCTT TTTGATAATC
3601 TCATGACCAA AATCCCTTAA CGTGAGTTTT CGTTCCACTG AGCGTCAGAC CCCGTAGAAA
3661 AGATCAAAGG ATCTTCTTGA GATCCTTTTT TTCTGCGCGT AATCTGCTGC TTGCAAAACAA
3721 AAAAACCACC GCTACCAGCG GTGGTTTGTT TGCCGGATCA AGAGCTACCA ACTCTTTTTC
3781 CGAAGGTAAC TGGCTTCAGC AGAGCGCAGA TACCAATAC TGTCTTCTA GTGTAGCCGT
3841 AGTTAGGCCA CCACTTCAAG AACTCTGTAG CACCGCCTAC ATACCTCGCT CTGCTAATCC
3901 TGTTACCAGT GGCTGCTGCC AGTGGCGATA AGTCGTGTCT TACCGGGTTG GACTCAAGAC
3961 GATAGTTACC GGATAAGGCG CAGCGGTCGG GCTGAACGGG GGGTTCTGTC ACACAGCCCA
4021 GCTTGGAGCG AACGACCTAC ACCGAACTGA GATACCTACA GCGTGAGCTA TGAGAAAGCG
4081 CCACGCTTCC CGAAGGGAGA AAGGCGGACA GGTATCCGGT AAGCGGCAGG GTCGGAACAG
4141 GAGAGCGCAC GAGGGAGCTT CCAGGGGGAA ACGCCTGGTA TCTTTATAGT CCTGTCCGGT
4201 TTCGCCACCT CTGACTTGAG CGTCGATTTT TGTGATGCTC GTCAGGGGGG CCGAGCCTAT
4261 GGAACCAACG CAGCAACGCG GCCTTTTTAC GGTTCCTGGC CTTTGTCTGG CTTTGTCTC
4321 ACATGTTCTT TCCTGCGTTA TCCCTGATT CTGTGGATAA CCGTATTACC GCCTTTGAGT
4381 GAGCTGATAC CGCTCGCCGC AGCCGAACGA CCGAGCGCAG CGAGTCAGTG AGCGAGGAAG
4441 CGGAAGAGCG CCTGATGCGG TATTTTCTCC TTACGCATCT GTGCGGTATT TCACACCGCA
4501 TAATTTTGTT AAAATTGCGG TTAAATTTTT GTTAAATCAG CTCATTTTTT AACCAATAGG
4561 CCGAAATCGG CAAAATCCCT TATAAATCAA AAGAATAGAC CGAGATAGGG TTGAGTGTG
4621 TTCCAGTTTG GAACAAGAGT CCACTATTAA AGAACGTGGA CTCCAACGTC AAAGGGCGAA
4681 AAACCGTCTA TCAGGGCGAT GGCCCACTAC GTGAACCATC ACCCTAATCA AGTTTTTTGG
4741 GGTCGAGGTG CCGTAAAGCA CTAAATCGGA ACCCTAAAGG GAGCCCCCGA TTTAGAGCTT
4801 GACGGGGAAA GCCGGCGAAC GTGGCGAGAA AGGAAGGGAA GAAAGCGAAA GGAGCGGGCG
4861 CTAGGGCGCT GGCAAGTGTG GCGGTCACGC TGCGCGTAAC CACCACACCC GCCGCGCTTA
4921 ATGCGCCGCT ACAGGGCGCG TCCATTGCGC ATTCAGGCTG CTATGGTGCA CTCTCAGTAC
4981 AATCTGCTCT GATGCCGCAT AGTTAAGCCA GTACAGTCA CGTAGCGATA TCGGAGTGTA
5041 TACTACTCCG TATCGCTACG TGACTGGGTC ATGGCTGCGC CCCGACACCC GCCAACACCC
5101 GCTGACGCGC CCTGACGGGC TTGTCTGCTC CCGGCATCCG CTTACAGACA AGCTGTGACC
5161 GTCTCCGGGA GCTGCATGTG TCAGAGGTTT TCACCGTCAT CACCGAAACG CGCGAGGCAG
5221 CAGATCAATT CGCGCGCGAA GGCGAAGCGG CATGCATTTA CGTTGACACC ATCGAATGGT
5281 GCAAAACCTT TCGCGGTATG GCATGATAGC GCCCGGAAGA GAGTCAATTC AGGGTGGTGA
5341 ATGTGAAACC AGTAACGTTA TACGATGTCG CAGAGTATGC CGGTGTCTCT TATCAGACCG
5401 TTTCCCGCGT GGTGAACCAG GCCAGCCACG TTTCTGCGAA AACGCGGGAA AAAGTGGAAAG
5461 CGCGCATGGC GGAGCTGAAT TACATTCCTA ACCGCGTGGC ACAACAACCT GCGGGCAAC
5521 AGTCGTTGCT GATTGGCGTT GCCACCTCCA GTCTGGCCCT GCACGCGCCG TCGCAAATTG
5581 TCGCGGCGAT TAAATCTCGC GCCGATCAAC TGGGTGCCAG CGTGGTGGTG TCGATGGTAG
5641 AACGAAGCGG CGTCGAAGCC TGTAAAGCGG CCGTGACAAA TCTTCTCGCG CAACGCGTCA
5701 GTGGGCTGAT CATTAACTAT CCGCTGGATG ACCAGGATGC CATTGCTGTG GAAGCTGCCT
5761 GCACTAATGT TCCGGCGTTA TTTCTTGATG TCTCTGACCA GACACCCATC AACAGTATTA
5821 TTTTCTCCCA TGAAGACGCT ACGCGACTGG GCGTGAGCA TCTGGTCGCA TTGGGTCAAC
5881 AGCAAAATCGC GCTGTTAGCG GGCCCATTA A GTTCTGTCTC GCGCGCTCTG CGTCTGGCTG
5941 GCTGGCATAA ATATCTCACT CGCAATCAAA TTCAGCCGAT AGCGGAACGG GAAGGCGACT
6001 GGAGTGCCAT GTCCGGTTTT CAACAAACCA TGCAAATGCT GAATGAGGGC ATCGTTCCCA-

FIGURE 21C

35/240

6061 CTGCGATGCT GGTGCCAAC GATCAGATGG CGCTGGGCGC AATGCGCGCC ATTACCGAGT
6121 CCGGGCTGCG CGTTGGTGCG GATATCTCGG TAGTGGGATA CGACGATACC GAAGACAGCT
6181 CATGTTATAT CCCGCCGTTA ACCACCATCA AACAGGATTT TCGCCTGCTG GGGCAAACCA
6241 GCGTGGACCG CTTGCTGCAA CTCTCTCAGG GCCAGGCGGT GAAGGGCAAT CAGCTGTTGC
6301 CCGTCTCACT GGTGAAAAGA AAAACCACCC TGGCACCCAA TACGCAAACC GCCTCTCCCC
6361 GCGCGTTGGC CGATTCATTA ATGCAGCTGG CACGACAGGT TTCCCGACTG GAAAGCGGGC
6421 AGTGAGCGCA ACGCAATTAA TGTGAGTTAG CGCGAATTGA TCTG

FIGURE 21D

36/240


Figure 22A: pDEST2

His6 fusions in E. coli

970 aat att ctg aaa tga gct ⁻³⁵ gtt gac aat tad tca tcc ggt ccg ⁻¹⁰ tat aat ctg
 tta taa gac ttt act cga ~~aaa ctg tca~~ att agt agg cca ggc ~~ata tta~~ gac

1021 tgg ^{RNA} aat tgt gag cgg ata aca att tca cac agg aaa cag acc ^{Met Ser Tyr} atg tgg tac
 acc tta aca ctc gcc tat tgt taa agt gtg tcc ttt gtc tgg tac agc atg

1072 ^{Tyr His His His His His His} tac cat cac cat cat cat cat ^{Glu Ile} ggt att ~~tca agt tgg cag aca aaa gct gaa~~
 atg gta gtg gta gtg gta gtg ccg tag ~~tgt tca aac atg ttt ttt cga cgt~~



37/240

pDEST2 6553 bp

Location (Base Nos.)	Gene Encoded
912..962	Trc
1223..1009	attR1
1473..2132	CmR
2252..2336	inactivated ccdA
2474..2779	ccdB
2820..2944	attR2
3509..4414	ampR
5015..5175	ori
5415..5852	flori (f1 intergenic region)
6225..752	lacIq

```

1  GGCGGTGCAC  AATCTTCTCG  CGCAACGCGT  CAGTGGGCTG  ATCATTAACT  ATCCGCTGGA
61  TGACCAGGAT  GCCATTGCTG  TGGGAAGCTG  CTGCACTAAT  GTTCCGGCGT  TATTTCTTGA
121 TGTCTCTGAC  CAGACACCCA  TCAACAGTAT  TATTTTCTCC  CATGAAGACG  GTACGCGACT
181 GGGCGTGGAG  CATCTGGTGC  CATTGGGTCA  CCAGCAAATC  GCGCTGTTAG  CGGGCCCAT
241 AAGTTCTGTC  TCGGCGCGTC  TGGCTCTGGC  TGGCTGGCAT  AAATATCTCA  CTCGCAATCA
301 AATTCAGCCG  ATAGCGGAAC  GGAAGGCGA  CTGGAGTGCC  ATGTCCGGTT  TTCAACAAAC
361 CATGCAAATG  CTGAATGAGG  GCATCGTTCC  CACTGCGATG  CTGGTTGCCA  ACGATCAGAT
421 GCGCTGGGCG  GCAATGCGCG  CCATTACCGA  GTCCGGGCTG  CGCGTTGGTG  CGGATATCTC
481 GGTAGTGGGA  TACGACGATA  CCGAAGACAG  CTCATGTTAT  ATCCCGCCGT  CAACCACCAT
541 CAAACAGGAT  TTTGCGCTGC  TGGGGCAAAC  CAGCGTGGAC  CGCTTGCTGC  AACTCTCTCA
601 GGGCCAGGCG  GTGAAGGGCA  ATCAGCTGTT  GCCCGTCTCA  CTGGTGAAAA  GAAAAACCAC
661 CCTGGCACCC  AATACGCAA  CCGCCTCTCC  CCGCGCGTTG  GCGGATTCAT  TAATGCAGCT
721 GGCACGACAG  GTTTCCTGAC  TGGAAAGCGG  GCAGTGAGCG  CAACGCAATT  AATGTGAGTT
781 AGCGCGAATT  GATCTGGTTT  GACAGCTTAT  CATCGACTGC  ACGGTGCACC  AATGCTTCTG
841 GCGTCAGGCA  GCCATCGGAA  GCTGTGGTAT  GGCTGTGCAG  GTCGTAAATC  ACTGCATAAT
901 TCGTGTGCGT  CAAGGCGCAC  TCCCGTCTG  GATAATGTTT  TTTGCGCCGA  CATCATAACG
961 GTTCTGGCAA  ATATTCTGAA  ATGAGCTGTT  GACAATTAAT  CATCCGGTCC  GTATAATCTG
1021 TGAATTTGTG  AGCGGATAAC  AATTTACAC  AGGAAACAGA  CCATGTCGTA  CTACCATCAC
1081 CATCACCATC  ACGGCATCAC  AAGTTTGTAC  AAAAAAGCTG  AACGAGAAAC  GTAAATGAT
1141 ATAAATATCA  ATATATTAAA  TTAGATTTTG  CATAAAAAAC  AGACTACATA  ATACTGTAAA
1201 ACACAACATA  TCCAGTCACT  ATGGCGGCGG  CTAAGTTGGC  AGCATCACCC  GACGCACTTT
1261 GCGCCGAATA  AATACCTGTG  ACGGAAGATC  ACTTCGCAGA  ATAAATAAAT  CCTGGTGTC
1321 CTGTTGATAC  CGGGAAGCCC  TGGGCCAAT  TTTGGCGAAA  ATGAGACGTT  GATCGGCACG
1381 TAAGAGGTTT  CAACTTTTC  CATAATGAAA  TAAGATCACT  ACCGGGCGTA  TTTTGTGAGT
1441 TATCGAGATT  TTCAGGAGCT  AAGGAAGCTA  AAATGGAGAA  AAAAATCACT  GGATATACCA
1501 CCGTTGATAT  ATCCCAATGG  CATCGTAAAG  AACATTTTGA  GGCATTTTCA  TCAGTTGCTC
1561 AATGTACCTA  TAACCAGACC  GTTCAGCTGG  ATATTACGGC  CTTTTTAAAG  ACCGTAAAGA
1621 AAAATAAGCA  CAAGTTTAT  CCGGCCTTTA  TTCACATTCT  TGCCCGCCTG  ATGAATGCTC
1681 ATCCGGAATT  CCGTATGGCA  ATGAAAGACG  GTGAGCTGGT  GATATGGGAT  AGTGTTCACC
1741 CTGTTTACAC  CGTTTTCCAT  GAGCAAACAT  AAACGTTTTC  ATCGCTCTGG  AGTGAATACC
1801 ACGACGATTT  CCGGCAGTTT  CTACACATAT  ATTCGCAAGA  TGTGGCGTGT  TACGGTGAAA
1861 ACCTGGCCTA  TTTCCCTAAA  GGGTTTATTG  AGAATATGTT  TTTGCTCTCA  GCCAATCCCT
1921 GGGTGAGTTT  CACCAAGTTT  GATTTAAACG  TGGCCAATAT  GGACAACTTC  TTCGCCCCCG
1981 TTTTCAACAT  GGGCAAATAT  TATACGCAAG  GCGACAAGGT  GCTGATGCCG  CTGGCGATT
2041 AGGTTTCATCA  TGCCGTCTGT  GATGGCTTCC  ATGTCGGCAG  AATGCTTAAT  GAATTACAAC
2101 AGTACTGCGA  TGAGTGGCAG  GCGGGGCGT  AAACGCGTGG  ATCCGGCTTA  CTAAAGGCCA
2161 GATAACAGTA  TGCCTATTG  CGCCTGATT  TTTGCGGTAT  AAGAATATAT  ACTGATATGT
2221 ATACCCGAAG  TATGTCAAAA  AGAGGTGTGC  TATGAAGCAG  CGTATTACAG  TGACAGTTGA
2281 CAGCGACAGC  TATCAGTTGC  TCAAGGCATA  TATGATGTCA  ATATCTCCGG  TCTGGTAAGC
2341 ACAACCATGC  AGAATGAAGC  CCGTCGTCTG  CGTGCCGAAC  GCTGGAAAGC  GGAAATCAG
2401 GAAGGGATGG  CTGAGGTCGC  CCGGTTTATT  GAAATGAACG  GCTCTTTTGC  TGACGAGAAC
2461 AGGGACTGGT  GAAATGCAGT  TTAAGGTTTA  CACCTATAAA  AGAGAGAGCC  GTTATCGTCT
2521 GTTGTGGAT  GTACAGAGTG  ATATTATTGA  CACGCCGGG  CGACGGATGG  TGATCCCCCT

```

FIGURE 22B

38/240

```

2581 GGCCAGTGCA CGTCTGCTGT CAGATAAAGT CTCCCGTGAA CTTTACCCGG TGGTGCATAT
2641 CGGGGATGAA AGCTGGCGCA TGATGACCAC CGATATGGCC AGTGTGCCGG TCTCCGTTAT
2701 CGGGGAAGAA GTGGCTGATC TCAGCCACCG CGAAAATGAC ATCAAAAACG CCATTAACTT
2761 GATGTTCTGG GGAATATAAA TGTCAGGCTC CTTTATACAC AGCCAGTCTG CAGGTCGACC
2821 ATAGTGACTG GATATGTTGT GTTTTACAGT ATTATGTAGT CTGTTTTTTA TGCAAAATCT
2881 AATTTAATAT ATTGATATTT ATATCATTTT ACGTTTCTCG TTCAGCTTTC TTGTACAAAG
2941 TGGTGATGCC CATATGGGAA TTCAAAGGCC TACGTGCGAC AGCTCACTAG TCGCGGCCGC
3001 TTCTAGAGGA TCCCTCGAGG CATGCGGTAC CAAGCTTGGC TGTTTTGGCG GATGAGAGAA
3061 GATTTTCAGC CTGATACAGA TTAAATCAGA ACGCAGAAGC GGTCTGATAA AACAGAATTT
3121 GCCTGGCGGC AGTAGCGCGG TGSTCCACCC TGACCCCATG CCGAACTCAG AAGTGAAACG
3181 CCGTAGCGCC GATGGTAGTG TGGGGTCTCC CCATGCGAGA GTAGGGAAC TCCAGGCATC
3241 AAATAAAACG AAAGGCTCAG TCGAAAGACT GGGCCTTTCG TTTTATCTGT TGTTTGTGG
3301 TGAACGCTCT CCTGAGTAGG ACAAATCCGC CGGGAGCGGA TTGAACGTT CGGAAGCAAC
3361 GGCCCGGAGG GTGGCGGGCA GGACGCCCCG CATAAACTGC CAGGCATCAA ATTAAGCAGA
3421 AGGCCATCCT GACGGATGGC CTTTTGCGT TTCTACAAAC TCTTTTTGTT TATTTTTCTA
3481 AATACATTCA AATATGTATC CGCTCATGAG ACAATAACCC TGATAAATGC TTCAATAATA
3541 TTGAAAAAGG AAGAGTATGA GTATTCAACA TTTCCGTGTC GCCCTTATTC CCTTTTTTGC
3601 GGCATTTTGC CTTCTGTTT TTGCTCAGCC AGAAACGCTG GTGAAAGTAA AAGATGCTGA
3661 AGATCAGTTG GGTGCACGAG TGGGTTACAT CGAAGTGGAT CTCAACAGCG GTAAGATCCT
3721 TGAGAGTTTT CGCCCCGAAG AACGTTTTTC AATGATGAGC ACTTTTAAAG TTCTGCTATG
3781 TGGCGCGGTA TTATCCCGTG TTGACGCCGG GCAAGAGCAA CTCGGTCGCC GCATACACTA
3841 TTCTCAGAAAT GACTTGTTG AGTACTCACC AGTCACAGAA AAGCATCTTA CGGATGGCAT
3901 GACAGTAAGA GAATTATGCA GTGCTGCCAT AACCATGAGT GATAAACTG CGGCCAACTT
3961 ACTTCTGACA ACGATCGGAG GACCGAAGGA GCTAACCCTG TTTTTCACA ACATGGGGGA
4021 TCATGTAAC TCGCTTGATC GTTGGGAACC GGAGCTGAAT GAAGCCATAC CAAACGACGA
4081 GCGTGACACC ACGATGCCTA CAGCAATGGC AACAACTGTC CGCAAATAT TAACTGGCGA
4141 ACTACTTACT CTAGCTTCCC GGCAACAATT AATAGACTGG ATGGAGGCGG ATAAAGTTGC
4201 AGGACCACTT CTGCGCTCGG CCCTTCCGGC TGGCTGGTTT ATTGCTGATA AATCTGGAGC
4261 CGGTGAGCGT GGGTCTCGCG GTATCATTGC AGCACTGGGG CCAGATGGTA AGCCCTCCCG
4321 TATCGTAGTT ATCTACACGA CGGGGAGTCA GGCAACTATG GATGAACGAA ATAGACAGAT
4381 CGCTGAGATA GGTGCCTCAC TGATTAAGCA TTGGTAACTG TCAGACCAAG TTTACTCATA
4441 TATACTTTAG ATTGATTAA AACTTCATT TTAATTAAA AGGATCTAGG TGAAGATCCT
4501 TTTTGATAAT CTCATGACCA AAATCCCTTA ACGTGAGTTT TCGTCCACT GAGCGTCAGA
4561 CCCCGTAGAA AAGATCAAAG GATCTTCTTG AGATCCTTTT TTTCTGCGCG TAATCTGCTG
4621 CTTGACAAACA AAAAAACCA CCGTACCAGC GGTGGTTTGT TTGCCGATC AAGAGCTACC
4681 AACTCTTTTT CCGAAGGTAA CTGGCTTCAG CAGAGCGCAG ATACCAAATA CTGTCCTTCT
4741 AGTGTAGCCG TAGTTAGGCC ACCACTTCAA GAACTCTGTA GCACCGCTA CATACCTCGC
4801 TCTGCTAATC CTGTTACCAG TGGCTGCTGC CAGTGGCGAT AAGTCGTGTC TTACCGGGTT
4861 GGAATCAAGA CGATAGTTAC CGGATAAGGC GCAGCGGTGC GGCTGAACGG GGGGTTCTGT
4921 CACACAGCCC AGCTTGGAGC GAACGACCTA CACCGAACTG AGATACCTAC AGCGTGAGCT
4981 ATGAGAAAGC GCCACGCTTC CCGAAGGGAG AAAGCGGAC AGGTATCCGG TAAGCGGCAG
5041 GGTCCGAACA GGAGAGCGCA CGAGGGAGCT TCCAGGGGGA AACGCCTGGT ATCTTTATAG
5101 TCCTGTGCGG TTTGCCCACC TCTGACTTGA GCGTCGATTT TTGTGATGCT CGTCAGGGGG
5161 GCGGAGCCTA TGGAAAAACG CCAGCAACGC GGCCTTTTTA CGGTTCTCTG CCTTTTGCTG
5221 GCCTTTTGCT CACATGTTCT TTCTGCGTT ATCCCTGAT TCTGTGGATA ACCGTATTAC
5281 CGCCTTTGAG TGAGCTGATA CCGCTCGCCG CAGCCGAACG ACCGAGCGCA GCGAGTCAGT
5341 GAGCGAGGAA GCGGAAGAGC GCCTGATGCG GTATTTTCTC CTTACGCATC TGTGCGGTAT
5401 TTGACACCGC ATAATTTTGT TAAATTTCCG GTTAAATTTT TGTAAATCA GCTATTTT
5461 TAACCAATAG GCCGAAATCG GCAAAATCCC TTATAAATCA AAAGAATAGA CCGAGATAGG
5521 GTTGAGTGTT GTTCCAGTTT GGAACAAGAG TCCACTATTA AAGAACGTGG ACTCCAACGT
5581 CAAAGGGCGA AAAACCGTCT ATCAGGGCGA TGGCCCACTA CGTGAACCAT CACCCTAATC
5641 AAGTTTTTTG GGGTCGAGGT GCCGTAAAGC ACTAAATCGG AACCTAAAG GGAGCCCCCG
5701 ATTTAGAGCT TGACGGGGAA AGCCGGCGAA CGTGGCGAGA AAGGAAGGGA AGAAAGCGAA
5761 AGGAGCGGGC GCTAGGGCGC TGGCAAGTGT AGCGGTACAG CTGCGCGTAA CCACCACACC
5821 CGCCGCGCTT AATGCGCGC TACAGGGCGC GTCCCATTCG CCATTGAGG TGCTATGGTG
5881 CACTCTCAGT ACAATCTGCT CTGATGCCGC ATAGTTAAGC CAGTATACAC TCCGCTATCG
5941 CTACGTGACT GGGTCATGGC TGCGCCCCGA CACCCGCCAA CACCCGCTGA CGCGCCCTGA
6001 CGGGCTTGTC TGCTCCCGGC ATCCGCTTAC AGACAAGCTG TGACCGTCTC CGGGAGCTGC

```

FIGURE 22C

6061 ATGTGTCAGA GGTTTTCACC GTCATCACCG AAACGCGCGA GGCAGCAGAT CAATTCGCGC
6121 GCGAAGGCGA AGCGGCATGC ATTTACGTTG ACACCATCGA ATGGTGCAAA ACCTTTGCGG
6181 GTATGGCATG ATAGCGCCCG GAAGAGAGTC AATTCAGGGT GGTGAATGTG AAACCAGTAA
6241 CGTTATACGA TGTCGCAGAG TATGCCGGTG TCTCTTATCA GACCGTTTCC CGCGTGGTGA
6301 ACCAGGCCAG CCACGTTTCT GCGAAAACGC GGGAAAAAGT GGAAGCGGCG ATGGCGGAGC
6361 TGAATTACAT TCCCAACCGC GTGGCACAAC AACTGGCGGG CAAACAGTCG TTGCTGATTG
6421 GCGTTGCCAC CTCCAGTCTG GCCCTGCACG CGCCGTCGCA AATTGTCGCG GCGATTAAAT
6481 CTCGCGCCGA TCAACTGGGT GCCAGCGTGG TGGTGTGAT GGTAGAACGA AGCGGCGTCG
6541 AAGCCTGTAA AGC

40/240

Figure 23A: PDEST3

GST fusions in E. coli


154 cgg ttc tgg caa ata ttc tga aat gag ctg ⁻³⁵ ttg aca att aat cat cgg ctc
 gcc aag acc gtt tat aag act tta ctc gac aac tgt taa tta gta gcc gag

205 ⁻¹⁰ gta taa agt gtg gaa ttg tga gcg gat aac aat ttc aca cag gaa aca gta
 cat att aca cac ctt aac act cgc cta ttg tta aag tgt gtc ctt tgt cat

256 ^{M S P I L} ttc atg tcc cct ata cta ggt tat tgg aaa att aag ggc ctt gtg caa ccc
 aag tac agg gga tat gat cca ata acc ttt taa ttc ccg gaa cac gtt ggg

919 ^{" GST} ctg gtt ccg cgt ^R gga tct cgt cgt gca tct gtt gga tcc cca tca ^{T S} aca agt
 gac caa ggc gca cct aga gca gca cgt aga caa cct agg ggt agt tgt tca

970 ^{H Y K K} ctg ttc ttc ttc gct gaa cga gaa acg taa aat gat ata aat aat aat ata
 aac atg ttt ctt cga cct gct cct tgc att tta cta tat tta tag tta tat



41/240

pDEST3 6823 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
150..200		Trc
1087..963		attR1
1337..1996		CmR
2116..2200		inactivated ccdA
2338..2643		ccdB
2684..2808		attR2
3231..4091		ampR
5295..6254		lacIq

1	ACGTTATCGA	CTGCACGGTG	CACCAATGCT	TCTGGCGTCA	GGCAGCCATC	GGAAGCTGTG
61	GTATGGCTGT	GCAGGTCGTA	AATCACTGCA	TAATTCGTGT	CGCTCAAGGC	GCACTCCCGT
121	TCTGGATAAT	GTTTTTTGCG	CCGACATCAT	AACGGTTCTG	GCAAATATTC	TGAAATGAGC
181	TGTTGACAAT	TAATCATCGG	CTCGTATAAT	GTGTGGAATT	GTGAGCGGAT	AACAATTTCa
241	CACAGGAAAC	AGTATTTCATG	TCCCCTATAC	TAGGTTATTG	GAAAATTAAG	GGCCTTGTC
301	AACCCACTCG	ACTTCTTTTG	GAATATCTTG	AAGAAAAATA	TGAAGAGCAT	TTGTATGAGC
361	GCGATGAAGG	TGATAAATGG	CGAAACAAAA	AGTTTGAATT	GGGTTTGGAG	TTTCCCAATC
421	TTCTTTATTA	TATTGATGGT	GATGTTAAAT	TAACACAGTC	TATGGCCATC	ATACGTTATA
481	TAGCTGACAA	GCACAACATG	TTGGGTGGTT	GTCCAAAAGA	GCGTGACAGG	ATTTCAATGC
541	TTGAAGGAGC	GGTTTTGGAT	ATTAGATACG	GTGTTTCGAG	AATTGCATAT	AGTAAAGACT
601	TTGAAACTCT	CAAAGTTGAT	TTTCTTAGCA	AGCTACCTGA	AATGCTGAAA	ATGTTCCGAG
661	ATCGTTTATG	TCATAAAACA	TATTTAAATG	GTGATCATGT	AACCCATCCT	GACTTCATGT
721	TGTATGACGC	TCTTGATGTT	GTTTTATACA	TGGACCCAAT	GTGCCTGGAT	GCGTTCCCAA
781	AATTAGTTTG	TTTTAAAAAA	CGTATTGAAG	CTATCCCAAC	AATTGATAAG	TACTTGAAT
841	CCAGCAAGTA	TATAGCATGG	CCTTTGCAGG	GCTGGCAAGC	CACGTTTGGT	GGTGGCGACC
901	ATCCTCCAAA	ATCGGATCTG	GTTCCGCGTG	GATCTCGTCG	TGCATCTGTT	GGATCCCAT
961	CAACAAGTTT	GTACAAAAAA	GCTGAACGAG	AAACGTAAAA	TGATATAAAT	ATCAATATAT
1021	TAAATTAGAT	TTTGCATAAA	AAACAGACTA	CATAAATCTG	TAAAACACAA	CATATCCAGT
1081	CACTATGGCG	GCCGCTAAGT	TGGCAGCATC	ACCCGACGCA	CTTTGCGCCG	AATAAATACC
1141	TGTGACGGAA	GATCACTTCG	CAGAATAAAT	AAATCCTGGT	GTCCCTGTTG	ATACCGGGAA
1201	GCCCTGGGCC	AACCTTTTGGC	GAAAATGAGA	CGTTGATCGG	CACGTAAGAG	GTTCCAACCT
1261	TCACCATAAT	GAAATAAGAT	CACTACCGGG	CGTATTTTTT	GAGTTATCGA	GATTTTCAGG
1321	AGCTAAGGAA	GCTAAAATGG	AGAAAAAAAT	CACTGGATAT	ACCACCGTTG	ATATATCCCA
1381	ATGGCATCGT	AAAGAACATT	TTGAGGCATT	TCAGTCAGTT	GCTCAATGTA	CCTATAACCA
1441	GACCGTTCAG	CTGGATATTA	CGGCTTTTTT	AAAGACCGTA	AAGAAAAATA	AGCACAAGTT
1501	TTATCCGGCC	TTTATTCACA	TTCTTGCCCG	CCTGATGAAT	GCTCATCCGG	AATTCCGTAT
1561	GGCAATGAAA	GACGGTGAGC	TGGTGATATG	GGATAGTGTT	CACCCTTGTT	ACACCGTTTT
1621	CCATGAGCAA	ACTGAAACGT	TTTCATCGCT	CTGGAGTGAA	TACCACGACG	ATTTCCGGCA
1681	GTTTCTACAC	ATATATTTCG	AAGATGTGGC	GTGTTACGGT	GAAAACCTGG	CCTATTTCCC
1741	TAAAGGGTTT	ATTGAGAATA	TGTTTTTCGT	CTCAGCCAAT	CCCTGGGTGA	GTTTCACCAG
1801	TTTGTATTTA	AACGTGGCCA	ATATGGACAA	CTTCTTCGCC	CCCGTTTTCA	CCATGGGCAA
1861	ATATTATACG	CAAGGCGACA	AGGTGCTGAT	GCCGCTGGCG	ATTCAGGTTT	ATCATGCCGT
1921	CTGTGATGGC	TTCCATGTCG	GCAGAATGCT	TAATGAATTA	CAACAGTACT	GCGATGAGTG
1981	GCAGGGCGGG	GCGTAAAGAT	CTGGATCCGG	CTTACTAAAA	GCCAGATAAC	AGTATGCGTA
2041	TTTGCGCGCT	GATTTTTTTCG	GTATAAGAAT	ATATACTGAT	ATGTATACCC	GAAGTATGTC
2101	AAAAAGAGGT	GTGCTATGAA	GCAGCGTATT	ACAGTGACAG	TTGACAGCGA	CAGCTATCAG
2161	TTGCTCAAGG	CATATATGAT	GTCAATATCT	CCGGTCTGGT	AAGCACAACC	ATGCAGAATG
2221	AAGCCCCGTCG	TCTGCGTGCC	GAACGCTGGA	AAGCGGAAAA	TCAGGAAGGG	ATGGCTGAGG
2281	TCGCCCCGTT	TATTGAAATG	AACGGCTCTT	TTGCTGACGA	GAACAGGGAC	TGGTGAAATG
2341	CAGTTTAAGG	TTTACACCTA	TAAAAGAGAG	AGCCGTTATC	GTCTGTTTGT	GGATGTACAG
2401	AGTGATATTA	TTGACACGCC	CGGGCGACGG	ATGGTGATCC	CCCTGGCCAG	TGCACGCTCG
2461	CTGTCAGATA	AAGTCTCCCG	TGAACCTTAC	CCGGTGGTGC	ATATCGGGGA	TGAAAGCTGG
2521	CGCATGATGA	CCACCGATAT	GGCCAGTGTC	CCGGTCTCCG	TTATCGGGGA	AGAAGTGCGT
2581	GATCTCAGCC	ACCGCGAAAA	TGACATCAAA	AACGCCATTA	ACCTGATGTT	CTGGGGAATA
2641	TAAATGTCAG	GCTCCCTTAT	ACACAGCCAG	TCTGCAGGTC	GACCATAGTG	ACTGGATATG

FIGURE 23B

42/240

```

2701 TTGTGTTTTA CAGTATTATG TAGTCTGTTT TTTATGCAAA ATCTAATTTA ATATATTGAT
2761 ATTTATATCA TTTTACGTTT CTCGTTTCAGC TTTCTTGTAAC AAAGTGGTTG ATGGGAATTC
2821 ATCGTGACTG ACTGACGATC TGCCTCGCGC GTTTCGGTGA TGACGGTGAA AACCTCTGAC
2881 ACATGCAGCT CCCGGAGACG GTCACAGCTT GTCTGTAAGC GGATGCCGGG AGCAGACAAG
2941 CCCGTCAGGG CGCGTCAGCG GGTGTTGGCG GGTGTCGGGG CGCAGCCATG ACCCAGTCAC
3001 GTAGCGATAG CGGAGTGTAT AATTCTTGAA GACGAAAGGG CCTCGTGATA CGCCTATTTT
3061 TATAGGTTAA TGTCATGATA ATAATGGTTT CTTAGACGTC AGGTGGCACT TTTCCGGGAA
3121 ATGTGCGCGG AACCCCTATT TGTATTATTT TCTAAATACA TTCAAATATG TATCCGCTCA
3181 TGAGACAATA ACCCTGATAA ATGCTTCAAT AATATTGAAA AAGGAAGAGT ATGAGTATTC
3241 AACATTTCCG TGTCGCCCTT ATTCCCTTTT TTGCGGCATT TTGCCTTCCT GTTTTTGCTC
3301 ACCCAGAAAC GCTGGTGAAA GTAAAAGATG CTGAAGATCA GTTGGGTGCA CGAGTGGGTT
3361 ACATCGAACT GGATCTCAAC AGCGGTAAGA TCCTTGAGAG TTTTCGCCCC GAAGAACGTT
3421 TTCCAATGAT GAGCACTTTT AAAGTTCCTG TATGTGGCGC GGTATTATCC CGTGTGACG
3481 CCGGGCAAGA GCAACTCGGT CGCCGCATAC ACTATTCTCA GAATGACTTG GTTGAGTACT
3541 CACCAGTCAC AGAAAAGCAT CTTACGGATG GCATGACAGT AAGAGAATTA TGCAGTGTG
3601 CCATAACCAT GAGTGATAAC ACTGCGGCCA ACTTACTTCT GACAACGATC GGAGGACCGA
3661 AGGAGCTAAC CGCTTTTTTG CACAACATGG GGGATCATGT AACTCGCCTT GATCGTTGGG
3721 AACCGGAGCT GAATGAAGCC ATACCAAACG ACGAGCGTGA CACCACGATG CCTGCAGCAA
3781 TGGCAACAAC GTTGGCAGAA CTATTAACCTG GCGAACTACT TACTCTAGCT TCCCGGCAAC
3841 AATTAATAGA CTGGATGGAG GCGGATAAAG TTGCAGGACC ACTTCTGCGC TCGGCCCTTC
3901 CGGCTGGCTG GTTTATTGCT GATAAATCTG GAGCCGGTGA GCGTGGGTCT CGCGGTATCA
3961 TTGCAGCACT GGGGCCAGAT GGTAAGCCCT CCCGTATCGT AGTTATCTAC ACCACGGGGA
4021 TTCAGGCAAC TATGGATGAA CGAAATAGAC AGATCGCTGA GATAGGTGCC TCACTGATTA
4081 AGCATTGGTA ACTGTCAGAC CAAGTTTACT CATATATACT TTAGATTGAT TTAAGACTTC
4141 ATTTTTAATT TAAAAGGATC TAGGTGAAGA TCCTTTTTGA TAATCTCATG ACCAAATCC
4201 CTTAACGTGA GTTTTCGTTT CACTGAGCGT CAGACCCCGT AGAAAAGATC AAAGGATCTT
4261 CTTGAGATCC TTTTTCCTG CGCGTAATCT GCTGCTTGCA AACAAAAAAA CCACCGCTAC
4321 CAGCGGTGGT TTGTTTGGCG GATCAAGAGC TACCAACTCT TTTCCGAAG GTAAGTGGT
4381 TCAGCAGAGC GCAGATACCA AATACTGTCC TTCTAGTGTA GCCGTAGTTA GGCCACCACT
4441 TCAAGAACTC TGTCAGACCG CCTACATACC TCGCTCTGCT AATCCTGTTA CCAGTGGCTG
4501 CTGCCAGTGG CGATAAGTCG TGTCTTACCG GGTGGAATC AAGACGATG TTACCGGATA
4561 AGGCGCAGCG GTCGGGCTGA ACGGGGGGTT CGTGACACAC GCCCAGCTTG GAGCGAACGA
4621 CCTACACCGA ACTGAGATAC CTACAGCGTG AGCTATGAGA AAGCGCCACG CTTCCCGAAG
4681 GGAGAAAGGC GGACAGGTAT CCGGTAAGCG GCAGGGTCGG AACAGGAGAG CGCAGGAGGG
4741 AGCTTCCAGG GGGAAACGCC TGGTATCTTT ATAGTCTGTG CGGGTTTCGC CACCTCTGAC
4801 TTGAGCGTCG ATTTTTGTGA TGCTCGTCAG GGGGGCGGAG CCTATGGAAA AACGCCAGCA
4861 ACGCGGCCCT TTTACGGTTC CTGGCCTTTT GCTGGCCTTT TGCTCACATG TTCTTTCCTG
4921 CGTTATCCCC TGATTCTGTG GATAACCGTA TTACCGCCTT TGAGTGAGCT GATACCGCTC
4981 GCCGCAGCCG AACGACCGAG CGCAGCGAGT CAGTGAGCGA GGAAGCGGAA GAGCGCCTGA
5041 TGCGGTATTT TCTCCTTACG CATCTGTGCG GTATTTTACA CCGCATAAAT TCCGACACCA
5101 TCGAATGGTG CAAAACCTTT CGCGGTATGG CATGATAGCG CCCGGAAGAG AGTCAATTCA
5161 GGGTGGTGAA TGTGAAACCA GTAACGTTAT ACGATGTCGC AGAGTATGCC GGTGTCTCTT
5221 ATCAGACCGT TTCCCGCGTG GTGAACCAAG CCAGCCACGT TTCTGCGAAA ACGCGGGAAA
5281 AAGTGGAAGC GGCGATGGCG GAGCTGAATT ACATTCCCAA CCGCGTGGCA CAACAACTGG
5341 CGGGCAAACA GTCGTTGCTG ATTGGCGTTG CCACCTCCAG TCTGGCCCTG CACGCGCCGT
5401 CGCAAATTGT CGCGGCGATT AAATCTCGCG CCGATCAACT GGGTGCCAGC GTGGTGGTGT
5461 CGATGGTAGA ACGAAGCGGC GTCGAAGCCT GTAAAGCGGC GGTGCACAAAT CTTCTCGCGC
5521 AACGCGTCAG TGGGCTGATC ATTAAGTATC CGCTGGATGA CCAGGATGCC ATTGCTGTGG
5581 AAGCTGCCTG CACTAATGTT CCGGCGTTAT TTCTTGATGT CTCTGACCAG ACACCCATCA
5641 ACAGTATTAT TTTCTCCCAT GAAGACGGTA CGCGACTGGG CGTGGAGCAT CTGGTTCGAT
5701 TGGGTCACCA GCAAATCGCG CTGTTAGCGG GCCCATTAAG TTCTGTCTCG GCGCGTCTGC
5761 GTCTGGCTGG CTGGCATAAA TATCTCACTC GCAATCAAAT TCAGCCGATA GCGGAACGGG
5821 AAGGCGACTG GAGTGCCATG TCCGGTTTTT AACAAACCAT GCAAATGCTG AATGAGGGCA
5881 TCGTTCCAC TCGATGCTG GTTGCCAACG ATCAGATGGC GCTGGGCGCA ATGCGCGCCA
5941 TACCAGATC CGGGCTGCGC GTTGGTGCGG ATATCTCGGT AGTGGGATAC GACGATACCG
6001 AAGACAGCTC ATGTTATATC CCGCCGTTAA CCACCATCAA ACAGGATTTT CGCCTGCTGG
6061 GGCAAACCA CAGTGGACCG TTGCTGCAAC TCTCTCAGG CCAGGCGGTG AAGGGCAATC
6121 AGCTGTTGCC CGTCTCACTG GTGAAAAGAA AAACCACCCT GGCGCCCAAT ACGCAAACCG-

```

FIGURE 23C

43/240

6181 CCTCTCCCCG CGCGTTGGCC GATTCATTAA TGCAGCTGGC ACGACAGGTT TCCCGACTGG
6241 AAAGCGGGCA GTGAGCGCAA CGCAATTAAT GTGAGTTAGC TCACTCATTA GGCACCCCAG
6301 GCTTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA TTGTGAGCGG ATAACAATTT
6361 CACACAGGAA ACAGCTATGA CCATGATTAC GGATTCACTG GCCGTCGTTT TACAACGTCG
6421 TGA CTGGGAA AACCCTGGCG TTACCCAACT TAATCGCCTT GCAGCACATC CCCCTTTCGC
6481 CAGCTGGCGT AATAGCGAAG AGGCCCCGAC CGATCGCCCT TCCCAACAGT TGCGCAGCCT
6541 GAATGGCGAA TGGCGCTTTG CCTGGTTTCC GGCACCAGAA GCGGTGCCGG AAAGCTGGCT
6601 GGAGTGGGAT CTTCTGAGG CCGATACTGT CGTCGTCCCC TCAAACCTGGC AGATGCACGG
6661 TTACGATGCG CCCATCTACA CCAACGTAAC CTATCCCATT ACGGTCAATC CGCCGTTTGT
6721 TCCCACGGAG AATCCGACGG GTTGTTACTC GCTCACATTT AATGTTGATG AAAGCTGGCT
6781 ACAGGAAGGC CAGACGCGAA TTATTTTGA TGGCGTTGGA ATT

FIGURE 23D

44/240

Figure 24A: pDEST4

His6-thioredoxin fusions in E. coli

919 gca aat att ctg aaa tga gct ggt gac aat taa tca tcc ggt ccg cat aat
 cgt tta taa gac ttt act cga caa ctg tta att agt agg cca ggc ata tta

978 ctg tgg laa tgt gag cgg ata aca att tca cac agg aaa cag acc Met ggt
 gac acc tta aca ctg gcc tat tgt taa agt gtg tcc ttt gtc tgg tac cca

His6


1021 His His His His His His His Tyr Asp Thr Pro Thr Thr Gly Asn Lys Tyr
 cat cat cat cat cat cat cat gat tac gat atc cca acg acc gaa aac ctg tac
 gta gta gta gta gta gta gta cta atg cta tag ggt tgc tgg ctt ttg gac ata

TEV protease → Thioredoxin - (~150 amino acids)

1072 Pro Gly Glu Ala His Met Ser Asp His Ile Ile His Lys Thr Arg Asn Ser
 tct cag ggt gcc cat atg agc gat aca att att cac ctg acc gac gat agt
 aaa gtc ccg cgg gta tac tgg cta ttt taa taa gtg gac tga ctg ctg tca

attR1

1429 Arg Arg Arg Arg Lys Val Pro Ile Thr Ser Lys Tyr Lys Lys
 gat gat gat gat aag gta ccc atc tca agt ctg tgc aca aca gcy gaa cga
 cta ctg cta ctg ttc cat ggg tag tgt tca aac atg ttt tct tga gct gct



45/240

pDEST4 6964 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
964..1003		Trc
1577..1453		attR1
1827..2486		CmR
2606..2690		inactivated ccdA
2828..3133		ccdB
3174..3298		attR2
3872..4777		ampR
5378..5538		ori
5778..6215		flori (fl intergenic region)
6587..704		lacIq

1	CTATCCGCTG	GATGACCAGG	ATGCCATTGC	TGTGGAAGCT	GCCTGCACTA	ATGTTCCGGC
61	GTTATTTCTT	GATGTCTCTG	ACCAGACACC	CATCAACAGT	ATTATTTTCT	CCCATGAAGA
121	CGGTACGCGA	CTGGGCGTGG	AGCATCTGGT	CGCATTGGGT	CACCAGCAAA	TCGCGCTGTT
181	AGCGGGCCCA	TTAAGTTCTG	TCTCGCGCGC	TCTGCGTCTG	GCTGGCTGGC	ATAAATATCT
241	CACTCGCAAT	CAAATTCAGC	CGATAGCGGA	ACGGGAAGGC	GACTGGAGTG	CCATGTCGGG
301	TTTTCAACAA	ACCATGCAAA	TGCTGAATGA	GGGCATCGTT	CCCACTGCGA	TGCTGGTTGC
361	CAACGATCAG	ATGGCGCTGG	GCGCAATGCG	CGCCATTACC	GAGTCCGGGC	TGCGCGTTGG
421	TGCGGATATC	TCGGTAGTGG	GATACGACGA	TACCGAAGAC	AGCTCATGTT	ATATCCCGCC
481	GTC AACACC	ATCAAACAGG	ATTTTCGCCT	GCTGGGGCAA	ACCAGCGTGG	ACCGCTTGCT
541	GCAACTCTCT	CAGGGCCAGG	CGGTGAAGGG	CAATCAGCTG	TTGCCCGTCT	CACGTGGTAA
601	AAGAAAAACC	ACCCTGGCAC	CCAATACGCA	AACCGCCTCT	CCCCGCGCGT	TGGCCGATTTC
661	ATTAATGCAG	CTGGCACGAC	AGGTTTCCCG	ACTGGAAAGC	GGGCAGTGAG	CGCAACGCAA
721	TTAATGTGAG	TTAGCGCGAA	TTGATCTGGT	TTGACAGCTT	ATCATCGACT	GCACGGTGCA
781	CCAATGCTTC	TGGCGTCAGG	CAGCCATCGG	AAGCTGTGGT	ATGGCTGTGC	AGGTCGTAAA
841	TCACTGCATA	ATTCGTGTCT	CTCAAGGCGC	ACTCCCGTTC	TGGATAATGT	TTTTTGCGCC
901	GACATCATAA	CGGTTCTGGC	AAATATTCTG	AAATGAGCTG	TTGACAATTA	ATCATCCGGT
961	CCGTATAATC	TGTGGAATTG	TGAGCGGATA	ACAATTTTAC	ACAGGAAACA	GACCATGGGT
1021	CATCATCATC	ATCATCACGA	TTACGATATC	CCAACGACCG	AAAACCTGTA	TTTTTCAGGGC
1081	GCCCATATGA	GCGATAAAAT	TATTCACCTG	ACTGACGACA	GTTTGGACAC	GGATGTACTC
1141	AAAGCGGACG	GGGCGATCCT	CGTCGATTTC	TGGGCAGAGT	GGTGCGGTCC	GTGCAAAATG
1201	ATCGCCCCGA	TTCTGGATGA	AATCGCTGAC	GAATATCAGG	GCAAACTGAC	CGTTGCAAAA
1261	CTGAACATCG	ATCAAAAACC	TGGCACTGCG	CCGAAATATG	GCATCCGTGG	TATCCCGACT
1321	CTGCTGCTGT	TCAAAAACGG	TGAAGTGGCG	GCAACCAAAG	TGGGTGCACT	GTCTAAAGGT
1381	CAGTTGAAAG	AGTTCCTCGA	CGCTAACCTG	GCCGGTTCTG	GTTCTGGTGA	TGACGATGAC
1441	AAGGTACCCA	TCACAAGTTT	GTACAAAAAA	GCTGAACGAG	AAACGTAAAA	TGATATAAAT
1501	ATCAATATAT	TAAATTAGAT	TTTGACATAA	AAACAGACTA	CATAATACTG	TAAAACACAA
1561	CATATCCAGT	CACTATGGCG	GCCGCTAAGT	TGGCAGCATC	ACCCGACGCA	CTTTGCGCCG
1621	AATAAATACC	TGTGACGGAA	GATCACTTCG	CAGAATAAAT	AAATCCTGGT	GTCCCTGTGT
1681	ATACCGGGAA	GCCCTGGGCC	AACTTTTGGC	GAAAATGAGA	CGTTGATCGG	CACGTAAGAG
1741	GTTCCAACCT	TCACCATAAT	GAAATAAGAT	CACTACCGGG	CGTATTTTTT	GAGTTATCGA
1801	GATTTTCAGG	AGCTAAGGAA	GCTAAAATGG	AGAAAAAAT	CACTGGATAT	ACCACCGTTG
1861	ATATATCCCA	ATGGCATCGT	AAAGAACATT	TTGAGGCATT	TCAGTCAGTT	GCTCAATGTA
1921	CCTATAACCA	GACCGTTCAG	CTGGATATTA	CGGCCTTTTT	AAAGACCGTA	AAGAAAAATA
1981	AGCACAAAGT	TTATCCGGCC	TTTATTCACA	TTCTTGCCCG	CCTGATGAAT	GCTCATCCGG
2041	AATTCGGTAT	GGCAATGAAA	GACGGTGAGC	TGGTGATATG	GGATAGTGT	CACCTTTGTT
2101	ACACCGTTTT	CCATGAGCAA	ACTGAAACGT	TTTCATCGCT	CTGGAGTGAA	TACCACGACG
2161	ATTTCCGGCA	GTTTCTACAC	ATATATTGCG	AAGATGTGGC	GTGTTACGGT	GAAAACCTGG
2221	CCTATTTCCC	TAAAGGGTTT	ATTGAGAATA	TGTTTTTCGT	CTCAGCCAAT	CCCTGGGTGA
2281	GTTTCACCAG	TTTTTGATT	AACGTGGCCA	ATATGGACAA	CTTCTTCGCC	CCCGTTTTCA
2341	CCATGGGCAA	ATATTATACG	CAAGGCGACA	AGGTGCTGAT	GCCGCTGGCG	ATTCAGGTTC
2401	ATCATGCCGT	CTGTGATGGC	TTCCATGTCT	GCAGATGCT	TAATGAATTA	CAACAGTACT
2461	GCGATGAGTG	GCAGGGCGGG	GCGTAAACGC	GTGGATCCGG	CTTACTAAAA	GCCAGATAAC
2521	AGTATGCGTA	TTTGCGCGCT	GATTTTTGCG	GTATAAGAAT	ATATACTGAT	ATGTATACCC-

FIGURE 24B

46/240

2581 GAAGTATGTC AAAAAGAGGT GTGCTATGAA GCAGCGTATT ACAGTGACAG TTGACAGCGA
 2641 CAGCTATCAG TTGCTCAAGG CATATATGAT GTCAATATCT CCGGTCTGGT AAGCACAACC
 2701 ATGCAGAATG AAGCCCGTCG TCTGCGTGCC GAACGCTGGA AAGCGGAAAA TCAGGAAGGG
 2761 ATGGCTGAGG TCGCCCGGTT TATTGAAATG AACGGCTCTT TTGCTGACGA GAACAGGGAC
 2821 TGGTGAATG CAGTTTAAGG TTTACACCTA TAAAAGAGAG AGCCGTATC GTCTGTTTGT
 2881 GGATGTACAG AGTGATATTA TTGACACGCC CGGGCGACGG ATGGTGATCC CCCTGGCCAG
 2941 TGCACGTCTG CTGTCAGATA AAGTCTCCCG TGAACCTTAC CCGGTGGTGC ATATCGGGGA
 3001 TGAAAGCTGG CGCATGATGA CCACCGATAT GGCCAGTGTG CCGGTCTCCG TTATCGGGGA
 3061 AGAAGTGGCT GATCTCAGCC ACCCGGAAAA TGACATCAAA AACGCCATTA ACCTGATGTT
 3121 CTGGCGAATA TAAATGTCAG GCTCCCTTAT ACACAGCCAG TCTGCAGGTC GACCATAGTG
 3181 ACTGGATATG TTGTGTTTTA CAGTATTATG TAGTCTGTTT TTTATGCAAA ATCTAATTTA
 3241 ATATATTGAT ATTTATATCA TTTTACGTTT CTCGTTTCAGC TTTCTTGATC AAAGTGGTGA
 3301 TGGGGATCCT CTAGAGTCGA CCTGCAGTAA TCGTACAGGG TAGTACAAAT AAAAAAGGCA
 3361 CGTCAGATGA CGTGCCCTTT TTCTTGAGAG CAGTAAGCTT GGCTGTTTTG GCGGATGAGA
 3421 GAAGATTTTC AGCCTGATAC AGATTAAATC AGAACGCAGA AGCGGTCTGA TAAAACAGAA
 3481 TTTGCTGGC GGCAGTAGCG CGGTGGTCCC ACCTGACCCC ATGCCGAAC CAGAAGTGAA
 3541 ACGCCGTAGC GCCGATGGTA GTGTGGGGTC TCCCATGCG AGAGTAGGGA ACTGCCAGGC
 3601 ATCAAATAAA ACGAAAGGCT CAGTCGAAAG ACTGGGCTT TCGTTTTATC TGTGTTTGT
 3661 CGGTGAACGC TCTCCTGAGT AGGACAAATC CGCCGGGAGC GGATTTGAAC GTTGCGAAGC
 3721 AACGCCCGG AGGGTGGCGG GCAGGACGCC CGCCATAAAC TGCCAGGCAT CAAATTAAGC
 3781 AGAAGGCCAT CCTGACGGAT GGCTTTTTTG CGTTTCTACA AACTCTTTTT GTTTATTTTT
 3841 CTAAATACAT TCAAATATGT ATCCGCTCAT GAGACAATAA CCCTGATAAA TGCTTCAATA
 3901 ATATTGAAAA AGGAAGAGTA TGAGTATTCA ACATTTCCGT GTCGCCCTTA TTCCCTTTTT
 3961 TGCGGCATTT TGCCTTCTCG TTTTGTCTCA CCCAGAAACG CTGGTGAAAG TAAAAGATGC
 4021 TGAAGATCAG TTGGGTGCAC GAGTGGGTTA CATCGAACTG GATCTCAACA GCGGTAAGAT
 4081 CCTTGAGAGT TTTGCCCCCG AAGAACGTTT TCCAATGATG AGCACTTTTA AAGTTCTGCT
 4141 ATGTGGCGCG GTATTATCCC GTGTTGACGC CGGGCAAGAG CAACTCGGTC GCCGCATACA
 4201 CTATTCTCAG AATGACTTGG TTGAGTACTC ACCAGTCACA GAAAAGCATC TTACGGATGG
 4261 CATGACAGTA AGAGAATTAT GCAGTGCTGC CATAACCATG AGTGATAACA CTGCGGCCAA
 4321 CTATTCTCTG ACAACGATCG GAGGACCGAA GGAGCTAACC GCTTTTTTGC ACAACATGGG
 4381 GGATCATGTA ACTCGCCTTG ATCGTTGGGA ACCGGAGCTG AATGAAGCCA TACCAACGA
 4441 CGAGCGTGAC ACCACGATGC CTACAGCAAT GGCAACAACG TTGCGCAAAC TATTAAGTGG
 4501 CGAACTACTT ACTCTAGCTT CCCGGCAACA ATTAATAGAC TGGATGGAGG CGGATAAAGT
 4561 TGCAAGACCA CTTCTGCGCT CGGCCCTTCC GGCTGGCTGG TTTATTGCTG ATAAATCTGG
 4621 AGCCGGTGAG CGTGGGTCTC GCGGTATCAT TGCAGCACTG GGGCCAGATG GTAAGCCCTC
 4681 CCGTATCGTA GTTATCTACA CGACGGGGAG TCAGGCAACT ATGGATGAAC GAAATAGACA
 4741 GATCGCTGAG ATAGGTGCTT CACTGATTAA GCATTGGTAA CTGTCAGACC AAGTTTACTC
 4801 ATATATACTT TAGATTGATT TAAAACCTCA TTTTAAATTT AAAAGGATCT AGGTGAAGAT
 4861 CCTTTTTGAT AATCTCATGA CCAAATCCC TTAACGTGAG TTTTCGTTCC ACTGAGCGTC
 4921 AGACCCCGTA GAAAAGATCA AAGGATCTTC TTGAGATCCT TTTTTCTGCG GCGTAATCTG
 4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCGGTGGTT TGTGTTGCCG ATCAAGAGCT
 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG CAGATACCAA ATACTGTCCT
 5101 TCTAGTGTAG CCGTAGTTAG GCCACCCTT CAAGAACTCT GTAGCACCAG CTACATACCT
 5161 CGCTCTGCTA ATCCTGTTAC CAGTGGCTGC TGCCAGTGCG GATAAGTCGT GTCTTACCGG
 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTT
 5281 GTGCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA
 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG
 5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA
 5461 TAGTCTGTG GGGTTTCGCC ACCTCTGACT TGAGCGTCTGA TTTTGTGAT GCTCGTCAGG
 5521 GGGGCGGAGC CTATGAAAAA ACGCCAGCAA CGCGGCTTTT TTACGGTTCC TGGCCTTTTG
 5581 CTGGCCTTTT GCTCACATGT TCTTCTCTGC GTTATCCCTT GATTCTGTGG ATAAACGTAT
 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC
 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCGG
 5761 TATTTACACAC CGCATAATTT TGTTAAATTT CGCGTTAAAT TTTTGTGTTA TCAGCTCATT
 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAAT AGACCGAGAT
 5881 AGGGTTGAGT GTTGTTCAG TTTGGAACAA GAGTCCACTA TTAAGAAGAC TGGACTCCAA
 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCTA
 6001 ATCAAGTTTT TTGGGGTCGA GGTGCCGTAA AGCACTAAAT CGGAACCCTA AAGGGAGCCC-


FIGURE 24C

6061 CCGATTTAGA GCTTGACGGG GAAAGCCGGC GAACGTGGCG AGAAAGGAAG GGAAGAAAGC
6121 GAAAGGAGCG GGCGCTAGGG CGCTGGCAAG TGTAGCGGTC ACGCTGCGCG TAACCACCAC
6181 ACCCGCCGCG CTTAATGCGC CGCTACAGGG CGCGTCCATT CGCCATTTCAG GCTGCTATGG
6241 TGCACTCTCA GTACAATCTG CTCTGATGCC GCATAGTTAA GCCAGTATAC ACTCCGCTAT
6301 CGCTACGTGA CTGGGTCATG GCTGCGCCCC GACACCCGCC AACACCCGCT GACGCGCCCT
6361 GACGGGCTTG TCTGCTCCCG GCATCCGCTT ACAGACAAGC TGTGACCGTC TCCGGGAGCT
6421 GCATGTGTCA GAGGTTTTCA CCGTCATCAC CGAAACGCGC GAGGCAGCAG ATCAATTTCG
6481 GCGCGAAGGC GAAGCGGCAT GCATTTACGT TGACACCATC GAATGGTGCA AAACCTTTCTG
6541 CGGTATGGCA TGATAGCGCC CGGAAGAGAG TCAATTTCAGG GTGGTGAATG TGAAACCACT
6601 AACGTTATAC GATGTCGCAG AGTATGCCGG TGTCTCTTAT CAGACCGTTT CCGCGTGGT
6661 GAACCAGGCC AGCCACGTTT CTGCGAAAAC GCGGGAAAAA GTGGAAGCGG CGATGGCGGA
6721 GCTGAATTAC ATTCCCAACC GCGTGGCACA ACAACTGGCG GGCAAAACAGT CGTTGCTGAT
6781 TGGCGTTGCC ACCTCCAGTC TGGCCCTGCA CGCGCCGTCG CAAATTGTCG CGGCGATTAA
6841 ATCTCGCGCC GATCAACTGG GTGCCAGCGT GGTGGTGTG ATGGTAGAAC GAAGCGCGCT
6901 CGAAGCCTGT AAAGCGGCGG TGCACAATCT TCTCGCGCAA CGCGTCAGTN GGGCTGATCA
6961 TTAA

48/240


Figure 25A

pDEST5

pSPORT '+' (for sequencing, probes,
phagemid)

49/240

Figure 25B γ DEST5 (cont'd)



50/240

pDEST5 5957 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
305..181		attR1
555..1214		CmR
1334..1418		inactivated ccdA
1556..1861		ccdB
1902..2026		attR2
2278..2733		f1 (f1 intergenic region)
2865..3722		ampR
5378..5538		ori
4756..5922		lacI

1	AGGCACCCCA	GGCTTTACAC	TTTATGCTTC	CGGCTCGTAT	GTTGTGTGGA	ATTGTGAGCG
61	GATAACAATT	TCACACAGGA	AACAGCTATG	ACCATGATTA	CGCCAAGCTC	TAATACGACT
121	CACTATAGGG	AAAGCTGGTA	CGCCTGCAGG	TACCGGTCCG	GAATTCCTCG	GTCGACGATC
181	ACAAGTTTGT	ACAAAAAAGC	TGAACGAGAA	ACGTAAATG	ATATAAATAT	CAATATATTA
241	AATTAGATTT	TGCATAAAAA	ACAGACTACA	TAATACTGTA	AAACACAACA	TATCCAGTCA
301	CTATGGCGGC	CGCTAAGTTG	GCAGCATCAC	CCGACGCACT	TGCGCGCGAA	TAAATACCTG
361	TGACGGAAGA	TCACTTCGCA	GAATAAATAA	ATCCTGGTGT	CCCTGTTGAT	ACCGGGAAGC
421	CCTGGGCCAA	CTTTTGGCGA	AAATGAGACG	TTGATCGGCA	CGTAAGAGGT	TCCAACCTTC
481	ACCATAATGA	AATAAGATCA	CTACCGGGCG	TATTTTGTGA	GTTATCGAGA	TTTTTCAGGAG
541	CTAAGGAAGC	TAAAATGGAG	AAAAAATCA	CTGGATATAC	CACCGTTGAT	ATATCCCAAT
601	GGCATCGTAA	AGAACATTTT	GAGGCATTTT	AGTCAGTTGC	TCAATGTACC	TATAACCAGA
661	CCGTTTCAGCT	GGATATTACG	GCCTTTTAA	AGACCGTAAA	GAAAAATAAG	CACAAGTTTT
721	ATCCGGCCTT	TATTCACATT	CTTGCCCGCC	TGATGAATGC	TCATCCGGAA	TTCCGTATGG
781	CAATGAAAGA	CGGTGAGCTG	GTGATATGGG	ATAGTGTTCA	CCCTTGTTAC	ACCGTTTTCC
841	ATGAGCAAAC	TGAAACGTTT	TCATCGCTCT	GGAGTGAATA	CCACGACGAT	TTCCGGCAGT
901	TTCTACACAT	ATATTGCAAA	GATGTGGCGT	GTTACGGTGA	AAACCTGGCC	TATTTCCCTA
961	AAGGGTTTTAT	TGAGAATATG	TTTTTCGTCT	CAGCCAATCC	CTGGGTGAGT	TTCAACAGTT
1021	TTGATTTAAA	CGTGGCCAAT	ATGGACAAC	TCTTCGCCCC	CGTTTTCCAC	ATGGGCAAT
1081	ATTATACGCA	AGGCGACAAG	GTGCTGATGC	CGCTGGCGAT	TCAGGTTTAT	CATGCCGTCT
1141	GTGATGGCTT	CCATGTGCGC	AGAATGCTTA	ATGAATTACA	ACAGTACTGC	GATGAGTGGC
1201	AGGGCGGGGC	GTAACGCGT	GGATCCGGCT	TACTAAAAGC	CAGATAACAG	TATGCGTATT
1261	TGCGCGCTGA	TTTTTGCGGT	ATAAGAATAT	ATACTGATAT	GTATACCCGA	AGTATGTCAA
1321	AAAGAGGTGT	GCTATGAAGC	AGCGTATTAC	AGTGACAGTT	GACAGCGACA	GCTATCAGTT
1381	GCTCAAGGCA	TATATGATGT	CAATATCTCC	GGTCTGGTAA	GCACAACCAT	GCAGAATGAA
1441	GCCCGTTCGTC	TGCGTGCCGA	ACGCTGGAAA	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC
1501	GCCCGGTTTA	TTGAAATGAA	CGGCTCTTTT	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA
1561	GTTTAAGGTT	TACACCTATA	AAAGAGAGAG	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG
1621	TGATATTATT	GACACGCCCG	GGCGACGGAT	GGTGATCCCC	CTGGCCAGTG	CACGTCTGCT
1681	GTCAGATAAA	GTCTCCCGTG	AACTTTACCC	GGTGGTGTCAT	ATCGGGGATG	AAAGCTGGCG
1741	CATGATGACC	ACCGATATGG	CCAGTGTGCC	GGTCTCCGTT	ATCGGGGAAG	AAGTGGCTGA
1801	TCTCAGCCAC	CGCGAAAATG	ACATCAAAAA	CGCCATTAAC	CTGATGTTCT	GGGGAATATA
1861	AATGTCAGGC	TCCCTTATAC	ACAGCCAGTC	TGCAGGTCGA	CCATAGTGAC	TGGATATGTT
1921	GTGTTTTTACA	GTATTATGTA	GTCTGTTTTT	TATGCAAAAT	CTAATTTAAT	ATATTGATAT
1981	TTATATCATT	TTACGTTTCT	CGTTCAGCTT	TCTTGTAACA	AGTGGTGATC	ACTAGTCGGC
2041	GGCCGCTCTA	GAGGATCCAA	GCTTACGTAC	GCGTGCAATG	GACGTCATAG	CTCTTCTATA
2101	GTGTACCTA	AATTCAATTC	ACTGGCCGTC	GTTTTACAAC	GTCGTGACTG	GGAAAACCTT
2161	GGCGTTACCC	AACTTAATCG	CCTTGACGCA	CATCCCCCTT	TCGCCAGCTG	GCGTAATAGC
2221	GAAGAGGCCC	GCACCGATCG	CCCTTCCCAA	CAGTTGCGCA	GCCTGAATGG	CGAATGGACG
2281	CGCCCTGTAG	CGGCGCATT	AGCGCGCGCG	GTGTGGTGGT	TACGCGCAGC	GTGACCGCTA
2341	CACCTTGCCAG	CGCCCTAGCG	CCCGCTCCTT	TCGCTTTCTT	CCCTTCCTTT	CTCGCCACGT
2401	TGCGCGGCTT	TCCCGTCAA	GCTCTAAATC	GGGGGCTCCC	TTTAGGGTTC	CGATTAGTG
2461	CTTTACGGCA	CCTCGACCCC	AAAAAACTTG	ATTAGGGTGA	TGGTTCACGT	AGTGGGCCAT
2521	CGCCCTGATA	GACGGTTTTT	CGCCCTTTGA	CGTTGGAGTC	CACGTTCTTT	AATAGTGGAC
2581	TCTTGTTCCA	AACTGGAACA	ACACTCAACC	CTATCTCGGT	CTATTCTTTT	GATTTATAAG-

FIGURE 25C

51/240

2641 GGATTTTGGCC GATTTCGGCC TATTGGTTAA AAAATGAGCT GATTTAACAA AAATTTAACG
2701 CGAATTTTAA CAAAATATTA ACGTTTACAA TTTTCAGGTGG CACTTTTCGG GGAAATGTGC
2761 GCGGAACCCC TATTTGTTTA TTTTCTAAA TACATTCAA TATGTATCCG CTCATGAGAC
2821 AATAACCCCTG ATAAATGCTT CAATAATATT GAAAAAGGAA GAGTATGAGT ATTCAACATT
2881 TCCGTGTGCG CCTTATTCCC TTTTTCGGG CATTTTGCCT TCCTGTTTTT GCTCACCCAG
2941 AAACGCTGGT GAAAGTAAAA GATGCTGAAG ATCAGTTGGG TGCACGAGTG GGTTCATCG
3001 AACTGGATCT CAACAGCGGT AAGATCCTTG AGAGTTTTCG CCCGAAGAA CGTTTTCCAA
3061 TGATGAGCAC TTTTAAAGTT CTGCTATGTG GCGCGGTATT ATCCCGTATT GACGCCGGGC
3121 AAGAGCAACT CGGTCGCCGC ATACACTATT CTCAGAATGA CTGCGTTGAG TACTCACCAG
3181 TCACAGAAAA GCATCTTACG GATGGCATGA CAGTAAGAGA ATTATGCAGT GCTGCCATAA
3241 CCATGAGTGA TAACACTGCG GCCAACTTAC TTCTGACAAC GATCGGAGGA CCGAAGGAGC
3301 TAACCGCTTT TTTGCACAAC ATGGGGGATC ATGTAACCTG CTTGATCGT TGGGAACCGG
3361 AGCTGAATGA AGCCATACCA AACGACGAGC GTGACACCAC GATGCCTGTA GCAATGGCAA
3421 CAACGTTGCG CAAACTATTA ACTGGCGAAC TACTTACTCT AGCTTCCCGG CAACAATTAA
3481 TAGACTGGAT GGAGGCGGAT AAAGTTGCAG GACCACTTCT GCGCTCGGCC CTTCGGCTG
3541 GCTGGTTTTAT TGCTGATAAA TCTGGAGCCG GTGAGCGTGG GTCTCGCGGT ATCATTGCAG
3601 CACTGGGGCC AGATGGTAAG CCCTCCCGTA TCGTAGTTAT CTACACGACG GGGAGTCAGG
3661 CAACTATGGA TGAACGAAAT AGACAGATCG CTGAGATAGG TGCCTCACTG ATTAAGCATT
3721 GGTAACGTG AGACCAAGTT TACTCATATA TACTTTAGAT TGATTTAAAA CTTCATTTTT
3781 AATTTAAAAG GATCTAGGTG AAGATCCTTT TTGATAATCT CATGACCAA ATCCCTTAAC
3841 GTGAGTTTTT GTTCCACTGA GCGTCAGACC CCGTAGAAAA GATCAAAGGA TCTTCTTGAG
3901 ATCCTTTTTT TCTGCGCGTA ATCTGCTGCT TGCAAACAAA AAAACCCAGG CTACCAGCGG
3961 TGGTTTTGTTT GCCGGATCAA GAGCTACCAA CTCTTTTTCC GAAGGTAAT GGCTTCAGCA
4021 GAGCGCAGAT ACCAAATACT GTCCTTCTAG TGAGCCGTA GTTAGGCCAC CACTTCAAGA
4081 ACTCTGTAGC ACCGCCTACA TACCTCGCTC TGCTAATCCT GTTACCAGTG GCTGCTGCCA
4141 GTGGCGATAA GTCGTGTCTT ACCGGSTTGG ACTCAAGACG ATAGTTACCG GATAAGGCGC
4201 AGCGGTCGGG CTGAACGGGG GGTTCGTGCA CACAGCCCAG CTTGGAGCGA ACGACCTACA
4261 CCGAAGTGA ATACCTACAG CGTGAGCATT GAGAAAGCG CACGCTTCCC GAAGGGAGAA
4321 AGGCGGACAG GTATCCGTA AGCGGCAGGG TCGGAACAGG AGAGCGCAG AGGGAGCTTC
4381 CAGGGGGAAA CGCCTGGTAT CTTTATAGTC CTGTGCGGTT TCGCCACCTC TGACTTGAGC
4441 GTCGATTTTT GTGATGCTCG TCAGGGGGGC GGAGCCTATG GAAAAACGCC AGCAACCGCG
4501 CCTTTTTTACG GTTCCTGGCC TTTTGCTGGC CTTTGTCTCA CATGTTCTTT CTGCGTTAT
4561 CCCCTGATTC TGTGGATAAC CGTATTACCG CCTTTGAGTG AGCTGATACC GCTCGCCGCA
4621 GCCGAACGAC CGAGCGCAGC GAGTCAGTGA GCGAGGAAGC GGAAGAGCGC CCAATACGCA
4681 AACCCTCTCT CCCCCTGCGT TGGCCGATTC ATTAATGCAG AGCTTGCAAT TCGCGCGCGA
4741 AGGCGAAGCG GCATTTACGT TGACACCATC GAATGGCGCA AAACCTTTTC CGGTATGGCA
4801 TGATAGCGCC CGGAAGAGAG TCAATTCAGG GTGGTGAATG TGAAACAGT AACGTTATAC
4861 GATGTGCGAG AGTATGCCGG TGTCTCTTAT CAGACCGTTT CCCGCGTGGT GAACAGGCC
4921 AGCCACGTTT CTGCGAAAAC GCGGGAAAAA GTGGAAGCGG CGATGGCGGA GCTGAATTAC
4981 ATTCCCAACC CCGTGGCACA ACAACTGGCG GGCAACAGT CGTTGCTGAT TGGCGTTGCC
5041 ACCTCCAGTC TGGCCCTGCA CGCGCCGTCG CAAATTGTCT GCGCGATTAA ATCTCGCGCC
5101 GATCAACTGG GTGCCAGCGT GGTGGTGTCT ATGGTAGAAC GAAGCGGCGT CGAAGCCTGT
5161 AAAGCGGCGG TGCACAATCT TCTCGCGCAA CGGGTCAGTG GGCTGATCAT TAACATCCG
5221 CTGGATGACC AGGATGCCAT TGCTGTGGAA GCTGCCTGCA CTAATGTTCC GGCGTTATTT
5281 CTTGATGTCT CTGACCAGAC ACCCATCAAC AGTATTATTT TCTCCCATGA AGACGGTACG
5341 CGACTGGGCG TGGAGCATCT GGTGCGATTG GGTCAACAGC AAATCGCGCT GTTAGCGGGC
5401 CCATTAAGTT CTGTCTCGGC GCGTCTGCGT CTGGCTGGCT GGCATAAATA TCTCACTCGC
5461 AATCAAATTC AGCCGATAGC GGAACGGGAA GGCGACTGGA GTGCCATGTC CGGTTTTCAA
5521 CAAACCATGC AAATGCTGAA TGAGGGCATC GTTCCCACTG CGATGCTGGT TGCCAACGAT
5581 CAGATGGCGC TGGGCGCAAT GCGCGCCATT ACCGAGTCCG GGCTGCGCGT TGGTGGCGAT
5641 ATCTCGGTAG TGGGATACGA CGATACCGAA GACAGCTCAT GTTATATCCC GCCGTCAACC
5701 ACCATCAAAC AGGATTTTCG CCTGCTGGGG CAAACAGCG TGGACCGCTT GCTGCAACTC
5761 TCTCAGGGCC AGGCGGTGAA GGGCAATCAG CTGTTGCCCC TCTCACTGGT GAAAAAGAAA
5821 ACCACCTGG CGCCCAATAC GCAAACCGCC TCTCCCCGCG CGTTGGCCGA TTCATTAATG
5881 CAGCTGGCAC GACAGGTTTC CCGACTGGAA AGCGGGCAGT GAGCGCAACG CAATTAATGT
5941 GAGTTAGCTC ACTCATT

FIGURE 25D

Figure 26A

pDEST6

pSPORT "4"

(opposite strand)

"forward" sequencing primers

1 taa tgc cag ggt ttt ccc agt cac gac gtt gta aaa cga cgg cca gtg aat
att gcg gtc cca aaa ggg tca gtg ctg caa cat ttt gct gcc ggt cac tta

52 tga att tag gtg aca cta tag aag agc tat gac gtc gca tgc acg cgt acg
act tta atc cac tgt gat atc ttc tgc ata ctg cag ggt acg tgc gca tgc

SP6 promoter Sph Mlu

103 tca gct tgg atc ctc tag agc ggc cgc cga cta gtg atc aca agt ctg gaa
att cga acc tag gag atc tgc cgc ggc gct gat cac tag tgt tca aac atg

Hind3 Bam Xba Not Spe Xba1 Int

154 aaa aaa gct gaa cga gaa acg taa aat gar ata aat atc aat ata taa aat
ttt ttc cga ctt gct ctt tgc att tta cta tat tca tag cta tat aat tca

↓
Gene

1939 tat tta tat tat ttt acg att cct gtt tag ctt tct tgt aca aag tgg tga
ata dat ata gta aaa tgc aaa gag gaa gtc gaa aga gca tgc ttc acc att

Int att R2

1990 tgc tgc acc cgg gaa ttc cgg acc ggt act tgc agg cgt acc agc ttt ccc
agc agc ggg gcc ctt aag gcc tgg dca tgg acg tcc gca tgg tgc aaa ggg

T7 RNA

2041 tat agt gag tgc tat tag agc ttg gcg taa tca tgg tca tag ctg ttt cct
ata tca ctc agc ata atc tgc aac cgc att agt acc agt atc gac aaa gga

T7 promoter α-peptide

2092 gtg tga aat tgt tat ccg ctc aca att cca cac aac ata cga gcc gga agc
cac act tta aca ata ggc gag tgt taa ggt gtg ttg tat gct cgg cct tgc

... sequencing primers lac promoter

lac RNA

2143 ata aag tgt aaa gcc tgg ggt gcc taa tga gtg agc taa ctc aca tta att
tat ttc aca ttc cgg acc cca cgg att act cac tgc att gag tgt aat taa


-35

S3/240

Figure 26B

pDEST6

(cont'd)



54/240

pDEST6 5957 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
266..142		attR1
516..1175		CmR
1295..1379		inactivated ccdA
1517..1822		ccdB
1863..1987		attR2
2203..3369		lacI
4403..5260		ampR
5392..5847		f1 (f1 intergenic region)

1	TAACGCCAGG	GTTTTCCCAG	TCACGACGTT	GTA AACGAC	GGCCAGTGAA	TTGAATTTAG
61	GTGACACTAT	AGAAGAGCTA	TGACGTCGCA	TGCACGCGTA	CGTAAGCTTG	GATCCTCTAG
121	AGCGGCCGCC	GACTAGTGAT	CACAAGTTTG	TACAAAAAAG	CTGAACGAGA	AACGTAAAAAT
181	GATATAAATA	TCAATATATT	AAATTAGATT	TTGCATAAAA	AACAGACTAC	ATAATACTGT
241	AAAACACAAC	ATATCCAGTC	ACTATGGCGG	CCGCTAAGTT	GGCAGCATCA	CCCGACGCAC
301	TTTGCGCCGA	ATAAATACCT	GTGACGGAAG	ATCACTTCGC	AGAATAAATA	AATCCTGGTG
361	TCCCTGTTGA	TACCGGGAAG	CCCTGGGCCA	ACTTTTGGCG	AAAATGAGAC	GTTGATCGGC
421	ACGTAAGAGG	TTCCAACTTT	CACCATAATG	AAATAAGATC	ACTACCGGGC	GTATTTTTTG
481	AGTTATCGAG	ATTTTCAGGA	GCTAAGGAAG	CTAAATGGA	GAAAAAATC	ACTGGATATA
541	CCACCGTTGA	TATATCCCAA	TGGCATCGTA	AAGAACATTT	TGAGGCATTT	CAGTCAGTTG
601	CTCAATGTAC	CTATAACCAG	ACCGTTCAGC	TGGATATTAC	GGCCTTTTTA	AAGACCGTAA
661	AGAAAAATAA	GCACAAGTTT	TATCCGGCCT	TTATTCACAT	TCTTGCCCGC	CTGATGAATG
721	CTCATCCGGA	ATTCCGTATG	GCAATGAAAG	ACGGTGAGCT	GGTGATATGG	GATAGTGTTT
781	ACCCTTGTTA	CACCGTTTTT	CATGAGCAAA	CTGAAACGTT	TTCATCGCTC	TGGAGTGAAT
841	ACCACGACGA	TTTCCGGCAG	TTTCTACACA	TATATTCGCA	AGATGTGGCG	TGTTACGGTG
901	AAAACCTGGC	CTATTTCCCT	AAAGGGTTTA	TTGAGAATAT	GTTTTTCGTC	TCAGCCAATC
961	CCTGGGTGAG	TTTACCAGT	TTTGATTTAA	ACGTGGCCAA	TATGGACAAC	TTCTTCGCCC
1021	CCGTTTTTAC	CATGGGCAAA	TATTATACGC	AAGGCGACAA	GGTGCTGATG	CCGCTGGCGA
1081	TTCAGGTTCA	TCATGCCGTC	TGTGATGGCT	TCCATGTCGG	CAGAATGCTT	AATGAATTAC
1141	AACAGTACTG	CGATGAGTGG	CAGGGCGGGG	CGTAAACGCG	TGGATCCGGC	TTACTAAAAAG
1201	CCAGATAACA	GTATGCCGAT	TTGCGCGCTG	ATTTTTGCGG	TATAAGAATA	TATACTGATA
1261	TGTATACCCG	AAGTATGTCA	AAAAGAGGTG	TGCTATGAAG	CAGCGTATTA	CAGTGACAGT
1321	TGACAGCGAC	AGCTATCAGT	TGCTCAAGGC	ATATATGATG	TCAATATCTC	CGGTCTGGTA
1381	AGCACAACCA	TGCAGAAATG	AGCCCGTCGT	CTGCGTGCCG	AACGCTGGAA	AGCGGAAAAAT
1441	CAGGAAGGGA	TGGCTGAGGT	CGCCCGGTTT	ATTGAAATGA	ACGGCTCTTT	TGCTGACGAG
1501	AACAGGGACT	GGTGAAATGC	AGTTTAAAGT	TTACACCTAT	AAAAGAGAGA	GCCGTATATCG
1561	TCTGTTTGTG	GATGTACAGA	GTGATATTAT	TGACACGCCC	GGGCGACGGA	TGGTGATCCC
1621	CCTGGCCAGT	GCACGTCTGC	TGTCAGATAA	AGTCTCCCGT	GAACCTTACC	CGGTGGTGCA
1681	TATCGGGGAT	GAAAGCTGGC	GCAATGATGAC	CACCGATATG	GCCAGTGTGC	CGGTCTCCGT
1741	TATCGGGGAA	GAAGTGGCTG	ATCTCAGCCA	CCGCGAAAAAT	GACATCAAAA	ACGCCATTAA
1801	CCTGATGTTT	TGGGGAATAT	AAATGTCAGG	CTCCCTTATA	CACAGCCAGT	CTGCAGGTCTG
1861	ACCATAGTGA	CTGGATATGT	TGTGTTTTAC	AGTATTATGT	AGTCTGTTTT	TTATGCAAAA
1921	TCTAATTTAA	TATATTGATA	TTTATATCAT	TTTACGTTTC	TCGTTACAGT	TTCTTGATACA
1981	AAGTGGTGAT	CGTCGACCCG	GGAATTCGCG	ACCGGTACCT	GCAGGCGTAC	CAGCTTTCCC
2041	TATAGTGAGT	CGTATTAGAG	CTTGGCGTAA	TCATGGTCAT	AGCTGTTTTCC	TGTGTGAAAT
2101	TGTTATCCGC	TCACAATTCC	ACACAACATA	CGAGCCGGAA	GCATAAAGTG	TAAAGCCTGG
2161	GGTGCCCTAAT	GAGTGAGCTA	ACTCACATTA	ATTGCGTTGC	GCTCACTGCC	CGCTTTCCAG
2221	TCGGGAAACC	TGTCGTGCCA	GCTGCATTAA	TGAATCGGCC	AACGCGCGGG	GAGAGGCGGT
2281	TTGCGTATTG	GGCGCCAGGG	TGGTTTTTCT	TTTCACCAAGT	GAGACGGGCA	ACAGCTGATT
2341	GCCCTTCACC	GCCTGGCCCT	GAGAGAGTTG	CAGCAAGCGG	TCCACGCTGG	TTTGCCCCAG
2401	CAGGCGAAAA	TCCTGTTTGA	TGGTGGTTGA	CGGCGGGATA	TAACATGAGC	TGCTCTCGGT
2461	ATCGTCGTAT	CCCACTACCG	AGATATCCGC	ACCAACGCGC	AGCCCGGACT	CGGTAATGGC
2521	GCGCATTGCG	CCCAGCGCCA	TCTGATCGTT	GGCAACCAGC	ATCGCAGTGG	GAACGATGCC
2581	CTCATTTCAGC	ATTTGCATGG	TTTGTGAAAA	ACCGGACATG	GCACTCCAGT	CGCCTTCCCC
2641	TTCCGCTATC	GGCTGAATTT	GATTGCGAGT	GAGATATTTA	TGCCAGCCAG	CCAGACCCAG-

FIGURE 26C

2701 ACGCGCCGAG ACAGAACTTA ATGGGCCCCG TAACAGCGCG ATTTGCTGGT GACCCAATGC
2761 GACCAGATGC TCCACGCCCA GTCGCGTACC GTCTTCATGG GAGAAAATAA TACTGTTGAT
2821 GGGTGTCTGG TCAGAGACAT CAAGAAATAA CGCCGGAACA TTAGTGACAGG CAGCTTCCAC
2881 AGCAATGGCA TCCTGGTCAT CCAGCGGATA GTTAATGATC AGCCCACTGA CCCGTTGCGC
2941 GAGAAGATTG TGCACCGCCG CTTTACAGGC TTGACGCGG CTTCGTTCTA CCATCGACAC
3001 CACCACGCTG GCACCCAGTT GATCGGCGCG AGATTTAATC GCCGCGACAA TTTGCGACGG
3061 CGCGTGCAGG GCCAGACTGG AGGTGGCAAC GCCAATCAGC AACGACTGTT TGCCCCCAG
3121 TTGTTGTGCC ACGCGGTTGG GAATGTAATT CAGCTCCGCC ATCGCCGCTT CCACTTTTC
3181 CCGCGTTTTT GCAGAAACGT GGCTGGCCTG GTTCACCACG CGGGAACGG TCTGATAAGA
3241 GACACCGGCA TACTCTGCGA CATCGTATAA CGTTACTGGT TTCACATTCA CCACCCTGAA
3301 TTGACTCTCT TCCGGGCGCT ATCATGCCAT ACCGCGAAAG GTTTTGCGCC ATTCGATGGT
3361 GTCAACGTAA ATGCCGCTTC GCCTTCGCGC GCGAATTGCA AGCTCTGCAT TAATGAATCG
3421 GCCAACGCGC GGGGAGAGGG GGTTCGCTA TTGGGCGCTC TTCCGCTTCC TCGCTCACTG
3481 ACTCGCTGCG CTCGGTCGTT CGGCTGCGGC GAGCGGTATC AGCTCACTCA AAGCGGTAA
3541 TCGGTTTATC CACAGAATCA GGGGATAACG CAGGAAAGAA CATGTGAGCA AAAGGCCAG
3601 AAAAGGCCAG GAACCGTAAA AAGGCCGCGT TGCTGGCGTT TTTCCATAGG CTCCGCCCCC
3661 CTGACGAGCA TCACAAAAT CGACGCTCAA GTCAGAGGTG GCGAAACCCG ACAGGACTAT
3721 AAAGATACCA GGCCTTTCCC CCTGGAAGCT CCCTCGTGCG CTCTCCTGTT CCGACCCTGC
3781 CGCTTACCGG ATACCTGTCC GCCTTTCTCC CTTCGGGAAG CGTGGCGCTT TCTCAATGCT
3841 CACGCTGAGT GTATCTCAGT TCGGTGTAGG TCGTTTCGCTC CAAGCTGGGC TGTGTGCACG
3901 AACCCCCCGT TCAGCCCGAC CGCTGCGCCT TATCCGGTAA CTATCGTCTT GAGTCCAACC
3961 CGGTAAGACA CGACTTATCG CCACTGGCAG CAGCCACTGG TAACAGGATT AGCAGAGCGA
4021 GGTATGTAGG CGGTGCTACA GAGTTCTTGA AGTGGTGGCC TAACTACGGC TACACTAGAA
4081 GGACAGTATT TGGTATCTGC GCTCTGCTGA AGCCAGTTAC CTTCGGAAAA AGAGTTGGTA
4141 GCTCTTGATC CGGCAACAAA ACCACCGCTG GTAGCGGTGG TTTTTTTGTT TGCAAGCAGC
4201 AGATTACGCG CAGAAAAAAA GGATCTCAAG AAGATCCTTT GATCTTTTCT ACGGGGCTCTG
4261 ACGCTCAGTG GAACGAAAAC TCACGTTAAG GGATTTTGGT CATGAGATTA TCAAAAAGGA
4321 TCTTCACTTA GATCCTTTTA AATTAAAAAT GAAGTTTAA ATCAATCTAA AGTATATATG
4381 AGTAACTTGG GTCTGACAGT TACCAATGCT TAATCAGTGA GGCACCTATC TCAGCGATCT
4441 GTCTATTTTC TTCATCCATA GTTGCTGAC TCCCGTCGT GTAGATAACT ACGATACGGG
4501 AGGCTTACC ATCTGGCCCC AGTGCTGCAA TGATACCGCG AGACCCACGC TCACCGGCTC
4561 CAGATTTATC AGCAATAAAC CAGCCAGCCG GAAGGGCCGA GCGCAGAAGT GGTCTGCAA
4621 CTTTATCCCG CTCATCCAG TCTATTAATT GTTGCCGGGA AGCTAGAGTA AGTAGTTGCG
4681 CAGTTAATAG TTTGCGCAAC GTTGTGGCCA TTGCTACAGG CATCGTGGTG TCACGCTCGT
4741 CGTTTGGTAT GGCTTCATTC AGCTCCGGTT CCCAACGATC AAGGCGAGTT ACATGATCCC
4801 CCATGTTGTG CAAAAAGCG GTTAGCTCCT TCGGTCCTCC GATCGTTGTC AGAAGTAAGT
4861 TGCCCGCAGT GTTATCACTC ATGGTTATGG CAGCACTGCA TAATTCTCTT ACTGTATGTC
4921 CATCCGTAAG ATGCTTTTCT GTGACTGGTG AGTACTCAAC CAAGTCATTC TGAGAATAGT
4981 GTATGCGGCG ACCGAGTTGC TCTTGCCCGG CGTCAATACG GGATAATACC GCGCCACATA
5041 GCAGAACTTT AAAAGTGCTC ATCATTGGAA AACGTTCTTC GGGGCGAAAA CTCTCAAGGA
5101 TCTTACCGCT GTTGAGATCC AGTTCGATGT AACCCTACTG TGCACCCAAC TGATCTTCAG
5161 CATCTTTTAC TTTACCAGC GTTCTGGGT GAGCAAAAAC AGGAAGGCAA AATGCCGCAA
5221 AAAAGGGAAT AAGGGCGACA CGGAAATGTT GAATACTCAT ACTCTTCCTT TTTCAATATT
5281 ATTGAAGCAT TTATCAGGGT TATTGTCTCA TGAGCGGATA CATATTTGAA TGTATTTAGA
5341 AAAATAACA AATAGGGGTT CCGCGCACAT TTCCCCGAAA AGTGCCACCT GAAATTGTAA
5401 ACGTTAATAT TTTGTTAAAA TTCGCGTTAA ATTTTGTGTA AATCAGCTCA TTTTAAACC
5461 AATAGGCCGA AATCGGCAAA ATCCCTTATA AATCAAAAGA ATAGACCGAG ATAGGGTTGA
5521 GTGTTGTTCC AGTTTGAAC AAGAGTCCAC TATTAAAGAA CGTGGACTCC AACGTCAAAG
5581 GGCGAAAAAC CGTCTATCAG GCGGATGGCC CACTACGTGA ACCATCACCC TAATCAAGTT
5641 TTTTGGGGTC GAGGTGCCGT AAAGCACTAA ATCGGAACCC TAAAGGGAGC CCCCATTATA
5701 GAGCTTGACG GGGAAAGCCG GCGAACGTGG CGAGAAAGGA AGGGAAGAAA GCGAAAGGAG
5761 CGGGCGCTAG GCGCTGGCA AGTGTAGCGG TCACGCTGCG CGTAACCACC ACACCCCGCG
5821 CGCTTAATGC CCGGCTACAG GCGCGGTCCA TTCGCCATTC AGGCTGCGCA ACTGTTGGGA
5881 AGGGCGATCG GTGCGGGCCT CTTGCTATT ACGCCAGCTG GCGAAAGGGG GATGTGCTGC
5941 AAGGCGATTA AGTTGGG


FIGURE 26D

Figure 27A: PDEST7

CMV promoter for eukaryotic expression

970 cca ttg acg caa atg ggc ggt agg cgt gta cgg tgg gag gtc tat ata agc
 ggt aac tgc gtt tac ccg cca tcc gca cat gcc acc ctc cag ata tat tcg
 1021 aga gct cgt tta gtg aac cgt cag atc gcc tgg aga cgc cat cca cgc tgt
 tct cga gca aat cac ttg gca gtc tag cgg acc tct gcg gta ggt gcg aca
 1072 ttt gac ctc cat aga aga cac cgg gac cga tcc agc ctc cgg act cta gcc
 aaa ctg gag gta tct tct gtg gcc ctg gct agg tgg gag ggc tga gat cgg
 1123 tag gcc gcg gag cgg ata aca att tca cac agg aaa cag cta tga cca cta
 atc cgg cgc ctc gcc tat tgt taa agt gtg tcc ttt gtc gat act ggt gat
 1174 ggc ttt tgc aaa aag cta ttt agg tga cac tat aga agg tac gcc tgc agg
 ccg aaa acg ttt ttc gat aaa tcc act gtg ata tct tcc atg cgg acg tct
 1225 tac cgg tcc gga att ccc atc aca agt tgg tag aaa gaa ggt gaa cga gaa
 atg gcc agg cct taa ggg tag tgt tca aac atg ttt tct cga ctc gct ctc

Annotations:
 - mRNA start (arrow) at position 1021 (aga gct cgt tta gtg aac cgt cag atc gcc tgg aga cgc cat cca cgc tgt)
 - CMV enhancer/promoter (arrow) at position 1072 (ttt gac ctc cat aga aga cac cgg gac cga tcc agc ctc cgg act cta gcc)
 - Pst (arrow) at position 1174 (ggc ttt tgc aaa aag cta ttt agg tga cac tat aga agg tac gcc tgc agg)
 - KpnI (arrow) at position 1225 (tac cgg tcc gga att ccc atc aca agt tgg tag aaa gaa ggt gaa cga gaa)
 - EcoRI (arrow) at position 1225 (tac cgg tcc gga att ccc atc aca agt tgg tag aaa gaa ggt gaa cga gaa)
 - attR1 (arrow) at position 1225 (tgt tca aac atg ttt tct cga ctc gct ctc)



pDEST7 6025 bp (rotated to position 2800)

<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
67..589	CMV promoter
906..782	attR1
1015..1674	CmR
1794..1878	inactivated ccdA
2016..2321	ccdB
2362..2486	attR2
2671..3033	small t & polyA
3227..3502	fl
3962..4822	ampR
5022..5661	ori

```


1  ATTATCATGA  CATTAACTTA  TAAAAATAGG  CGTAGTACGA  GGCCCTTTCA  CTCATTAGAT
61 GCATGTCGTT  ACATAACTTA  CGGTAAATGG  CCCGCCTGGC  TGACCGCCCA  ACGACCCCGG
121 CCCATTGACG  TCAATAATGA  CGTATGTTCC  CATAGTAACG  CCAATAGGGA  CTTTCCATTG
181 ACGTCAATGG  GTGGAGTATT  TACGGTAAAC  TGCCCACTTG  GCAGTACATC  AAGTGTATCA
241 TATGCCAAGT  ACGCCCCCTA  TTGACGTCAA  TGACGGTAAA  TGGCCCGCCT  GGCATTATGC
301 CCAGTACATG  ACCTTATGGG  ACTTTCCTAC  TTGGCAGTAC  ATCTACGTAT  TAGTCATCGC
361 TATTACCATG  GTGATGCCGT  TTTGGCAGTA  CATCAATGGG  CGTGGATAGC  GGTTTGACTC
421 ACGGGGATTT  CCAAGTCTCC  ACCCATTGA  CGTCAATGGG  AGTTTGTTTT  GGCACCAAAA
481 TCAACGGGAC  TTTCCAAAAT  GTCGTAACAA  CTCCGCCCCA  TTGACGCAAA  TGGGCGGTAG
541 GCGTGTACGG  TGGGAGGTCT  ATATAAGCAG  AGCTCGTTTA  GTGAACCGTC  AGATCGCCTG
601 GAGACGCCAT  CCACGCTGTT  TTGACCTCCA  TAGAAGACAC  CGGGACCGAT  CCAGCCTCCG
661 GACTCTAGCC  TAGGCCCGCG  AGCGGATAAC  AATTTACAC  AGGAAACAGC  TATGACCATT
721 AGGCCTTTGC  AAAAAGCTAT  TTAGGTGACA  CTATAGAAGG  TACGCCTGCA  GGTACCGGAT
781 CACAAGTTTG  TACAAAAAAG  CTGAACGAGA  AACGTAAAAT  GATATAAATA  TCAATATATT
841 AAATTAGATT  TTGCATAAAA  AACAGACTAC  ATAATACTGT  AAAACACAAC  ATATCCAGTC
901 ACTATGGCGG  CCGCATTAGG  CACCCAGGC  TTTACACTTT  ATGCTTCCGG  CTCGTATAAT
961 GTGTGGATTT  TGAGTTAGGA  TCCGTCGAGA  TTTTCAGGAG  CTAAGGAAGC  TAAAATGGAG
1021 AAAAAAATCA  CTGGATATAC  CACCGTTGAT  ATATCCCAAT  GGCAATCGTAA  AGAACATTTT
1081 GAGGCATTTT  AGTCAGTTGC  TCAATGTACC  TATAACCAGA  CCGTTCAGCT  GGATATTACG
1141 GCCTTTTAA  AGACCGTAAA  GAAAAATAAG  CACAAGTTTT  ATCCGGCCTT  TATTCACATT
1201 CTTGCCCGCC  TGATGAATGC  TCATCCGGAA  TTCCGTATGG  CAATGAAAGA  CCGTGAGCTG
1261 GTGATATGGG  ATAGTGTTCA  CCCTTGTTAC  ACCGTTTTCC  ATGAGCAAAC  TGAAACGTTT
1321 TCATCGCTCT  GGAGTGAATA  CCACGACGAT  TTCCGGCAGT  TTCTACACAT  ATATTGCGAA
1381 GATGTGGCGT  GTTACGGTGA  AAACCTGGCC  TATTTCCCTA  AAGGGTTTAT  TGAGAATATG
1441 TTTTTCGTCT  CAGCCAATCC  CTGGGTGAGT  TTCACCAATT  TTGATTTAAA  CGTGGCCAAAT
1501 ATGGACAAC  TCTTCGCCCC  CGTTTTTACC  ATGGGCAAAT  ATTATACGCA  AGGCGACAAG
1561 GTGCTGATGC  CGCTGGCGAT  TCAGGTTTCT  CATGCCGTCT  GTGATGGCTT  CCATGTCCGC
1621 AGAATGCTTA  ATGAATTACA  ACAGTACTGC  GATGAGTGGC  AGGGCGGGGC  GTAAACGCGT
1681 GGATCCGGCT  TACTAAAAGC  CAGATAACAG  TATGCGTATT  TGC GCGCTGA  TTTTTCGGGT
1741 ATAAGAATAT  ATACTGATAT  GTATACCCGA  AGTATGTCAA  AAAGAGGTGT  GCTATGAAGC
1801 AGCGTATTAC  AGTGACAGTT  GACAGCGACA  GCTATCAGTT  GCTCAAGGCA  TATATGATGT
1861 CAATATCTCC  GGTCTGGTAA  GCACAACCAT  GCAGAATGAA  GCCCGTCGTC  TGCGTGCCGA
1921 ACGCTGGAAA  GCGGAAAATC  AGGAAGGGAT  GGCTGAGGTC  GCCCGTTTAA  TTGAAATGAA
1981 CGGCTCTTTT  GCTGACGAGA  ACAGGGACTG  GTGAAATGCA  GTTTAAGGTT  TACACCTATA
2041 AAAGAGAGAG  CCGTTATCGT  CTGTTTGTGG  ATGTACAGAG  TGATATTATT  GACACGCCCC
2101 GCGGACGGAT  GGTGATCCCC  CTGGCCAGTG  CACGTCTGCT  GTCAGATAAA  GTCTCCCGTG
2161 AACTTTACCC  GGTGGTGCAT  ATCGGGGATG  AAAGCTGGCG  CATGATGACC  ACCGATATGG
2221 CCAGTGTGCC  GGTCTCCGTT  ATCGGGGAAG  AAGTGGCTGA  TCTCAGCCAC  CGCGAAAATG
2281 ACATCAAAAA  CGCCATTAA  CTGATGTTCT  GGGGAATATA  AATGTCAGGC  TCCCTTATAC
2341 ACAGCCAGTC  TGCAGGTCCA  CCATAGTGAC  TGGATATGTT  GTGTTTACA  GTATTATGTA
2401 GTCTGTTTTT  TATGCAAAAT  CTAATTTAAT  ATATTGATAT  TTATATCATT  TTACGTTTCT
2461 CGTTCAGCTT  TCTTGTAACA  AGTGGTGATC  GCGTGCATGC  GACGTCATAG  CTCTCTCCCT
2521 ATAGTGAGTC  GTATTATAAG  CTAGGCACTG  GCCGTCGTTT  TACAACGTCG  TGACTGGGAA-

```

2581 AACTGCTAGC TTGGGATCTT TGTGAAGGAA CCTTACTTCT GTGGTGTGAC ATAAATTGGAC
2641 AAACCTACCTA CAGAGATTTA AAGCTCTAAG GTAAATATAA AATTTTTAAG TGTATAATGT
2701 GTTAAACTAG CTGCATATGC TTGCTGCTTG AGAGTTTTCG TTAGTGAGTA TGATTATATGA
2761 AAATATTATA CACAGGAGCT AGTGATTCTA ATTGTTTGTG TATTTTAGAT TCACAGTCCC
2821 AAGGCTCATT TCAGGCCCTT CAGTCCTCAC AGTCTGTTCA TGATCATAAT CAGCCATACC
2881 ACATTTGTAG AGGTTTTACT TGCTTTAAAA AACCTCCAC ACCTCCCCCT GAACCTGAAA
2941 CATAAATGA ATGCAATTGT TGTGTTAAAC TTGTTTATTG CAGCTTATAA TGGTTACAAA
3001 TAAAGCAATA GCATCACAAA TTTCACAAAT AAAGCATTTT TTTCAGTGA TTCTAGTTGT
3061 GGTTTGTCCA AACTCATCAA TGTATCTTAT CATGTCTGGA TCGATCCTGC ATTAATGAAT
3121 CGGCCAACGC GCGGGGAGAG GCGGTTTGGC TATTGGCTGG CGTAATAGCG AAGAGGCCCCG
3181 CACCGATCGC CCTTCCCAAC AGTTGCGCAG CCTGAATGGC GAATGGGACG CGCCCTGTAG
3241 CGGCGCATT AAGCGCGCGG GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG
3301 CGCCCTAGCG CCCGCTCCTT TCGCTTCTT CCCTTCCCTT CTCGCCACGT TCGCCGCGCTT
3361 TCCCGTCAA GCTCTAAATC GGGGGCTCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA
3421 CCTCGACCCC AAAAACTTG ATTAGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA
3481 GACGGTTTTT CGCCCTTGA CGTTGGAGTC CACGTTCTTT AATAGTGGAC TCTTGTTCGA
3541 AACTGGAACA AACTCAACC CTATCTCGGT CTATTCTTTT GATTTATAAG GGATTTTGCC
3601 GATTTGCGCC TATTGGTTAA AAAATGAGCT GATTTAACA AAATTTAACG CGAATTTTAA
3661 CAAAATATTA ACGTTTACAA TTTCAGGTGG CACTTTTCGG GGAAATGTGC GCGGAACCCC
3721 TATTTGTTTA TTTTCTAAA TACATTCAA TATGTATCCG CTCATGCCAG GTCTTGGAAGT
3781 GGTGAGAACG GCTTGTCTCG CAGCTTCGAT GTGTGCTGGA GGGAGAATAA AGGTCTAAGA
3841 TGTGCGATAG AGGGAAGTCG CATTGAATTA TGTGCTGTGT AGGGATCGCT GGTATCAAAAT
3901 ATGTGTGCCC ACCCCTGGCA TGAGACAATA ACCCTGATAA ATGCTTCAAT AATATTGAAA
3961 AAGGAAGAGT ATGAGTATTC AACATTTCCG TGTCGCCCTT ATTCCTTTT TTGCGGCATT
4021 TTGCCCTTCT GTTTTGTCTC ACCCAGAAAC GCTGGTGAAG GTAAAGATG CTGAAGATCA
4081 GTTGGGTGCA CGAGTGGGT ACATCGAAGT GGATCTCAAC AGCGGTAAGA TCCTTGAGAG
4141 TTTTCGCCCC GAAGAACGTT TTCCAATGAT GAGCACTTTT AAAGTTCTGC TATGTGGCGC
4201 GGTATTATCC CGTATTGACG CCGGGCAAGA GCAACTCGGT CGCCGCATAC ACTATTCTCA
4261 GAATGACTTG GTTGAGTACT CACCAGTCAC AGAAAAGCAT CTTACGGATG GCATGACAGT
4321 AAGAGAATTA TGCAGTGCTG CCATAACCAT GAGTGATAAC ACTGCGGCCA ACTTACTTCT
4381 GACAACGATC GGAGGACCGA AGGAGCTAAC CGCTTTTTTG CACAACATGG GGGATCATGT
4441 AACTCGCCTT GATCGTTGGG AACCGGAGCT GAATGAAGCC ATACCAAACG ACGAGCGTGA
4501 CACCACGATG CCTGTAGCAA TGGCAACAAC GTTGGCAGAA CTATTAAGTG GCGAACTACT
4561 TACTCTAGCT TCCCGGCAAC AATTAATAGA CTGGATGGAG GCGGATAAAG TTGCAGGACC
4621 ACTTCTGCGC TCGGCCCTTC CGGCTGGCTG GTTTATTGCT GATAAATCTG GAGCCGGTGA
4681 GCGTGGGTCT CGCGGTATCA TTGCAGCACT GGGGCCAGAT GGTAAGCCCT CCCGTATCGT
4741 AGTTATCTAC ACGACGGGGA GTCAGGCAAC TATGGATGAA CGAAATAGAC AGATCGCTGA
4801 GATAGGTGCC TCACTGATTA AGCATTGGTA ACTGTCAGAC CAAGTTTACT CATATATACT
4861 TTAGATTGAT TTAAACTTTC ATTTTAAAT TAAAAGGATC TAGGTGAAGA TCCTTTTGA
4921 TAATCTCATG CCATAACTTC GTATAATGTA TGCTATACGA AGTTATGGCA TGACCAAAAT
4981 CCCTTAACGT GAGTTTTCTG TCCACTGAGC GTCAGACCCC GTAGAAAAGA TCAAAGGATC
5041 TTCTTGAGAT CCTTTTTTTC TGCGCGTAAT CTGCTGCTTG CAAACAAAAA AACCACCGCT
5101 ACCAGCGGTG GTTTGTGTGC CGGATCAAGA GCTACCAACT CTTTTTCCGA AGGTAACCTGG
5161 CTTACGACGA GCGCAGATAC CAAATACTGT CCTTCTAGTG TAGCCGTAGT TAGGCCACCA
5221 CTTCAAGAAC TCTGTAGCAC CGCCTACATA CCTCGCTCTG CTAATCCTGT TACCAGTGGC
5281 TGCTGCCAGT GCGGATAAGT CGTGTCTTAC CGGGTTGGAC TCAAGACGAT AGTTACCGGA
5341 TAAGGCGCAG CGGTCGGGCT GAACGGGGGG TTCGTGCACA CAGCCCAGCT TGGAGCGAAC
5401 GACCTACACC GAACTGAGAT ACCTACAGCG TGAGCATTGA GAAAGCGCCA CGCTTCCCGA
5461 AGGGAGAAAG GCGGACAGGT ATCCGGTAAG CCGCAGGGTC GGAACAGGAG AGCGCAGCAG
5521 GGAGCTTCCA GGGGGAACG CCTGGTATCT TTATAGTCCT GTCGGGTTTC GCCACCTCTG
5581 ACTTGAGCGT CGATTTTTGT GATGCTCGTC AGGGGGGCGG AGCCTATGGA AAAACGCCAG
5641 CAACGCGGCC TTTTACGGT TCTGGCCTT TTGCTGGCCT TTTGCTCACA TGTTCTTTCC
5701 TGCGTTATCC CCTGATTCTG TGATAAACCG TATTACCGCC TTTGAGTGAG CTGATACCGC
5761 TCGCCGACG CAAACGACCG AGCGCAGCGA GTCAGTGAGC GAGGAAGCGG AAGAGCGCCC
5821 AATACGCAAA CCGCCTCTCC CCGCGGTTTG GCCGATTCAT TAATGCAGAG CTTGCAATTC
5881 GCGCGTTTTT CAATATTATT GAAGCATTTA TCAGGGTTAT TGTCTCATGA GCGGATACAT
5941 ATTTGAATGT ATTTAGAAAA ATAAACAAAT AGGGGTTCCG CGCACATTTT CCCGAAAAGT
6001 GCCACCTGAC GTCTAAGAAA CCATT

Figure 28A: pDEST8 Polyhedron Promoter, Baculovirus Transfer Plasmid

1 *AceI*
 cgt|ata ctc cgg aat att aat aga tca tgg aga taa tta aaa tga taa cca
 gca tat gag gcc tta taa tta tct agt acc tct att aat ttt act att ggt
 52 *→ mRNA (polyhedrin)*
 tct cgc aaa taa ata agt att tta ctg ttt tgg taa cag ttt tgt aat aaa
 aga gcg ttt att tat tca taa aat gac aaa agc att gtc aaa aca tta ttt
 103
 aaa acc tat aaa tat tcc gga tta ttc ata ccg tcc cac cat cgg gcg cgg
 ttt tgg ata ttt ata agg cct aat aag tat ggc agg gtg gta gcc cgc gcc
 154 *Bam* *Int* *2KR1*
 atc atc aca agt tgg tag aaa aaa gct gaa cga gaa aag taa tat gat ata
 tag tag tgt tca aac atg ttt ttt cga ctt gct ctt tgc att tta ctt tat



60/240

pDEST8 6526 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
23..152		Ppolh
284..160		attR1
534..1193		CmR
1313..1397		inactivated ccdA
1535..1840		ccdB
1881..2005		attR2
2766..3146		f1
3240..4090		ampR
4289..4869		ori
5564..6496		genR

1	CGTATACTCC	GGAATATTAA	TAGATCATGG	AGATAATTAA	AATGATAACC	ATCTCGCAAA
61	TAAATAAGTA	TTTTACTGTT	TTCGTAACAG	TTTTGTAAATA	AAAAAACCTA	TAAATATTCC
121	GGATTATTCA	TACCGTCCCA	CCATCGGGCG	CGGATCATCA	CAAGTTTGTA	CAAAAAAGCT
181	GAACGAGAAA	CGTAAATGA	TATAAATATC	AATATATTAA	ATTAGATTTT	GCATAAAAAA
241	CAGACTACAT	AATACTGTAA	AACACAACAT	ATCCAGTCAC	TATGGCGGCC	GCTAAGTTGG
301	CAGCATCACC	CGACGCACCT	TGCGCCGAAT	AAATACCTGT	GACGGAAGAT	CACCTTCGCAG
361	AATAAATAAA	TCCTGGTGTC	CCTGTTGATA	CCGGGAAGCC	CTGGGCCAAC	TTTTGGCGAA
421	AATGAGACGT	TGATCGGCAC	GTAAGAGGTT	CCAACCTTCA	CCATAATGAA	ATAAGATCAC
481	TACCGGGCGT	ATTTTTTGAG	TTATCGAGAT	TTTCAGGAGC	TAAGGAAGCT	AAAATGGAGA
541	AAAAAATCAC	TGGATATACC	ACCGTTGATA	TATCCCAATG	GCATCGTAAA	GAACATTTTG
601	AGGCATTTCA	GTCAGTTGCT	CAATGTACCT	ATAACCAGAC	CGTTCAGCTG	GATATTACGG
661	CCTTTTTTAAA	GACCGTAAAG	AAAAATAAGC	ACAAGTTTTA	TCCGGCCTTT	ATTCACATTC
721	TTGCCCGCCT	GATGAATGCT	CATCCGGAAT	TCCGTATGGC	AATGAAAGAC	GGTGAGCTGG
781	TGATATGGGA	TAGTGTTCAC	CCTTGTTACA	CCGTTTTCCA	TGAGCAAACT	GAAACGTTTT
841	CATCGCTCTG	GAGTGAATAC	CACGACGATT	TCCGGCAGTT	TCTACACATA	TATTCGCAAG
901	ATGTGGCGTG	TTACGGTGAA	AACCTGGCCT	ATTTCCCTAA	AGGGTTTATT	GAGAATATGT
961	TTTTCGTCTC	AGCCAATCCC	TGGGTGAGTT	TCACCAGTTT	TGATTTAAAC	GTGGCCAATA
1021	TGGACAACCT	CTTCGCCCCC	GTTTTACCA	TGGGCAAATA	TTATACGCCAA	GGCGACAAGG
1081	TGCTGATGCC	GCTGGCGATT	CAGGTTTCATC	ATGCCGCTCTG	TGATGGCTTC	CATGTCGGCA
1141	GAATGCTTAA	TGAATTACAA	CAGTACTGCG	ATGAGTGGCA	GGGCGGGGCG	TAAACGCGTG
1201	GATCCGGCTT	ACTAAAAGCC	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA
1261	TAAGAATATA	TACTGATATG	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTATGAAGCA
1321	GCGTATTACA	GTGACAGTTG	ACAGCGACAG	CTATCAGTTG	CTCAAGGCAT	ATATGATGTC
1381	AATATCTCCG	GTCTGGTAAG	CACAACCATG	CAGAATGAAG	CCCGTCGTCT	GCGTGCCGAA
1441	CGCTGGAAG	CGGAAAATCA	GGAAGGGATG	GCTGAGGTCG	CCCGGTTTTAT	TGAAATGAAC
1501	GGCTCTTTTG	CTGACGAGAA	CAGGGACTGG	TGAAATGCAG	TTTAAGGTTT	ACACCTATAA
1561	AAGAGAGAGC	CGTTATCGTC	TGTTTGTGGA	TGTACAGAGT	GATATTATTG	ACACGCCCGG
1621	GCGACGGATG	GTGATCCCCC	TGGCCAGTGC	ACGTCTGCTG	TCAGATAAAG	TCTCCCGTGA
1681	ACTTTACCCG	GTGGTGCATA	TCGGGGATGA	AAGCTGGCGC	ATGATGACCA	CCGATATGGC
1741	CAGTGTGCCG	GTCTCCGTTA	TCGGGGAAGA	AGTGGCTGAT	CTCAGCCACC	GCGAAAATGA
1801	CATCAAAAAC	GCCATTAACC	TGATGTTCTG	GGGAATATAA	ATGTCAGGCT	CCCTTATACA
1861	CAGCCAGTCT	GCAGGTCGAC	CATAGTGACT	GGATATGTTG	TGTTTTACAG	TATTATGTAG
1921	TCTGTTTTTT	ATGCAAAATC	TAATTTAATA	TATTGATATT	TATATCATTT	TACGTTTCTC
1981	GTTTCTGCTT	CTTGTTACAA	GTGGTGATAG	CTTGTCGAGA	AGTACTAGAG	GATCATAATC
2041	AGCCATACCA	CATTTGTAGA	GGTTTTACTT	GCTTTAAAAA	ACCTCCACAC	CCTCCCCCTG
2101	AACCTGAAAC	ATAAAATGAA	TGCAATTGTT	GTTGTAACT	TGTTTATTGC	AGCTTATAAT
2161	GGTTACAAAT	AAAGCAATAG	CATCACAAT	TTCACAAATA	AAGCATTTTT	TTCACATGCAT
2221	TCTAGTTGTG	GTTTGTCGAA	ACTCATCAAT	GTATCTTATC	ATGCTGGGAT	CTGATCACTG
2281	CTTGAGCCTA	GGAGATCCGA	ACCAGATAAG	TGAAATCTAG	TTCCAAACTA	TTTTGTCTATT
2341	TTTAATTTTC	GTATTAGCTT	ACGACGCTAC	ACCCAGTTCC	CATCTATTTT	GTCATCTTTC
2401	CCTAAATAAT	CCTTAAAAAC	TCCATTTCCA	CCCCTCCAG	TTCCCAACTA	TTTTGTCCGC
2461	CCACAGCGGG	GCATTTTCT	TCCTGTTATG	TTTTTAATCA	AACATCCTGC	CAACTCCATG
2521	TGACAAACCG	TCATCTTCGG	CTACTTTTTT	TCTGTACAG	AATGAAAATT	TTTCTGTCAT

FIGURE 28B

2581 CTCTTCGTTA TTAATGTTTG TAATTGACTG AATATCAACG CTTATTTGCA GCCTGAATGG
2641 CGAATGGACG CGCCCTGTAG CGGCGCATTA AGCGCGGCGG GTGTGGTGGT TACGCGCAGC
2701 GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT TCGCTTTCTT CCCTTCCTTT
2761 CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC GGGGGCTCCC TTTAGGGTTC
2821 CGATTTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG ATTAGGGTGA TGTTTCACGT
2881 AGTGGGCCAT CGCCCTGATA GACGGTTTTT CGCCCTTTGA CGTTGGAGTC CACGTTCTTT
2941 AATAGTGGAC TCTTGTTCCA AACTGGAACA ACACTCAACC CTATCTCGGT CTATTCTTTT
3001 GATTTATAAG GGATTTTGCC GATTTTCGGC TATTGGTTAA AAAATGAGCT GATTTAACAA
3061 AAATTTAACG CGAATTTTAA CAAAATATTA ACGTTTACAA TTTCAGGTGG CACTTTTCGG
3121 GGAAATGTGC GCGGAACCCC TATTTGTTTA TTTTCTTAAA TACATTCAAA TATGTATCCG
3181 CTCATGAGAC AATAACCTG ATAAATGCTT CAATAATATT GAAAAAGGAA GAGTATGAGT
3241 ATTCAACATT TCCGTGTGCG CCTTATTCCT TTTTTCGCGG CATTTCGCCT TCCTGTTTTT
3301 GCTCACCCAG AAACGCTGGT GAAAGTAAAA GATGCTGAAG ATCAGTTGGG TGCACGAGTG
3361 GGTTACATCG AACTGGATCT CAACAGCGGT AAGATCCTTG AGAGTTTTCG CCCCAGAGAA
3421 CGTTTTCCAA TGATGAGCAC TTTTAAAGTT CTGCTATGTG GCGCGGTATT ATCCCGTATT
3481 GACGCCGGGC AAGAGCAACT CGGTGCGCGC ATACACTATT CTCAGAATGA CTGTTTGAG
3541 TACTCACCAG TCACAGAAAA GCATCTTACG GATGGCATGA CAGTAAGAGA ATTATGCAGT
3601 GCTGCCATAA CCATGAGTGA TAACACTGCG GCCAACTTAC TTCTGACAAC GATCGGAGGA
3661 CCGAAGGAGC TAACCGCTTT TTTGCACAAC ATGGGGGATC ATGTAACCTG CTTGATCGT
3721 TGGGAACCGG AGCTGAATGA AGCCATACCA AACGACGAGC GTGACACCAC GATGCCTGTA
3781 GCAATGGCAA CAACGTTGCG CAACTATTA ACTGGCGAAC TACTTACTCT AGCTTCCCGG
3841 CAACAATTAA TAGACTGGAT GGAGGCGGAT AAAGTTGCAG GACCCTTCT GCGCTCGGCC
3901 CTTCCGGCTG GCTGGTTTTAT TGCTGATAAA TCTGGAGCCG GTGAGCGTGG GTCTCGCGGT
3961 ATCATTGCAG CACTGGGGCC AGATGGTAAG CCCTCCCGTA TCGTAGTTAT CTACACGAGC
4021 GGGAGTCAGG CAACTATGGA TGAACGAAAT AGACAGATCG CTGAGATAGG TGCTCACTG
4081 ATTAAGCATT GGTAACGTG AGACCAAGTT TACTCATATA TACTTTAGAT TGATTTAAAA
4141 CTTCAATTTT AATTTAAAAG GATCTAGGTG AAGATCCTTT TTGATAATCT CATGACCAAA
4201 ATCCCTTAAC GTGAGTTTTT GTTCCACTGA CCGTCAGACC CCGTAGAAAA GATCAAAGGA
4261 TCTTCTTGAG ATCCTTTTTT TCTGCGCGTA ATCTGCTGCT TGCAACAAAA AAAACCACCG
4321 CTACCAGCGG TGGTTGTTTT GCGGGATCAA GAGCTACCAA CTCTTTTTCC GAAGGTAAC
4381 GGCTTCAGCA GAGCGCAGAT ACCAAATACT GTCCTTCTAG TGTAGCCGTA GTTAGGCCAC
4441 CACTTCAAGA ACTCTGTAGC ACCGCCTACA TACCTCGCTC TGCTAATCCT GTTACCAGTG
4501 GCTGCTGCCA GTGGCGATAA GTCGTGTCTT ACCGGGTGG ACTCAAGACG ATAGTTACCG
4561 GATAAGGCGC AGCGGTCGGG CTGAACGGGG GGTTCGTGCA CACAGCCGAG CTTGGAGCGA
4621 ACGACCTACA CCGAACTGAG ATACCTACAG CGTGAGCATT GAGAAAGCGC CACGCTTCCC
4681 GAAGGGAGAA AGGCGGACAG GTATCCGTA AGCGGCAGGG TCGGAACAGG AGAGCGCAGC
4741 AGGGAGCTTC CAGGGGAAAA CGCCTGGTAT CTTTATAGTC CTGTCGGGT TCGCCACCTC
4801 TGACTTGAGC GTCGATTTTT GTGATGCTCG TCAGGGGGGC GGAGCCTATG GAAAAACGCC
4861 AGCAACGCGG CTTTTTTACG GTTCTTGCC TTTTGCTGGC CTTTGCTCA CATGTTCTTT
4921 CTTGCGTTAT CCCCTGATTC TGTGGATAAC CGTATTACCG CCTTTGAGT AGCTGATACC
4981 GCTCGCCGCA GCCGAACGAC CGAGCGCAGC GAGTCAGTGA GCGAGGAAGC GGAAGAGCGC
5041 CTGATGCGGT ATTTTCTCCT TACGCATCTG TCGGTATTAT CACACCGCAG ACCAGCCGCG
5101 TAACCTGGCA AAATCGGTTA CGGTTGAGTA ATAAATGGAT GCCCTGCGTA AGCGGGTGTG
5161 GGCGGACAAT AAAGTCTTAA ACTGAACAAA ATAGATCTAA ACTATGACAA TAAAGTCTTA
5221 AACTAGACAG AATAGTTGTA AACTGAAATC AGTCCAGTTA TGCTGTGAAA AAGCATACTG
5281 GACTTTTGTT ATGGCTAAAG CAACTCTTC ATTTTCTGAA GTGCAAATTG CCCGTCGTAT
5341 TAAAGAGGGG CGTGGCCAAG GGCATGGTAA AGACTATATT CGCGGCGTTG TGACAATTTA
5401 CCGAACAAC CCGCGGCCGG GAAGCCGATC TCGGCTTGAA CGAATTGTTA GGTGGCGGTA
5461 CTTGGGTCGA TATCAAAGTG CATCACTTCT TCCCGTATGC CCAACTTTGT ATAGAGAGCC
5521 ACTGCGGGAT CGTCACCGTA ATCTGCTTGC ACGTAGATCA CATAAGCACC AAGCGCGTTG
5581 GCCTCATGCT TGAGGAGATT GATGAGCGCG GTGGCAATGC CCTGCCTCCG GTGCTCGCCG
5641 GAGACTGCGA GATCATAGAT ATAGATCTCA CTACGCGGCT GCTCAAACCT GGGCAGAACG
5701 TAAGCCGCGA GAGCGCCAAC AACCGCTTCT TGGTCGAAGG CAGCAAGCGC GATGAATGTC
5761 TTACTACGGA GCAAGTTCCC GAGGTAATCG GAGTCCGCT GATGTTGGGA GTAGGTGGCT
5821 ACGTCTCCGA ACTCACGACC GAAAAGATCA AGAGCAGCCC GCATGGATTT GACTTGGTCA
5881 GGGCCGAGCC TACATGTGCG AATGATGCCC ATACTTGAGC CACCTAACTT TGTTTTAGGG
5941 CGACTGCCCT GCTGCGTAAC ATCGTTGCTG CTGCGTAACA TCGTTGCTGC TCCATAACAT
6001 CAAACATCGA CCCACGGCGT AACGCGCTTG CTGCTTGGAT GCCCGAGGCA TAGACTGTAC

FIGURE 28C

62/240

6061 AAAAAACAG TCATAACAAG CCATGAAAAC CGCCACTGCG CCGTTACCAC CGCTGCGTTC
6121 GGTCAAGGTT CTGGACCAGT TGGGTGAGCG CATACGCTAC TTGCATTACA GTTTACGAAC
6181 CGAACAGGCT TATGTCAACT GGGTTCGTGC CTTTCATCCGT TTCCACGGTG TGGTCAACCC
6241 GGCAACCTTG GGCAGCAGCG AAGTCGAGGC ATTTCTGTCC TGGCTGGCGA ACGAGCGCAA
6301 GGTTTCGGTC TCCACGCATC GTCAGGCATT GGCGGCCTTG CTGTTCTTCT ACGGCAAGGT
6361 GCTGTGCACG GATCTGCCCT GGCTTCAGGA GATCGGAAGA CCTCGGCCGT CGCGGCGCTT
6421 GCCGGTGGTG CTGACCCCGG ATGAAGTGGT TCGCATCCTC GGTTTTCTGG AAGGCGAGCA
6481 TCGTTTGTTT GCCCAGGACT CTAGCTATAG TTCTAGTGGT TGGCTA

FIGURE 28D

63/240


Figure 29A: pDEST9

Semliki Forest Virus vector

103 ttg gcg agg gac att aag gcg ttt aag aaa ttg aga gga cct gtt ata ~~cac~~
 aac cgc tcc ctg taa ttc cgc aaa ttc ttt aac tct cct gga caa tat ~~gtg~~
 243 ~~prokdr~~ → 245 ~~RNA~~ ~~Bam~~

154 ~~ctc tac ggc ggt cct aga ttg gtc~~ taa tac aca gaa ttc tga ttg ~~gat~~
~~gag atg ccg cca gga tct aac cac~~ gca att atg tgt ctt aag act aac cta
~~Rsr II~~ ~~Frt~~ ~~att R1~~

205 ~~ccc ggt ccg aag cgc gct ttc cca tca~~ ~~aca agt tgg tac aac aac gct gaa~~
~~ggg cca ggc ttc gcg cga aag ggt agt~~ ~~tgt tca aac atg ttt tta cga ctt~~



64/240

pDEST9 12464 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
355..232		attR1
605..1264		CmR
1384..1468		inactivated ccdA
1606..1911		ccdB
1952..2078		attR2
2532..2782		ori
3482..4282		ampR
5232..5365		SP6 promoter
5365..6965		nsP1:non-structural protein 1
6965..9265		nsP2:non-structural protein 2
9265..10865		nsP3:non-structural protein 3
10865..161		nsP4:non-structural protein 4

1	AGCAAGTGGT	TCCGGACAGG	CTTGGGGGCC	GAAGTGGAGG	TGGCACTAAC	ATCTAGGTAT
61	GAGGTAGAGG	GCTGCAAAAG	TATCCTCATA	GCCATGGCCA	CCTTGGCGAG	GGACATTAAG
121	GCGTTTAAGA	AATTGAGAGG	ACCTGTTATA	CACCTCTACG	GCGGTCCTAG	ATTGGTGGT
181	TAATACACAG	AATTCTGATT	GGATCCCGGT	CCGAAGCGCG	CTTCCCACATC	ACAAGTTTGT
241	ACAAAAAAGC	TGAACGAGAA	ACGTAAAATG	ATATAAATAT	CAATATATTA	AATTAGATTT
301	TGCATAAAAA	ACAGACTACA	TAATACTGTA	AAACACAACA	TATCCAGTCA	CTATGGCGGC
361	CGCTAAGTTG	GCAGCATCAC	CCGACGCACT	TTGCGCCGAA	TAAATACCTG	TGACGGAAGA
421	TCACTTCGCA	GAATAAATA	ATCCTGGTGT	CCCTGTTGAT	ACCGGGAAGC	CCTGGGCCAA
481	CTTTTGGCGA	AAATGAGACG	TTGATCGGCA	CGTAAGAGGT	TCCAACTTTC	ACCATAATGA
541	AATAAGATCA	CTACCGGGCG	TATTTTTTGA	GTTATCGAGA	TTTTCAGGAG	CTAAGGAAGC
601	TAAATGGAG	AAAAAATCA	CTGGATATAC	CACCGTTGAT	ATATCCCAAT	GGCATCGTAA
661	AGAACATTTT	GAGGCATTTC	AGTCAGTTGC	TCAATGTACC	TATAACCAGA	CCGTTACAGT
721	GGATATTACG	GCCTTTTTTA	AGACCGTAAA	GAAAAATAAG	CACAAGTTTT	ATCCGGCCTT
781	TATTCACATT	CTTGCCCGCC	TGATGAATGC	TCATCCGGAA	TTCCGTATGG	CAATGAAAGA
841	CGGTGAGCTG	GTGATATGGG	ATAGTGTTC	CCCTTGTTAC	ACCGTTTTTC	ATGAGCAAAC
901	TGAAACGTTT	TCATCGCTCT	GGAGTGAATA	CCACGACGAT	TTCCGGCAGT	TTCTACACAT
961	ATATTCGCAA	GATGTGGCGT	GTTACGGTGA	AAACCTGGCC	TATTTCCCTA	AAGGGTTTTAT
1021	TGAGAATATG	TTTTTCGTCT	CAGCCAATCC	CTGGGTGAGT	TTCACCAGTT	TTGATTTTAA
1081	CGTGGCCAAT	ATGGACAAC	TCTTCGCCCC	CGTTTTCACC	ATGGGCAAAT	ATTATACGCA
1141	AGGCGACAAG	GTGCTGATGC	CGCTGGCGAT	TCAGGTTTCAT	CATGCCGTCT	GTGATGGCTT
1201	CCATGTCCGC	AGAATGCTTA	ATGAATTACA	ACAGTACTGC	GATGAGTGGC	AGGGCGGGGC
1261	GTAAGATCT	GGATCCGGCT	TACTAAAAGC	CAGATAACAG	TATGCGTATT	TGCGCGCTGA
1321	TTTTTGCGGT	ATAAGAATAT	ATACTGATAT	GTATACCCGA	AGTATGTCAA	AAAGAGGTGT
1381	GCTATGAAGC	AGCGTATTAC	AGTGACAGTT	GACAGCGACA	GCTATCAGTT	GCTCAAGGCA
1441	TATATGATGT	CAATATCTCC	GGTCTGGTAA	GCACAACCAT	GCAGAATGAA	GCCCCGTCGTC
1501	TGCGTGCCGA	ACGCTGGAAA	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC	GCCCCGTTTA
1561	TTGAAATGAA	CGGCTCTTTT	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA	GTTTAAGGTT
1621	TACACCTATA	AAAGAGAGAG	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG	TGATATTATT
1681	GACACGCCCC	GGCGACGGAT	GGTGATCCCC	CTGGCCAGTG	CACGTCTGCT	GTGAGATAAA
1741	GTCTCCCGTG	AACCTTACCC	GGTGGTGCAT	ATCGGGGATG	AAAGCTGGCG	CATGATGACC
1801	ACCGATATGG	CCAGTGTGCC	GGTCTCCGTT	ATCGGGGAAG	AAGTGGCTGA	TCTCAGCCAC
1861	CGCGAAAATG	ACATCAAAAA	CGCCATTAAAC	CTGATGTTCT	GGGGAATATA	AATGTCAGGC
1921	TCCCTTATAC	ACAGCCAGTC	TGCAGGTCGA	CCATAGTGAC	TGGATATGTT	GTGTTTTTACA
1981	GTATTATGTA	GTCTGTTTTT	TATGCAAAAG	TGCTAATTTA	ATATATTGAT	ATTTATATCA
2041	TTTTACGTTT	CTCGTTCAGC	TTTCTTGATC	AAAGTGGTGA	TGGGAACCTCG	AGTTCACCTAG
2101	TCGATCCCGC	GGCCGCTTTC	GAACCTAGGC	AAGCATGCGG	GCCCAGTGGG	TAATTAATTG
2161	AATTACATCC	CTACGCAAAAC	GTTTTACGGC	CGCCGGTGGC	GCCCAGCGCC	GCGCCCGCGT
2221	CCTTGGCCGT	TGCAGGCCAC	TCCGGTGGCT	CCCGTCGTCC	CCGACTTCCA	GGCCAGCAG
2281	ATGCAGCAAC	TCATCAGCGC	CGTAAATGCG	CTGACAATGA	GACAGAACGC	AATTGCTCCT
2341	GCTAGGAGCT	TAATTCGACG	AATAATTGGA	TTTTTATTTT	ATTTTGCAAT	TGGTTTTTAA
2401	TATTTCCAAA	AAAAAAAAAA	AAAAAAAAAA	AAAAAAAAAA	AAAAAAAAAA	AAAAAAAAAA

FIGURE 29B

65/240

2461 AAAAAAAAAA AAAAAAACTA GAAATCGCGA TTTCTAGTCT GCATTAATGA ATCGGCCAAC
2521 GCGCGGGGAG AGGCGGTTTG CGTATTGGGC GCTCTTCCGC TTCCTCGCTC ACTGACTCGC
2581 TGCGCTCGGT CGTTCGGCTG CGGCGAGCGG TATCAGCTCA CTCAAAGGCG GTAATACGGT
2641 TATCCACAGA ATCAGGGGAT AACGCAGGAA AGAACATGTG AGCAAAAGGC CAGCAAAAGG
2701 CCAGGAACCG TAAAAAGGCC GCGTTGCTGG CGTTTTTCCA TAGGCTCCGC CCCCTGACG
2761 AGCATCACAA AAATCGACGC TCAAGTCAGA GGTGGCGAAA CCCGACAGGA CTATAAAGAT
2821 ACCAGGCGTT TCCCCCTGGA AGCTCCCTCG TCGCTCTCC TGTTCGACC CTGCCGCTTA
2881 CCGGATACCT GTCCGCCTTT CTCCCTTCGG GAAGCGTGGC GCTTCTCAA TGCTCGCGCT
2941 GTAGGTATCT CAGTTCGGTG TAGGTCGTTT GCTCCAAGCT GGGCTGTGTG CACGAACCCC
3001 CCGTTCAGCC CGACCGCTGC GCCTTATCCG GTAACATATC TCTTGAGTCC AACCCGGTAA
3061 GACACGACTT ATCGCCACTG GCAGCAGCCA CTGGTAACAG GATTAGCAGA GCGAGGTATG
3121 TAGGCGGTGC TACAGAGTTC TTGAAGTGGT GGCCTAACTA CGGCTACACT AGAAGGACAG
3181 TATTTGGTAT CTGCGCTETG CTGAAGCCAG TTACCTTCGG AAAAAGAGTT GGTAGCTCTT
3241 GATCCGGCAA ACAACCACC GCTGGTAGCG GTGGTTTTTT TGTTCGCAAG CAGCAGATTA
3301 CGCGCAGAAA AAAAGGATCT CAAGAAGATC CTTTGATCTT TTCTACGGGG TCGCCAGTTC
3361 AGTGAACGA AAACCTCACGT TAAGGGATTT TGGTCATGAG ATTATCAAAA AGGATCTTCA
3421 CCTAGATCCT TTAAATTA AAATGAAGTT TTAATCAAT CTAAAGTATA TATGAGTAAA
3481 CTTGGTCTGA CAGTTACCAA TGCTTAATCA GTGAGGCACC TATCTCAGCG ATCTGTCTAT
3541 TTCGTTTATC CATAGTTGCC TGAATCCCG TCGTGTAGAT AACTACGATA CGGGAGGGCT
3601 TACCATCTGG CCCAGTGCT GCAATGATAC CGCGAGACCC ACGCTCACCG GCTCCAGATT
3661 TATCAGCAAT AAACCAGCCA GCCGGAAGGG CCGAGCGCAG AAGTGGTCCCT GCAACTTTAT
3721 CCGCCTCCAT CCAGTCTATT AATTGTTGCC GGAAGCTAG AGTAAAGTAG TCGCCAGTTA
3781 ATAGTTTGGC CAACGTTGTT GCCATTGCTA CAGGCATCGT GGTGTCACGC TCGTCGTTTG
3841 GTATGGCTTC ATTCAGCTCC GGTTCCCAAC GATCAAGGCG AGTTACATGA TCCCCATGT
3901 TGTGCAAAAA AGCGGTTAGC TCCTTCGGTC CTCCGATCGT TGTCAGAAGT AAGTTGGCCG
3961 CAGTGTTATC ACTCATGGTT ATGGCAGCAC TGCATAATTC TCTTACTGTC ATGCCATCCG
4021 TAAGATGCTT TTCTGTGACT GGTGAGTACT CAACCAAGTC ATTCTGAGAA TAGTGTATGC
4081 GGCACCGAG TTGCTCTTGC CCGGCGTCAA TACGGGATAA TACCGGCCCA CATAGCAGAA
4141 CTTTAAAGT GCTCATATT GGAACAGTT CTTCCGGGCG AAAACTCTCA AGGATCTTAC
4201 CGCTGTTGAG ATCCAGTTCT ATGTAACCCA CTCGTGCACC CAACTGATCT TCAGCATCTT
4261 TTACTTTCAC CAGCGTTTCT GGGTGAGCAA AAACAGGAAG GCAAAATGCC GCAAAAAAGG
4321 GAATAAGGGC GACACGAAA TGTGAATAC TCATACTCTT CCTTTTCAA TATTATTGAA
4381 GCATTTATCA GGGTTATTGT CTGATGAGCG GATACATATT TGAATGTATT TAGAAAAATA
4441 AACAAATAGG GGTTCCGCGC ACATTTCCCC GAAAAGTGCC ACCTGACGTC TAAGAAACCA
4501 TTATTATCAT GACATTAACC TATAAAAATA GCGGTATCAC GAGGCCCTTT CGTCTCGCGC
4561 GTTTCGGTGA TGACGGTGAA AACCTCTGAC ACATGCAGCT CCCGAGACG GTCACGCTT
4621 CTGTCTAAGC GGATGCCGGG AGCAGACAAG CCCGTCAGGG CGCGTCAGCG GGTGTTGGCG
4681 GGTGTCGGGG CTGGCTTAAC TATGCGGCAT CAGAGCAGAT TGTACTGAGA GTGCACCATA
4741 TCGACGCTCT CCCTTATGCG ACTCCTGCAT TAGGAAGCAG CCCAGTACTA GGTGAGGCC
4801 GTTGAGCACC GCCGCCGCAA GGAATGGTGC ATGCAAGGAG ATGGCGCCCA ACAGTCCCCC
4861 GGCCACGGGG CCTGCCACCA TACCCACGCC GAAACAAGCG CTCATGAGCC CGAAGTGGCG
4921 AGCCCGATCT TCCCCATCGG TGATGTCGGG GATATAGGCG CCAGCAACCG CACCTGTGGC
4981 GCCGGTGATG CCGGCCACGA TCGCTCCGGC GTAGAGGATC TGGCTAGCGA TGACCTGTCT
5041 GATTGGTTCT CTGACCATTT CCGGGGTGCG GAACGGCGTT ACCAGAAACT CAGAAGGTTT
5101 GTCCAACCAA ACCGACTCTG ACGGCAGTTT ACGAGAGAGA TGATAGGGTC TGCTTCAGTA
5161 AGCCAGATGC TACACAATTA GGCTTGTA CA TATTGTCGTT AGAACCGGCG TACAATTAAT
5221 ACATAACCTT ATGTATCATA CACATACGAT TTAGGTGACA CTATAGATGG CGGATGTGTG
5281 ACATACACGA CGCCAAAAGA TTTGTTTCCA GCTCCTGCCA CCTCCGCTAC GCGAGAGATT
5341 AACCACCCAC GATGGCCGCC AAAGTGCATG TTGATATTGA GGCTGACAGC CCATTTCATCA
5401 AGTCTTTGCA GAAGGCATTT CCGTCGTTCC AGGTGGAGTC ATTGCAGGTC ACACCAAATG
5461 ACCATGCAAA TGCCAGAGCA TTTTCGCACC TGGCTACCAA ATTGATCGAG CAGGAGCATG
5521 ACAAAGACAC ACTCATCTTG GATATCGGCA GTGCGCCTTC CAGGAGAATG ATGTCTACGC
5581 ACAAATACCA CTGCGTATGC CCTATGCGCA GCGCAGAAGA CCCCGAAAGG CTCGATAGCT
5641 ACGCAAAGAA ACTGGCAGCG GCCTCCGGGA AGGTGCTGGA TAGAGAGATC GCAGGAAAAA
5701 TCACCGACCT GCAGACCGTC ATGGCTACGC CAGACGCTGA ATCTCTTACC TTTTGCTGTC
5761 ATACAGACGT CACGTGTCGT ACGGCAGCCG AAGTGGCCGT ATACCAGGAC GTGTATGCTG
5821 TACATGCACC AACATCGCTG TACCATCAGG CGATGAAAGG TGTGAGAAGC GCGTATTGGA
5881 TTGGGTTTGA CACCACCCCG TTTATGTTTG ACGCGCTAGC AGGCGCGTAT CCAACCTACG-

FIGURE 29C

66/240

5941 CCACAAACTG GGCCGACGAG CAGGTGTTAC AGGCCAGGAA CATAGGACTG TGTGCA3CAT
6001 CCTTGACTGA GGGGAAGACTC GGCAAACTGT CCATTCTCCG CAAGAAGCAA TTGAAACCTT
6061 GCGACACAGT CATGTTCTCG GTAGGATCTA CATTGTACAC TGAGAGCAGA AAGCTACTGA
6121 GGAGCTGGCA CTTACCCTCC GTATTCCACC TGAAAGGTAA ACAATCCTTT ACCTGTAGGT
6181 GCGATACCAT CGTATCATGT GAAGGGTACG TAGTTAAGAA AATCACTATG TGCCCC3GCC
6241 TGTACGGTAA AACGGTAGGG TACGCCGTGA CGTATCACGC GGAGGGATTG CTAGTGTGCA
6301 AGACCACAGA CACTGTCAAA GGAGAAAGAG TCTCATTCCC TGTATGCACC TACGTCCCTT
6361 CAACCATCTG TGATCAAATG ACTGGCATAC TAGCGACCGA CGTCACACCG GAGGACGCAC
6421 AGAAGTGTGT AGTGGGATTG AATCAGAGGA TAGTTGTGAA CGGAAGAACA CAGCGAAACA
6481 CTAACACGAT GAAGAACTAT CTGCTTCCGA TTGTGGCCGT CGCATTTAGC AAGTGG3CGA
6541 GGGAAATACAA GGCAGACCTT GATGATGAAA AACCTCTGGG TGTCCGAGAG AGGTCACTTA
6601 CTTGCTGCTG CTTGTGGGCA TTTAAAACGA GGAAGATGCA CACCATGTAC AAGAAACCAG
6661 ACACCCAGAC AATAGTGAAG GTGCCCTCAG AGTTTAACTC GTTCGTATC CCGAGCCTAT
6721 GGTCTACAGG CCTCGCAATC CCAGTCAGAT CACGCATTAA GATGCTTTTG GCCAAGAAGA
6781 CCAAGCGAGA GTTAATACCT GTTCTCGACG CGTCGTACAG CAGGGATGCT GAACAASAGG
6841 ACAGGAAACT ATACCATATT GCCGTTACG GAGAGAGCCTT ACCACCCCTC GTCCCCATCG
6901 CGCCGGCGGA GACGGGAGTC GTCGACGTCG ACGTTGAAGA ACTAGAGTAT CACGCA3GTG
6961 CAGGGGTCTG GGAACACCT CGCAGCGCGT TGAAAGTCAC CGCACAGCCG AACGAC3TAC
7021 TACTAGGAAA TTACGTAGTT CTGTCCCGC AGACCGTGCT CAAGAGCTCC AAGTTG3CCC
7081 CCGTGCACCC TCTAGCAGAG CAGGTGAAAA TAATAACACA TAACGGGAGG GCCGG3CGTT
7141 ACCAGGTCGA CGGATATGAC GGCAGGGTCC TACTACCATG TGGATCGGCC ATTCCG3TCC
7201 CTGAGTTTCA GGCTTTGAGC GAGAGCGCCA CTATGGTGTA CAACGAAAGG GAGTT3CTCA
7261 ACAGGAAACT ATACCATATT GCCGTTACG GACCCCTCGCT GAACACCGAC GAGGAGA3CT
7321 ACGAGAAAGT CAGAGCTGAA AGAACTGACG CCGAGTACGT GTTCGACGTA GATAAAAAAT
7381 GCTGCGTCAA GAGAGAGGAA GCGTCGGGTT TGGTGTGGT GGGAGAGCTA ACCAAC3CCC
7441 CGTTCATGA ATTCGCCTAC GAAGGCTGA AGATCAGGCC GTCGGCACC AATAAG3ACTA
7501 CAGTAGTAGG AGTCTTTGGG GTTCCGGGAT CAGGCAAGTC TGCTATTATT AAGAGC3CTG
7561 TGACCAAACA CGATCTGGTC ACCAGCGGCA AGAAGGAGAA CTGCCAGGAA ATAGTTA3ACG
7621 ACGTGAAGAA GCACCGCGGG AAGGGGACAA GTAGGGAAAA CAGTGA3CTCC
7681 ACGGGTGTG CGTGCCGTG GACATCTAT ATGTGGACGA GGCTTT3CGCT
7741 GTACTCTGCT GGCCCTAATT GCTCTTGTTA AACCTCGGAG CAAAGT3GTG
7801 ACCCAAGCA ATGCGGATTC TTCAATATGA TGCAGCTTAA GGTGA3CTTC
7861 TCTGCACTGA AGTATGTCAT AAAAGTATAT CCAGACGTTG CACGCGTCCA GTCAG3GCCA
7921 TCGTGTCTAC GTTGCACTAC GGAGGCAAGA TGCGCACGAC CAACCC3GTG
7981 TAATCATAGA CACCACAGGA CAGACCAAGC CCAAGCCAGG AGACAT3CTG
8041 TCCGAGGCTG GGCAAAGCAG CTGCAGTTGG ACTACCGTGG ACACGA3AGTC
8101 CAGCATCTCA GGGCCTCACC CGCAAAGGGG TATACGCCGT AAGGCAGA3AG
8161 ATCCCTTGTA TGCCCTGCG TCGGAGCACG TGAATGTACT GCTGAC3CGC
8221 GGCTGGTGTG GAAAACGCTG GCCGGCGATC CCTGGATTAA GGTCT3ATCA
8281 AGGGTAACTT TACGGCCACA TTGGAAGAAT GGCAAGAAGA ACACGA3ACAA
8341 TGATTGAAGG ACCGGCTGCG CCTGTGGACG CGTTCAGAA CAAAGCGA3AC
8401 CGAAAAGCCT GGTGCCTGTC CTGGACACTG CCGGAATCAG ATTGAC3AGCA
8461 GCACCATAAT TACAGCATTT AAGGAGGACA GAGCTTACTC TCCAGT3GTG
8521 AAATTTGCAC CAAGTACTAT GGAGTTGACC TGGACAGTGG CCTGTT3TCT
8581 TGTCCCTGTA TTACGAGAAC AACCCTGGG ATAACAGACC TGGTGA3AGG
8641 TCAATGCCGC AACAGCTGCC AGGCTGGAAG CTAGACATAC CTTCT3GAAG
8701 ATACGGGCAA GCAGGCAGTT ATCGCAGAAA GAAAAATCCA ACCGCT3TCT
8761 ATGTAATTCC TATCAACCGC AGGCTGCCGC ACGCCCTGGT GGCTGAGT3AC
8821 AAGGCAGTAG GGTGAGTGG CTGGTCAATA AAGTAAGAGG GTACC3AGTC
8881 GTGAGTACAA CCTGGCTTTG CCTCGACGCA GGGTCACTTG GTTGT3ACCG
8941 CAGGCGCCGA TAGGTGCTAC GACCTAAGTT TAGGACTGGG GGCTGAC3CC
9001 ACTTGGTCTT TGTGAACATT CACACGGAAT TCAGAAATCCA CCACT3ACCAG
9061 ACCACGCCAT GAAGCTGCAG ATGCTTGGGG GAGATGCGCT ACGACT3GCTA
9121 GCATCTTGAT GAGAGCTTAC GGATACGCCG ATAAAATCAG CGAAGCC3GTT
9181 TAAGCAGAAA GTTCTCGTCT GCAAGAGTGT TGCGCCCGGA TTGTGT3ACC
9241 AAGTGTCTT GCTGTTCTCC AACTTTGACA ACGGAAAGAG ACCCT3TACG
9301 TGAATACCAA GCTGAGTGCC GTGTATGCCG GAGAAGCCAT GCACAC3GCC
9361 CATCCTACAG AGTTAAGAGA GCAGACATAG CCACGTGCAC AGAAGCG3CT

FIGURE 29A

67/240

9421 CAGCTAACGC CCGTGGAAC TTAGGGGATG GCGTATGCAG GGCCGTGGCG AAGAAATGGC
9481 CGTCAGCCTT TAAGGGAGCA GCAACACCAG TGGGCACAAT TAAAACAGTC ATGTGCGGCT
9541 CGTACCCCGT CATCCACGCT GTAGCGCCTA ATTTCTCTGC CACGACTGAA GCGGAAGGGG
9601 ACCGCGAATT GGCCGCTGTC TACCGGGCAG TGGCCGCCGA AGTAAACAGA CTGTCACTGA
9661 GCAGCGTAGC CATCCCGCTG CTGTCCACAG GAGTGTTCAG CGGCGGAAGA GATAGGCTGC
9721 AGCAATCCCT CAACCATCTA TTCACAGCAA TGGACGCCAC GGACGCTGAC GTGACCATCT
9781 ACTGCAGAGA CAAAAGTTGG GAGAAGAAAA TCCAGGAAGC CATTGACATG AGGACGGCTG
9841 TGGAGTTGCT CAATGATGAC GTGGAGCTGA CCACAGACTT GGTGAGAGTG CACCCGGACA
9901 GGAAGCTGGT GGGTCGTAAG GGCTACAGTA CCACTGACGG GTCGCTGTAC TCGTACTTTG
9961 AAGGTACGAA ATTCAACCAG GCTGCTATTG ATATGGCAGA GATACTGACG TTGTGGCCCA
10021 GACTGCAAGA GGCAAACGAA CAGATATGCC TATACGCGCT GGGCGAAACA ATGGACAACA
10081 TCAGATCCAA ATGTCCGGTG AACGATTCCG ATTCATCAAC ACCTCCCAGG ACAGTGCCCT
10141 GCCTGTGCCG CTACGCAATG ACAGCAGAAC GGATCGCCCC CCTTAGGTCA CACCAAGTTA
10201 AAAGCATGGT GGTTTGCTCA TCTTTTCCCC TCCCGAAATA CCATGTAGAT GGGGTGCAGA
10261 AGGTAAAGTG CGAGAAGGTT CTCCTGTTTCG ACCCGACGGT ACCTTCAGTG GTTAGTCCCG
10321 GGAAGTATGC CGCATCTACG ACGGACCACT CAGATCGGTC GTTACGAGGG TTTGACTTTG
10381 ACTGGACCAC CGACTCGTCT TCCACTGCCA GCGATACCAT GTCGCTACCC AGTTTGCAGT
10441 CGTGTGACAT CGACTCGATC TACGAGCCAA TGGCTCCCAT AGTAGTGACG GCTGACGTAC
10501 ACCTGAACC CGCAGGCATC GCGGACCTGG CCGCAGATGT GCACCCTGAA CCCGCAGACC
10561 ATGTGGACCT GGAGAACCCG ATTCCTCCAC CGCGCCCGAA GAGAGCTGCA TACCTTGCTT
10621 CCCGCGCGGC GGAGCGACCG GTGCCGCGCG CGAGAAAGCC GACGCTGCCC CCAAGGACTG
10681 CGTTTAGGAA CAAGCTGCCT TTGACGTTTCG GCGACTTTGA CGAGCACGAG GTCGATGCGT
10741 TGCCCTCCGG GATTACTTTC ACGAGCTTCG ACGAGCTCCT GCGACTAGGC CGCGCGGTG
10801 CATATATTTT CTCCTCGGAC ACTGGCAGCG GACATTTACA ACAAAAATCC GTTAGGCAGC
10861 ACAATCTCCA GTGCGCACAA CTGGATGCGG TCCAGGAGGA GAAAATGTAC CCGCCAAAAT
10921 TGATACTGA GAGGGAGAAG CTGTTGCTGC TGAATATGCA GATGCACCCA TCGGAGGCTA
10981 ATAAGAGTCG ATACCAGTCT CGCAAAGTGG AGAACATGAA AGCCACGGTG GTGGACAGGC
11041 TCACATCGGG GGCCAGATTG TACACGGGAG CCGACGTAGG CCGCATACCA ACATACGCGG
11101 TTCGGTACCC CCGCCCCGTG TACTCCCTTA CCGTGATCGA AAGATTCTCA AGCCCCGATG
11161 TGCAATCCGC AGCGTGCAAC GAATACTTAT CCAGAAATTA CCAACAGTG CCGCTGCTACC
11221 AGATAACAGA TGAATACGAC GCATACTTGG ACATGGTTGA CGGGTCGGAT AGTTGCTTGG
11281 ACAGAGCGAC ATTCTGCCCG GCGAAGCTCC GGTGCTACCC GAAACATCAT GCGTACCACC
11341 AGCCGACTGT ACGCAGTGCC GTCCCGTCAC CCTTTCAGAA CACACTACAG AACGTGCTAG
11401 CGGCTGCCAC CAAGAGAAAC TGCAACGTCA CGCAAATGCG AGAACTACCC ACCATGGACT
11461 CGGCACTGTT CAACGTGGAG TGCTTCAAGC GCTATGCCTG CTCCGGAGAA TATTGGGAAG
11521 AATATGCTAA ACAACCTATC CGGATAACCA CTGAGAACAT CACTACCTAT GTGACCAAAT
11581 TGAAAGGCCC GAAAGCTGCT GCCTTGTTTCG CTAAGACCCA CAACTTGTTT CCGCTGCAGG
11641 AGGTTCCCAT GGACAGATTC ACGGTCGACA TGAACGAGA TGTCAAAGTC ACTCCAGGGA
11701 CGAAACACAC AGAGGAAAGA CCCAAAGTCC AGGTAATTCA AGCAGCGGAG CCATTGGCGA
11761 CCGCTTACCT GTGCGGCATC CACAGGGAAT TAGTAAGGAG ACTAAATGCT GTGTTACGCC
11821 CTAACGTGCA CACATTGTTT GATATGTCGG CCGAAGACTT TGACGCGATC ATCGCCTCTC
11881 ACTTCCACCC AGGAGACCCG GTTCTAGAGA CCGACATTGC ATCATTGAC AAAAGCCAGG
11941 ACGACTCCTT GGCTCTTACA GGTTTAATGA TCCTCGAAGA TCTAGGGGTG GATCAGTACC
12001 TGCTGGACTT GATCGAGGCA GCCTTTGGGG AAATATCCAG CTGTACCTA CCAACTGGCA
12061 CGCGCTTCAA GTTCGGAGCT ATGATGAAAT CGGGCATGTT TCTGACTTTG TTTATTAACA
12121 CTGTTTTGAA CATCACCATA GCAAGCAGGG TACTGGAGCA GAGACTCACT GACTCCGCTT
12181 GTGCGGCCTT CATCGGCGAC GACAACATCG TTCACGGAGT GATCTCCGAC AAGCTGATGG
12241 CGGAGAGGTG CGCGTCGTGG GTCAACATGG AGGTGAAGAT CATTGACGCT GTCATGGGCG
12301 AAAAACCCCC ATATTTTTGT GGGGGATTCA TAGTTTTTGA CAGCGTCACA CAGACCGCCT
12361 GCCGTGTTTC AGACCCACTT AAGCGCCTGT TCAAGTTGGG TAAGCCGCTA ACAGCTGAAG
12421 ACAAGCAGGA CGAAGACAGG CGACGAGCAC TGAGTGACGA GGT

FIGURE 29E

68/240


Figure 30A: pDEST10 Polyhedron Promoter with N-His6, Baculovirus Transfer Plasmid

154 *← mRut from polyhedrin promoter*
 aaa taa gta ttt tac tgt ttt cgt aac agt ttt gta ata aaa aaa cct ata
 ttt att cat aaa atg aca aaa gca ttg tca aaa cat tat ttt ttt gga tat

205 aat att ccg gat tat tca tac cgt ccc acc atc ggg cgc gga tct cgg tcc
 tta taa ggc cta ata agt atg gca ggg tgg tag ccc gcg cct aga gcc agg

256 *Met Ser Tyr Tyr His His His His His His Asp Tyr Asp Ile Pro*
 gaa acc atg tgc tac tac cat cac cat cac cat cac gat tac gat atc cca
 ctt tgg tac agc atg atg gta gtg gta gtg gta gtg cta atg cta tag ggt

307 *TEV protease*
 Thr Thr Glu Asn Leu Tyr Phe Gln Gly Ile Thr Ser Leu Tyr Lys Lys
 acg acc gaa aac ctg tat ttt cag ggc atc aca agt tgc tgc aca gaa ggc
 tgc tgg ctt ttg gac ata aaa gtc ccg tag tgt tca aac atg ttt ttc oga
 attR1 Int



69/240

pDEST10 6708 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
23..152		Ppolh
461..337		attR1
711..1370		CmR
1490..1574		inactivated ccdA
1712..2017		ccdB
2058..2182		attR2
3394..4369		ampR
4510..5164		ori
5658..62		genR

1	CCCCGGATGA	AGTGGTTCGC	ATCCTCGGTT	TTCTGGAAGG	CGAGCATCGT	TTGTTTCGCCC
61	AGGACTCTAG	CTATAGTTCT	AGTGGTTGGC	TACGTATACT	CCGGAATATT	AATAGATCAT
121	GGAGATAATT	AAAATGATAA	CCATCTCGCA	AATAAATAAG	TATTTTACTG	TTTTCGTAAC
181	AGTTTGTAA	TAAAAAAACC	TATAAATATT	CCGGATTATT	CATACCGTCC	CACCATCGGG
241	CGCGGATCTC	GGTCCGAAAC	CATGTCGTAC	TACCATCACC	ATCACCATCA	CGATTACGAT
301	ATCCCAACGA	CCGAAAACCT	GTATTTTCAG	GGCATCACAA	GTTTGTACAA	AAAAGCTGAA
361	CGAGAAACGT	AAAATGATAT	AAATATCAAT	ATATTAAATT	AGATTTTGCA	TAAAAAACAG
421	ACTACATAAT	ACTGTAAAAC	ACAACATATC	CAGTCACTAT	GGCGGCCGCT	AAGTTGGCAG
481	CATCACCCGA	CGCACTTTGC	GCCGAATAAA	TACCTGTGAC	GGAAGATCAC	TTCGCAGAAT
541	AAATAAATCC	TGGTGTCCCT	GTTGATACCG	GGAAGCCCTG	GGCCAACCTT	TGGCGAAAAT
601	GAGACGTTGA	TCGGCACGTA	AGAGGTTCCA	ACTTTCACCA	TAATGAAATA	AGATCACTAC
661	CGGCGGTATT	TTTTGAGTTA	TCGAGATTTT	CAGGAGCTAA	GGAAGCTAAA	ATGGAGAAAA
721	AAATCACTGG	ATATACCACC	GTTGATATAT	CCCAATGGCA	TCGTAAAGAA	CATTTTGAGG
781	CATTTCAGTC	AGTTGCTCAA	TGTACCTATA	ACCAGACCGT	TCAGCTGGAT	ATTACGGCCT
841	TTTAAAGAC	CGTAAAGAAA	AATAAGCACA	AGTTTATCC	GGCCTTTATT	CACATTCTTG
901	CCCGCTGAT	GAATGCTCAT	CCGGAATTCC	GTATGGCAAT	GAAAGACGGT	GAGCTGGTGA
961	TATGGGATAG	TGTTACCCTT	TGTTACACCG	TTTTCCATGA	GCAAACCTGAA	ACGTTTTTCAT
1021	CGCTCTGGAG	TGAATACCAC	GACGATTTC	GGCAGTTTCT	ACACATATAT	TCGCAAGATG
1081	TGGCGTGTTA	CGGTGAAAAC	CTGGCCTATT	TCCCTAAAGG	GTTTATTGAG	AATATGTTTT
1141	TCGTCTCAGC	CAATCCCTGG	GTGAGTTTCA	CCAGTTTTGA	TTTAAACGTG	GCCAATATGG
1201	ACAACCTTCT	CGCCCCCGTT	TTCACCATGG	GCAAATATTA	TACGCAAGGC	GACAAGGTGC
1261	TGATGCCGCT	GGCGATTGAG	GTTTCATCAT	CCGTCTGTGA	TGGCTTCCAT	GTCGGCAGAA
1321	TGCTTAATGA	ATTACAACAG	TACTGCCATG	AGTGGCAGGG	CGGGGCGTAA	ACGCGTGGAT
1381	CCGGCTTACT	AAAAGCCAGA	TAACAGTATG	CGTATTTGCG	CGCTGATTTT	TGCGGTATAA
1441	GAATATATAC	TGATATGTAT	ACCCGAAGTA	TGTCAAAAAG	AGGTGTGCTA	TGAAGCAGCG
1501	TATTACAGTG	ACAGTTGACA	CGACAGCTA	TCAGTTGCTC	AAGGCATATA	TGATGTCAAT
1561	ATCTCCGGTC	TGGTAAGCAC	AACCATGCAG	AATGAAGCCC	GTCGTCTGCG	TGCCGAACGC
1621	TGGAAAGCGG	AAAATCAGGA	AGGGATGGCT	GAGGTCGCCC	GTTTATTGTA	AATGAACGGC
1681	TCTTTTGCTG	ACGAGAACAG	GGACTGGTGA	AATGCAGTTT	AAGGTTTACA	CCTATAAAAG
1741	AGAGAGCCGT	TATCGTCTGT	TTGTGGATGT	ACAGAGTGAT	ATTATTGACA	CGCCCGGGCG
1801	ACGGATGGTG	ATCCCCCTGG	CCAGTGCACG	TCTGCTGTCA	GATAAAGTCT	CCCGTGAACCT
1861	TTACCCGGTG	GTGCATATCG	GGGATGAAAG	CTGGCGCATG	ATGACCACCG	ATATGGCCAG
1921	TGTGCCGGTC	TCCGTTATCG	GGGAAGAAGT	GGCTGATCTC	AGCCACCGCG	AAAATGACAT
1981	CAAAAACGCC	ATTAACCTGA	TGTTCTGGGG	AATATAAATG	TCAGGCTCCC	TTATACACAG
2041	CCAGTCTGCA	GGTCGACCAT	AGTGACTGGA	TATGTTGTGT	TTTACAGTAT	TATGTAGTCT
2101	GTTTTTTATG	CAAAATCTAA	TTTAATATAT	TGATATTTAT	ATCATTTTAC	GTTTCTCGTT
2161	CAGCTTTCTT	GTACAAAGTG	GTGATGCCAT	GGATCCGGAA	TTCAAAGGCC	TACGTCGACG
2221	AGCTCAACTA	GTGCGGCCGC	TTTCGAATCT	AGAGCCTGCA	GTCCTGAGGC	ATGCGGTACC
2281	AAGCTTGTCG	AGAAGTACTA	GAGGATCATA	ATCAGCCATA	CCACATTTGT	AGAGGTTTTA
2341	CTTGCTTTAA	AAAACCTCCC	ACACCTCCCC	CTGAACCTGA	AACATAAAAT	GAATGCAATT
2401	GTTGTTGTTA	ACTTGTTTAT	TGCAGTTTAT	AATGGTTACA	AATAAAGCAA	TAGCATCACA
2461	AATTTACAA	ATAAAGCATT	TTTTCACTG	CATTCTAGTT	GTGGTTTGTC	CAAACTCATC
2521	AATGTATCTT	ATCATGTCTG	GATCTGATCA	CTGCTTGAGC	CTAGGAGATC	CGAACCAGAT
2581	AAGTGAAATC	TAGTTCCAAA	CTATTTTGTC	ATTTTAAATT	TTCGTATTAG	CTTACGACGC-

FIGURE 30B

70/240

2641 TACACCCAGT TCCCATCTAT TTTGTCACTC TTCCCTAAAT AATCCTTAAA AACTCCATTT
2701 CCACCCCTCC CAGTTCCCAA CTATTTTGTG CGCCACAGC GGGGCATTTT TCTTCCTGTT
2761 ATGTTTTTAA TCAAACATCC TGCCAACTCC ATGTGACAAA CCGTCATCTT CGGCTACTTT
2821 TTCTCTGTCA CAGAATGAAA ATTTTCTGT CATCTCTCG TTATTAATGT TTGTAATTGA
2881 CTGAATATCA ACGCTTATTT GCAGCCTGAA TGGCGAATGG GACGCGCCCT GTAGCGGCGC
2941 ATTAAGCGCG GCGGGTGTGG TGGTTACGCG CAGCGTGACC GCTACACTTG CCAGCGCCCT
3001 AGCGCCCGCT CCTTTCGCTT TCTTCCCTTC CTTTCTCGCC ACGTTCGCGG GCTTTCCCGG
3061 TCAAGCTCTA AATCGGGGGC TCCCTTTAGG GTTCCGATTT AGTGCTTTAC GGCACCTCGA
3121 CCCCAAAAAA CTTGATTAGG GTGATGGTTC ACGTAGTGGG CCATCGCCCT GATAGACGGT
3181 TTTTCGCCCT TTGACGTTGG AGTCCACGTT CTTTAATAGT GGACTCTTGT TCCAAACTGG
3241 AACAACTCTC AACCCTATCT CGGTCTATTC TTTTGATTTA TAAGGGATTT TGCCGATTTT
3301 GGCCTATTGG TTAAAAATG AGCTGATTTA AAAAAAATT AACCGGAATT TTAACAAAAT
3361 ATTAACGTTT ACAATTTTCA GTGGCACTTT TCGGGGAAAT GTGCGCGGAA CCCCTATTTG
3421 TTTATTTTTT TAAATACATT CAAATATGTA TCCGCTCATG AGACAATAAC CCTGATAAAT
3481 GCTTCAATAA TATTGAAAAA GGAAGAGTAT GAGTATTCAA CATTTCCGTG TCGCCCTTAT
3541 TCCCTTTTTT GCGGCATTTT GCCTTCCTGT TTTTGCTCAC CCAGAAACGC TGGTGAAAGT
3601 AAAAGATGCT GAAGATCAGT TGGGTGCACG AGTGGGTTAC ATCGAACTGG ATCTCAACAG
3661 CGGTAAGATC CTTGAGAGTT TTCGCCCCGA AGAACGTTTT CCAATGATGA GCACTTTTAA
3721 AGTTCTGCTA TGTGGCGCGG TATTATCCCG TATTGACGCC GGGCAAGAGC AACTCGGTGCG
3781 CCGCATACAC TATTCTCAGA ATGACTTGGT TGAGTACTCA CCAGTCACAG AAAAGCATCT
3841 TACGGATGGC ATGACAGTAA GAGAATTATG CAGTGCTGCC ATAACCATGA GTGATAACAC
3901 TGCGGCCAAC TACTTCTGTA CAACGATCGG AGGACCGAAG GAGCTAACCG CTTTTTTGCA
3961 CAACATGGGG GATCATGTAA CTCGCCTTGA TCGTTGGGAA CCGGAGCTGA ATGAAGCCAT
4021 AACCAACGAC GAGCGTGACA CCACGATGCC TGTAGCAATG GCAACAACGT TGCGCAAACCT
4081 ATTAACGTTG GAACACTTGA CTCTAGCTTC CCGGCAACAA TTAATAGACT GGATTGGAGC
4141 GGATAAAGTT GCAGGACCAC TTCTGCGCTC GGCCCTTCCG GCTGGCTGGT TTATTGCTGA
4201 TAAATCTGGA GCCGGTGAGC GTGGGTCTCG CGGTATCATT GCAGCACTGG GGCCAGATGG
4261 TAAGCCCTCC CGTATCGTAG TTATCTACAC GACGGGGAGT CAGGCAACTA TGGATGAACG
4321 AAATAGACAG ATCGCTGAGA TAGGTGCTTC ACTGATTAAG CATTGGTAAC TGTCAGACCA
4381 AGTTTACTCA TATATACTTT AGATTGATTT AAAACTTCAT TTTTAATTTA AAAGGATCTA
4441 GGTGAAGATC CTTTTTGATA ATCTCATGAC CAAAATCCCT TAACGTGAGT TTTTCGTTCCA
4501 CTGAGCGTCA GACCCCGTAG AAAAGATCAA AGGATCTTCT TGAGATCCCT TTTTCTGCGC
4561 CGTAATCTGC TGCTTGCAAA CAAAAAACC ACCGCTACCA GCGGTGGTTT GTTTGCCGGA
4621 TCAAGAGCTA CCAACTCTTT TTCCGAAGGT AACTGGCTTC AGCAGAGCGC AGATACCAAA
4681 TACTGTCTTT CTAGTGTAGC CGTAGTTAGG CCACCACTTC AAGAACTCTG TAGCACCGCC
4741 TACATACCTC GCTCTGCTAA TCCTGTACC AGTGGCTGCT GCCAGTGGCG ATAAGTCTGT
4801 TCTTACCGGG TTGGA CTCAA GACGATAGTT ACCGGATAAG GCGCAGCGGT CGGGCTGAAC
4861 GGGGGGTTTC TGCACACAGC CCAGCTTGA GCGAACGACC TACACCGAAC TGAGATACCT
4921 ACAGCGTGAG CATTGAGAAA GCGCCACGCT TCCCGAAGGG AGAAAGGCGG ACAGGTATCC
4981 GGTAAAGCGG AGGGTCGGAA CAGGAGAGCG CTTCCAGGGG CTTCCAGGGG GAAACGCTTG
5041 GTATCTTTAT AGTCCTGTCT GGTTCGCCA CCTCTGACTT GAGCGTCGAT TTTTGTGATG
5101 CTCGTCAGGG GGGCGGAGCC TATGGAAAAA CGCCAGCAAC GCGGCCTTTT TACGGTTCTT
5161 GGCTTTTTCG TGGCCTTTTG CTCACATGTT CTTTCCTGCG TTATCCCCTG ATTCTGTGGA
5221 TAACCGTATT ACCGCTTTTG AGTGAGCTGA TACCGCTCGC CGCAGCCGAA CGACCGAGCG
5281 CAGCGAGTCA GTGAGCGAGG AAGCGGAAGA GCGCTGATG CGGTATTTTC TCCTTACGCA
5341 TCTGTGCGGT ATTTACACAC GCAGACCAGC GCGGTAACCT GGCAAAATCG GTTACGGTTG
5401 AGTAATAAAT GGATGCCCTG CGTAAGCGGG TGTGGGCGGA CAATAAAGTC TTAACGTAA
5461 CAAAATAGAT CTAACATATG ACAATAAAGT CTTAAACTAG ACAGAATAGT TGTAACTGA
5521 AATCAGTCCA GTTATGCTGT GAAAAAGCAT ACTGGACTTT TGTTATGGCT AAAGCAAACCT
5581 CTTCAATTTT TGAAGTGCAA ATTGCCCGTC GTATTAAAGA GGGGCGTGGC CAAGGGCATG
5641 GTAAAGACTA TATTCGCGGC GTTGTGACAA TTTACCGAAC AACTCCGCGG CCGGGAAGCC
5701 GATCTCGGCT TGAACGAATT GTTAGGTGGC GGTACTTGGG TCGATATCAA AGTGATCAC
5761 TTCTTCCCGT ATGCCCAACT TTGTATAGAG AGCCACTGCG GGATCGTCAC CGTAATCTGC
5821 TTGCACGTAG ATCACAATAG CACCAAGCGC GTTGGCCTCA TGCTTGAGGA GATTGATGAG
5881 CGCGGTGGCA ATGCCCTGCC TCCGGTGCTC GCGGAGACT GCGAGATCAT AGATATAGAT
5941 CTCACTACGC GGCTGCTCAA ACCTGGGCAG AACGTAAGCC GCGAGAGCGC CAACAACCGC
6001 TTCTTGGTCT AAGGCAGCAA GCGCGATGAA TGTCTTACTA CGGAGCAAGT TCCCGAGGTA
6061 ATCGGAGTCC GGCTGATGTT GGGAGTAGGT GGCTACGTCT CCGAACTCAC GACCGAAAAG-

FIGURE 30C

6121 ATCAAGAGCA GCCCGCATGG ATTTGACTTG GTCAGGGCCG AGCCTACATG TCGGAATGAT
6181 GCCCATACTT GAGCCACCTA ACTTTGTTTT AGGGCGACTG CCCTGCTGCG TAACATCGTT
6241 GCTGCTGCGT AACATCGTTG CTGCTCCATA ACATCAAACA TCGACCCACG GCGTAACGCG
6301 CTTGCTGCTT GGATGCCCCG GGCATAGACT GTACAAAAA ACAGTCATAA CAAGCCATGA
6361 AAACCGCCAC TGCGCCGTTA CCACCGCTGC GTTCGGTCAA GGTTCGGAC CAGTTGCGTG
6421 AGCGCATACG CTAATTGCAT TACAGTTTAC GAACCGAACA GGCTTATGTC AACTGGGTTC
6481 GTGCCTTCAT CCGTTTCCAC GGTGTGCGTC ACCCGGCAAC CTTGGGCAGC AGCGAAGTCG
6541 AGGCATTTCT GTCCTGGCTG GCGAACGAGC GCAAGGTTTC GGTCTCCACG CATCGTCAGG
6601 CATTGGCGGC CTTGCTGTTC TTCTACGGCA AGGTGCTGTG CACGGATCTG CCCTGGCTTC
6661 AGGAGATCGG AAGACCTCGG CCGTCGCGGC GCTTGCCGGT GGTGCTGA

FIGURE 30D

72/240

Figure 31A:

pDEST11

Tet-regulated eukaryotic expression


358 tag tga acc ggc aga tgc cct gga gac gcc atc cac gct gtt tgc acc tcc
 atc act tgg cag tct agc gga cct ctg cgg tag gtg cga caa aac tgg agg

409 ata gaa gac acc ggg acc gat cca gcc tcc gcg gcc ccg aat tgc agc tgc
 tat ctt ctg tgg ccc tgg cta ggt cgg agg cgc cgg ggc tta agc tgc agc

460 gta ccc ggg gat cct cta gag tgc agg tgc acg gta tgc ata agc tgc agc
 cat ggg ccc cta gga gat ctc agc tcc agc tgc cat agc tat tgc agc tat

511 tca aca agt tgc tgc tgc tgc tgc tgc tgc tgc tgc tgc tgc tgc tgc tgc
 agt tgc tca aac atg ttt tgc tgc tgc tgc tgc tgc tgc tgc tgc tgc tgc

mRNA from CMV promoter (controlled by tetracycline)
SalI *ClaI* *Hind3* *EcoRV*
Int *attR1*



73/240

pDEST11 7026 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
4..479		Tetp ((Tet operator) 7 and min hCMV promoter)
638..514		attR1
888..1547		CmR
1667..1751		inactivated ccdA
1889..2194		ccdB
2235..2359		attR2
2402..4132		polyA
4347..4803		f1 ori
4940..5797		ampR
1	CGAGTTTACC ACTCCCTATC AGTGATAGAG AAAAGTGAAA GTCGAGTTTA CCACTCCCTA	
61	TCAGTGATAG AGAAAAGTGA AAGTCGAGTT TACCACTCCC TATCAGTGAT AGAGAAAAGT	
121	GAAAGTCGAG TTTACCACTC CCTATCAGTG ATAGAGAAAA GTGAAAGTCG AGTTTACCAC	
181	TCCCTATCAG TGATAGAGAA AAGTGAAAGT CGAGTTTACC ACTCCCTATC AGTGATAGAG	
241	AAAAGTGAAA GTCGAGTTTA CCACTCCCTA TCAGTGATAG AGAAAAGTGA AAGTCGAGCT	
301	CGGTACCCGG GTCGAGTAGG CGGTGACGGT GGGAGGCCTA TATAAGCAGA GTCGTTTTAG	
361	TGAACCGTCA GATCGCCTGG AGACGCCATC CACGCTGTTT TGACCTCCAT AGAAGACACC	
421	GGGACCGATC CAGCCTCCGC GGCCCCGAAT TCGAGCTCGG TACCCGGGGA TCCTCTAGAG	
481	TCGAGGTCGA CGGTATCGAT AAGCTTGATA TCAACAAGTT TGTACAAAA AGCTGAACGA	
541	GAAACGTAAA ATGATATAAA TATCAATATA TTAAATTAGA TTTTGATAA AAAACAGACT	
601	ACATAATACT GTAAACACAC ACATATCCAG TCACATGGC GGCCGCTAAG TTGGCAGCAT	
661	CACCCGACGC ACTTTGCGCC GAATAAATAC CTGTGACGGA AGATCACTTC GCAGAATAAA	
721	TAAATCCTGG TGTCCTGTT GATACCGGGA AGCCCTGGGC CAACTTTTGG CGAAAATGAG	
781	ACGTTGATCG GCACGTAAGA GGTTCCAACT TTCACCATAA TGAAATAAGA TCACTACCGG	
841	GCGTATTTTT TGAGTTATCG AGATTTTCAG GAGCTAAGGA AGCTAAAATG GAGAAAAAAA	
901	TCAGTGATA TACCACCGTT GATATATCCC AATGGCATCG TAAAGAACAT TTTGAGGCAT	
961	TTCACTCAGT TGCTCAATGT ACCTATAACC AGACCGTTCA GCTGGATATT ACGGCCTTTT	
1021	TAAAGACCGT AAAGAAAAAT AAGCACAAGT TTTATCCGGC CTTTATTCAC ATTCTGCC	
1081	GCCTGATGAA TGCTATCCG GAATTCGGTA TGGCAATGAA AGACGGTGAG CTGGTGATAT	
1141	GGGATAGTGT TCACCCTTGT TACACCGTTT TCCATGAGCA AACTGAAACG TTTTCATCGC	
1201	TCTGGAGTGA ATACCACGAC GATTTCCGGC AGTTTCTACA CATATATTCC CAAGATGTGG	
1261	CGTGTTACGG TGAAACCTG GCCTATTTCC CTAAAGGGTT TATTGAGAAT ATGTTTTTCG	
1321	TCTCAGCCAA TCCCTGGGTG AGTTTCACCA GTTTTGATTT AAACGTGGCC AATATGGACA	
1381	ACTTCTTCGC CCCCCTTTTC ACCATGGGCA AATATTATAC GCAAGGCGAC AAGGTGCTGA	
1441	TGCCGTGGC GATTCAGTT CATCATGCCG TCTGTGATGG CTTCCATGTC GGCAGAATGC	
1501	TTAATGAATT ACAACAGTAC TGCGATGAGT GGCAGGGCGG GGCGTAAAGA TCTGGATCCG	
1561	GCTTACTAAA AGCCAGATAA CAGTATGCGT ATTTGCGCGC TGATTTTTGC GGTATAAGAA	
1621	TATATACTGA TATGTATACC CGAAGTATGT CAAAAAGAGG TGTGCTATGA AGCAGCGTAT	
1681	TACAGTGACA GTTGACAGCG ACAGCTATCA GTTGCTCAAG GCATATATGA TGTCATATC	
1741	TCCGGTCTGG TAAGCACAAC CATGCAGAAT GAAGCCCGTC GTCTGCGTGC CGAACGCTGG	
1801	AAAGCGGAAA ATCAGGAAGG GATGGCTGAG GTCGCCCCGT TTATTGAAAT GAACGGCTCT	
1861	TTTGCTGACG AGAACAGGGA CTGGTGAAAT GCAGTTTAAG GTTTACACCT ATAAAAGAGA	
1921	GAGCCGTTAT CGTCTGTTTG TGGATGTACA GAGTGATATT ATTGACACGC CCGGGCGACG	
1981	GATGGTGATC CCCCTGGCCA GTGCACGTCT GCTGTGAGAT AAAGTCTCCC GTGAACCTTA	
2041	CCCGGTGGTG CATATCGGGG ATGAAAGCTG GCGCATGATG ACCACCGATA TGGCCAGTGT	
2101	GCCGGTCTCC GTTATCGGGG AAGAAGTGGC TGATCTCAGC CACCGCGAAA ATGACATCAA	
2161	AAACGCCATT AACCTGATGT TCTGGGGAAT ATAAATGTCA GGCTCCCTTA TACACAGCCA	
2221	GTCTGCAGGT CGACCATAGT GACTGGATAT GTTGTGTTTT ACAGTATTAT GTAGTCTGTT	
2281	TTTTATGCAA AATCTAATTT AATATATTGA TATTTATATC ATTTTACGTT TCTCGTTCTA	
2341	CTTTCTTGTA CAAAGTGGTT GATATCGAAT TCCTGCAGCC CCGGGGATCC ACTAGTTCTA	
2401	GATCACTGCG ATGAGTGGCA GGGCGGGCGG TAATTTTTTT AAGGCAGTTA TTGGTGCCCT	
2461	TAAACGCCCT GTGCTACGCC TGAATAAGTG ATAATAAGCG GATGAATGGC AGAAATTCGC	
2521	CGGATCTTTG TGAAGGAACC TTAATTCTGT GGTGTGACAT AATTGGACAA ACTACCTACA-	

FIGURE 31B

2581 GAGATTTAAA GCTCTAAGGT AAATATAAAA TTTTAAAGTG TATAATGTGT TAAACTACTG
2641 ATTCTAATTG TTTGTGTATT TTAGATTCCA ACCTATGGAA CTGATGAATG GGAGCAGTGG
2701 TGGAATGCCT TTAATGAGGA AAACCTGTTT TGCTCAGAAG AAATGCCATC TAGTGATGAT
2761 GAGGCTACTG CTGACTCTCA ACATTCTACT CCTCCAAAAA AGAAGAGAAA GGTAGAAGAC
2821 CCCAAGGACT TTCCTTCAGA ATTGCTAAGT TTTTGTAGTC ATGCTGTGTT TAGTAATAGA
2881 ACTCTTGCTT GCTTTGCTAT TTACACCACA AAGGAAAAAG CTGCACTGCT ATACAAGAAA
2941 ATTATGGAAA AATATTCTGT AACCTTTATA AGTAGGCATA ACAGTTATAA TCATAACATA
3001 CTGTTTTTTC TTAATCCACA CAGGCATAGA GTGCTGTGCTA TTAATAACTA TGCTCAAAAA
3061 TTGTGTACCT TTAGCTTTTT AATTTGTAAA GGGGTAAATA AGGAATATTT GATGTATAGT
3121 GCCTTGACTA GAGATCATAA TCAGCCATAC CACATTTGTA GAGGTTTTAC TTGCTTTAAA
3181 AAACCTCCCA CACCTCCCCC TGAACCTGAA ACATAAAATG AATGCAATTG TTGTTGTTAA
3241 CTTGTTTATT GCAGCTTATA ATGGTTACAA ATAAAGCAAT AGCATCACAA ATTTCCACAA
3301 TAAAGCATTT TTTTCACTGC ATTCTAGTTG TGGTTTGTCC AAACCTCATCA ATGTATCTTA
3361 TCATGTCTGG ATCCCCAGGA AGCTCCTCTG TGTCTCATA AACCTTAACC TCCTCTACTT
3421 GAGAGGACAT TCCAATCATA GGCTGCCCAT CCACCCTCTG TGTCTCCTG TTAATTAGGT
3481 CACTTAACAA AAAGGAAATT GGGTAGGGGT TTTTCACAGA CCGCTTTCTA AGGGTAATTT
3541 TAAAATATCT GGGAAAGTCCC TTCCATGCT GTGTTCCAGA AGTGTGTA AACAGCCCAC
3601 AAATGTCAAC AGCAGAAACA TACAAGCTGT CAGCTTTGCA CAAGGGCCCA ACACCCTGCT
3661 CATCAAGAAG CACTGTGGTT GCTGTGTTAG TAATGTGCAA AACAGGAGGC ACATTTTCCC
3721 CACCTGTGTA GGTTCACAAA TATCTAGTGT TTTTATTTT ACTTGATCA GGAACCCAGC
3781 ACTCCACTGG ATAAGCATTG TCCTTATCCA AAACAGCCTT GTGGTCAGTG TTCATCTGCT
3841 GACTGTCAAC TGTAGCATTT TTTGGGGTTA CAGTTTGAGC AGGATATTTG GTCCTGTAGT
3901 TTGCTAACAC ACCCTGCAGC TCCAAAGGTT CCCACCAAC AGCAAAAAA TGAAAATTTG
3961 ACCCTTGAAT GGGTTTCCA GCACCATTTT CATGAGTTT TTGTGTCCT GAATGCAAGT
4021 TTAACATAGC AGTTACCCCA ATAACCTCAG TTTTAAACAGT AACAGCTTCC CACATCAAAA
4081 TATTTCCACA GGTAAAGTCC TCATTTAAAT TAGGCAAAGG AATTGCTCTA GAGCGGCCGC
4141 CACCGCGGTG GAGCTCCAAT TCGCCCTATA GTGAGTCGTA TTACGCGCGC TCACTGGCCG
4201 TCGTTTTACA ACGTCGTGAC TGGGAAAACC CTGGCGTTAC CCAACTTAAT CGCCTTGCAG
4261 CACATCCCCC TTTCGCCAGC TGGCGTAATA GCGAAGAGGC CCGCACCGAT CGCCCTTCCC
4321 AACAGTTGCG CAGCCTGAAT GGCGAATGGG ACGCGCCCTG TAGCGGCGCA TTAAGCGCGG
4381 CGGGTGTGGT GGTACGCGC AGCGTGACCG CTACACTTG CAGCGCCCTA CGCCTGCTC
4441 CTTTCGCTTT CTTCCCTTCC TTCTCGCCA CGTTGCGCGG CTTTCCCGT CAAGCTCTAA
4501 ATCGGGGGCT CCCTTAGGG TTCCGATTTA GTGCTTTACG GCACCTCGAC CCCAAAAAAC
4561 TTGATTAGGG TGATGGTTCA CGTAGTGGGC CATCGCCCTG ATAGACGGTT TTTGCGCCTT
4621 TGACGTGGA GTCCACGTT TTAATAGTG GACTCTTGT CCAACTGGA ACAACACTCA
4681 ACCCTATCTC GGTCTATTCT TTGATTTAT AAGGGATTTT GCCGATTTG GCTATTGGT
4741 TAAAAATGA GCTGATTTAA CAAAAATTTA ACGCGAATTT TAACAAAATA TTAACGCTTA
4801 CAATTTAGGT GGCACCTTTC GGGGAAATGT GCGCGGAACC CCTATTTGTT TATTTTCTA
4861 AATACATTCA AATATGTATC CGCTCATGAG ACAATAACCC TGATAAATGC TTCAATAATA
4921 TTGAAAAAGG AAGAGTATGA GTATTCAACA TTTCCGTGTC GCCCTTATTC CCTTTTTGTC
4981 GGCATTTTGC CTTCTGTTT TTGCTCACC AGAAACGCTG GTGAAAGTAA AAGATGCTGA
5041 AGATCAGTTG GGTGCACGAG TGGGTTACAT CGAACTGGAT CTCAACAGCG GTAAGATCCT
5101 TGAGAGTTTT CGCCCGAAG AACGTTTTCC AATGATGAGC ACTTTTAAAG TTCTGCTATG
5161 TGGCGCGGTA TTATCCCGTA TTGACGCCG GCAAGAGCAA CTCGGTCGCC GCATACACTA
5221 TTCTCAGAAT GACTTGGTTG AGTACTCACC AGTCACAGAA AAGCATCTTA CGGATGGCAT
5281 GACAGTAAGA GAATTATGCA GTGCTGCCAT AACCATGAGT GATAACACTG CGGCCAACTT
5341 ACTTCTGACA ACGATCGGAG GACCGAAGGA GCTAACCGCT TTTTGCACA ACATGGGGGA
5401 TCATGTAAC CGCCTTGATC GTTGGGAACC GGAGCTGAAT GAAGCCATAC CAAACGACGA
5461 GCGTGACACC ACGATGCCTG TAGCAATGGC AACCAACGTT CGCAACTAT TAACTGGCGA
5521 ACTACTTACT CTAGCTTCCC GGCAACAATT AATAGACTGG ATGGAGGCGG ATAAAGTTGC
5581 AGGACCACTT CTGCGCTCGG CCCTTCCGGC TGGCTGTTT ATTGCTGATA AATCTGGAGC
5641 CGGTGAGCGT GGGTCTCGCG GTATCATTCG AGCACTGGGG CCAGATGGTA AGCCCTCCCCG
5701 TATCGTAGTT ATCTACACGA CGGGGAGTCA GGCAACTATG GATGAACGAA ATAGACAGAT
5761 CGCTGAGATA GGTGCCTCAC TGATTAAGCA TTGGTAACTG TCAGACCAAG TTTACTCATA
5821 TATACTTTAG ATTGATTTAA AACTTCATTT TTAATTTAAA AGGATCTAGG TGAAGATCCT
5881 TTTTGATAAT CTCATGACCA AAATCCCTTA ACGTGAGTTT TCGTTCCACT GAGCGTCAGA
5941 CCCCCTAGAA AAGATCAAAG GATCTTCTTG AGATCCTTTT TTTCTGCGCG TAATCTGCTG
6001 CTTGCAACA AAAAAACCAC CGTACCAGC GGTGGTTGT TTGCCGATC AAGAGCTACC-

75/240

6061 AACTCTTTTT CCGAAGGTAA CTGGCTTCAG CAGAGCGCAG ATACCAAATA CTGTCCTTCT
6121 AGTGTAGCEG TAGTTAGGCC ACCACTTCAA GAACTCTGTA GCACCGCCTA CATACCTCGC
6181 TCTGCTAATC CTGTTACCAG TGGCTGCTGC CAGTGCGGAT AAGTCGTGTC TTACCGGGTT
6241 GGA CTCAAGA CGATAGTTAC CGGATAAGGC GCAGCGGTG GGTGAACGG GGGGTTCTG
6301 CACACAGCCC AGCTTGGAGC GAACGACCTA CACCGAAGT AGATACCTAC AGCGTGAGCT
6361 ATGAGAAAGC GCCACGCTTC CCGAAGGGAG AAAGGCGGAC AGGTATCCGG TAAGCGGCAG
6421 GGTGCGAACA GGAGAGCGCA CGAGGGAGCT TCCAGGGGGA AACGCCTGGT ATCTTTATAG
6481 TCCTGTCGGG TTTCGCCACC TCTGACTTGA GCGTCGATTT TTGTGATGCT CGTCAGGGGG
6541 GCGGAGCCTA TGGAAAAACG CCAGCAACGC GGCCTTTTTA CGGTTCCTGG CCTTTTGCTG
6601 GCCTTTTGCT CACATGTTCT TTCTGCGTT ATCCCCTGAT TCTGTGGATA ACCGTATTAC
6661 CGCCTTTGAG TGAGCTGATA CCGCTCGCCG CAGCCGAACG ACCGAGCGCA GCGAGTCAGT
6721 GAGCGAGGAA GCGGAAGAGC GCCCAATACG CAAACCGCCT CTCCCCGCGC GTTGGCCGAT
6781 TCATTAAATG AGCTGGCAGC ACAGGTTTCC CGACTGGAAA GCGGGCAGTG AGCGCAACGC
6841 AATTAATGTG AGTTAGCTCA CTCATTAGGC ACCCCAGGCT TTACACTTTA TGCTTCCGGC
6901 TCGTATGTTG TGTGGAATTG TGAGCGGATA ACAATTTTAC ACAGGAAACA GCTATGACCA
6961 TGATTACGCC AAGCGCGCAA TTAACCCCTCA CTAAAGGGAA CAAAAGCTGG GTACCGGGCC
7021 CCCCCT

FIGURE 31D

76/240

Figure 32A: pDEST12.2 CMV Promoter for Eukaryotic Expression, SV40 Promoter/ori for G418 Resistance


307 *→ mRNA from CMV promoter*
acc gtc aga tcg cct gga gac gcc atc cac gct gtt ttg acc tcc ata gaa
tgg cag tct agc gga cct ctg cgg tag gtg cga caa aac tgg agg tat ctt

358 gac acc ggg acc gat cca gcc tcc gga ctc tag cct agg ccg cgg agc gga
ctg tgg ccc tgg cta ggt cgg agg cct gag atc gga tcc ggc gcc tcg cct

409 taa caa ttt cac aca gga aac agc tat gac cat tag gcc ttt gca aaa agc
att gtt aaa gtg tgt cct ttg tcg ata ctg gta atc cgg aaa cgt ttt tcg

460 tat tta ggt gac act ata gaa ggt acg cct gca ggt acc ggt ccg gaa ttc
ata aat cca ctg tga tat ctt cca tgc gga cgt cca tgg cca ggc ctt aag
Int attR1

511 cca tca aca agt ttg taa ada gaa gct gaa cga gaa acg taa aat gat ata
ggt agt tgt tca aac atg ttg ttt cga ctt gct ctt tgc att tta cca tat



77/240

pDEST12.2 7278 bp (rotated to position 3900)

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
86..136		ori
220..742		CMV promoter
1059..935		attR1
1168..1827		CmR
1947..2031		inactivated ccdA
2169..2474		ccdB
2515..2639		attR2
2824..3186		small t & polyA
3310..3378		lac
4363..5157		neo
5680..6540		ampR

1	GGGGGGCGGA	GCCTATGGAA	AAACGCCAGC	AACGCGGCCT	TTTTACGGTT	CCTGGCCTTT
61	TGCTGGCCTT	TTGCTCACAT	GTTCTTTCCT	GCGTTATCCC	CTGATTCTGT	GGATAACCGT
121	ATTACCGCCT	TTGAGTGAGC	TGATACCGCT	CGCCGCAGCC	GAACGACCGA	GCGCAGCGAG
181	TCAGTGAGCG	AGGAAGCGGA	AGAGCTCGCG	AATGCATGTC	GTTACATAAC	TTACGGTAAA
241	TGGCCCGCCT	GGCTGACCGC	CCAACGACCC	CCGCCCATTTG	ACGTCAATAA	TGACGTATGT
301	TCCCATAGTA	ACGCCAATAG	GGACTTTCCA	TTGACGTCAA	TGGGTGGAGT	ATTTACGGTA
361	AACTGCCCCAC	TTGGCAGTAC	ATCAAGTGTA	TCATATGCCA	AGTACGCCCC	CTATTGACGT
421	CAATGACGGT	AAATGGCCCCG	CCTGGCATT	TGCCCAGTAC	ATGACCTTAT	GGGACTTTCC
481	TACTTGGCAG	TACATCTACG	TATTAGTCAT	CGCTATTACC	ATGGTGATGC	GGTTTTGGCA
541	GTACATCAAT	GGGCGTGGAT	AGCGGTTTGA	CTCACGGGGA	TTTCCAAGTC	TCCACCCCAT
601	TGACGTCAAT	GGGAGTTTGT	TTTGGCACCA	AAATCAACGG	GACTTTCCAA	AATGTCGTAA
661	CAACTCCGCC	CCATTGACGC	AAATGGGCGG	TAGGCGTGTA	CGGTGGGAGG	TCTATATAAG
721	TCAGAGCTCG	TTAGTGAACC	GTCAGATCGC	CTGGAGACGC	CATCCACGCT	GTTTTGACCT
781	CCATAGACGA	CACCGGGACC	GATCCAGCCT	CCGGACTCTA	GCCTAGGCCG	CGGGACGGAT
841	AACAATTTCA	CACAGGAAAC	AGCTATGACC	ATTAGGCCTT	TGCAAAAAGC	TATTTAGGTG
901	ACACTATAGA	AGGTACGCCT	GCAGGTACCG	GATCACAAGT	TTGTACAAAA	AAGCTGAACG
961	AGAAACGTAA	AATGATATAA	ATATCAATAT	ATTAAATTAG	ATTTTGCATA	AAAAACAGAC
1021	TACATAATAC	TGTAAAACAC	AACATATCCA	GTCACATATG	CGGCCGCATT	AGGCACCCCA
1081	GGCTTTACAC	TTTATGCTTC	CGGCTCGTAT	AATGTGTGGA	TTTTGAGTTA	GGATCCGTCG
1141	AGATTTTCAG	GAGCTAAGGA	AGCTAAAATG	GAGAAAAAAA	TCACTGGATA	TACCACCGTT
1201	GATATATCCC	AATGGCATCG	TAAAGAACAT	TTTGAGGCAT	TTCAAGTCAGT	TGCTCAATGT
1261	ACCTATAACC	AGACCGTTCA	GCTGGATATT	ACGGCCTTTT	TAAAGACCGT	AAAGAAAAAT
1321	AAGCACAAGT	TTTATCCGGC	CTTTATTAC	ATTCTTGCCC	GCCTGATGAA	TGCTCATCCG
1381	GAATTCGGTA	TGGCAATGAA	AGACGGTGAG	CTGGTGATAT	GGGATAGTGT	TCACCCCTGT
1441	TACACCGTTT	TCCATGAGCA	AACTGAAACG	TTTTTCATCGC	TCTGGAGTGA	ATACCACGAC
1501	GATTTCCGGC	AGTTTCTACA	CATATATTCG	CAAGATGTGG	CGTGTTACGG	TGAAAACCTG
1561	GCCTATTTCC	CTAAAGGGTT	TATTGAGAA	ATGTTTTTTCG	TCTCAGCCAA	TCCCTGGGTG
1621	AGTTTCACCA	GTTTTGATTT	AAACGTGGCC	AATATGGACA	ACTTCTTCGC	CCCCGTTTTT
1681	ACCATGGGCA	AATATTATAC	GCAAGGCGAC	AAGGTGCTGA	TGCCGCTGGC	GATTCAGGTT
1741	CATCATGCCG	TCTGTGATGG	CTTCCATGTC	GGCAGAATGC	TTAATGAATT	ACAACAGTAC
1801	TGCGATGAGT	GGCAGGGCGG	GGCGTAAACG	CGTGATCCG	GCTTACTAAA	AGCCAGATAA
1861	CAGTATGCGT	ATTTGCGCGC	TGATTTTTGC	GGTATAAGAA	TATATACTGA	TATGTATACC
1921	CGAAGTATGT	CAAAAAGAGG	TGTGCTATGA	AGCAGCGTAT	TACAGTGACA	GTTGACAGCG
1981	ACAGCTATCA	GTTGCTCAAG	GCATATATGA	TGTCAATATC	TCCGGTCTGG	TAAGCACAAC
2041	CATGCAGAAT	GAAGCCCGTC	GTCTGCGTGC	CGAACGCTGG	AAAGCGGAAA	ATCAGGAAGG
2101	GATGGCTGAG	GTCGCGCGGT	TTATTGAAAT	GAACGGCTCT	TTTGCTGACG	AGAACAGGGA
2161	CTGGTGAAAT	GCAGTTTAAG	GTTTACACCT	ATAAAAGAGA	GAGCCGTTAT	CGTCTGTTTG
2221	TGGATGTACA	GAGTGATATT	ATTGACACGC	CCGGGCGACG	GATGGTGATC	CCCCTGGCCA
2281	GTGCACGTCT	GCTGTCTAGT	AAAGTCTCCC	GTGAACTTTA	CCCGGTGGTG	CATATCGGGG
2341	ATGAAAGCTG	GCGCATGATG	ACCACCGATA	TGGCCAGTGT	GCCGGTCTCC	GTTATCGGGG
2401	AAGAAGTGGC	TGATCTCAGC	CACCGCGAAA	ATGACATCAA	AAACGCCATT	AACCTGATGT-

FIGURE 32B

78/240

2461 TCTGGGGAAT ATAAATGTCA GGCTCCCTTA TACACAGCCA GTCTGCAGGT CGACCATAGT
2521 GACTGGATAT GTTGTGTTTT ACAGTATTAT GTAGTCTGTT TTTTATGCAA AATCTAATTT
2581 AATATATTGA TATTTATATC ATTTTACGTT TCTCGTTCAG CTTTCTTGTA CAAAGTGGTG
2641 ATCGCGTGCA TCGGACGTCA TAGCTCTCTC CCTATAGTGA GTCGTATTAT AAGCTAGGCA
2701 CTGGCCGTCG TTTTACAACG TCGTGACTGG GAAAACTGCT AGCTTGGGAT CTTTGTGAAG
2761 GAACCTTACT TCTGTGGTGT GACATAATTG GACAACTAC CTACAGAGAT TTAAAGCTCT
2821 AAGGTAAATA TAAAATTTTT AAGTGATATA TGTGTTAAAC TAGCTGCATA TGCTTGCTGC
2881 TTGAGAGTTT TGCTTACTGA GTATGATTTA TGAAAATATT ATACACAGGA GCTAGTGATT
2941 CTAATTGTTT GTGTATTTTA GATTCACAGT CCCAAGGCTC ATTTTCAGGCC CCTCAGTCCT
3001 CACAGTCTGT TCATGATCAT AATCAGCCAT ACCACATTTG TAGAGGTTTT ACTTGCTTTA
3061 AAAAACCTCC CACACCTCCC CCTGAACCTG AAACATAAAA TGAATGCAAT TGTTGTGTGT
3121 AACTTGTTTT TTGCAGCTTA TAATGGTTAC AAATAAAGCA ATAGCATCAC AAATTTACACA
3181 AATAAAGCAT TTTTTTCACT GCATTCTAGT TGTGGTTTTG CCAAATCAT CAATGTATCT
3241 TATCATGTCT GGATCGATCC TGCATTAATG AATCGGCCAA CGCGCGGGGA GAGGCGGTTT
3301 CGGTATTGGC TGGCGTAATA GCGAAGAGGC CCGCACCGAT CGCCCTTCCC AACAGTTGCG
3361 CAGCCTGAAAT GGCGAATGGG ACGCGCCCTG TAGCGGCGCA TTAAGCGCGG CGGGTGTGGT
3421 GGTTACGCGC AGCGTGACCG CTACACTTGC CAGCGCCCTA GCGCCCGCTC CTTTCGCTTT
3481 CTTCCCTTCC TTTCTCGCCA CGTTCGCGCG CTTTCCCCGT CAAGCTCTAA ATCGGGGGCT
3541 CCCTTTAGGG TTCCGATTTA GTGCTTTACG GCACCTCGAC CCCAAAAAAC TTGATTAGGG
3601 TGATGGTTCA CGTAGTGGGC CATCGCCCTG ATAGACGGTT TTTCCGCCCT TGACGTTGGA
3661 GTCCACGTTT TTTAATAGTG GACTCTTGTT CCAAAGTGA ACAACACTCA ACCCTATCTC
3721 GGTCTATTCT TTTGATTAT AAGGGATTTT GCCGATTTG GCCTATTGGT TAAAAAATGA
3781 GCTGATTTAA CAAATATTTA ACGCGAATTT TAACAAATA TTAACGTTTA CAATTTCCGC
3841 TGATGCGGTA TTTTCTCCTT ACGCATCTGT GCGGTATTTT ACACCGCATA CGCGGATCTG
3901 CGCAGCACCA TGGCCTGAAA TAACCTCTGA AAGAGGAAGT TGGTTAGGTA CTTTCTGAGG
3961 CGGAAAGAAC CAGCTGTGGA ATGTGTGTCA GTTAGGGTGT GGAAAGTCCC CAGGCTCCCC
4021 AGCAGGCAGA AGTATGCAAA GCATGCATCT CAATTAGTCA GCAACCAGGT GTGGAAGTC
4081 CCCAGGCTCC CCAGCAGGCA GAAGTATGCA AAGCATGCAT CTCAATTAGT CAGCAACCAT
4141 AGTCCCGCCC CTAACCTCCG CCACTCCCGC CCTAACCTCG CCCAGTTCCG CCCATTCTCC
4201 GCCCATGCGC TGACTAATTT TTTTATTTA TGCAGAGGCC GAGGCCGCCT CGGCTTCTGA
4261 GCTATTCTGAG AAGTAGTGAG GAGGCTTTTT TGGAGGCCTA GGCTTTTGCA AAAAGCTTGA
4321 TTCTTCTGAC ACAACAGTCT CGAAGCTAAG GCTAGAGCCA CCATGATTGA ACAAGATGGA
4381 TTGCACGCAG GTTCTCCGGC CGCTTGGGTG GAGAGGCTAT TCGGCTATGA CTGGGCACAA
4441 CAGACAATCG GCTGCTCTGA TGCCGCCGTG TTCCGGCTGT CAGCGCAGGG GCGCCCGGTT
4501 CTTTTTGTCA AGACCGACCT GTCCGGTGCC CTGAATGAAC TGCAGGACGA GGCAGCGCGG
4561 CTATCGTGGC TGGCCACGAC GGGCGTTCCT TGCGCAGCTG TGCTCGACGT TGCTCACTGAA
4621 GCGGGAAGGG ACTGGCTGCT ATTGGGCGAA GTGCCGGGGC AGGATCTCCT GTCATCTCAC
4681 CTTGCTCCTG CCGAGAAAGT ATCCATCATG GCTGATGCAA TCGGCGGGCT GCATACGCTT
4741 GATCCGCGTA CCTGCCCATT CGACCACCAA GCGAAACATC GCATCGAGCG AGCACGTACT
4801 CGGATGGAAG CCGGTCTTGT CGATCAGGAT GATCTGGACG AAGAGCATCA GGGGCTCGCG
4861 CCAGCCGAAC TGTTCCGCCG GCTCAAGGCG CGCATGCCCC ACGGCGAGGA TCTCGTCGTG
4921 ACCCATGGCG ATGCCTGCTT GCCGAATATC ATGGTGGAAG ATGGCCGCTT TTCTGGATTG
4981 ATCGACTGTG GCCGGCTGGG TGTGGCGGAC CGCTATCAGG ACATAGCGTT GGCTACCCGT
5041 GATATTGCTG AAGAGCTTGG CCGCGAATGG GCTGACCGCT TCCTCGTGCT TTACGGTATC
5101 GCCGCTCCCC ATTCGCAGCG CATCGCCTTC TATCGCCTTC TTGACGAGTT CTTCTGAGCG
5161 GGAATCTGGG GTTCGAAATG ACCGACCAAG CGACGCCCAA CCTGCCATCA CGATGGCCGC
5221 AATAAAATAT CTTTATTTTC ATTACATCTG TGTGTTGGTT TTTTGTGTGA ATCGATAGCG
5281 ATAAGGATCC GCGTATGGTG CACTCTCAGT ACAATCTGCT CTGATGCCGC ATAGTTAAGC
5341 CAGCCCCGAC ACCCGCCAAC ACCCGCTGAC GCGCCCTGAC GGGCTTGTCT GCTCCCGGCA
5401 TCCGCTTACA GACAAGCTGT GACCGTCTCC GGGAGCTGCA TGTGTAGAG GTTTTCACCG
5461 TCATCACCAG AACGCGCGAG ACGAAAGGGC CTCGTGATAC GCCTATTTTT ATAGGTTAAT
5521 GTCATGATAA TAATGGTTTC TTAGACGTCA GGTGGCACTT TTCGGGGAAA TGTGCGCGGA
5581 ACCCTATTTT GTTTATTTTT CTAAATATGT TCAAAATATG ATCCGCTCAT GAGACAATAA
5641 CCCTGATAAA TGCTTCAATA ATATTGAAAA AGGAAGAGTA TGAGTATTCA ACATTTCCGT
5701 GTCGCCCCTA TTCCCTTTTT TGCGGCATTT TGCCCTTCCTG TTTTGTCTCA CCCAGAAACG
5761 CTGGTGAAAG TAAAAGATGC TGAAGATCAG TTGGGTGCAC GAGTGGGTTA CATCGAAGTG
5821 GATCTCAACA GCGGTAAGAT CCTTGAGAGT TTTTCGCCCCG AAGAACGTTT TCCAATGATG
5881 AGCACTTTTA AAGTTCTGCT ATGTGGCGCG GTATTATCCC GTATTGACGC CGGGCAAGAG-

FIGURE 32C

79/240

5941 CAACTCGGTC GCCGCATACA CTATTCTCAG AATGACTTGG TTGAGTACTC ACCAGTCACA
6001 GAAAAGCATC TTACGGATGG CATGACAGTA AGAGAATTAT GCAGTGCTGC CATAACCATG
6061 AGTGATAACA CTGCGGCCAA CTTACTTCTG ACAACGATCG GAGGACCGAA GGAGCTAACC
6121 GCTTTTTTGC ACAACATGGG GGATCATGTA ACTCGCCTTG ATCGTTGGGA ACCGGAGCTG
6181 AATGAAGCCA TACCAACGA CGAGCGTGAC ACCACGATGC CTGTAGCAAT GGCAACAACG
6241 TTGCGCAAAC TATTAAGTGG CGAACTACTT ACTCTAGCTT CCCGGCAACA ATTAATAGAC
6301 TGGATGGAGG CGGATAAAGT TGCAGGACCA CTTCTGCGCT CGGCCCTTCC GGCTGGCTGG
6361 TTTATTGCTG ATAAATCTGG AGCCGGTGAG CGTGGGTCTC GCGGTATCAT TGCAGCACTG
6421 GGGCCAGATG GTAAGCCCTC CCGTATCGTA GTTATCTACA CGACGGGGAG TCAGGCAACT
6481 ATGGATGAAC GAAATAGACA GATCGCTGAG ATAGGTGCCT CACTGATTAA GCATTGGTAA
6541 CTGTCAGACC AAGTTTACTC ATATATACTT TAGATTGATT TAAAACTTCA TTTTAAATTT
6601 AAAAGGATCT AGGTGAAGAT CCTTTTGTAT AATCTCATGA CCAAAATCCC TTAACGTGAG
6661 TTTTCGTTCC ACTGAGCGTC AGACCCCGTA GAAAAGATCA AAGGATCTTC TTGAGATCCT
6721 TTTTTTCTGC GCGTAATCTG CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCGTGTT
6781 TGTTTGCCGG ATCAAGAGCT ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG
6841 CAGATACCAA ATACTGTCCT TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT
6901 GTAGCACC GC CTACATACCT CGCTCTGCTA ATCCTGTTAC CAGTGGCTGC TGCCAGTGGC
6961 GATAAGTCGT GTCTTACCGG GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG
7021 TCGGGCTGAA CGGGGGGTTC GTGCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA
7081 CTGAGATACC TACAGCGTGA GCATTGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG
7141 GACAGGTATC CGGTAAGCGG CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG
7201 GGAAACGCCT GGTATCTTTA TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCTGA
7261 TTTTGTGAT GCTCGTCA

FIGURE 32D

80/240

Figure 33A1

pDEST13

Native protein in E. coli: λ PL
promoter


3721 tgggcaaacc aagacagcta aagatctctc acctaccaaa caatgcccc ctgcaaaaaa
 acccgtttgg ttctgtcgat ttctagagag tggatggttt gttacggggg gacgtttttt

3781 taaattcata taaaaaacat acagataacc atctgcggtg ataaattatc tctggcggtg
 atttaagtat attttttgta tgtctattgg tagacgccac tatttaatag agaccgccac

3841 ttgacataaa taccactggc ggtgatactg agcacatcag caggacgcac tgaccaccat
aactgtattt atggtgaccg ccactatgac tctgtagtc gtcctgcgtg actggtggta

3901 gaaggtgacg ctcttaaaaa ttaagecctg gagaagggca gcattcaaag cagaaggctt
 cttccactgc gagaattttt aattcgggac gtcttccgt cgtaagtttc gtcttccgaa

3961 tggggtgtgt gatacgaac gaagcattgg gatcatcaca agtttgtaca aaaaagctga
 accccacaca ctatgctttg cttcgtaacc ctagtagtgt tcaaacatgt ttttcgact



81/240

pDEST13 5848 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
599..1458		ampR
4123..3998		attR1
4372..5031		CmR
5151..5235		inactivated ccdA
5373..5678		ccdB
5719..5843		attR2
1 TTCACTGGCC GTCGTTTAC AACGTCGTGA CTGGGAAAAC CCTGGCGTTA CCCAACTTAA		
61 TCGCCTTGCA GCACATCCCC CTTTCGCCAG CTGGCGTAAT AGCGAAGAGG CCCGCACCGA		
121 TCGCCCTTCC CAACAGTTGC GCAGCCTGAA TGGCGAATGG CGCCTGATGC GGTATTTTCT		
181 CCTTACGCAT CTGTGCGGTA TTTCACACCG CATATGGTGC ACTCTCAGTA CAATCTGCTC		
241 TGATGCCGCA TAGTTAAGCC AGCCCCGACA CCCGCCAACA CCCGCTGACG CGCCCTGACG		
301 GGCTTGCTCTG CTCCCAGCAT CCGCTTACAG ACAAGCTGTG ACCGTCTCCG GGAGCTGCAT		
361 GTGTCAGAGG TTTTCACCGT CATCACCGAA ACGCGCGAGA CGAAAGGGCC TCGTGATACG		
421 CCTATTTTAA TAGGTTAATG TCATGATAAT AATGGTTTCT TAGACGTCAG GTGGCACTTT		
481 TCGGGGAAAT GTGCGCGGAA CCCCTATTTC TTTATTTTTC TAAATACATT CAAATATGTA		
541 TCCGCTCATG AGACAATAAC CCTGATAAAT GCTTCAATAA TATTGAAAAA GGAAGAGTAT		
601 GAGTATTCAA CATTTCCGTG TCGCCCTTAT TCCCTTTTTT GCGGCATTTT GCCTTCCTGT		
661 TTTTGCTCAC CCAGAAACGC TGGTGAAAGT AAAAGATGCT GAAGATCAGT TGGGTGCACG		
721 AGTGGGTTAC ATCGAACTGG ATCTCAACAG CGGTAAGATC CTTGAGAGTT TTCGCCCCGA		
781 AGAACGTTTT CCAATGATGA GCACTTTTAA AGTTCTGCTA TGTGGCGCGG TATTATCCCG		
841 TATTGACGCC GGGCAAGAGC AACTCGGTGC CCGCATACAC TATTCTCAGA ATGACTTGGT		
901 TGAGTACTCA CCAGTCACAG AAAAGCATCT TACGGATGGC ATGACAGTAA GAGAATTATG		
961 CAGTGCTGCC ATAACCATGA GTGATAACAC TGCGGCCAAC TTACTTCTGA CAACGATCGG		
1021 AGGACCGAAG GAGCTAACCG CTTTTTTGCA CAACATGGGG GATCATGTAA CTCGCTTGA		
1081 TCGTTGGGAA CCGGAGCTGA ATGAAGCCAT ACCAAACGAC GAGCGTGACA CCACGATGCC		
1141 TGTAGCAATG GCAACAACGT TCGCCAAACCT ATTAACCTGGC GAACTACTTA CTCTAGCTTC		
1201 CCGGCCAACAA TTAATAGACT GGATGGAGGC GGATAAAGTT GCAGGACCAC TTCTGCGCTC		
1261 GGCCCTTCCG GCTGGCTGGT TTATTGCTGA TAAATCTGGA GCCGGTGAGC GTGGGTCTCG		
1321 CGGTATCATT GCAGCACTGG GGCCAGATGG TAAGCCCTCC CGTATCGTAG TTATCTACAC		
1381 GACGGGGAGT CAGGCACTA TGGATGAACG AAATAGACAG ATCGCTGAGA TAGGTGCTTC		
1441 ACTGATTAAG CATTGGTAAC TGTCAGACCA AGTTTACTCA TATATACTTT AGATTGATTT		
1501 AAAAATTTCAT TTTTAATTTA AAAGGATCTA GGTGAAGATC CTTTTTGATA ATCTCATGAC		
1561 CAAAATCCCT TAACGTGAGT TTTCTGTTCCA CTGAGCGTCA GACCCCGTAG AAAAGATCAA		
1621 AGGATCTTCT TGAGATCCTT TTTTCTGCG CGTAATCTGC TGCTTGCAAA CAAAAAACC		
1681 ACCGCTACCA GCGGTGGTTT GTTTGCCGGA TCAAGAGCTA CCAACTCTTT TTCCGAAGGT		
1741 AACTGGCTTC AGCAGAGCGC AGATACCAAA TACTGTTCTT CTAGTGTAGC CGTAGTTAGG		
1801 CCACCACTTC AAGAACTCTG TAGCACCGCC TACATACCTC GCTCTGCTAA TCCTGTTACC		
1861 AGTGGCTGCT GCCAGTGGCG ATAAGTCGTG TCTTACCGGG TTGGACTCAA GACGATAGTT		
1921 ACCGGATAAG GCGCAGCGGT CGGGCTGAAC GGGGGGTTCC TGCACACAGC CCAGCTTGGA		
1981 GCGAACGACC TACACCGAAC TGAGATACCT ACAGCGTGAG CATTGAGAAA GCGCCACGCT		
2041 TCCCGAAGGG AGAAAGGCGG ACAGGTATCC GGTAAGCGGC AGGGTCGGAA CAGGAGAGCG		
2101 CACGAGGGAG CTTCCAGGGG GAAACGCCTG GTATCTTTAT AGTCCTGTCG GGTTCGCCA		
2161 CCTCTGACTT GAGCGTCGAT TTTTGTGATG CTCGTCAGGG GGGCGGAGCC TATGGAAAAA		
2221 CGCCAGCAAC GCGGCCTTTT TACGGTTTCT GGCCTTTTGC TGGCCTTTTG CTCACATGTT		
2281 CTTTCTGCG TTATCCCTCT ATTCTGTGGA TAACCGTATT ACCGCCTTTG AGTGAGCTGA		
2341 TACCCTCGC CGCAGCCGAA CGACCGAGCG CAGCGAGTCA GTGAGCGAGG AAGCGGAAGA		
2401 GCGCCCAATA CGCAAACCGC CTCTCCCCGC GCGTTGGCCG ATTCATTAAT GCAGCTGGCA		
2461 CGACAGGTTT CCCGACTGGA AAGCGGGCAG TGAGCGCAAC GCAATTAATG TGAGTTAGCT		
2521 CACTCATTAG GCACCCAGG CTTTACACTT TATGCTTCCG GCTCGTATGT TGTGTGGAAT		
2581 TGTGAGCGGA TAACAATTTT ACACAGGAAA CAGCTATGAC CATGATTACG CCAAGCTTGG		
2641 CTGCAGGTGA TGATTATCAG CCAGCAGAGA TTAAGGAAAA CAGACAGGTT TATTGAGCGC		
2701 TTATCTTTCC CTTTATTTTT GCTGCGGTAA GTCGCATAAA AACCATTCTT CATAATTCAA		

FIGURE 33B

82/240


2761 TCCATTACT ATGTTATGTT CTGAGGGGAG TGAAAATTCC CCTAATTCGA TGAAGATTCT
2821 TGCTCAATTG TTATCAGCTA TGCGCCGACC AGAACACCTT GCCGATCAGC CAAACGTCTC
2881 TTCAGGCCAC TGA CTAGCGA TAACTTTCCC CACAACGGAA CAACTCTCAT TGCATGGGAT
2941 CATTGGGTAC TGTGGGTTTA GTGGTTGTAA AAACACCTGA CCGCTATCCC TGATCAGTTT
3001 CTTGAAGGTA AACTCATCAC CCCCAAGTCT GGCTATGCAG AAATCACCTG GCTCAACAGC
3061 CTGCTCAGGG TCAACGAGAA TTAACATTCC GTCAGGAAAG CTTGGCTTGG AGCCTGTTGG
3121 TGCGGTCATG GAATTACCTT CAACCTCAAG CCAGAATGCA GAATCACTGG CTTTTTTGGT
3181 TGTGCTTACC CATCTCTCCG CATCACCTTT GGTAAAGGTT CTAAGCTTAG GTGAGAACAT
3241 CCCTGCCTGA ACATGAGAAA AAACAGGGTA CTCATACTCA CTTCTAAGTG ACGGCTGCAT
3301 ACTAACCGCT TCATACATCT CGTAGATTTT TCTGGCGATT GAAGGGCTAA ATTCTTCAAC
3361 GCTAACTTTG AGAATTTTTG CAAGCAATGC GGC GTTATAA GCATTTAATG CATTGATGCC
3421 ATTAAATAAA GCACCAACGC CTGACTGCCC CATCCCCATC TTGCTGCGCA CAGATTCCTG
3481 GGATAAGCCA AGTTCATTTT TCTTTTTTTT ATAAATTGCT TTAAGGCGAC GTGCGTCCTC
3541 AAGCTGCTCT TGTGTTAATG GTTTCTTTTT TGTGCTCATA CGTTAAATCT ATCACCGCAA
3601 GGGATAAATA TCTAACACCG TGCGTGTGTA CTATTTTACC TCTGGCGGTG ATAATGGTTG
3661 CATGTACTAA GGAGGTTGTA TGGAACAACG CATAACCTG AAAGATTATG CAATGCGCTT
3721 TGGGCAAACC AAGACAGCTA AAGATCTCTC ACCTACCAA CAATGCCCCC CTGCAAAAAA
3781 TAAATTCATA TAAAAACAT ACAGATAACC ATCTGCGGTG ATAAATTATC TCTGGCGGTG
3841 TTGACATAAA TACCACCTGC GGTGATACTG AGCACATCAG CAGGACGCAC TGACCACCAT
3901 GAAGGTGACG CTCTTAAAAA TTAAGCCCTG AAGAAGGGCA GCATTCAAAG CAGAAGGCTT
3961 TGGGGTGTGT GATACGAAAC GAAGCATTGG GATCATCACA AGTTTGTACA AAAAAGCTGA
4021 ACGAGAAACG TAAATGATA TAAATATCAA TATATTAAAT TAGATTTTGC ATAAAAACA
4081 GACTACATAA TACTGTAAAA CACAACATAT CCAGTCACTA TGGCGGCCGC TAAGTTGGCA
4141 GCATCACCCG ACGCACTTTG CGCCGAATAA ATACCTGTGA CGGAAGATCA CTTGCGAGAA
4201 TAAATAAATC CTGGTGTCCC TGTTGATACC GGGAAAGCCCT GGGCCAACCT TTGGCGAAAA
4261 TGAGACGTTG ATCGGCACGT AAGAGGTTCC AACTTTCACC ATAATGAAAT AAGATCACTA
4321 CCGGGCGTAT TTTTTGAGTT ATCGAGATT TCAGGAGCTA AGGAAGCTAA AATGGAGAAA
4381 AAAATCACTG GATATACCAC CGTTGATATA TCCCAATGGC ATCGTAAAGA ACATTTTGAG
4441 GCATTTCACT CAGTTGCTCA ATGTACCTAT AACCAGACCG TTCAGCTGGA TATTACGGCC
4501 TTTTTAAAGA CCGTAAAGAA AAATAAGCAC AAGTTTTATC CGGCCTTTAT TCACATTCTT
4561 GCCCGCCTGA TGAATGCTCA TCCGGAATTC CGTATGGCAA TGAAAGACGG TGAGCTGGTG
4621 ATATGGGATA GTGTTCAACC TTGTTACACC GTTTTCCATG AGCAAACCTGA AACGTTTTCA
4681 TCGCTCTGGA GTGAATACCA CGACGATTTC CGGCAGTTTC TACACATATA TTCGCAAGAT
4741 GTGGCGTGTT ACGGTGAAAA CCTGGCCTAT TTCCCTAAAG GGTTTATTGA GAATATGTTT
4801 TTCGTCTCAG CCAATCCCTG GGTGAGTTTC ACCAGTTTGT ATTTAAACGT GGCCAATATG
4861 GACAACCTCT TCGCCCCCGT TTTCACCATG GGCAAATATT ATACGCAAGG CGACAAGGTG
4921 CTGATGCCGC TGGCGATTCA GGTTTCATCAT GCCGTCTGTG ATGGCTTCCA TGTGCGCAGA
4981 ATGCTTAATG AATTACAACA GTACTGCGAT GAGTGGCAGG GCGGGGCGTA AACGCGTGGA
5041 TCCGGCTTAC TAAAAGCCAG ATAACAGTAT CCGTATTTGC GCGCTGATTT TTGCGGTATA
5101 AGAATATATA CTGATATGTA TACCCGAAGT ATGTCAAAAA GAGGTGTGCT ATGAAGCAGC
5161 GTATTACAGT GACAGTTGAC AGCGACAGCT ATCAGTTGCT CAAGGCATAT ATGATGTCAA
5221 TATCTCCGGT CTGGTAAGCA CAACCATGCA GAATGAAGCC CGTCGTCTGC GTGCCGAACG
5281 CTGGAAGCG GAAAATCAGG AAGGGATGGC TGAGGTCGCC CGGTTTATTG AAATGAACGG
5341 CTCTTTTGCT GACGAGAACA GGGACTGGTG AAATGCAGTT TAAGGTTTAC ACCTATAAAA
5401 GAGAGAGCCG TTATCGTCTG TTTGTGGATG TACAGAGTGA TATTATTGAC ACGCCCGGGC
5461 GACGGATGGT GATCCCCCTG GCCAGTGCAC GTCTGCTGTC AGATAAAGTC TCCCGTGAAC
5521 TTTACCCGGT GGTGCATATC GGGGATGAAA GCTGGCGCAT GATGACCACC GATATGGCCA
5581 GTGTGCCGGT CTCCGTTATC GGGGAAGAAG TGGCTGATCT CAGCCACCGC GAAAATGACA
5641 TCAAAAACGC CATTAACTG ATGTTCTGGG GAATATAAAT GTCAGGCTCC GTTATACACA
5701 GCCAGTCTGC AGGTCGACCA TAGTGACTGG ATATGTTGTG TTTTACAGTA TTATGTAGTC
5761 TGTTTTTTAT GCAAAATCTA ATTTAATATA TTGATATTTA TATCATTTTA CGTTTCTCGT
5821 TCAGCTTTCT TGTACAAAGT GGTGATAA

FIGURE 33C

Figure 34A: pDEST14 Native Protein Expression in *E. coli*, T7 Promoter

3961 tgccggccac gatgcgtccg gcgtagagga tcgagatctc gatcccgcca aattaatagc
 acggccggtg ctacgcaggc cgcattctct agctctagag ctaggcgct ttaattatgc
 4021 // actcactata gggagaccac aacggtttcc ctctagatca caagtttcta caaaaaagct
 // cgagtgatat ccctctggtg ttgccaaagg gagatctagt gttcaaacat gttttttcga //

Handwritten annotations above the sequence include: *Bgl* II, *Aat* I, *PTI*, *Xba* I, *Eco* RI, and *Not* I.



84/240

pDEST14 6422 bp (rotated to position 4000)

<u>Location (Base Nos.)</u>				<u>Gene Encoded</u>		
185..61				attR1		
435..1094				CmR		
1214..1298				inactivated ccdA		
1436..1741				ccdB		
1782..1906				attR2		
2632..3489				ampR		
1	CGATCCCGCG	AAATTAATAC	GACTCACTAT	AGGGAGACCA	CAACGGTTTC	CCTCTAGATC
61	ACAAGTTTGT	ACAAAAAAGC	TGAACGAGAA	ACGTAAAATG	ATATAAATAT	CAATATATTA
121	AATTAGATTT	TGCATAAAAA	ACAGACTACA	TAATACTGTA	AAACACAACA	TATCCAGTCA
181	CTATGGCGGC	CGCTAAGTTG	GCAGCATCAC	CCGACGCACT	TTGCGCCGAA	TAAATACCTG
241	TGACGGAAGA	TCACTTCGCA	GAATAAATAA	ATCCTGGTGT	CCCTGTGAT	ACCGGGAAGC
301	CCTGGGCCAA	CTTTTGGCGA	AAATGAGACG	TTGATCGGCA	CGTAAGAGGT	TCCAAC TTTC
361	ACCATAATGA	AATAAGATCA	CTACCGGGCG	TATTTTTTGA	GTTATCGAGA	TTTTCAGGAG
421	CTAAGGAAGC	TAAAATGGAG	AAAAAATCA	CTGGATATAC	CACCGTTGAT	ATATCCCAAT
481	GGCATCGTAA	AGAACATTTT	GAGGCATTTT	AGTCAGTTGC	TCAATGTACC	TATAACCAGA
541	CCGTTTCAGT	GGATATTACG	GCCTTTTTAA	AGACCGTAAA	GAAAAATAAG	CACAAGTTTT
601	ATCCGGCCTT	TATTCACATT	CTTGCCCGCC	TGATGAATGC	TCATCCGGAA	TTCCGTATGG
661	CAATGAAAGA	CGGTGAGCTG	GTGATATGGG	ATAGTGTTC	CCCTTGTTAC	ACCGTTTTCC
721	ATGAGCAAAC	TGAAACGTTT	TCATCGCTCT	GGAGTGAATA	CCACGACGAT	TTCCGGCAGT
781	TTCTACACAT	ATATTCGCAA	GATGTGGCGT	GTTACGGTGA	AAACCTGGCC	TATTTCCCTA
841	AAGGGTTTAT	TGAGAATATG	TTTTTCGTCT	CAGCCAATCC	CTGGGTGAGT	TTCACAGTT
901	TTGATTTTAA	CGTGGCCAAT	ATGGACAAC	TCTTCGCCCC	CGTTTTTCACC	ATGGGCAAAAT
961	ATTATACGCA	AGGCGACAAG	GTGCTGATGC	CGCTGGCGAT	TCAGGTTTAT	CATGCCGTCT
1021	GTGATGGCTT	CCATGTCCGC	AGAATGCTTA	ATGAATTACA	ACAGTACTGC	GATGAGTGGC
1081	AGGGCGGGGC	GTAACGCGCT	GGATCCGGCT	TACTAAAAGC	CAGATAACAG	TATGCGTATT
1141	TGCGCGCTGA	TTTTTGCGGT	ATAAGAATAT	ATACTGATAT	GTATACCCGA	AGTATGTCAA
1201	AAAGAGGTGT	GCTATGAAGC	AGCGTATTAC	AGTGACAGTT	GACAGCGACA	GCTATCAGTT
1261	GCTCAAGGCA	TATATGATGT	CAATATCTCC	GGTCTGGTAA	GCACAACCAT	GCAGAATGAA
1321	GCCCGTCTGC	TGCGTGCCGA	ACGCTGGAAG	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC
1381	GCCCGGTTTA	TTGAAATGAA	CGGCTCTTTT	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA
1441	GTTTAAAGTT	TACACCTATA	AAAGAGAGAG	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG
1501	TGATATTATT	GACACGCCCC	GGCGACGGAT	GGTGATCCCC	CTGGCCAGTG	CACGCTCTGCT
1561	GTCAGATAAA	GTCTCCCGTG	AACTTTACCC	GGTGGTGCAT	ATCGGGGATG	AAAGCTGGCG
1621	CATGATGACC	ACCGATATGG	CCAGTGTGCC	GGTCTCCGTT	ATCGGGGAAG	AAGTGGCTGA
1681	TCTCAGCCAC	CGCGAAAATG	ACATCAAAAA	CGCCATTAAC	CTGATGTTCT	GGGGAATATA
1741	AATGTCCAGG	TCCCTTATAC	ACAGCCAGTC	TGCAGGTCGA	CCATAGTGAC	TGGATATGTT
1801	GTGTTTTTACA	GTATTATGTA	GTCTGTTTTT	TATGCAAAAT	CTAATTTAAT	ATATTGATAT
1861	TTATATCATT	TTACGTTTCT	CGTTCAGCTT	TCTTGTAACA	AGTGGTGATG	ATCCGGCTGC
1921	TAACAAAGCC	CGAAAGGAAG	CTGAGTTGGC	TGCTGCCACC	GCTGAGCAAT	AACTAGCATA
1981	ACCCCTTGGG	GCCTCTAAAC	GGGTCTTGAG	GGGTTTTTTT	CTGAAAGGAG	GAACATATATC
2041	CGGATATCCA	CAGGACGGGT	GTGGTCGCCA	TGATCGCGTA	GTCGATAGTG	GCTCCAAGTA
2101	GCGAAGCGAG	CAGGACTGGG	CGGCGGCCAA	AGCGGTGCGA	CAGTGCTCCG	AGAACGGGTG
2161	CGCATAGAAA	TTGCATCAAC	GCATATAGCG	CTAGCAGCAC	GCCATAGTGA	CTGGCGATGC
2221	TGTCGGAATG	GACGATATCC	CGCAAGAGGC	CCGGCAGTAC	CGGCATAACC	AAGCCTATGC
2281	CTACAGCATC	CAGGGTGACG	GTGCCGAGGA	TGACGATGAG	CGCATTGTTA	GATTTTCATAC
2341	ACGGTGCCCTG	ACTGCGTTAG	CAATTTAACT	GTGATAAACT	ACCGCATTAA	AGCTTATCGA
2401	TGATAAGCTG	TCAAACATGA	GAATCTTGA	AGACGAAAGG	GCCTCGTGAT	ACGCCTATTT
2461	TTATAGGTTA	ATGTCATGAT	AATAATGGTT	TCTTAGACGT	CAGGTGGCAC	TTTTTCGGGA
2521	AATGTGCGCG	GAACCCCTAT	TTGTTTATTT	TTCTAAATAC	ATTCAAATAT	GTATCCGCTC
2581	ATGAGACAAT	AACCCCTGATA	AATGCTTCAA	TAATATTGAA	AAAGGAAGAG	TATGAGTATT
2641	CAACATTTCC	GTGTGCGCCT	TATTCCTTTT	TTTGCGGCAT	TTTGCTTCC	TGTTTTTGCT
2701	CACCCAGAAA	CGCTGGTGAA	AGTAAAAGAT	GCTGAAGATC	AGTTGGGTGC	ACGAGTGGGT

FIGURE 34B

85/240

2761 TACATCGAAC TGGATCTCAA CAGCGGTAAG ATCCTTGAGA GTTTTCGCCC CGAAGAACGT
2821 TTTCCAATGA TGAGCACTTT TAAAGTTCTG CTATGTGGCG CCGTATTATC CCGTGTGAC
2881 GCCGGGCAAG AGCAACTCGG TCGCCGCATA CACTATTCTC AGAATGACTT GGTGTAGTAC
2941 TCACCAGTCA CAGAAAAGCA TCTTACGGAT GGCATGACAG TAAGAGAATT ATGCAGTGCT
3001 GCCATAACCA TGAGTGATAA CACTGCGGCC AACTTACTTC TGACAACGAT CGGAGGACCG
3061 AAGGAGCTAA CCGCTTTTTT GCACAACATG GGGGATCATG TAACTCGCCT TGATCGTTGG
3121 GAACCGGAGC TGAATGAAGC CATACCAAAC GACGAGCGTG ACACCACGAT GCCTGCAGCA
3181 ATGGCAACAA CGTTGCGCAA ACTATTAAC TGGCAACTAC TTAATCTAGC TTCCCGGCAA
3241 CAATTAATAG ACTGGATGGA GCGGATAAA GTTGCAGGAC CACTTCTGCG CTCGGCCCTT
3301 CCGGCTGGCT GGTATTATGC TGATAAATCT GGAGCCGGTG AGCGTGGGTC TCGCGGTATC
3361 ATTGCAGCAC TGGGGCCAGA TGTAAGCCC TCCCGTATCG TAGTTATCTA CACGACGGGG
3421 AGTCAGGCAA CTATGGATGA ACGAAATAGA CAGATCGCTG AGATAGGTGC CTCAGTGATT
3481 AAGCATTTGGT AACTGTCTAGA CCAAGTTTAC TCATATATAC TTTAGATTGA TTTAAACTT
3541 CATTTTTTAAT TTAAAAGGAT CTAGGTGAAG ATCCTTTTTG ATAATCTCAT GACCAAAATC
3601 CCTTAACGTG AGTTTTTCGTT CCACTGAGCG TCAGACCCCG TAGAAAAGAT CAAAGGATCT
3661 TCTTGAGATC CTTTTTTTTCT GCGCGTAATC TGCTGCTTGC AAACAAAAAA ACCACCGCTA
3721 CCAGCGGTGG TTTGTTTGCC GGATCAAGAG CTACCAACTC TTTTCCGAA GGTAACGGC
3781 TTCAGCAGAG CGCAGATACC AAATACTGTC CTTCTAGTGT AGCCGTAGTT AGGCCACCAC
3841 TTCAAGAACT CTGTAGCACC GCCTACATAC CTCGCTCTGC TAATCCTGTT ACCAGTGGCT
3901 GCTGCCAGTG GCGATAAGTC GTGTCTTACC GGGTTGGACT CAAGACGATA GTTACGGAT
3961 AAGGCGCAGC GGTGCGGCTG AACGGGGGGT TCGTGACAC AGCCAGCTT GGAGCGCAACG
4021 ACCTACACCG AACTGAGATA CCTACAGCGT GAGCTATGAG AAAGCGCCAC GCTTCCCGAA
4081 GGGAGAAAGG CGGACAGGTA TCCGGTAAGC GGCAGGGTCG GAACAGGAGA GCGCACGAGG
4141 GAGCTTCCAG GGGGAAACGC CTGGTATCTT TATAGTCCTG TCGGGTTTCG CCACCTCTGA
4201 CTTGAGCGTC GATTTTTGTG ATGCTCGTCA GGGGGGCGGA GCCTATGGAA AAACGCCAGC
4261 AACGCGGCCT TTTTACGGTT CCTGGCCTTT TGCTGGCCTT TTGCTCACAT GTTCTTTCCT
4321 GCGTTATCCC CTGATTCTGT GGATAACCGT ATTACCGCCT TTGAGTGAGC TGATACCGCT
4381 CGCCGAGCG GAACGACCGA GCGCAGCGAG TCAGTGAGCG AGGAAGCGGA AGAGCGCCTG
4441 ATGCGGTATT TTCTCCTTAC GCATCTGTGC GGTATTTTAC ACCGCATATA TGGTGCACCTC
4501 TCAGTACAAT CTGCTCTGAT GCCGCATAGT TAAGCCAGTA TACACTCCGC TATCGCTACG
4561 TGACTGGGTC ATGGCTGCGC CCCGACACCC GCCAACACCC GCTGACGCGC CCTGACGGGC
4621 TTGTCTGCTC CCGGCATCCG CTTACAGACA AGCTGTGACC GTCTCCGGGA GCTGCATGTG
4681 TCAGAGGTTT TCACCGTCAT CACCGAAACG CGCGAGGCGA CTGCGGTAA GCTCATCAGC
4741 GTGGTCGTGA AGCGATTAC AGATGTCTGC CTGTTTCATC CCGTCCAGCT CGTTGAGTTT
4801 CTCCAGAAGC GTTAATGTCT GGCTTCTGAT AAAGCGGGCC ATGTTAAGGG CGGTTTTTTT
4861 CTGTTTGGTC ACTGATGCCT CCGTGTAAAG GGGATTTCTG TTCATGGGG TAATGATACC
4921 GATGAAACGA GAGAGGATGC TCACGATACG GGTACTGTAT GATGAACATG CCCGGTTACT
4981 GGAACGTTGT GAGGGTAAAC AACTGGCGGT ATGGATGCGG CGGGACCAGA GAAAAATCAC
5041 TCAGGGTCAA TGCCAGCGCT TCGTTAATAC AGATGTAGGT GTTCCACAGG GTAGCCAGCA
5101 GCATCTGCG ATGCAGATCC GGAACATAAT GGTGCAGGGC GCTGACTTCC GCGTTTCCAG
5161 ACTTTACGAA ACACGGAAAC CGAAGACCAT TCATGTTGTT GCTCAGGTCG CAGACGTTTT
5221 GCAGCAGCAG TCGCTTCACG TTCGCTCGCG TATCGGTGAT TCATTCTGCT AACCAGTAAG
5281 GCAACCCCGC CAGCCTAGCC GGGTCTTCAA CGACAGGAGC ACGATCATGC GCACCCGTGG
5341 CCGCCGGAAG ACGCTGCCCG AGATGCGCG CGTGCGGCTG CTGGAGATGG CGGACGCGAT
5401 GGATATGTTT TGCCAAGGGT TGGTTTGCGC ATTACAGTT CTCCGCAAGA ATTGATTGGC
5461 TCCAATTCTT GGAGTGGTGA ATCCGTTAGC GAGGTGCCGC CGGCTTCCAT TCAGGTGAG
5521 GTGGCCCGGC TCCATGCACC GCGACGCAAC GCGGGGAGGC AGACAAGGTA TAGGGCGGCG
5581 CCTACAATCC ATGCCAACCC GTTCCATGTG CTCGCCGAGG CGGCATAAAT CCGCGTGACG
5641 ATCAGCGGTC CAGTGATCGA AGTTAGGCTG GTAAGAGCCG CGAGCGATCC TTGAAGCTGT
5701 CCCTGATGGT CGTCATCTAC CTGCCTGGAC AGCATGGCCT GCAACGCGGG CATCCCGATG
5761 CCGCCGGAAG CGAGAAGAAT CATAATGGGG AAGGCCATCC AGCCTCGCGT CGCGAACGCC
5821 AGCAAGACGT AGCCACGCGC GTCGGCCGCC ATGCCGCGCA TAATGGCCTG CTCTCGCCG
5881 AAACGTTTGG TGGCGGGACC AGTGACGAAG GCTTGAGCGA GGGCGTGCAA GATTCCGAAT
5941 ACCGCAAGCG ACAGGCCGAT CATCGTCGCG CTCCAGCGAA AGCGGTCTCT GCCGAAAATG
6001 ACCCAGAGCG CTGCCGGCAC CTGTCTTACG AGTTGCATGA TAAAGAAGAC AGTCATAAGT
6061 GCGGCGACGA TAGTCATGCC CCGCGCCAC CGGAAGGAGC TGAAGGGTT GAAGGCTCTC
6121 AAGGGCATCG GTCGATCGAC GCTCTCCCTT ATGCGACTCC TGCATTAGGA AGCAGCCAG
6181 TAGTAGGTTG AGGCCGTTGA GCACCGCCGC CGCAAGGAAT GGTGCATGCA AGGAGATGGC-



FIGURE 34C

86/240

6241 GCCCAACAGT CCCCCGGCCA CGGGGCCTGC CACCATACCC ACGCCGAAAC AAGCGCTCAT
6301 GAGCCCGAAG TGGCGAGCCC GATCTTCCCC ATCGGTGATG TCGGCGATAT AGGCGCCAGC
6361 AACCGCACCT GTGGCGCCGG TGATGCCGCG CACGATGCGT CCGGCGTAGA GGATCGAGAT
6421 CT

FIGURE 34D

Figure 35A: pDEST15 Glutathione-S-transferase Fusion in *E. coli*, T7 Promoter



88/240

pDEST15 7013 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
108..776		GST
916..792		attR1
1025..1537		CmR
1804..1888		inactivated ccdA
2026..2331		ccdB
2372..2496		attR2
3233..4093		ampR
1	ATCGAGATCT CGATCCCGCG AAATTAATAC GACTCACTAT AGGGAGACCA CAACGGTTTC	
61	CCTCTAGAAA TAATTTTGTT TAACTTTAAG AAGGAGATAT ACATATGTCC CCTATACTAG	
121	GTTATTGGAA AATTAAGGGC CTTGTGCAAC CCACTCGACT TCTTTTGGAA TATCTTGAAG	
181	AAAAATATGA AGAGCATTTG TATGAGCGCG ATGAAGGTGA TAAATGGCGA AACAAAAAGT	
241	TTGAATTGGG TTTGGAGTTT CCCAATCTTC CTTATTATAT TGATGGTGAT GTTAAATTAA	
301	CACAGTCTAT GGCCATCATA CGTTATATAG CTGACAAGCA CAACATGTTG GGTGGTTGTC	
361	CAAAAGAGCG TGCAGAGATT TCAATGCTTG AAGGAGCGGT TTTGGATATT AGATACGGTG	
421	TTTCGAGAAAT TGCATATAGT AAAGACTTTG AAACCTCTCA AGTTGATTTT CTTAGCAAGC	
481	TACCTGAAAT GCTGAAAATG TTCGAAGATC GTTTATGTCA TAAACATAT TTAAATGGTG	
541	ATCATGTAAC CCATCCTGAC TTCATGTTGT ATGACGCTCT TGATGTTGTT TTATACATGG	
601	ACCCAATGTG CCTGGATGCG TTCCCAAAAT TAGTTTGTTC TAAAAAACGT ATTGAAGCTA	
661	TCCCACAAAT TGATAAGTAC TTGAAATCCA GCAAGTATAT AGCATGGCCT TTGCACGGCT	
721	GGCAAGCCAC GTTTGGTGGT GCGGACCATC CTCCAAATC GGATCTGGTT CCGCGTCCAT	
781	GGTCAATCA AACAAGTTTG TACAAAAAG CTGAACGAGA AACGTAAAT GATATAAATA	
841	TCAATATATT AAATTAGATT TTGCATAAAA AACAGACTAC ATAATACTGT AAAACACAAC	
901	ATATCCAGTC ACTATGGCGG CCGCATTAGG CACCCAGGC TTTACACTTT ATGCTTCCGG	
961	CTCGTATAAT GTGTGGATTT TGAGTTAGGA TCCGTCGAGA TTTTCAGGAG CTAAGGAAGC	
1021	TAAAATGGAG AAAAAATCA CTGGATATAC CACCGTTGAT ATATCCCAAT GGCATCGTAA	
1081	AGAACATTTT GAGGCATTTT AGTCAGTTGC TCAATGTACC TATAACCAGA CCGTTCAGCT	
1141	GGATATTACG GCCTTTTAA AGACCGTAAA GAAAAATAAG CACAAGTTT ATCCGCGCTT	
1201	TATTCACATT CTGCCCCGCC TGATGAATGC TCATCCGGAA TTCCGTATGG CAATGAAAGA	
1261	CGGTGAGCTG GTGATATGGG ATAGTGTTCA CCCTTGTTAC ACCGTTTCC ATGAGCAAAC	
1321	TGAAACGTTT TCATCGCTCT GGAGTGAATA CCACGACGAT TTCCGGCAGT TTCTACACAT	
1381	ATATTCGCAA GATGTGGCGT GTTACGGTGA AAACCTGGCC TATTTCCCTA AAGGGTTTAT	
1441	TGAGAATATG TTTTTCGTCT CAGCCAATCC CTGGGTGAGT TTCACCAGTT TTGATTTAAA	
1501	CTGGGCCAAT ATGGACAAC TCTCGCCCC CGTTTTACC ATGGGCAAAT ATTATACGCA	
1561	AGGCGACAAG GTGCTGATGC CGCTGGCGAT TCAGGTTTCT CATGCCGTCT GTGATGGCTT	
1621	CCATGTCGGC AGAATGCTTA ATGAATTACA ACAGTACTGC GATGAGTGGC AGGGCGGGGC	
1681	GTAATCTAGA GGATCCGGCT TACTAAAAGC CAGATAACAG TATGCGTATT TGCGCGCTGA	
1741	TTTTTGCGGT ATAAGAATAT ATACTGATAT GTATACCCGA AGTATGTCAA AAAGAGGTGT	
1801	GCTATGAAGC AGCGTATTAC AGTGACAGTT GACAGCGACA GCTATCAGTT GCTCAAGGCA	
1861	TATATGATGT CAATATCTCC GGTCTGGTAA GCACAACCAT GCAGAATGAA GCGCGTCGTC	
1921	TGCGTGCCGA ACGCTGGAAA GCGGAAAATC AGGAAGGGAT GGCTGAGGTC GCGCGTTTAA	
1981	TTGAAATGAA CGGCTCTTTT GCTGACGAGA ACAGGGACTG GTGAAATGCA GTTTAAGGTT	
2041	TACACCTATA AAAGAGAGAG CCGTTATCGT CTGTTTGTGG ATGTACAGAG TGATATTATT	
2101	GACACGCCCC GCGACGGAT GGTGATCCCC CTGGCCAGTG CACGTCTGCT GTCAGATAAA	
2161	GTCTCCCGTG AACTTTACCC GGTGGTGCAT ATCGGGGATG AAAGCTGGCG CATGATGACC	
2221	ACCGATATGG CCAGTGTGCC GGTCTCCGTT ATCGGGGAAG AAGTGGCTGA TCTCAGCCAC	
2281	CGCGAAAATG ACATCAAAAA CGCCATTAACT CTGATGTTCT GGGGAATATA AATGTCAGGC	
2341	TCCCTTATAC ACAGCCAGTC TGCAGGTCGA CCATAGTGAC TGGATATGTT GTGTTTACA	
2401	GTATTATGTA GTCTGTTTTT TATGCAAAAT CTAATTTAAT ATATTGATAT TTATATCATT	
2461	TTACGTTTCT CGTTCAGCTT TCTGTACAA AGTGGTTTGA TTCGACCCGG GATCCGGCTG	
2521	CTAACAAAGC CCGAAAGGAA GCTGAGTTGG CTGCTGCCAC CGCTGAGCAA TAACTAGCAT	
2581	AACCCCTTGG GGCCTCTAAA CGGGTCTTGA GGGGTTTTTT GCTGAAAGGA GGAATATAT	
2641	CCGGATATCC ACAGGACGGG TGTGGTCGCC ATGATCGCGT AGTCGATAGT GGCTCCAAGT-	

Figure 35B

89/240

2701 AGCGAAGCGA GCAGGACTGG GCGGCGGCCA AAGCGGTGCG ACAGTGCTCC GAGAACGGGT
2761 GCGCATAGAA ATTGCATCAA CGCATATAGC GCTAGCAGCA CGCCATAGTG ACTGGCGATG
2821 CTGTCGGAAT GGACGATATC CCGCAAGAGG CCCGGCAGTA CCGGCATAAC CAAGCCTATG
2881 CCTACAGCAT CCAGGGTGAC GGTGCCGAGG ATGACGATGA GCGCATTGTT AGATTTCATA
2941 CACGGTGCCT GACTGCGTTA GCAATTTAAC TGTGATAAAC TACCGCATT AAGCTTATCG
3001 ATGATAAGCT GTCAAACATG AGAATTCCTG AAGACGAAAG GGCCTCGTGA TACGCCCTATT
3061 TTTATAGGTT AATGTCATGA TAATAATGGT TTCTTAGACG TCAGGTGGCA CTTTTCGGGG
3121 AAATGTGCGC GGAACCCCTA TTTGTTTATT TTTCTAAATA CATTCAAATA TGTATCCGCT
3181 CATGAGACAA TAACCTGAT AAATGCTTCA ATAATATTGA AAAAGGAAGA GTATGAGTAT
3241 TCAACATTTC CGTGTGCCCC TTATTCCCTT TTTTGCGGCA TTTTGCCCTC CTGTTTTTGC
3301 TCACCCAGAA ACGCTGGTGA AAGTAAAGA TGCTGAAGAT CAGTTGGGTG CACGAGTGGG
3361 TTACATCGAA CTGGATCTCA ACAGCGGTAA GATCCTTGAG AGTTTTCGCC CCGAAGAACG
3421 TTTTCCAAATG ATGAGCACTT TTAAGTTCT GCTATGTGGC GCGGTATTAT CCCGTGTTGA
3481 CGCCGGGCAA GAGCAACTCG GTCGCCGCTG ACATACTTCT CAGAATGACT TGGTTGAGTA
3541 CTCACCGAGT ACAGAAAAGC ATCTTACGGA TGGCATGACA GTAAGAGAAT TATGCAGTGC
3601 TGCCATAACC ATGAGTGATA AACTGCGGC CAACTTACTT CTGACAACGA TCGGAGGACC
3661 GAAGGAGCTA ACCGCTTTTT TGCACAACAT GGGGGATCAT GTAACCTGCC TTGATCGTTG
3721 GGAACCGGAG CTGAATGAAG CCATACCAA CGACGAGCGT GACACCACGA TGCCTGCAGC
3781 AATGGCAACA ACGTTGCGCA AACTATTAAC TGGCGAACTA CTTACTCTAG CTTCCCGGCA
3841 ACAATTAATA GACTGGATGG AGGCGGATAA AGTTGCAGGA CCCTTCTGCT GCTCGGCCCT
3901 TCCGGCTGGC TGGTTTATTG CTGATAAATC TGGAGCCGGT GAGCGTGGGT CTCGCGGTAT
3961 CATTGCAGCA CTGGGGCCAG ATGGTAAGCC CTCCCGTATC GTAGTTATCT ACACGACGGG
4021 GAGTCAGGCA ACTATGGATG AACGAAATAG ACAGATCGCT GAGATAGGTG CCTCACTGAT
4081 TAAGCATTGG TAACTGTCAG ACCAAGTTTA CTCATATATA CTTTAGATTG ATTTAAACT
4141 TCATTTTTAA TTTAAAGGA TCTAGGTGAA GATCCTTTTT GATAATCTCA TGACCAAAAT
4201 CCCTTAACGT GAGTTTTCGT TCCACTGAGC GTCAGACCCC GTAGAAAAGA TCAAAGGATC
4261 TTCTTGAGAT CTTTTTTTTC TGCGCGTAAT CTGCTGCTTG CAAACAAAAA AACCACCGCT
4321 ACCAGCGGTG GTTTGTTTGC CGGATCAAGA GCTACCAACT CTTTTTCCGA AGGTAACCTG
4381 CTTCAGCAGA GCGCAGATAC CAAATACTGT CCTTCTAGTG TAGCCGTAAG TAGGCCACCA
4441 CTTCAAGAAC TCTGTAGCAC CGCTACATA CCTCGCTCTG CTAATCCTGT TACCAGTGGC
4501 TGCTGCCAGT GGCGATAAGT CGTGTCTTAC CGGGTTGGAC TCAAGACGAT AGTTACCGGA
4561 TAAGGCGCAG CGGTCCGGCT GAACGGGGGG TTCGTGCACA CAGCCCAGCT TGGAGCGAAC
4621 GACCTACACC GAAGTGAAGT ACCTACAGCG TGAGCTATGA GAAAGCGCCA CGCTTCCCGA
4681 AGGGAGAAAG GCGGACAGGT ATCCGGTAAG CGGCAGGGTC GGAACAGGAG AGCGCAGCAG
4741 GGAGCTTCCA GGGGGAACG CCTGGTATCT TTATAGTCCT GTCGGGTTTC GCCACCTCTG
4801 ACTTGAGCGT CGATTTTTGT GATGCTCGTC AGGGGGGCGG AGCCTATGGA AAAACGCCAG
4861 CAACGCGGCC TTTTACGGT TTCTGGCCTT TTGCTGGCCT TTTGCTCACA TGTTCTTTCC
4921 TCGTTATATC CCGTATTCTG TGGATAACCG TATTACCGCC TTTGAGTGAG CTGATACCGC
4981 TCGCCGCAGC CGAACGACCG AGCGCAGCGA GTCAGTGAGC GAGGAAGCGG AAGAGCGCCT
5041 GATGCGGTAT TTTCTCCTTA CGCATCTGTG CGGTATTTCA CACCGCATAT ATGGTGCATG
5101 CTCAGTACAA TCTGCTCTGA TGCCGCATAG TTAAGCCAGT ATACACTCCG CTATCGCTAC
5161 GTGACTGGGT CATGGCTGCG CCCCAGACAC CGCCAACACC CGCTGACCGC CCCTGACGGG
5221 CTTGTCTGCT CCCGGCATCC GCTTACAGAC AAGCTGTGAC CGTCTCCGGG AGCTGCATGT
5281 GTCAGAGGTT TTCACCGTCA TCACCGAAAC GCGCGAGGCA GCTGCGGTA AGCTCATCAG
5341 CGTGGTCGTG AAGCGATTCA CAGATGTCTG CCGTTCATC CGCGTCCAGC TCGTTGAGTT
5401 TCTCCAGAAG CGTTAATGTC TGGCTTCTGA TAAAGCGGGC CATGTTAAGG GCGGTTTTTT
5461 CCTGTTTGGT CACTGATGCC TCCGTGTAAG GGGGATTTCT GTTCATGGGG GTAATGATAC
5521 CGATGAAACG AGAGAGGATG CTCACGATAC GGGTTACTGA TGATGAACAT GCCCGGTTAC
5581 TGGAACGTTG TGAGGGTAAA CAACTGGCGG TATGGATGCG GCGGGACCAG AGAAAAATCA
5641 CTCAGGGTCA ATGCCAGCGC TTCGTTAATA CAGATGTAGG TGTTCCACAG GGTAGCCAGC
5701 AGCATCCTGC GATGCAGATC CGGAACATAA TGGTGCAGGG CGCTGACTTC CGCGTTTCCA
5761 GACTTTACGA AACACGGAAA CCGAAGACCA TTCATGTTGT TGCTCAGGTC GCAGACGTTT
5821 TGCAGCAGCA GTCGCTTAC GTTCGCTCGC GTATCGGTGA TTCATTCTGC TAACCAGTAA
5881 GGCAACCCCG CCAGCCTAGC CGGGTCTCA ACGACAGGAG CACGATCATG CGCACCCGTG
5941 GCCAGGACCC AACGCTGCCC GAGATGCGCC GCGTGCGGCT GCTGGAGATG GCGGACGCGA
6001 TGGATATGTT CTGCCAAGGG TTGGTTTGCG CATTCACAGT TCTCCGCAAG AATTGATTGG
6061 CTCCAATTCT TGGAGTGGTG AATCCGTTAG CGAGGTGCGG CCGGCTTCCA TTCAGGTCGA
6121 GGTGGCCCGG CTCCATGCAC CGCGACGCAA CGCGGGGAGG CAGACAAGGT ATAGGGCGCG-

FIGURE 35C



90/240

6181 GCCTACAATC CATGCCAACC CGTTCCATGT GCTCGCCGAG GCGGCATAAA TCGCCGTGAC
6241 GATCAGCGGT CCAGTGATCG AAGTTAGGCT GGTAAGAGCC GCGAGCGATC CTTGAAGCTG
6301 TCCCTGATGG TCGTCATCTA CCTGCCTGGA CAGCATGGCC TGCAACGCGG GCATCCCGAT
6361 GCCGCCGGAA GCGAGAAGAA TCATAATGGG GAAGGCCATC CAGCCTCGCG TCGCGAACGC
6421 CAGCAAGACG TAGCCCAGCG CGTCGGCCGC CATGCCGGCG ATAATGGCCT GCTTCTCGCC
6481 GAAACGTTTG GTGGCGGGAC CAGTGACGAA GGCTTGAGCG AGGGCGTGCA AGATTCCGA
6541 TACCGCAAGC GACAGGCCGA TCATCGTCGC GCTCCAGCGA AAGCGGTCCT CGCCGAAAT
6601 GACCCAGAGC GCTGCCGGCA CCTGTCCTAC GAGTTGCATG ATAAAGAAGA CAGTCATAAG
6661 TGCGGCGACG ATAGTCATGC CCCGCGCCCA CCGGAAGGAG CTGACTGGGT TGAAGGCTCT
6721 CAAGGGCATC GGTGATCGA CGCTCTCCCT TATGCGACTC CTGCATTAGG AAGCAGCCCA
6781 GTAGTAGGTT GAGGCCGTTG AGCACCGCCG CCGCAAGGAA TGGTGCATGC AAGGAGATGG
6841 CGCCCAACAG TCCCCCGGCC ACGGGGCCTG CCACCATACC CACGCCGAAA CAAGCGCTCA
6901 TGAGCCCGAA GTGGCGAGCC CGATCTTCCC CATCGGTGAT GTCGGCGATA TAGGCGCCAG
6961 CAACCGCACC TGTGGCGCCG GTGATGCCGG CCACGATGCG TCCGGCGTAG AGG

FIGURE 351)

9/240

Figure 36A: γ DEST16 **Thioredoxin N-Fusion Protein in E. coli with T7 Promoter**



92/240

pDEST16 6675 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
104..457		trxA
585..461		attR1
694..1353		CmR
1473..1557		inactivated ccdA
1695..2000		ccdB
2041..2165		attR2

1	AGATCTCGAT	CCCGCGAAAT	TAATACGACT	CACTATAGGG	AGACCACAAC	GGTTTCCCTC
61	TAGAAATAAT	TTTGTTTAAC	TTTAAGAAGG	AGATATACAT	ATGAGCGATA	AAATTATTCA
121	CCTGACTGAC	GACAGTTTTG	ACACGGATGT	ACTCAAAGCG	GACGGGGCGA	TCCTCGTCGA
181	TTTCTGGGCA	GAGTGGTGCG	GTCCGTGCAA	AATGATCGCC	CCGATTCTGG	ATGAAATCGC
241	TGACGAATAT	CAGGGCAAAC	TGACCGTTGC	AAAACGAAC	ATCGATCAAA	ACCCTGGCAC
301	TGCGCCGAAA	TATGGCATCC	GTGGTATCCC	GACTCTGCTG	CTGTTCAAAA	ACGGTGAAGT
361	GGCGGCAACC	AAAGTGGGTG	CACTGTCTAA	AGGTCAGTTG	AAAGAGTTCC	TCGACGCTAA
421	CCTGGCCGGT	TCTGGTCTCT	GTGATGACGA	TGACAAGATC	ACAAGTTTGT	ACAAAAAAGC
481	TGAACGAGAA	ACGTAAATG	ATATAAATAT	CAATATATTA	AATTAGATTT	TGCATAAAAA
541	ACAGACTACA	TAATACTGTA	AAACACAACA	TATCCAGTCA	CTATGGCGGC	CGCATTAGGC
601	ACCCGAGGCT	TTACACTTTA	TGCTTCCGGC	TCTATAATG	TGTGGATTTT	GAGTTAGGAT
661	CCGGCGAGAT	TTTCAGGAGC	TAAGGAAGCT	AAAATGGAGA	AAAAAATCAC	TGGATATACC
721	ACCGTTTGATA	TATCCCAATG	GCATCGTAAA	GAACATTTTG	AGGCATTTCA	GTCAGTTGCT
781	CAATGTACCT	ATAACCAGAC	CGTTCAGCTG	GATATTACGG	CCTTTTTAAA	GACCGTAAAG
841	AAAAATAAGC	ACAAGTTTTA	TCCGGCCTTT	ATTACATTC	TTGCCCGCCT	GATGAATGCT
901	CATCCGGAAT	TCCGTATGGC	AATGAAAGAC	GGTGAGCTGG	TGATATGGGA	TAGTGTTCAC
961	CCTTGTTACA	CCGTTTTCCA	TGAGCAAAC	GAAACGTTTT	CATCGCTCTG	GAGTGAATAC
1021	CACGACGATT	TCCGGCAGTT	TCTACACATA	TATTCGCAAG	ATGTGGCGTG	TTACGGTGAA
1081	AACCTGGCCT	ATTTCCCTAA	AGGGTTTATT	GAGAATATGT	TTTTCGTCTC	AGCCAATCCC
1141	TGGGTGAGTT	TCACCACTTT	TGATTTAAAC	GTGGCCAATA	TGGACAACCT	CTTCGCCCCC
1201	GTTTTACCA	TGGGCAAATA	TTATACGCAA	GGCGACAAGG	TGCTGATGCC	GCTGGCGATT
1261	CAGGTTTCATC	ATGCCGTCTG	TGATGGCTTC	CATGTCGGCA	GAATGCTTAA	TGAATTACAA
1321	CAGTACTGCG	ATGAGTGGCA	GGGCGGGGCG	TAAACGCGTG	GATCCGGCTT	ACTAAAAGCC
1381	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA	TAAGAATATA	TACTGATATG
1441	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTATGAAGCA	GCGTATTACA	GTGACAGTTG
1501	ACAGCGACAG	CTATCAGTTG	CTCAAGGCAT	ATATGATGTC	AATATCTCCG	GTCTGGTAAG
1561	ACAACCATG	CAGAATGAAG	CCCGTCGTCT	GCGTGCCGAA	CGCTGGAAAG	CGGAAAATCA
1621	GGAAGGGATG	GCTGAGGTG	CCCGGTTTAT	TGAAATGAAC	GGCTCTTTTG	CTGACGAGAA
1681	CAGGGACTGG	TGAAATGCAG	TTTAAGGTTT	ACACCTATAA	AAGAGAGAGC	CGTTATCGTC
1741	TGTTTGTGGA	TGTACAGAGT	GATATTATTG	ACACGCCCGG	GCGACGGATG	GTGATCCCCC
1801	TGGCCAGTGC	ACGTCTGCTG	TCAGATAAAG	TCTCCCGTGA	ACTTTACCCG	GTGGTGCATA
1861	TCGGGGATGA	AAGCTGGCGC	ATGATGACCA	CCGATATGGC	CAGTGTGCCG	GTCTCCGTTA
1921	TCGGGGAAGA	AGTGGCTGAT	CTCAGCCACC	GCGAAAATGA	CATCAAAAAC	GCCATTAAAC
1981	TGATGTTCTG	GGGAATATAA	ATGTCAGGCT	CCCTTATACA	CAGCCAGTCT	GCAGGTCGAC
2041	CATAGTGACT	GGATATGTTG	TGTTTTACAG	TATTATGTAG	TCTGTTTTTT	ATGCAAAATC
2101	TAATTTAATA	TATTGATATT	TATATCATT	TACGTTTCTC	GTTTACAGTTT	CTTGACAAAA
2161	GTGGTGATGA	TCCGGCTGCT	AACAAAGCCC	GAAAGGAAGC	TGAGTTGGCT	CTGCCACCCG
2221	CTGAGCAATA	ACTAGCATAA	CCCCTTGGGG	CCTCTAAACG	GGTCTTGAGG	GGTTTTTTTG
2281	TGAAAGGAGG	AACTATATCC	GGATATCCAC	AGGACGGGTG	TGGTCGCCAT	GATCGCGTAG
2341	TCGATAGTGG	CTCCAAGTAG	CGAAGCGAGC	AGGACTGGGC	GGCGGCCAAA	GCGGTCCGAC
2401	AGTGCTCCGA	GAACGGGTGC	GCATAGAAAT	TGCATCAACG	CATATAGCGC	TAGCAGCAGC
2461	CCATAGTGAC	TGGCGATGCT	GTCGGAATGG	ACGATATCCC	GCAAGAGGCC	CGGCAGTACC
2521	GGCATAACCA	AGCCTATGCC	TACAGCATCC	AGGGTGACGG	TGCCGAGGAT	GACGATGAGC
2581	GCATTGTTAG	ATTTCATACA	CGGTGCCTGA	CTGCGTTAGC	AATTTAACTG	TGATAAACTA
2641	CCGCATTAAA	GCTTATCGAT	GATAAGCTGT	CAAACATGAG	AATTCTTGAA	GACGAAAAGG
2701	CCTCGTGATA	CGCCTATTTT	TATAGGTTAA	TGTCATGATA	ATAATGGTTT	CTTAGACGTC
2761	AGGTGGCACT	TTTCGGGGAA	ATGTGCGCGG	AACCCCTATT	TGTTTATTTT	TCTAAATACA-

Figure 36B

93/240

2821 TTCAAATATG TATCCGCTCA TGAGACAATA ACCCTGATAA ATGCTTCAAT AATATTGAAA
 2881 AAGGAAGAGT ATGAGTATTC AACATTTCCG TGTGCCCCCTT ATTCCCTTTT TTGCGGCATT
 2941 TTGCCTTCCT GTTTTTGCTC ACCCAGAAAC GCTGGTGAAA GTAAAAGATG CTGAAGATCA
 3001 GTTGGGTGCA CGAGTGGGT ACATCGAACT GGATCTCAAC AGCGGTAAGA TCCTTGAGAG
 3061 TTTTCGCCCC GAAGAACGTT TTCCAATGAT GAGCACTTTT AAAGTTCCTGC TATGTGGCGC
 3121 GGTATTATCC CGTGTGACG CCGGGCAAGA GCAACTCGGT CGCCGCATAC ACTATTCTCA
 3181 GAATGACTTG GTTGAGTACT CACCACTCAC AGAAAAGCAT CTTACGGATG GCATGACAGT
 3241 AAGAGAATTA TGCAGTGCTG CCATAACCAT GAGTGATAAC ACTGCGGCCA ACTTACTTCT
 3301 GACAACGATC GGAGGACCGA AGGAGCTAAC CGCTTTTTTG CACAACATGG GGGATCATGT
 3361 AACTCGCCTT GATCGTTGGG AACCAGGAGT GAATGAAGCC ATACCAAACG ACGAGCGTGA
 3421 CACCACGATG CCTGCAGCAA TGGCAACAAC GTTGCAGCAA CTATTAACCTG GCGAACTACT
 3481 TACTCTAGCT TCCCGGCAAC AATTAATAGA CTGGATGGAG GCGGATAAAG TTGCAAGGACC
 3541 ACTTCTGCGC TCGGCCCTTC CGGCTGGCTG GTTTATTGCT GATAAATCTG GAGCCGGTGA
 3601 CCGTGGGTCT CGCGGTATCA TTGCAGCACT GGGGCCAGAT GGTAAGCCCT CCCGTATCGT
 3661 AGTTATCTAC ACGACGGGA GTCAGGCAAC TATGGATGAA CGAAATAGAC AGATCGCTGA
 3721 GATAGGTGCC TCACTGATTA AGCATTGGTA ACTGTCAGAC CAAGTTTACT CATATATACT
 3781 TTAGATTGAT TTAAACTTC ATTTTAAATT TAAAAGGATC TAGGTGAAGA TCCTTTTTGA
 3841 TAATCTCATG ACCAAAATCC CTTAACGTGA GTTTTCGTTT CACTGAGCGT CAGACCCCGT
 3901 AGAAAAGATC AAAGGATCTT CTTGAGATCC TTTTTTCTG CGCGTAATCT GCTGCTTGCA
 3961 AACAAAAAAA CCACCGCTAC CAGCGGTGGT TTGTTTGCCG GATCAAGAGC TACCAACTCT
 4021 TTTTCCGAAG GTAACCTGGT TCAGCAGAGC GCAGATACCA AATACTGTCC TTCTAGTGTA
 4081 GCGCTAGTTA GCGCACCT TCAAGAACTC TGTAGCACCG CCTACATACC TCGCTCTGCT
 4141 AATCCTGTTA CCAGTGGCTG CTGCCAGTGG CGATAAGTCG TGTCTTACCG GGTGGACTC
 4201 AAGACGATAG TTACCGGATA AGGCGCAGCG GTCGGGCTGA ACGGGGGGTT CGTGACACA
 4261 GCCCAGCTTG GAGCGAACGA CCTACACCGA ACTGAGATAC CTACAGCGTG AGCTATGAGA
 4321 AAGCGCCACG CTTCCCGAAG GGAGAAAGGC GGACAGGTAT CCGGTAAGCG GCAGGTCGG
 4381 AACAGGAGAG CGCACGAGGG AGCTTCCAGG GGGAAACGCC TGGTATCTTT ATAGTCTGT
 4441 CGGGTTTCGC CACCTCTGAC TTGAGCGTGC ATTTTGTGA TGCTCGTCAG GGGGGCGGAG
 4501 CCTATGGAAA AACGCCAGCA ACGCGGCCCTT TTTACGGTTC CTGGCCCTTT GCTGGCCCTT
 4561 TGCTCACATG TTCTTCCCTG CGTTATCCCC TGATTCTGTG GATAACCGTA TTACCGCCTT
 4621 TGAGTGAGCT GATACCGCTC GCGCAGCCG AACGACCGAG CGCAGCGAGT CAGTGAGCGA
 4681 GGAAGCGGAA GAGCGCCTGA TCGGTTATTT TCTCCTTACG CATCTGTGCG GTATTTTACA
 4741 CCGCATATAT GGTGCACTCT CAGTACAATC TGCTCTGATG CCGCATAGTT AAGCCAGTAT
 4801 ACACTCCGCT ATCGCTACGT GACTGGGTCA TGGCTGCGCC CCGACACCCG CCAACACCCG
 4861 CTGACGCGCC CTGACGGGCT TGTCTGCTCC CGGCATCCGC TTACAGACAA GCTGTGACCG
 4921 TCTCCGGGAG CTGCATGTGT CAGAGGTTTT CACCGTCATC ACCGAAACGC GCGAGGCAGC
 4981 TGCGGTAAAG CTCATCAGCG TGGTCTGTGA GCGATTACCA GATGTCTGCC TGTTTATCCG
 5041 CGTCCAGCTC GTTGAGTTTC TCCAGAAGCG TTAATGTCTG GCTTCTGATA AAGCGGGCCA
 5101 TGTTAAGGGC GGTTTTTTCC TGTTTGGTCA CTGATGCCTC CGTGTAAGGG GGATTTCTGT
 5161 TCATGGGGGT AATGATACCG ATGAAACGAG AGAGGATGCT CACGATACGG GTTACTGATG
 5221 ATGAACATGC CCGGTTACTG GAACGTTGTG AGGGTAAACA ACTGGCGGTA TGGATGCGGC
 5281 GGGACCAGAG AAAAATCACT CAGGGTCAAT GCCAGCGCTT CGTTAATACA GATGTAGGTG
 5341 TTCCACAGGG TAGCCAGCAG CATCCTGCGA TGCAGATCCG GAACATAATG GTGCAGGGCG
 5401 CTGACTTCCG CGTTTCCAGA CTTTACGAAA CACGGAAACC GAAGACCATT CATGTTGTTG
 5461 CTCAGGTGCG AGACGTTTTG CAGCAGCAGT CGCTTCAGT TCGCTCGCGT ATCCGTGATT
 5521 CATTCTGCTA ACCAGTAAGG CAACCCCGCC AGCCTAGCCG GGTCTCTAAC GACAGGAGCA
 5581 CGATCATGCG CACCCGTGGC CAGGACCCAA CGCTGCCCGA GATGCGCCGC GTGCGGCTGC
 5641 TGGAGATGGC GGACGCGATG GATATGTTCT GCCAAGGGTT GGTTCGCGCA TTCACAGTTC
 5701 TCCGCAAGAA TTGATTGGCT CCAATTCTTG GAGTGGTGAA TCCGTTAGCG AGGTGCCGCC
 5761 GGCTTCCATT CAGGTCGAGG TGGCCCGGCT CCATGCACCG CGACGCAACG CCGGGAGGCA
 5821 GACAAGGTAT AGGGCGGGC CTACAATCCA TGCCAACCCG TTCCATGTGC TCGCCGAGGC
 5881 GGCATAAATC GCCGTGACGA TCAGCGGTCC AGTGATCGAA GTTAGGCTGG TAAGAGCCCG
 5941 GAGCGATCCT TGAAGCTGTC CCTGATGGTC GTCATCTACC TGCCTGGACA GCATGGCCTG
 6001 CAACGCGGGC ATCCCGATGC CGCCGGAAGC GAGAAGAATC ATAATGGGGA AGGCCATCCA
 6061 GCCTCGCGTC GCGAACGCCA GCAAGACGTA GCCCAGCGCG TCGGCCGCCA TGCCGCGCAT
 6121 AATGGCCTGC TTCTCGCCGA AACGTTTGGT GCGGGGACCA GTGACGAAGG CTTGAGCGAG
 6181 GCGGTGCAAG ATTCGAATA CCGCAAGCGA CAGGCCGATC ATCGTCTGCG TCCAGCGAAA
 6241 GCGTCTCTCG CCGAAAATGA CCCAGAGCGC TGCCGGCACC TGCTCTACGA GTTGCAATGAT

FIGURE 36C

94/240


6301 AAAGAAGACA GTCATAAGTG CGGCGACGAT AGTCATGCCC CGCGCCCACC GGAAGGAGCT
6361 GACTGGGTTG AAGGCTCTCA AGGGCATCGG TCGATCGACG CTCTCCCTTA TGCGACTCCT
6421 GCATTAGGAA GCAGCCCAGT AGTAGGTTGA GGCCGTTGAG CACCGCCGCC GCAAGGAATG
6481 GTGCATGCAA GGAGATGGCG CCCAACAGTC CCCCAGCCAC GGGGCCTGCC ACCATACCCA
6541 CGCCGAAACA AGCGCTCATG AGCCCGAAGT GGCGAGCCCG ATCTTCCCA TCGGTGATGT
6601 CGGCGATATA GCGCCAGCA ACCGCACCTG TGGCGCCGGT GATGCCGGCC ACGATGCGTC
6661 CGGCGTAGAG GATCG

FIGURE 360

95/240

1 gat ccc gcg aaa tca ata cga ctc act ata ggg aga cca caa cgg ttt ccc
 cta ggg cgc ttt aat tat gct gag tga tat ccc tct ggt gtt gcc aaa ggg
 52 tct aga aat aat ttt gtt taa ctt taa gaa gga gat ata cat atg tgg tac
 aga tct tta tta aaa caa att gaa att ctt cct cta tat gta tac agc atg
 103 Y H H H H H H L E S T S L Y K K A
 tac cat cac cat cac cat cac ctg gaa tca aca agt tgg tac aaa aaa gct
 atg gta gtg gta gtg gta gtg gag ctt agt tgt tca aac atg ttt ttt cga
 attR1 Int

T7 Promoter
 mRNA
 Start Translation



pDEST17 6354 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
258..134		attR1
367..1026		CmR
1146..1230		inactivated ccdA
1368..1673		ccdB
1714..1838		attR2
2564..3421		ampR
1	CGATCCCGCG AAATTAATAC GACTCACTAT AGGGGAGACCA CAACGGTTTC CCTCTAGAAA	
61	TAATTTTGTT TAACTTTAAG AAGGAGATAT ACATATGTCT TACTACCATC ACCATCACCA	
121	TCACCTCGAA TCAACAAGTT TGTACAAAAA AGCTGAACGA GAAACGTAAA ATGATATAAA	
181	TATCAATATA TTAAATTAGA TTTTGCATAA AAAACAGACT ACATAATACT GTAAAACACA	
241	ACATATCCAG TCACATATGGC GGCCGCATTA GGCACCCAG GCTTTACACT TTATGCTTCC	
301	GGCTCGTATA ATGTGTGGAT TTTGAGTTAG GATCCGTCGA GATTTTCAGG AGCTAAGGAA	
361	GCTAAAATGG AGAAAAAAT CACTGGATAT ACCACCGTTG ATATATCCCA ATGGCATCGT	
421	AAAGAACATT TTGAGGCATT TCAGTCAGTT GCTCAATGTA CCTATAACCA GACCGTTCAG	
481	CTGGATATTA CGGCCTTTTT AAAGACCGTA AAGAAAAATA AGCACAAGTT TTATCCGGCC	
541	TTTATTACACA TTCTTGCCCG CCTGATGAAT GCTCATCCGG AATTCCGTAT GGCAATGAAA	
601	GACGGTGAGC TGGTGATATG GGATAGTGT CACCCTTGTT ACACCGTTTT CCATGAGCAA	
661	ACTGAAACGT TTTTCATCGCT CTGGAGTGAA TACCACGACG ATTTCCGGCA GTTCTACAC	
721	ATATATTTCG AAGATGTGGC GTGTTACGGT GAAAACCTGG CCTATTTCCC TAAAGGGTTT	
781	ATTGAGAATA TGTTTTTCGT CTCAGCCAAT CCCTGGGTGA GTTTCACCAG TTTTGATTTA	
841	AACGTGGCCA ATATGGACAA CTTCTTCGCC CCCGTTTTCA CCATGGGCAA ATATTATACG	
901	CAAGGCGACA AGGTGCTGAT GCGCTGGCG ATTCAGGTC ATCATGCCGT CTGTGATGGC	
961	TTCCATGTCG GCAGAATGCT TAATGAATTA CAACAGTACT GCGATGAGTG GCAGGGCGGG	
1021	GCGTAAAGAT CTGGATCCGG CTTACTAAAA GCCAGATAAC AGTATGCGTA TTTGCGCGCT	
1081	GATTTTTGCG GTATAAGAAT ATATACTGAT ATGTATACCC GAAGTATGTC AAAAAGAGGT	
1141	GTGCTATGAA GCAGCGTATT ACAGTGACAG TTGACAGCGA CAGCTATCAG TTGCTCAAGG	
1201	CTATATGAT GTCAATATCT CCGGTCTGGT AAGCACAACC ATGCAGAATG AAGCCCGTCG	
1261	TCTGCGTGCC GAACGCTGGA AAGCGGAAAA TCAGGAAGGG ATGGCTGAGG TCGCCCGGTT	
1321	TATTGAAATG AACGGCTCTT TTGCTGACGA GAACAGGGAC TGGTGAAATG CAGTTTAAAGG	
1381	TTTACACCTA TAAAAGAGAG AGCCGTTATC GTCTGTTTGT GGATGTACAG AGTGATATTA	
1441	TTGACACGCC CGGGCGACGG ATGGTGATCC CCCTGGCCAG TGCACGCTCG CTGTCAGATA	
1501	AAGTCTCCCG TGAACTTTAC CCGGTGGTGC ATATCGGGGA TGAAAGTGCG CGCATGATGA	
1561	CCACCGATAT GGCCAGTGTG CCGGTCTCCG TTATCGGGGA AGAAGTGGCT GATCTCAGCC	
1621	ACCGCGAAAA TGACATCAAA AACGCCATTA ACCTGATGTT CTGGGGAATA TAAATGTCAG	
1681	GCTCCCTTAT ACACAGCCAG TCTGCAGGTC GACCATAGTG ACTGGATATG TTGTGTTTTA	
1741	CAGTATTATG TAGTCTGTTT TTTATGCAAA ATCTAATTTA ATATATTGAT ATTTATATCA	
1801	TTTACGTTTT CTCGTTACGC TTTCTTGAC AAAAGTGGTTG ATTCGAGGCT GCTAACAAAG	
1861	CCCGAAAGGA AGCTGAGTTG GCTGCTGCCA CCGCTGAGCA ATAAGTAGCA TAACCCCTTG	
1921	GGGCCTCTAA ACGGGTCTTG AGGGGTTTTT TGCTGAAAGG AGGAAGTATA TCCGGATATC	
1981	CACAGGACGG GTGTGGTCGC CATGATCGCG TAGTCGATAG TGGCTCCAAG TAGCGAAGCG	
2041	AGCAGGACTG GGCGGCGGCC AAAGCGGTCTG GACAGTGCTC CGAGAACGGG TGCGCATAGA	
2101	AATTGCATCA ACGCATATAG CGCTAGCAGC ACGCCATAGT GACTGGCGAT GCTGTGCGAA	
2161	TGGACGATAT CCCGCAAGAG GCGCGGCAGT ACCGGCATAA CCAAGCCTAT GCCTACAGCA	
2221	TCCAGGGTGA CCGTGCCGAG GATGACGATG AGCGCATTGT TAGATTTTCAT ACACGGTGCC	
2281	TGACTGCGTT AGCAATTTAA CTGTGATAAA CTACCGCATT AAAGCTTATC GATGATAAGC	
2341	TGTCAAACAT GAGAATTTCT GAAGACGAAA GGGCCTCGTG ATACGCCTAT TTTTATAGGT	
2401	TAATGTCATG ATAATAATGG TTTCTTAGAC GTCAGGTGGC ACTTTTCGGG GAAATGTGCG	
2461	CGGAACCCCT ATTTGTTTAT TTTTCTAAAT ACATTCAAAT ATGTATCCGC TCATGAGACA	
2521	ATAACCCCTGA TAAATGCTTC AATAATATTG AAAAAGGAAG AGTATGAGTA TTCAACATTT	
2581	CCGTGTCGCC CTTATTCCCT TTTTTCGGGC ATTTTGCCCTT CCTGTTTTTG CTCACCCAGA	
2641	AACGCTGGTG AAAGTAAAAG ATGCTGAAGA TCAGTTGGGT GCACGAGTGG GTTACATCGA-	

FIGURE 37B

97/240

2701 ACTGGATCTC AACAGCGGTA AGATCCTTGA GAGTTTTCGC CCCGAAGAAC GTTTTCCAAT
2761 GATGAGCACT TTTAAAGTTC TGCTATGTGG CGCGGTATTA TCCCGTGTG ACGCCGGGCA
2821 AGAGCAACTC GGTCGCCGCA TACACTATTC TCAGAATGAC TTGGTTGAGT ACTCACCAGT
2881 CACAGAAAAG CATCTTACGG ATGGCATGAC AGTAAGAGAA TTATGCAGTG CTGCCATAAC
2941 CATGAGTGAT AACACTGCGG CCAACTTACT TCTGACAACG ATCGGAGGAC CGAAGGAGCT
3001 AACCCTTTTT TTGCACAACA TGGGGGATCA TGTAACTCGC CTTGATCGTT GGGAAACGGGA
3061 GCTGAATGAA GCCATACCAA ACGACGAGCG TGACACCACG ATGCCTGCAG CAATGGCAAC
3121 AACGTTGCGC AAACCTATTAA CTGGCGAACT ACTTACTCTA GCTTCCCGGC AACAAATTAAT
3181 AGACTGGATG GAGGCGGATA AAGTTGCAAG ACCACTTCTG CGCTCGGCC TTCCGGCTGG
3241 CTGGTTTATT GCTGATAAAT CTGGAGCCGG TGAGCGTGGG TCTCGCGGTA TCATTGCAGC
3301 ACTGGGGCCA GATGGTAAGC CCTCCCGTAT CGTAGTTATC TACACGACGG GGAGTCAGGC
3361 AACTATGGAT GAACGAAATA GACAGATCGC TGAGATAGGT GCCTCACTGA TTAAGCATTG
3421 GTAACTGTCA GACCAAGTTT ACTCATATAT ACTTTAGATT GATTTAAAC TTCATTTTTTA
3481 ATTTAAAGG ATCTAGGTGA AGATCCTTTT TGATAATCTC ATGACCAAAA TCCCTTAACG
3541 TGAGTTTTTCG TTCCACTGAG CGTCAGACCC CGTAGAAAAG ATCAAAGGAT CTTCTTGAGA
3601 TCCTTTTTTTT CTGCGCTGTA TCTGCTGCTT GCAAACAAA AAACCACCGC TACCAGCGT
3661 GGTTTGTTTTG CCGGATCAAG AGCTACCAAC TCTTTTCCG AAGGTAACGT GCTTCAGCAG
3721 AGCGCAGATA CCAAATACTG TCCTTCTAGT GTAGCCGTAG TTAGGCCACC ACTTCAAGAA
3781 CTCTGTAGCA CCGCTACAT ACCTCGCTCT GCTAATCCTG TTACCAGTGG CTGCTGCCAG
3841 TGGCGATAAG TCGTGTCTTA CCGGGTTGGA CTCAAGACGA TAGTTACCGG ATAAGGCGCA
3901 GCGGTCCGGC TGAACGGGGG GTTCGTGCAC ACAGCCCGC TTGGAGCGAA CGACCTACAC
3961 CGAACTGAGA TACCTACAGC GTGAGCTATG AGAAAGCGCC ACGCTTCCCG AAGGGAGAAA
4021 GGCGGACAGG TATCCGGTAA GCGGCAGGCT CGGAACAGGA GAGCGCACGA GGGAGCTTCC
4081 AGGGGGAAC GCCTGGTATC TTTATAGTCC TGTCGGGTTT CGCCACCTCT GACTTGAGCG
4141 TCGATTTTTG TGATGCTCGT CAGGGGGGCG GAGCCTATGG AAAAAACCCA GCAACGCGGC
4201 CTTTTTACGG TTCCTGGCCT TTTGCTGGCC TTTTGCTCAC ATGTTCTTTC CTGCGTTATC
4261 CCCTGATTCT GTGGATAACC GTATTACCGC CTTTGAGTGA GCTGATACCG CTCGCCGCGAG
4321 CCGAACGACC GAGCGCAGCG AGTCAGTGAG CGAGGAAGCG GAAGAGCGCC TGATGCGGTA
4381 TTTTCTCCTT ACGCATCTGT GCGGTATTTT ACACCGCATA TATGGTGCAC TCTCAGTACA
4441 ATCTGCTCTG ATGCCGCATA GTTAAGCCAG TATACACTCC GCTATCGCTA CGTGACTGGG
4501 TCATGGCTGC GCCCGACAC CCGCCAACAC CCGCTGACGC GCCCTGACGG GCTTGCTGTC
4561 TCCCGGCATC CGCTTACAGA CAAGCTGTGA CCGTCTCCGG GAGCTGCATG TGTCAGAGGT
4621 TTTACCGTCA ATCACCGAAA CGCGCGAGGC AGCTGCGGTA AAGCTCATCA GCGTGGTCTG
4681 GAAGCGATTG ACAGATGTCT GCCTGTTTCT CCGCGTCCAG CTCGTTGAGT TTCTCCAGAA
4741 GCGTTAATGT CTGGCTTCTG ATAAAGCGGG CCATGTTAAG GCGGGTTTTT TCCTGTTTGG
4801 TCACTGATGC CTCCGTGTAA GGGGGATTTC TGTTTATGGG GGTAAATGATA CCGATGAAAC
4861 GAGAGAGGAT GCTCAGGATA CGGGTTACTG ATGATGAACA TGCCCCGTTA CTGGAACGTT
4921 TTGAGGGTAA ACAACTGGCG GTATGGATGC GCGGGGACCA GAGAAAAATC ACTCAGGCTC
4981 AATGCCAGCG CTTCTGTTAAT ACAGATGTAG GTGTTCCACA GGGTAGCCAG CAGCATCCTG
5041 CGATGCAGAT CCGGAACATA ATGGTGCAGG GCGCTGACTT CCGCGTTTCC AGACTTTACG
5101 AAACACGGAA ACCGAAGACC ATTATGTTG TTGCTCAGGT CGCAGACGTT TTGCAGCAGC
5161 AGTCGCTTCA CGTTCGCTCG CGTATCGGTG ATTATTCTG CTAACCACTA AGGCAACCCC
5221 GCCAGCCTAG CCGGTCTCTC AACGACAGGA GCACGATCAT GCGCACCCGT GGCCAGGACC
5281 CAACGCTGCC CGAGATGCGC CGCGTGCGGC TGCTGGAGAT GGCGGACGCG ATGGATATGT
5341 TCTGCCAAGG GTTGGTTTGC GCATTACAGC TTCTCCGCAA GAATTGATTG GCTCCAATTC
5401 TTGGAGTGTT GAATCCGTTA GCGAGGTGCC GCCGGCTTCC ATTCAGGTG AGGTGGCCCG
5461 GCTCCATGCA CCGCGACGCA ACGCGGGGAG GCAGACAAGG TATAGGGCGG CGCCTACAAT
5521 CCATGCCAAC CCGTTCCATG TGCTCGCCGA GGCGGCATAA ATCGCCGTGA CGATCAGCGG
5581 TCCAGTGATC GAAGTTAGGC TGGTAAGAGC CGCGAGCGAT CCTTGAAGCT GTCCCTGATG
5641 GTCGTCATCT ACCTGCCTGG ACAGCATGGC CTGCAACGCG GGCATCCCGA TGCCGCCGGA
5701 AGCGAGAAGA ATCATAATGG GGAAGGCCAT CCAGCCTCGC GTCGCGAAGC CCAGCAAGAC
5761 GTAGCCGAGC GCGTCGGCCG CCATGCCGGC GATAATGGCC TGCTTCTCGC CGAAACGTTT
5821 GTGGGCGGGA CCAGTGACGA AGGCTTGAGC GAGGGCGTGC AAGATTCCGA ATACCGCAAG
5881 CGACAGGCCG ATCATCGTCG CGCTCCAGCG AAAGCGGTCC TCGCCGAAAA TGACCCAGAG
5941 CGCTGCCGGC ACCTGTCTTA CGAGTTGCAT GATAAAGAAG ACAGTCATAA GTGCGGCGAC
6001 GATAGTCATG CCCCAGCGCC ACCGGAAGGA GCTGACTGGG TTGAAGGCTC TCAAGGGCAT
6061 CCGTCGATCG ACGCTCTCCC TTATGCGACT CCTGCATTAG GAAGCAGCCC AGTAGTAGGT
6121 TGAGGCCGTT GAGCACCGCC GCCGCAAGGA ATGGTGCATG CAAGGAGATG GCGCCCAACA-

Figure 37C

6181 GTCCCCCGGC CACGGGGCCT GCCACCATAC CCACGCCGAA ACAAGCGCTC ATGAGCCCGA
6241 AGTGGCGAGC CCGATCTTCC CCATCGGTGA TGTCGGCGAT ATAGGCGCCA GCAACCGCAC
6301 CTGTGGCGCC GGTGATGCCG GCCACGATGC GTCCGGCGTA GAGGATCGAG ATCT

FIGURE 37D

Figure 38A: pDEST18

FastBac Transfer Vector with p10
Baculovirus Promoter

1 gaagacctcg gccgtcgccg cgtttgccgg tgggtgctgac cccggatgaa gtggttcgca
cttctggagc cggcagcgcc gcgaacggcc accacgactg gggcctactt caccaagcgt

61 tcttcggttt tctggaagge gaggatcggt tggtegccca ggactctagc tatagttcta
aggagccaaa agaccttccg ctctagtagcaa acaagcgggt cctgagatcg atatcaagat

121 gtggtttggct acgtatcgag caagaaata aaagccaaa cgcgtggag tcttctgac
caccaaccga tgcatagtct gttctttat tctggtggtt gcgaacctc agaacacac


181 ttatcttaca agatctaga atactgcac accacacaa ggggggacta caaatatag
ataaataatgt ttctaaagtct ttatgcctag tgaatgttgt tccccctgat acittaatat

241 caatttcgagg atgcccggac ctttaattca acccaacaca atatattata gtaaatatag mRNA
ataaactcc tacggccctg gaaattgaat tgggttgtat tatataatat caatttatc

301 atttatatat caaatcattt gtatattaat caaatatact tactgtaat tactatttat
taataaata gtttagtaaa caataaatta atttatgat atgacattta acgtaanata

361 ttacaatgag gatcatcaca agttgttaca aaaaaagctga acgagaaaacg taaaatgata
aatgttactc ctagtatgt tcaaacatgt ttttcgact tgctctttgc attttactat

Int. attR1



pDEST18 6613 bp

Location (Base Nos.)Gene Encoded

474..1449	ampR
1590..2244	ori
2738..3850	genR
4251..4127	attR1
4501..5160	CmR
5280..5364	inactivated ccdA
5502..5807	ccdB
5848..5972	attR2
6595..25	lacZ

```

1  GACGCGCCCT GTAGCGGCGC ATTAAGCGCG GCGGGTGTGG TGGTTACGCG CAGCGTGACC
61 GCTACACTTG CCAGCGCCCT AGCGCCCGCT CCTTTCGCTT TCTTCCCTTC CTTTCTCGCC
121 ACGTTCGCGG GCTTTTCCCG TCAAGCTCTA AATCGGGGGC TCCCTTTAGG GTTCCGATTT
181 AGTGCTTTAC GGCACCTCGA CCCCAGAAAA CTTGATTAGG GTGATGGTTC ACGTAGTGGG
241 CCATCGCCCT GATAGACGGT TTTTCGCCCT TTGACGTTGG AGTCCACGTT CTTTAATAGT
301 GGACTCTTGT TCCAAACTGG AACAACTCTC AACCCATCTT CGGTCTATTC TTTTGATTTA
361 TAAGGGATTT TGCCGATTTC GGCCTATTGG TTAAAAAATG AGCTGATTTA ACAAAAATTT
421 AACCGGAATT TTAACAAAAT ATTAACGTTT ACAATTTTCT GTGGCACTTT TCGGGGAAAT
481 GTGCGCGGAA CCCCTATTTC TTTATTTTTC TAAATACATT CAAATATGTA TCCGCTCATG
541 AGACAATAAC CCTGATAAAT GCTTCAATAA TATTGAAAAA GGAAGAGTAT GAGTATTCAA
601 CATTTCCGTG TCGCCCTTAT TCCCTTTTTT GCGGCATTTT GCCTTCCTGT TTTTGCTCAC
661 CCAGAAACGC TGGTGAAAGT AAAAGATGCT GAAGATCAGT TGGGTGCACG AGTGGGTTAC
721 ATCGAACTGG ATCTCAACAG CGGTAAGATC CTTGAGAGTT TTCGCCCCGA AGAACGTTTT
781 CCAATGATGA GCACTTTTAA AGTTCTGCTA TGTGGCGCGG TATTATCCCG TATTGACGCC
841 GGGCAAGAGC AACTCGGTCG CCGCATACAC TATTCTCAGA ATGACTTGGT TGAGTACTCA
901 CCAGTCACAG AAAAGCATCT TACGGATGGC ATGACAGTAA GAGAATTATG CAGTGCTGCC
961 ATAACCATGA GTGATAACAC TCGGCGCAAC TTAATTCTGA CAACGATCGG AGGACCGAAG
1021 GAGCTAACCG CTTTTTTGCA CAACATGGGG GATCATGTAA CTCGCCCTGA TCGTTGGGAA
1081 CCGGAGCTGA ATGAAGCCAT ACCAAACGAC GAGCGTGACA CCACGATGCC TGTAGCAATG
1141 GCAACAACGT TCGCCAAAC ATTAAGTGGC GAAGTACTTA CTCTAGCTTC CCGGCAACAA
1201 TTAATAGACT GGATGGAGGC GGATAAAGTT GCAGGACCAC TTCTGCGCTC GGCCCTTCCG
1261 GCTGGCTGGT TTATTGCTGA TAAATCTGGA GCCGGTGAGC GTGGGTCTCG CGGTATCATT
1321 GCAGCACTGG GGCCAGATGG TAAGCCCTCC CGTATCGTAG TTATCTACAC GACGGGGAGT
1381 CAGGCAACTA TGGATGAACG AAATAGACAG ATCGCTGAGA TAGGTGCCTC ACTGATTAAG
1441 CATGGTAAAC TGTCAGACCA AGTTTACTCA TATATACTTT AGATTGATTT AAAACTTCAT
1501 TTTTAATTTA AAAGGATCTA GGTGAAGATC CTTTTTGATA ATCTCATGAC CAAAATCCCT
1561 TAACGTGAGT TTTTCGTCCA CTGAGCGTCA GACCCCGTAG AAAAGATCAA AGGATCTTCT
1621 TGAGATCCTT TTTTCTGCG CGTAATCTGC TGCTTGCAAA CAAAAAACC ACCGCTACCA
1681 GCGGTGGTTT GTTTGCCGGA TCAAGAGCTA CCAACTCTTT TTCCGAAGGT AACTGGCTTC
1741 AGCAGAGCGC AGATACCAA TACTGTCCTT CTAGTGTAGC CGTAGTTAGG CCACCACTTC
1801 AAGAACTCTG TAGCACCACC TACATACCTC GCTCTGCTAA TCCTGTTACC AGTGGCTGCT
1861 GCCAGTGGCG ATAAGTCTGT TCTTACCGGG TTGGACTCAA GACGATAGTT ACCGGATAAG
1921 GCGCAGCGGT CGGGCTGAAC GGGGGGTTTC TGCACACAGC CCAGCTTGA GCGAACGACC
1981 TACACCGAAC TGAGATACCT ACAGCGTGAG CATTGAGAAA GCGCCACGCT TCCCGAAGGG
2041 AGAAAGGCGG ACAGGTATCC GGTAAGCGGC AGGGTCGGAA CAGGAGAGCG CACGAGGGAG
2101 CTTCCAGGGG GAAACGCCTG GTATCTTTAT AGTCCTGTCT GGTTTCGCCA CCTCTGACTT
2161 GAGCGTCGAT TTTTGTGATG CTCGTCAGGG GGGCGGAGCC TATGGAAGAA CGCCAGCAAC
2221 GCGGCCCTTT TACGGTTCCT GGCCTTTTGC TGGCCTTTTG CTCACATGTT CTTTCTGCG
2281 TTATCCCTG ATTCTGTGGA TAACCGTATT ACCGCCTTTG AGTGAGCTGA TACCGCTCGC
2341 CGCAGCCGAA CGACCGAGCG CAGCGAGTCA GTGAGCGAGG AAGCGGAAGA GCGCCTGATG
2401 CGGTATTTTC TCCTTACGCA TCTGTGCGGT ATTTACACCC GCAGACCAGC CGCGTAACCT
2461 GGCAAAATCG GTTACGGTTG AGTAATAAAT GGATGCCCTG CGTAAGCGGG TGTGGCGGGA-

```

FIGURE 38B

2521 CAATAAAGTC TTAAACTGAA CAAAATAGAT CTAAACTATG ACAATAAAGT CTTAAACTAG
2581 ACAGAAATAGT TGTAAACTGA AATCAGTCCA GTTATGCTGT GAAAAAGCAT ACTGGAATTT
2641 TGTTATGGCT AAAGCAAACCT CTTCAATTTTC TGAAGTGCAA ATTGCCCGTC GTATTAAAGA
2701 GGGGCGTGGC CAAGGGCATG GTAAAGACTA TATTCGCGGC GTTGTGACAA TTTACCSAAC
2761 AACTCCGCGG CCGGGAGGCC GATCTCGGCT TGAACGAATT GTTAGTGGC 3GTACTTGGG
2821 TCGATATCAA AGTGCATCAC TTCTTCCCGT ATGCCCAACT TTGTATAGAG AGCCACTGCG
2881 GGATCGTCAC CGTAATCTGC TTGCACGTAG ATCACATAAG CACCAAGCGC GTTGGCCTCA
2941 TGCTTGAGGA GATTGATGAG CGCGGTGGCA ATGCCCTGCC TCCGGTGTCT CCGGAGACT
3001 GCGAGATCAT AGATATAGAT CTCACTACGC GGCTGCTCAA ACCTGGGCAG AACGTAAGCC
3061 GCGAGAGCGC CAACAACCGC TTCTTGGTCG AAGGCAGCAA GCGCGATGAA TGTCTTACTA
3121 CGGAGCAAGT TCCCGAGGTA ATCGGAGTCC GGCTGATGTT GGGAGTAGGT GGCTACSTCT
3181 CCGAACTCAC GACCGAAAAG ATCAAGAGCA GCCCGCATGG ATTTGACTTG GTCAGGSCCG
3241 AGCCTACATG TCGAATGAT GCCCATACTT GAGCCACCTA ACTTTGTTTT AGGGCGACTG
3301 CCCTGCTGCG TAACATCGTT GCTGCTGCGT AACATCGTTG CTGCTCCATA ACATCAACA
3361 TCGACCCACG GCGTAACGCG CTTGCTGCTT GGATGCCCGA GGCATAGACT GTACAAAAA
3421 ACAGTCATAA CAAGCCATGA AAACCGCCAT TCGCGCGTTA CCACCGCTGC GTTCGGTCAA
3481 GGTCTCTGGAC CAGTTGCGTG AGCGCATACG CTACTTGCAT TACAGTTTAC GAACCGAACA
3541 GGCTTATGTC AACTGGGTTC GTGCCCTTCAT CCGTTTCCAC GGTGTGCGTC ACCCGGCAAC
3601 CTTGGGCAGC AGCGAAGTCG AGGCATTTCT GTCTTGGCTG GCGAACGAGC GCAAGGTTTC
3661 GGTCTCCACG CATCGTCAGG CATTGCGGCG CTTGCTGTTT TTCTACGGCA AGGTGCTGTG
3721 CACGGATCTG CCCTGGCTTC AGGAGATCGG AAGACCTCGG CCGTCGCGGC GCTTGCCTGT
3781 GGTGCTGACC CCGGATGAAG TGGTTCGCAT CCTCGGTTTT CTGGAAGGCG AGCATCTTT
3841 GTTCGCCCGC GACTCTAGCT ATAGTTCTAG TGGTTGGCTA CGTATCGAGC AAGAAAAATA
3901 AACGCCAAAC GCGTTGGAGT TTGTGTGCT ATTTTACAA AGATTGAGAA ATACGCATCA
3961 CTTACAACAA GGGGGACTAT GAAATTATGC ATTTTGAGGA TGCCGGGACC TTTAATTCAA
4021 CCCAACACAA TATATTATAG TTAAATAAGA ATTATTTATC AAATCATTG TATATTAAAT
4081 AAAATACTAT ACTGTAAAT ACATTTTATT TACAATGAGG ATCATCACAA GTTTGTACAA
4141 AAAAGCTGAA CGAGAAACGT AAAATGATAT AAATATCAAT ATATTAATTT AGATTTTGCA
4201 TAAAAAACAG ACTACATAAT ACTGTAAAC ACAACATATC CAGTCACTAT GCGGCGCGCT
4261 AAGTTGGCAG CATCACCCGA CGCCTTTGCG CCGGAATTCC GTATGGCAAT GAAAGACGGT
4321 TTGCGAGAAT AAATAAATCC TGGTGTCCCT GTTGATACCG GGAAGCCCTG GGCCAACTTT
4381 TGGCGAAAAT GAGACGTTGA TCGGCACGTA AGAGGTTCCA ACTTTCACCA TAATGAAATA
4441 AGATCACTAC CGGGCGTATT TTTTGAGTTA TCGAGATTTT CAGGAGCTAA GGAAGCTAAA
4501 ATGGAGAAAA AAATCACTGG ATATACCACC GTTGATATAT CCCAATGGCA TCGTAAAGAA
4561 CATTTTGAGG CATTTCAGTC AGTTGCTCAA TGTACCTATA ACCAGACCGT TCAGCTTGAT
4621 ATTACGGCCT TTTTAAAGAC CGTAAAGAAA AATAAGCACA AGTTTTATCC GGCCTTTATT
4681 CACATCTCTG CCCGCTGAT GAATGCTCAT CCGGAATTCC GTATGGCAAT GAAAGACGGT
4741 GAGCTGGTGA TATGGGATAG TGTTACCCCT TGTTACACCG TTTTCCATGA GCAAACGTAA
4801 ACGTTTTTCAT CGCTCTGGAG TGAATACCAC GACGATTTCC GGCAGTTTCT ACACATATAT
4861 TCGCAAGATG TGGCGTGTGA CGGTGAAGAC CTGGCCTATT TCCCTAAAGG GTTTATTGAG
4921 AATATGTTTT TCGTCTCAGC CAATCCCTGG GTGAGTTTCA CCAGTTTGA TTTTAAACGTG
4981 GCCAATATGG ACAACTTCTT CGCCCCCGTT TTCACCATGG GCAAATATTA TACGCAAGGC
5041 GACAAGGTGC TGATGCCGCT GCGGATTGAG GTTCATCATG CCGTCTGTGA TGGCTTCCAT
5101 GTCGGCAGAA TGCTTAATGA ATTACAACAG TACTGCGATG AGTGGCAGGG CCGGGCSTAA
5161 ACGCGTGGAT CCGGCTTACT AAAAGCCAGA TAACAGTATG CGTATTGCG CGCTGATTTT
5221 TGCGGTATAA GAATATATAC TGATATGTAT ACCCGAAGTA TGTCAAAAAG AGGTGTCTTA
5281 TGAAGCAGCG TATTACAGTG ACAGTTGACA GCGACAGCTA TCAGTTGCTC AAGGCATATA
5341 TGATGTCAAT ATCTCCGCTC TGGTAAGCAC AACCATGCAG AATGAAGCCC GTCGTCTGCG
5401 TGCCGAACGC TGGAAAGCGG AAAATCAGGA AGGGATGGCT GAGGTCGCCC GGTTTATTTGA
5461 AATGAACGGC TCTTTTGCTG ACGAGAACAG GGAAGTGGTA AATGCAGTTT AAGGTTTACA
5521 CCTATAAAAG AGAGAGCCGT TATCGTCTGT TTGTGGATGT ACAGAGTGAT ATTATTGACA
5581 CGCCCGGGCG ACGGATGGTG ATCCCCCTGG CCAGTGCACG TCTGCTGTCA GATAAAGTCT
5641 CCCGTGAAC TTAACCGGTG GTGCATATCG GGGATGAAAG CTGGCGCATG ATGACCACCG
5701 ATATGGCCAG TGTGCCGCTC TCCGTTATCG GGAAGAAGT GGCTGATCTC AGCCACCGCG
5761 AAAATGACAT CAAAAACGCC ATTAACCTGA TGTCTGGGG AATATAAATG TCAGGCTCCC
5821 TTATACACAG CCAGTCTGCA GGTGACCAT AGTGACTGGA TATGTTGTGT TTTACAGTAT
5881 TATGTAGTCT GTTTTTTATG CAAAATCTAA TTAAATATAT TGATATTTAT ATCATTTTAC
5941 GTTCTCGTT CAGCTTCTT GTACAAAGTG GTGATAGCTT GTCGAGAAGT ACTAGAGGAT-


102/240

6001 CATAATCAGC CATAACCACAT TTGTAGAGGT TTTACTTGCT TTAAAAAACC TCCCACACCT
6061 CCCCCTGAAC CTGAAACATA AAATGAATGC AATTGTTGTT GTTAACTTGT TTATTGCAGC
6121 TTATAATGGT TACAAATAAA GCAATAGCAT CACAAATTTT ACAAATAAAG CATTTTTTTC
6181 ACTGCATTCT AGTTGTGGTT TGTCCAACT CATCAATGTA TCTTATCATG TCTGGATCTG
6241 ATCACTGCTT GAGCCTAGGA GATCCGAACC AGATAAGTGA AATCTAGTTC CAAACTATTT
6301 TGTCATTTTT AATTTTCGTA TTAGCTTACG ACGCTACACC CAGTCCCAT CTATTTTGTC
6361 ACTCTTCCCT AAATAATCCT TAAAACTCC ATTTCCACCC CTCCCAGTTC CCAACTATTT
6421 TGTCCGCCCA CAGCGGGGCA TTTTCTTCC TGTTATGTTT TTAATCAAAC ATCCTGCCAA
6481 CTCCATGTGA CAAACCGTCA TCTTCGGCTA CTTTTTCTCT GTCACAGAAT GAAAATTTTT
6541 CTGTCATCTC TTCGTTATTA ATGTTTGTA TTAGCTGAAT ATCAACGCTT ATTTGCAGCC
6601 TGAATGGCGA ATG

FIGURE 38D

103/240

1 ggtgacgccc tcatttttcc attgtaacgt aaatggcaac ttgtagatga acgcgctgtc
 ccactgcggc agtagaaaagg taacattgca ttaccggtg aacatctact tgcgcgacag
 61 aaaaaaccgg ccagttttctt ccacaaactc gcgcacggct gtctcgtaaa cttttgcgtc
 ttttttggcc ggtcaaagaa ggtgtttgag cgcgtgccga cagagcattt gaaaacgcag
 121 // gcaacaatcg cgatgacctc gtggatgga aattttttct aaaaaagtgt cgttcattgtc //
 // cgttggttagc gctactggag caccatacct ttaaaaaaga ttttttcaca gcaagtacag //
 181 // ggccggcgccg ttcgcgctcc ggtacgcgcg acgggcacac agcaggacag ccttgctcgg
 // ccgcgcgcgc aagcgcgagg ccatgcgcgc tgcgcgtgtg tcgtctctgc ggaacaggcc
 241 ctcgattatc ataaacaatc ctgcaggcat gcaagctgga tcatacaag ttgtacaaa
 gagctaatag tatttgtag gacgtccgta cgttcgacct agtagcttc aaacatgctt
 Int V



104/240

pDEST19 6668 bp (rotated to position 1000)

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
515..391		attR1
765..1424		CmR
1544..1628		inactivated ccdA
1766..2071		ccdB
2112..2236		attR2
2852..2895		lacZ
3344..4319		ampR
4460..5114		ori
5608..52		genR

1	AGTGGTTCGC	ATCCTCGGTT	TTCTGGAAGG	CGAGCATCGT	TTGTTGCCCC	AGGACTCTAG
61	CTATAGTTCT	AGTGGTTGGC	TACGTATATC	AAATACTTGT	AGGTGACGCC	GTCATCTTTC
121	CATTGTAACG	TAAATGGCAA	CTTGATAGTG	AACGCGCTGT	CAAAAAACCG	GCCAGTTTCT
181	TCCACAAACT	CGCGCACGGC	TGTCTCGTAA	ACTTTTGCGT	CGCAACAATC	GCGATGACCT
241	CGTGGTATGG	AAATTTTTC	TAAAAAAGTG	TCGTTTCATGT	CGGCGGCGGG	CGCGTTCGCG
301	CTCCGGTACG	CGCGACGGGC	ACACAGCAGG	ACAGCCTTGT	CCGGCTCGAT	TATCATAAAC
361	AATCCTGCAG	GCATGCAAGC	TCGATCATC	ACAAGTTTGT	ACAAAAAAGC	TGAACGAGAA
421	ACGTAAAATG	ATATAAATAT	CAATATATTA	AATTAGATT	TGCATAAAAA	ACAGACTACA
481	TAATACTGTA	AAACACAACA	TATCCAGTCA	CTATGGCGGC	CGCTAAGTTG	GCAGCATCAC
541	CCGACGCACT	TTGCGCCGAA	TAAATACCTG	TGACGGAAGA	TCACTTCGCA	GAATAAATAA
601	ATCCTGGTGT	CCCTGTTGAT	ACCGGGAAGC	CCTGGGCCAA	CTTTTGCGCA	AAATGAGACG
661	TTGATCGGCA	CGTAAGAGGT	TCCAACTTTC	ACCATAATGA	AATAAGATCA	CTACCGGGCG
721	TATTTTTTGA	GTTATCGAGA	TTTTCAGGAG	CTAAGGAAGC	TAAAATGGAG	AAAAAATCA
781	CTGGATATAC	CACCGTTGAT	ATATCCCAAT	GGCATCGTAA	AGAACATTTT	GAGGCATTTC
841	AGTCAGTTGC	TCAATGTACC	TATAACCAGA	CCGTTTCAGT	GGATATTACG	GCCTTTTAA
901	AGACCGTAA	GAAAAATAAG	CACAAGTTTT	ATCCGGCCTT	TATTCACATT	CTTGCCCGCC
961	TGATGAATGC	TCATCCGGAA	TTCCGTATGG	CAATGAAAGA	CGGTGAGCTG	GTGATATGGG
1021	ATAGTGTTC	CCCTTGTTAC	ACCGTTTTCC	ATGAGCAAAC	TGAAACGTTT	TCATCGCTCT
1081	GGAGTGAATA	CCACGACGAT	TTCCGGCAGT	TTCTACACAT	ATATTGCAA	GATGTGGCGT
1141	GTTACGGTGA	AAACCTGGCC	TATTTCCCTA	AAGGGTTTAT	TGAGAATATG	TTTTTCGTCT
1201	CAGCCAATCC	CTGGGTGAGT	TTCAACAGTT	TTGATTTAAA	CGTGGCCAAT	ATGGACAAC
1261	TCTTCGCCCC	CGTTTTTACC	ATGGGCAAAT	ATTATACGCA	AGGCGACAAG	GTGCTGATGC
1321	CGCTGGCGAT	TCAGGTTTAT	CATGCCGTCT	GTGATGGCTT	CCATGTCGGC	AGAATGCTTA
1381	ATGAATTACA	ACAGTACTGC	GATGAGTGCG	AGGGCGGGGC	GTAAACGCGT	GGATCCGGCT
1441	TACTAAAAGC	CAGATAACAG	TATGCGTATT	TGCGCGCTGA	TTTTTGCGGT	ATAAGAATAT
1501	ATACTGATAT	GTATACCCGA	AGTATGTCAA	AAAGAGGTGT	GCTATGAAGC	AGCGTATTAC
1561	AGTGACAGTT	GACAGCGACA	GCTATCAGTT	GCTCAAGGCA	TATATGATGT	CAATATCTCC
1621	GGTCTGGTAA	GCACAACCAT	GCAGAAATGA	GCCCCTCGTC	TGCGTGCCGA	ACGCTGGAAA
1681	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC	GCCCAGTTTA	TTGAAATGAA	CGGCTCTTTT
1741	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA	GTTTAAGGTT	TACACCTATA	AAAGAGAGAG
1801	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG	TGATATTATT	GACACGCCCG	GGCGACGGAT
1861	GGTGATCCCC	CTGGCCAGTG	CACGTCTGCT	GTCAGATAAA	GTCTCCCGTG	AACCTTACCC
1921	GGTGGTGCAT	ATCGGGGATG	AAAGCTGGCG	CATGATGACC	ACCGATATGG	CCAGTGTGCC
1981	GGTCTCCGTT	ATCGGGGAAG	AAGTGGCTGA	TCTCAGCCAC	CGCGAAAATG	ACATCAAAAA
2041	CGCCATTAA	CTGATGTTCT	GGGGAATATA	AATGTCAGGC	TCCCTTATAC	ACAGCCAGTC
2101	TGCAGGTCGA	CCATAGTGAC	TGGATATGTT	GTGTTTTACA	GTATTATGTA	GTCTGTTTTT
2161	TATGCAAAAT	CTAATTTAAT	ATATTGATAT	TTATATCATT	TTACGTTTCT	CGTTCAGCTT
2221	TCTTGTACAA	AGTGGTGATC	GAGAAGTACT	AGAGGATCAT	AATCAGCCAT	ACCACATTTG
2281	TAGAGGTTTT	ACTTGCTTTA	AAAAACCTCC	CACACCTCCC	CCTGAACCTG	AAACATAAAA
2341	TGAATGCAAT	TGTTGTTGTT	AACTTGTTTA	TTGCAGCTTA	TAATGGTTAC	AAATAAAGCA
2401	ATAGCATCAC	AAATTTTACA	AATAAAGCAT	TTTTTTCAT	GCATTCTAGT	TGTGGTTTGT
2461	CCAAACTCAT	CAATGTATCT	TATCATGTCT	GGATCTGATC	ACTGCTTGAG	CCTAGGAGAT
2521	CCGAACCAGA	TAAGTGAAAT	CTAGTTCCAA	ACTATTTTGT	CAITTTTAAT	TTTCGTATTA
2581	GCTTACGACG	CTACACCCAG	TTCCCATCTA	TTTTGTCACT	CTTCCCTAAA	TAATCCTTAA

FIGURE 39B

105/240

2641 AAACCTCCATT TCCACCCCTC CCAGTTCCCA ACTATTTTGT CCGCCACAG CGGGGCATTT
2701 TTCTTCCTGT TATGTTTTTA ATCAAACATC CTGCCAACTC CATGTGACAA ACCGTCATCT
2761 TCGGCTACTT TTTCTCTGTC ACAGAATGAA AATTTTTCTG TCATCTCTTC GTTATTAATG
2821 TTTGTAATTG ACTGAATATC AACGCTTATT TGCAGCCTGA ATGGCGAATG GACGCGCCCT
2881 GTAGCGGCGC ATTAAGCGCG GCGGGTGTGG TGGTTACGCG CAGCGTGACC GCTACACTTG
2941 CCAGCGCCCT AGCGCCCGCT CCTTTCGCTT TCTTCCCTTC CTTTCTCGCC ACGTTCCGCC
3001 GCTTTCCTCCG TCAAGCTCTA AATCGGGGGC TCCCTTTAGG GTTCCGATTT AGTGCTTTAC
3061 GGCACCTCGA CCCCCAAAAA CTGATTAGG GTGATGGTTC ACGTAGTGGG CCATCGCCCT
3121 GATAGACGGT TTTTCGCCCT TTGACGTTGG AGTCCACGTT CTTTAATAGT GGACTCTTGT
3181 TCCAAACTGG AACAACTC AACCCTATCT CGGTCTATTC TTTTGATTTA TAAGGGATTT
3241 TGCCGATTTC GGCCTATTGG TTAATAAATG AGCTGATTTA ACAAATAATT AACCGAATT
3301 TTAACAAAT ATTAACGTTT ACAATTTTCA GTGGCATTTC TCGGGGAAAT GTGCCGGA
3361 CCCCTATTTC TTTATTTTTC TAAATACATT CAAATATGTA TCCGCTCATG AGACAATAAC
3421 CCTGATAAAT GCTTCAATAA TATTGAAAAA GGAAGAGTAT GAGTATTCAT CATTTCCGTG
3481 TCGCCCTTAT TCCCTTTTTT GCGGCATTTT GCCTTCCTGT TTTTGCTCAC CAGAAACGC
3541 TGGTGAAGT AAAAGATGCT GAAGATCAGT TGGGTGCACG AGTGGGTAC ATCGAACTGG
3601 ATCTCAACAG CGGTAAGATC CTTGAGAGTT TTCGCCCCGA AGAACGTTTT CCAATGATGA
3661 GCACTTTTAA AGTTCTGCTA TGTGGCGCGG TATTATCCCG TATTGACGCC GGGCAAGAGC
3721 AACTCGGTCG CCGCATACAC TATTCTCAGA ATGACTTGGT TGAGTACTCA CCAGTCACAG
3781 AAAAGCATCT TACGGATGGC ATGACAGTAA GAGAATTATG CAGTGCTGCC ATAACCATGA
3841 GTGATAACAC TGCGGCCAAC TTACTTCTGA CAACGATCGG AGGACCGAAG GAGCTAACCG
3901 CTTTTTTGCA CAACATGGGG GATCATGTAA CTCGCCTTGA TCGTTGGGAA CCGGAGCTGA
3961 ATGAAGCCAT ACCAAACGAC GAGCGTGACA CCACGATGCC TGTAAGCAATG GCAACAACGT
4021 TGCGCAAAC ATTAACCTGGC GAACTACTTA CTCTAGCTTC CCGGCAACAA TTAATAGACT
4081 GGATGGAGGC GGATAAAGTT GCAGGACCAC TTCTGCGCTC GGCCCTTCCG GCTGGCTGGT
4141 TTATTGCTGA TAAATCTGGA GCCGGTGAGC GTGGGTCTCG CGGTATCATT GCAGCACTGG
4201 GGCCAGATGG TAAGCCCTCC CGTATCGTAG TTATCTACAC GACGGGGAGT CAGGCAACTA
4261 TGGATGAACG AAATAGACAG ATCGCTGAGA TAGTGCCCTC ACTGATTAAG CATTGGTAAC
4321 TGTCAGACCA AGTTTACTCA TATATACTTT AGATTGATTT AAAACTTCAT TTTTAATTTA
4381 AAAGGATCTA GGTGAAGATC CTTTTTGATA ATCTCATGAC CAAAATCCCT TAACGTGAGT
4441 TTTCTGTTCCA CTGAGCGTCA GACCCCGTAG AAAAGATCAA AGGATCTTCT TGAGATCCTT
4501 TTTTCTGCG CGTAATCTGC TGCTTGCAAA CAAAAAACC ACCGCTACCA GCGGTGGTTT
4561 GTTTGCCGGA TCAAGAGCTA CCAACTCTTT TTCCGAAGGT AACTGGCTTC AGCAGAGCGC
4621 AGATACCAAA TACTGTCTT CTAGTGTAGC CGTAGTTAGG CCACCACTTC AAGAACTCTG
4681 TAGCACCGCC TACATACCTC GCTCTGTAA TCCTGTTACC AGTGGCTGCT GCCAGTGGCG
4741 ATAAGTCGTG TCTTACCGGG TTGACTCAA GACGATAGTT ACCGGATAAG GCGCAGCGT
4801 CCGGCTGAAC GGGGGGTTCC TGCACACAG CCAGCTTGA GCGAACGACC TACACCGAAC
4861 TGAGATACCT ACAGCGTGAG CATTGAGAAA GCGCCACGCT TCCCGAAGGG AGAAAGGCGG
4921 ACAGGTATCC GGTAAGCGGC AGGGTCGGAA CAGGAGAGCG CACGAGGGAG CTTCCAGGGG
4981 GAAACGCTG GTATCTTTAT AGTCTGTGCG GGTTCGCCA CCTCTGACTT GAGCGTCGAT
5041 TTTTGTGATG CTCGTCAGGG GGGCGGAGCC TATGAAAAA CGCCAGCAAC GCGGCCTTTT
5101 TACGTTCTCT GGCCTTTTGC TGGCCTTTTG CTCACATGTT CTTTCTGCG TTATCCCTG
5161 ATTCTGTGGA TAACCGTATT ACCGCCTTTG AGTGAGCTGA TACCGCTCGC CGCAGCCGAA
5221 CGACCGAGCG CAGCGAGTCA GTGAGCGAGG AAGCGGAAGA GCGCCTGATG CGGTATTTTC
5281 TCCTTACGCA TCTGTGCGGT ATTTACACAC GCAGACCAGC CGCGTAACCT GGCAAAATCG
5341 GTTACGGTTG AGTAATAAAT GGATGCCCTG CGTAAGCGGG TGTGGGCGGA CAATAAAGTC
5401 TTAACTGAA CAAAATAGAT CTAACTATG ACAATAAAGT CTTAACTAG ACAGAATAGT
5461 TGTAACCTGA AATCAGTCCA GTTATGCTGT GAAAAAGCAT ACTGGACTTT TGTATGGCT
5521 AAAGCAAAC CTTCAATTTT TGAAGTGCAA ATTGCCCGTC GTATTAAAGA GGGCGTGGC
5581 CAAGGCATG GTAAAGACTA TATTCCGGC GTTGTGACAA TTTACCGAAC AACTCCGCGG
5641 CCGGGAAGCC GATCTCGGCT TGAACGAATT GTTAGTGAG GGTACTTGGG TCGATATCAA
5701 AGTGATCAC TTCTTCCCGT ATGCCCACT TTGTATAGAG AGCCACTGCG GGATCGTCAC
5761 CTTAATCTGC TTGCACGTAG ATCATAAAG CACCAAGCGC GTTGGCCTCA TGCTTGAGGA
5821 GATTGATGAG CGCGGTGGCA ATGCCCTGCC TCCGGTGCTC GCCGGAGACT GCGAGATCAT
5881 AGATATAGAT CTCACTACGC GGCTGCTCAA ACCTGGGCAG AACGTAAGCC GCGAGAGCGC
5941 CAACAACCGC TTCTTGGTGC AAGGCAGCAA GCGCGATGAA TGTCTTACTA CGGAGCAAGT
6001 TCCCGAGGTA ATCGGAGTCC GGCTGATGTT GGGAGTAGGT GGCTACGTCT CCGAACTCAC
6061 GACCGAAAAG ATCAAGAGCA GCCCGCATGG ATTTGACTTG GTCAGGGCCG AGCCTACATG-

FIGURE 39C

106/240

6121 TCGGAATGAT GCCCATACTT GAGCCACCTA ACTTTGTTTT AGGGCGACTG CCCTGCTGCG
6181 TAACATCGTT GCTGCTGCGT AACATCGTTG CTGCTCCATA ACATCAAACA TCGACCCACG
6241 GCGTAACGCG CTTGCTGCTT GGATGCCCCG GGCATAGACT GTACAAAAA ACAGTCATAA
6301 CAAGCCATGA AAACCGCCAC TCGCGCGTTA CCACCGCTGC GTTCGGTCAA GGTTCTGGAC
6361 CAGTTGCGTG AGCGCATACG. CTA CTACTTGTCAT TACAGTTTAC GAACCGAACA GGCTTATGTC
6421 AACTGGGTTC GTGCCTTCAT CCGTTTCCAC GGTGTGCGTC ACCCGGCAAC CTTGGGCAGC
6481 AGCGAAGTCG AGGCATTTCT GTCCTGGCTG GCGAACGAGC GCAAGGTTTC GGTCTCCACG
6541 CATCGTCAGG CATTGGCGGC CTTGCTGTTC TTCTACGGCA AGGTGCTGTG CACGGATCTG
6601 CCCTGGCTTC AGGAGATCGG AAGACCTCGG CCGTCGCGGC GCTTGCCGGT GGTGCTGACC
6661 CCGGATGA

FIGURE 39A

102/240

Figure 40A: pDEST20 Glutathione-S-transferase Fusion with Polyhedron Promoter for Baculovirus Expression

430 ggc tac gta tac tcc gga ata tta ata gat cat gga gat aat taa aat gat
ccg atg cat atg agg cct tat aat tat cca gta cct cta tta att tta cta


481 aac cat ctc gca aat aaa taa gta ttt tac tgt ttt cgt aac agt ttt gta
ttg gta gag cgt tta ttt att cat aaa atg aca aaa gca ttg tca aaa cat

532 ata aaa aaa cct ata aat att cgt gat tat tca tac cgt ccc acc atc ggg
tat ttt ttt gga tat tta taa ggc cta ata agt atg gca ggg tgg tag ccc

Start Transl. M A P T - - GST - -
583 cgc gga tcc atg gct cct ata cta ggt tat tgg aaa att aag ggc ctt gtg
gcg cct agg tac cgg gga tat gat cca ata acc ttt taa ttc ccg gaa cac

1246 S D L V P R H N Q T S L Y K K A
cgc gat ctg gtt ccg cgt cat aat caa aca agt ttg tac aaa aaa gct gaa
agc cta gac caa ggc gca gta tta gtt tgt tca aac atg ttt ttt cga ctt

1297 cga gaa acg taa aat gat ata aat atc aat ata tta aat tag at
gct ctt tgc att tta cta tat tta tag tta tat aat tta atc ta



108/240

pDEST20 7066 bp (rotated to position 5800)

<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
592..1263	GST
1397..1273	attR1
1506..2165	CmR
2285..2369	inactivated ccdA
2507..2812	ccdB
2853..2977	attR2
4214..5064	ampR
5263..5843	ori

```

1  CCACTGCGCC GTTACCACCG CTGCGTTCCG TCAAGGTTCT GGACCAAGTTG CGTGAGCGCA
61 TACGCTACTT GCATTACAGT TTACGAACCG AACAGGCTTA TGTCAACTGG GTTCGTGCCT
121 TCATCCGTTT CCACGGTGTG CGTCACCCGG CAACCTTGGG CAGCAGCGAA GTCCGAGGCAT
181 TTCTGTCTCG GCTGGCGAAC GAGCGCAAGG TTTCGGTCTC CACGCATCGT CAGGCATTGG
241 CGGCCCTTGCT GTTCTTCTAC GGCAAGGTGC TGTGCACGGA TCTGCCCTGG CTTCAGGAGA
301 TCGGAAGACC TCGGCCGTGC CGCGCCTTGC CGGTGGTGCT GACCCCGGAT GAAGTGGTTC
361 GCATCCTCGG TTTTCTGGAA GGCGAGCATC GTTTGTTCGC CCAGGACTCT AGCTATAGTT
421 CTAGTGGTTG GCTACGTATA CTCCGGAATA TTAATAGATC ATGGAGATAA TTAATATGAT
481 AACCATCTCG CAAATAAATA AGTATTTTAC TGTTTTTCGTA ACAGTTTTGT AATAAAAAAA
541 CCTATAAATA TTCCCGATTA TTCATACCGT CCCACCATCG GCGCGCGATC CATGGCCCCCT
601 ATACTAGGTT ATTGGAAAAT TAAGGGCCTT GTGCAACCCA CTCGACTTCT TTTGGAATAT
661 CTTGAAGAAA AATATGAAGA GCATTTGTAT GAGCGCGATG AAGGTGATAA ATGGCGAAAC
721 AAAAAGTTTG AATTGGGTTT GGAGTTTCCC AATCTTCCTT ATTATATTGA TGGTGATGTT
781 AAATTAACAC AGTCTATGGC CATCATACGT TATATAGCTG ACAAGCACAA CATGTTGGGT
841 GGTTGTCCAA AAGAGCGTGC AGAGATTTCA ATGCTTGAAG GAGCGGTTTT GGATATTAGA
901 TACGGTGTTC CGAGAAATGC ATATAGTAAA GACTTTGAAA CTCTCAAAGT TGATTTTCTT
961 AGCAAGCTAC CTGAAATGCT GAAAATGTTT GAAGATCGTT TATGTCATAA AACATATTTA
1021 AATGGTGATC ATGTAACCCA TCCTGACTTC ATGTTGTATG ACGCTCTTGA TGTGTGTTTA
1081 TACATGGACC CAATGTGCCT GGATGCGTTC CCAAAATTAG TTTGTTTTAA AAAACGTATT
1141 GAAGCTATCC CACAAATTGA TAAGTACTTG AAATCCAGCA AGTATATAGC ATGGCCTTTG
1201 CAGGGCTGGC AAGCCACGTT TGGTGGTGGC GACCATCCTC CAAAATCGGA TCTGGTTCCTG
1261 CGTCATAATC AAACAAGTTT GTACAAAAAA GCTGAACGAG AAACGTAAAA TGATATAAAT
1321 ATCAATATAT TAAATTAGAT TTTGCATAAA AAACAGACTA CATAAATACTG TAAACACAAA
1381 CATATCCAGT CACTATGGCG GCCGCATTAG GCACCCACAG CTTTACACTT TATGCTTCCG
1441 GCTCGTATGT TGTGTGGATT TTGAGTTAGG ATCCGGCGAG ATTTTCAGGA GCTAAGGAAG
1501 CTAAAATGGA GAAAAAATC ACTGGATATA CCACCGTTGA TATATCCCAA TGGCATCGTA
1561 AAGAACATTT TGAGGCATTT CAGTCAGTTG CTCAATGTAC CTATAACCAG ACCGTTACAGC
1621 TGGATATTAC GGCCTTTTAA AAGACCGTAA AGAAAAATAA GCACAAGTTT TATCCGGCCT
1681 TTATTCACAT TCTTGCCCGC CTGATGAATG CTCATCCGGA ATTCCGTATG GCAATGAAAG
1741 ACGGTGAGCT GGTGATATGG GATAGTGTTC ACCCTTGTTA CACCGTTTTT CATGAGCAAA
1801 CTGAAACGTT TTCATCGCTC TGGAGTGAAT ACCACGACGA TTTCCGGCAG TTTCTACACA
1861 TATATTCGCA AGATGTGGCG TGTTACGGTG AAAACCTGGC CTATTTCCCT AAAGGGTTTA
1921 TTGAGAATAT GTTTTTTCGT TCAGCCAATC CCTGGGTGAG TTTCACCACT TTTGATTTAA
1981 ACGTGGCCAA TATGGACAAC TTCTTCGCCC CCGTTTTTAC CATGGGCAAA TATTATACGC
2041 AAGGCGACAA GGTGCTGATG CCGCTGGCGA TTCAGGTTCA TCATGCCGTC TGTGATGGCT
2101 TCCATGTCGG CAGAATGCTT AATGAATTAC AACAGTACTG CGATGAGTGG CAGGGCGGGG
2161 CGTAATCTAG AGGATCCGGC TTAATAAAG CCAGATAACA GTATGCGTAT TTGCGCGCTG
2221 ATTTTTGCGG TATAAGAATA TATACTGATA TGTATACCCG AAGTATGTCA AAAAGAGGTG
2281 TGCTATGAAG CAGCGTATTA CAGTGACAGT TGACAGCGAC AGCTATCAGT TGCTCAAGGC
2341 ATATATGATG TCAATATCTC CCGTCTGGTA AGCACAACCA TGCAGAAATG AGCCCGTCGT
2401 CTGCGTGGCG AACCGTGGAA AGCGGAAAGT CAGGAAGGGA TGGCTGAGGT CGCCCGTTT
2461 ATTGAAATGA ACGGCTCTTT TGCTGACGAG AACAGGGACT GGTGAAATGC AGTTTAAGGT
2521 TTACACCTAT AAAAGAGAGA GCCGTTATCG TCTGTTTGTG GATGTACAGA GTGATATTAT
2581 TGACACGCCC GGGCGACGGA TGGTGATCCC CCTGGCCAGT GCACGTCTGC TGTGAGATAA
2641 AGTCTCCCGT GAACCTTACC CCGTGGTGCA TATCGGGGAT GAAAGCTGGC GCATGATGAC

```

Figure 40B

109/240

2701 CACCGATATG GCCAGTGTGC CGGTCTCCGT TATCGGGGAA GAAGTGGCTG ATCTCAGCCA
2761 CCGCGAAAAT GACATCAAAA ACGCCATTAA CCTGATGTTC TGGGGAATAT AAATGTCAGG
2821 CTCCCTTATA CACAGCCAGT CTGCAGGTCG ACCATAGTGA CTGGATATGT TGTGTTTTAC
2881 AGTATTATGT AGTCTGTTTT TTATGCAAAA TCTAATTAA TATATTGATA TTTATATCAT
2941 TTTACGTTTC TCGTTCAGCT TTCTTGACAA AAGTGGTTTG ATAGCTGTGC GAGAAGTACT
3001 AGAGGATCAT AATCAGCCAT ACCACATTTG TAGAGGTTTT ACTTGCTTTA AAAAACCTCC
3061 CACACCTCCC CCTGAACCTG AAACATAAAA TGAATGCAAT TGTTGTTGTT AACTTGTTTA
3121 TTGCAGCTTA TAATGGTTAC AAATAAAGCA ATAGCATCAC AAATTCACA AATAAAGCAT
3181 TTTTTTCACT GCATTCTAGT TGTGGTTTGT CCAAATCAT CAATGTATCT TATCATGTCT
3241 GGATCTGATC ACTGCTTGAG CCTAGGAGAT CCGAACCAGA TAAGTGAAAT CTAGTTCCAA
3301 ACTATTTTGT CATTTTAAAT TTTCGTATTA GCTTACGACG CTACACCCAG TTCCCATCTA
3361 TTTTGTCACT CTTCCCTAAA TAATCCTTAA AAATCCATT TCCACCCCTC CCAGTTCCCA
3421 ACTATTTTGT CCGCCACAG CGGGGCATTT TTCTTCTGT TATGTTTTTA ATCAAACATC
3481 CTGCCAATC CATGTGACAA ACCGTCATCT TCGGCTACTT TTTCTCTGTC ACAGAATGAA
3541 AATTTTTCTG TCATCTCTTC GTTATTAATG TTTGTAATTG ACTGAATATC AACGCTTATT
3601 TGCAGCCTGA ATGGCGAATG GACGCGCCCT GTAGCGGCGC ATTAAGCGCG GCGGGTGTGG
3661 TGGTTACGCG CAGCGTGACC GCTACACTTG CCAGCGCCCT AGCGCCGCTT CCTTTGCTT
3721 TCTTCCCTTC CTTTCTCGCC ACGTTCGCGG GCTTCCCGG TCAAGCTCTA AATCGGGGGC
3781 TCCCTTTAGG GTTCCGATTT AGTGCTTTAC GGCACCTCGA CCCCCAAAAA CTTGATTAGG
3841 GTGATGGTTC ACGTAGTGGG CCATCGCCCT GATAGACGGT TTTTCGCCCT TTGACGTGG
3901 AGTCCACGTT CTTTAATAGT GGACTCTTGT TCCAAACTGG AACAACATC AACCCTATCT
3961 CGGTCTATTC TTTTGATTGA TAAGGGATTT TGCCGATTTT GGCCTATTGG TTAATAATG
4021 AGCTGATTTA ACAAAAAATT AACCGGAATT TTAACAAAT ATTAACGTTT ACAATTTTCA
4081 GTGGCACTTT TCGGGGAAAT GTGCGCGGAA CCCCTATTG TTTATTTTTC TAAATACATT
4141 CAAATATGTA TCCGCTCATG AGACAATAAC CCTGATAAAT GCTTCAATAA TATTGAAAAA
4201 GGAAGAGTAT GAGTATTCAA CATTTCCGTG TCGCCCTTAT TCCCTTTTTT GCGGCATTTT
4261 GCCTTCCTGT TTTTGCTCAC CCAGAAACGC TGGTGAAAGT AAAAGATGCT GAAGATCAGT
4321 TGGGTGCACG AGTGGGTTAC ATCGAACTGG ATCTCAACAG CGGTAAGATC CTTGAGAGTT
4381 TTCGCCCCGA AGAACGTTTT CCAATGATGA GCACCTTTAA AGTTCTGCTA TGTGGCGCGG
4441 TATTATCCCG TATTGACGCC GGGCAAGAGC AACTCGGTG CCGCATACAC TATTCTCAGA
4501 ATGACTTGGT TGAGTACTCA CCAGTCACAG AAAAGCATCT TACGGATGGC ATGACAGTAA
4561 GAGAATTATG CAGTGCTGCC ATAACCATGA GTGATAACAC TGCGGCCAAC TACTTCTGA
4621 CAACGATCGG AGGACCGAAG GAGCTAACCG CTTTTTTGCA CAACATGGGG GATCATGTAA
4681 CTCGCTTGA TCGTTGGGAA CCGGAGCTGA ATGAAGCCAT ACCAAACGAC GAGCGTGACA
4741 CCACGATGCC TGTAGCAATG GCAACAACGT TGCACAACT ATTAAGTGGC GAACTACTTA
4801 CTCTAGCTTC CCGGCAACAA TTAATAGACT GGATGGAGGC GGATAAAGTT GCAGGACCAC
4861 TTCTGCGCTC GGCCTTCCG GCTGGCTGGT TTATTGCTGA TAAATCTGGA GCCGGTGAGC
4921 GTGGGTCTCG CGGTATCATT GCAGCACTGG GGCCAGATGG TAAGCCCTCC CGTATCGTAG
4981 TTATCTACAC GACGGGGAGT CAGGCAACTA TGGATGAACG AAATAGACAG ATCGCTGAGA
5041 TAGGTGCTTC ACTGATTAAG CATTGGTAAC TGTCAGACCA AGTTTACTCA TATATACTTT
5101 AGATTGATTT AAAACTTCAT TTTTAATTGA AAAGGATCTA GGTGAAGATC CTTTTTGATA
5161 ATCTCATGAC CAAAATCCCT TAACGTGAGT TTTTCGTTCCA CTGAGCGTCA GACCCCGTAG
5221 AAAAGATCAA AGGATCTTCT TGAGATCCTT TTTTCTGCG CGTAATCTGC TGCTTGCAAA
5281 CAAAAAACC ACCGCTACCA GCGGTGGTTT GTTTGCCGGA TCAAGAGCTA CCAACTCTTT
5341 TTCCGAAGGT AACTGGCTTC AGCAGAGCGC AGATAACCAA TACTGTCTTT CTAGTGTAGC
5401 CGTAGTTAGG CCACCACTTC AAGAACTCTG TAGCACCGCC TACATACCTC GCTCTGCTAA
5461 TCCTGTTACC AGTGGCTGCT GCCAGTGGCG ATAAGTCGTG TCTTACCGGG TTGGACTCAA
5521 GACGATAGTT ACCGATAAG GCGCAGCGGT CCGGCTGAAC GGGGGGTTG TGCACACAGC
5581 CCAGCTTGA GCGAACGACC TACACCGAAC TGAGATACCT ACAGCGTGAG CATTGAGAAA
5641 GCGCCACGCT TCCCGAAGGG AGAAAGGCGG ACAGGTATCC GGTAAGCGGC AGGGTCGGAA
5701 CAGGAGAGCG CACGAGGGAG CTTCCAGGGG GAAACGCCCT GTATCTTTAT AGTCTGTGCG
5761 GGTTTTCGCCA CCTCTGACTT GAGCGTCGAT TTTTGTGATG CTCGTCAGGG GGGCGGAGCC
5821 TATGAAAAAA CGCCAGCAAC GCGGCCCTTT TACGGTTTCT GGCCTTTTGG TGGCTTTTGG
5881 CTCACATGTT CTTTCTGCG TTATCCCTGT ATTCTGTGGA TAACCTTATT ACCGCTTTG
5941 AGTGAGCTGA TACCGCTCGC CGCAGCCGAA CGACCGAGCG CAGCGAGTCA GTGAGCGAGG
6001 AAGCGGAAGA GCGCCTGATG CGGTATTTTC TCCTTACGCA TCTGTGCGGT ATTTACACAC
6061 GCAGACCAGC CGCGTAACCT GGCAAAATCG GTTACGGTTG AGTAATAAAT GGATGCCCTG
6121 CGTAAGCGGG TGTGGGCGGA CAATAAAGTC TTAAGTGA CAAAATAGAT CTAACTATG-

Figure 40C

110/240

6181 ACAATAAAGT CTTAAACTAG ACAGAATAGT TGTAAGTGA AATCAGTCCA GTTATGCTGT
6241 GAAAAAGCAT ACTGGACTTT TGTTATGGCT AAAGCAAACCT CTTCAATTTTC TGAAGTGCAA
6301 ATTGCCCCGTC GTATTAAAGA GGGGCGTGGC CAAGGGCATG GTAAAGACTA TATTCGCGGC
6361 GTTGTGACAA TTTACCGAAC AACTCCGCGG CCGGGAAGCC GATCTCGGCT TGAACGAATT
6421 GTTAGGTGGC GGTACTTGGG TCGATATCAA AGTGATCAC TTTCTCCCGT ATGCCCAACT
6481 TTGTATAGAG AGCCACTGCG GGATCGTCAC CGTAATCTGC TTGCACGTAG ATCACATAAG
6541 CACCAAGCGC GTTGGCCTCA TGCTTGAGGA GATTGATGAG CGCGGTGGCA ATGCCCTGCC
6601 TCCGGTGCTC GCCGGAGACT GCGAGATCAT AGATATAGAT CTCACTACGC GGCTGCTCAA
6661 ACCTGGGCAG AACGTAAGCC GCGAGAGCGC CAACAACCGC TTCTTGGTCG AAGGCAGCAA
6721 GCGCGATGAA TGTCTTACTA CGGAGCAAGT TCCCGAGGTA ATCGGAGTCC GGCTGATGTT
6781 GGGAGTAGGT GGCTACGTCT CCGAACTCAC GACCGAAAAG ATCAAGAGCA GCCCGCATGG
6841 ATTTGACTTG GTCAGGGCCG AGCCTACATG TGCGAATGAT GCCCATACTT GAGCCACCTA
6901 ACTTTGTTTT AGGGCGACTG CCCTGCTGCG TAACATCGTT GCTGCTGCGT AACATCGTTG
6961 CTGCTCCATA ACATCAAACA TCGACCCACG GCGTAACCGC CTTGCTGCTT GGATGCCCGA
7021 GGCATAGACT GTACAAAAA ACAGTCATAA CAAGCCATGA AAACCG

FIGURE 40D

111/240

Figure: 41A:

P D3T21

2-Hybrid Vector with DNA-Binding Domain

ADH PROMOTER

700 ~~ttg ggc ctc tgg tat caa gta caa ata gac ctg caa tta tta atc ttt tgt~~
~~aac ggc gaa acg ata gtt cat att tat ctg gac gtt aat aat tag aaa aca~~

751 ~~ttc ctc gtc att gtt ctc gtt ccc ttt ctt cct tgt ttc ttt tgc aca~~
~~aad gag cag taa caa gag caa ggg aaa gaa gga acc aag aag aag acg tgt~~

802 ~~ata ttt caa gct ata cca agc ata caa tca act~~ cca agc ttg aag caa gcc
~~tat aag ggt cga tat ggt tgg tat gtt agt tga~~ ggt tgc aac ttc gtt cgg

853 ~~ttc tga aag atg aag cta ctg tct tct atc gaa caa gca tgc gat att tgg~~
~~agg act ttc tac ttc gat gac aga aga tag ctt gtt cgt acg cta taa acg~~

...
1261 gaa gag agt agt aac aaa ggt caa aga cag ttg act gta tgc agc agc tcc agc
ctt ctc tca tca ttg ttt cca gtt tct gtc aac tga cat agc agc tcc agc

1312 ~~aat caa aca agt tgg tac aaa aaa gct gaa cga gaa acg taa aat gat ata~~
~~tta gtt tgt tca aac atg ttt ttt cga ctt gct ctt tgc att tta cta tat~~

Int ↓

112/240

pDEST21 11713 bp (rotated to position 11000)

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
857..1322		GAL4DB
1456..1332		attR1
1706..2365		CmR
2485..2569		inactivated ccdA
2707..3012		ccdB
3053..3177		attR2
3716..3735		pT7 (T7 promoter)
3899..4354		f1 (f1 intergenic region)
4414..6642		Leu2
7541..8515		kanR
9668..10958		CYH2
11118..848		pADH (ADH promoter)

1	TTTATTATGT	TACAATATGG	AAGGGAACCT	TACACTTCTC	CTATGCACAT	ATATTAATTA
61	AAGTCCAATG	CTAGTAGAGA	AGGGGGGTAA	CACCCCTCCG	CGCTCTTTTC	CGATTTTTTT
121	CTAAACCGTG	GAATATTTCG	GATATCCTTT	TGTTGTTTCC	GGGTGTACAA	TATGGACTTC
181	CTCTTTTCTG	GCAACCAAAC	CCATACATCG	GGATTCCCTAT	AATACCTTCG	TTGGTCTCCC
241	TAACATGTAG	GTGGCGGAGG	GGAGATATAC	AATAGAACAG	ATACCAGACA	AGACATAATG
301	GGCTAAACAA	GACTACACCA	ATTACACTGC	CTCATTGATG	GTGGTACATA	ACGAACTAAT
361	ACTGTAGCCC	TAGACTTGAT	AGCCATCATC	ATATCGAAGT	TTCACTACCC	TTTTTCCATT
421	TGCCATCTAT	TGAAGTAATA	ATAGGCGCAT	GCAACTTCTT	TTCTTTTCTC	TTCTTTTCTC
481	TCTCCCCCGT	TGTTGTCTCA	CCATATCCGC	AATGACAAAA	AAAATGATGG	AAGACACTAA
541	AGGAAAAAAT	TAACGACAAA	GACAGCACCA	ACAGATGTCG	TTGTTCCAGA	GCTGATGAGG
601	GGTATCTTCG	AACACACGAA	ACTTTTTCTT	TCCTTCATTC	ACGCACACTA	CTCTCTAATG
661	AGCAACGGTA	TACGGCCTTC	CTTCCAGTTA	CTTGAATTGG	AAATAAAAAA	AGTTTGCCGC
721	TTTGCTATCA	AGTATAAATA	GACCTGCAAT	TATTAATCTT	TTGTTTCCTC	GTCATTGTTC
781	TCGTTCCCTT	TCTTCCTTGT	TTCTTTTTCT	GCACAATATT	TCAAGCTATA	CCAAGCATAC
841	AATCAACTCC	AAGCTTGAAG	CAAGCCTCCT	GAAAGATGAA	GCTACTGTCT	TCTATCGAAC
901	AAGCATGCGA	TATTTGCCGA	CTTAAAAAGC	TCAAGTGCTC	CAAAGAAAAA	CCGAAGTGCG
961	CCAAGTGTCT	GAAGAACAAC	TGGGAGTGTC	GCTACTCTCC	CAAAACCAAA	AGGTCTCCGC
1021	TGACTAGGGC	ACATCTGACA	GAAGTGGAAT	CAAGGCTAGA	AAGACTGGAA	CAGCTATTTT
1081	TACTGATTTT	TCCTCGAGAA	GACCTTGACA	TGATTTTGAA	AATGGATTCT	TTACAGGATA
1141	TAAAAGCATT	GTTAACAGGA	TTATTTGTAC	AAGATAATGT	GAATAAAGAT	GCCGTCACAG
1201	ATAGATTGGC	TTCAAGTGGG	ACTGATATGC	CTCTAACATT	GAGACAGCAT	AGAATAAGTG
1261	CGACATCATC	ATCGGAAGAG	AGTAGTAACA	AAGGTCAAAG	ACAGTTGACT	GTATCGTCGA
1321	GGTCGAATCA	AACAAGTTTG	TACAAAAAAG	CTGAACGAGA	AACGTAATAA	GATATAAATA
1381	TCAATATATT	AAATTAGATT	TTGCATAAAA	AACAGACTAC	ATAATACTGT	AAAACACAAC
1441	ATATCCAGTC	ACTATGGCGG	CCGCTAAGTT	GGCAGCATCA	CCCGACGCAC	TTTGCGCCGA
1501	ATAAATACCT	GTGACGGAAG	ATCACTTCGC	AGAATAAATA	AATCCTGGTG	TCCCTGTGTA
1561	TACCGGGAAG	CCCTGGGCCA	ACTTTTGGCG	AAAATGAGAC	GTTGATCGGC	ACGTAAGAGG
1621	TTCCAACCTT	CACCATAATG	AAATAAGATC	ACTACCGGGC	GTATTTTTTG	AGTTATCGAG
1681	ATTTTCAGGA	GCTAAGGAAG	CTAAAAATGA	GAAAAAATC	ACTGGATATA	CCACCGTTGA
1741	TATATCCCAA	TGGCATCGTA	AAGAACATTT	TGAGGCATTT	CAGTCAGTTG	CTCAATGTAC
1801	CTATAACCAG	ACCGTTCAGC	TGGATATTAC	GGCCTTTTTA	AAGACCGTAA	AGAAAAATAA
1861	GCACAAGTTT	TATCCGGCCT	TTATTCACAT	TCTTGCCCGC	CTGATGAATG	CTCATCCGGA
1921	ATTCCGTATG	GCAATGAAAG	ACGGTGAGCT	GGTGATATGG	GATAGTGTTC	ACCCTGTGTA
1981	CACCGTTTTT	CATGAGCAAA	CTGAAACGTT	TTATCGCTC	TGGAGTGAAT	ACCACGACGA
2041	TTTCCGGCAG	TTTCTACACA	TATATTCGCA	AGATGTGGCG	TGTTACGGTG	AAAACCTGGC
2101	CTATTTCCCT	AAAGGGTTTA	TTGAGAATAT	GTTTTTCTGC	TCAGCCAATC	CCTGGGTGAG
2161	TTTCACCAGT	TTTGATTATA	ACGTGGCCAA	TATGGACAAC	TTCTTCGCCC	CCGTTTTTAC
2221	CATGGGCAAA	TATTATACGC	AAGGCGACAA	GGTGCTGATG	CCGCTGGCGA	TTCAGGTTCA
2281	TCATGCCGTC	TGTGATGGCT	TCCATGTCGG	CAGAATGCTT	AATGAATTAC	AACAGTACTG
2341	CGATGAGTGG	CAGGGCGGGG	CGTAATCTAG	AGGATCCGGC	TTACTAAAAG	CCAGATAACA
2401	GTATGCGTAT	TTGCGCGCTG	ATTTTTGCGG	TATAAGAATA	TATACTGATA	TGTATACCGG-

FIGURE 413

2461 AAGTATGTCA AAAAGAGGTG TGCTATGAAG CAGCGTATTA CAGTGACAGT TGACAGCGAC
2521 AGCTATCAGT TGCTCAAGGC ATATATGATG TCAATATCTC CGGTCTGGTA AGCACAACCA
2581 TGCAGAAATGA AGCCCCGTCG CTGCGTGCCG AACGCTGGAA AGCGGAAAAT CAGGAAGGGA
2641 TGGCTGAGGT CGCCCCGTTT ATTGAAATGA ACGGCTCTTT TGCTGACGAG AACAGGGACT
2701 GGTGAAATGC AGTTTAAAGT TTACACCTAT AAAAGAGAGA GCCGTTATCG TCTGTTTGTG
2761 GATGTACAGA GTGATATTAT TGACACGCCC GGGCGACGGA TGGTGATCCC CCTGGCCAGT
2821 GCACGTCTGC TGTCAGATAA AGTCTCCCGT GAACTTTACC CGGTGGTGCA TATCGGGGAT
2881 GAAAGCTGGC GCATGATGAC CACCGATATG GCCAGTGTGC CGGTCTCCGT TATCGGGGAA
2941 GAAGTGGCTG ATCTCAGCCA CCGCGAAAAT GACATCAAAA ACGCCATTAA CCTGATGTTC
3001 TGGGGAATAT AAATGTCAGG CTCCCTTATA CACAGCCAGT CTGCAGGTCG ACCATAGTGA
3061 CTGGATATGT TGTGTTTTAC AGTATTATGT AGTCTGTTTT TTATGCAAAA TCTAATTAA
3121 TATATTGATA TTTATATCAT TTTACGTTTC TCGTTCAGCT TTCTTGTAACA AAGTGGTTTG
3181 ATGGCCGCTA AGTAAGTAAG ACGTCGAGCT CTAAGTAAGT AACGGCCGCC ACCGCGGTGG
3241 AGCTTTGGAC TTCTTCGCCA GAGGTTTGGT CAAGTCTCCA ATCAAGGTTG TCGGCTTGTC
3301 TACCTTGCCA GAAATTTACG AAAAGATGGA AAAGGGTCAA ATCGTTGGTA GATACGTTGT
3361 TGACACTTCT AAATAAGCGA ATTTCTTATG ATTTATGATT TTTATTATTA AATAAGTTAT
3421 AAAAAAATA AGTGTATACA AATTTAAAG TGACTCTTAG GTTTTAAAC GAAAATCTT
3481 ATTCTTGAGT AACTCTTCC TGTAGGTCAG GTTGCTTCT CAGGTATAGC ATGAGGTGCG
3541 TCTTATTGAC CACACCTCTA CCGGCATGCC GAGCAAATGC CTGCAAATCG CTCCCCATT
3601 CACCCAATTG TAGATATGCT AACTCCAGCA ATGAGTTGAT GAATCTCGGT GTGTATTTA
3661 TGTCTCAGA GGACAATACC TGTTGTAATC GTTCTTCCAC ACGGATCCCA ATTCCGCCA
3721 TAGTGAGTCG TATTACAATT CACTGGCCGT CGTTTACAA CGTCGTGACT GGGAAAACCC
3781 TGGCGTTACC CAACTTAATC GCCTTGACG ACATCCCCCT TTCGCCAGCT GGCCTAATAG
3841 CGAAGAGGCC CGCACCAGTC GCCCTTCCCA ACAGTTGCGC AGCCTGAATG GCGAATGGAC
3901 GCGCCCTGTA GCGGCGCATT AAGCGCGCG GGTGTGGTGG TTACGCGCAG CGTGACCGCT
3961 ACACTTGCCA GCGCCCTAGC GCCCGTCTCT TCGCTTCTCT TCCCTTCCCT TCTCGCCAGC
4021 TTCGCCGGCT TTCCCCGTC AAGCTCTAAAT CGGGGGCTCC CTTAGGGTT CCGATTTAGT
4081 GCTTTACGGC ACCTCGACCC CAAAAAATT GATTAGGGTG ATGGTTCACG TAGTGGGCCA
4141 TCGCCCTGAT AGACGGTTTT TCGCCCTTTG ACGTTGGAGT CCACGTTCTT TAATAGTGA
4201 CTCTTGTTCC AAACCTGGAAC AACACTCAAC CCTATCTCGG TCTATTCTTT TGATTTATAA
4261 GGGATTTTGC CGATTTCCGC CTATTGTTA AAAAATGAGC TGATTTAACA AAAATTTAAC
4321 GCGAATTTTA ACAAATATT AACGTTTACA ATTTCTGAT GCGGTATTTT CTCCTTACGC
4381 ATCTGTGCGG TATTTACAC CGCATATCGA CCGTGCAGG AGAATTCTA GTATATCCAC
4441 ATACCTAATA TTATTGCCTT ATTAATAATG GAATCGGAAC AATTACATCA AAATCCACAT
4501 TCTCTTCAA ATCAATTGTC CTGTACTTCC TTGTTTCATG GTGTTCAAAA ACGTTATATT
4561 TATAGGATAA TTATACTCTA TTTCTCAACA AGTAATTGGT TGTGTCGCG AGCGGTCTAA
4621 GCGCCTGAT TCAAGAAATA TCTTGACCGC AGTTAACTGT GGGAAATACTC AGGTATCGTA
4681 AGATGCAAGA GTTCGAATCT CTTAGCAACC ATTATTTTTT TCCTCAACAT AACGAGAACA
4741 CACAGGGGCG CTATCGCACA GAATCAAATT CGATGACTGG AAATTTTTTG TTAATTTAG
4801 AGGTGCGCTG ACGCATATAC CTTTTTCAAC TGAAAAATTG GGAGAAAAAG GAAAGGTGAG
4861 AGGCCGGAAC CGGCTTTTCA TATAGAATAG AGAAGCGTTC ATGACTAAAT GCTTGCATCA
4921 CAATACTTGA AGTTGACAAT ATTATTTAAG GACCTATTGT TTTTCCAAT AGGTGGTTAG
4981 CAATCGTCTT ACTTTCTAAC TTTTCTTACC TTTTACATT CAGCAATATA TATATATATT
5041 TCAAGGATAT ACCATTCTAA TGTCTGCCCC TATGTCTGCC CTAAGAAGA TCGTCGTTTT
5101 GCCAGGTGAC CACGTTGGTC AAGAAATCAC AGCCGAAGCC ATTAAGGTTT TAAAGCTAT
5161 TTCTGATGTT CGTTCCAATG TCAAGTTCGA TTTCGAAAAT CATTTAATTG GTGGTGCTGC
5221 TATCGATGCT ACAGGTGTCC CACTTCCAGA TGAGGCGCTG GAAGCTCCA AGAAGGTTGA
5281 TGCCGTTTTG TTAGGTGCTG TGGGTGGTCC TAAATGGGGT ACCGGTAGTG TTAGACCTGA
5341 ACAAGGTTTA CTAATAATCC GTAAAGAACT TCAATTGTAC GCCAACTTAA GACCATGTAA
5401 CTTTGTCATC GACTCTCTTT TAGACTTATC TCCAATCAAG CCACAATTTG CTAAGGTAC
5461 TGACTTCGTT GTTGTGAGAG AATTAGTGGG AGGTATTTAC TTTGGTAAGA GAAAGGAAGA
5521 CGATGGTGAT GGTGTGCTT GGGATAGTGA ACAATACACC GTTCCAGAAG TGCAAGAAT
5581 CACAAGAAAT GCCGCTTTCA TGGCCCTACA ACATGAGCCA CCATTGCCTA TTTGGTCTT
5641 GGATAAAGCT AATGTTTTGG CCTCTTCAAG ATTATGGAGA AAAACTGTGG AGGAAACCAT
5701 CAAGAACGAA TTCCCTACAT TGAAGGTTCA ACATCAATTG ATTGATTCTG CCGCATGAT
5761 CCTAGTTAAG AACCCAACCC ACCTAAATGG TATTATAATC ACCAGCAACA TGTTGGTGA
5821 TATCATCTCC GATGAAGCCT CCGTTATCCC AGGTTCCTTG GGTGTTGTC CATCTGCGTC
5881 CTTGGCCTCT TTGCCAGACA AGAACACCGC ATTTGGTTTG TACGAACCAT GCCACGGTTC-

Figure 41C

5941 TGCTCCAGAT TTGCCAAAGA ATAAGGTTGA CCTATCGCC ACTATCTTGT CTGCTGCAAT
6001 GATGTTGAAA TTGTCATTGA ACTTGCCTGA AGAAGGTAAG GCCATTGAAG ATGCAGTTAA
6061 AAAGGTTTTG GATGCAGGTA TCAGAACTGG TGATTTAGGT GGTTCACAAC GTACCACCGA
6121 AGTCGGTGAT GCTGTCGCCG AAGAAGTTAA GAAAATCCTT GCTTAAAAAG ATTCTCTTTT
6181 TTTATGATAT TTGTACATAA ACTTTATAAA TGAAATTCAT AATAGAAACG ACACGAAATT
6241 ACAAATGGA ATATGTTTCA AGGGTAGACG AAACATATA CGCAATCTAC ATACATTTAT
6301 CAAGAAGGAG AAAAAGGAGG ATAGTAAAGG AATACAGGTA AGCAAATTGA TACTAATGGC
6361 TCAACGTGAT AAGGAAAAAG AATTGCACCT TAACATTAAT ATTGACAAGG AGGAGGGCAC
6421 CACACAAAAA GTTAGGTGTA ACAGAAAATC ATGAAACTAC GATTCCTAAT TTGATATTGG
6481 AGGATTTTCT CTAAAAAAA AAAAATACAA CAAATAAAAA ACACTCAATG ACCTGACCAT
6541 TTGATGGAGT TTAAGTCAAT ACCTTCTTGA ACCATTTCCC ATAATGGTGA AAGTTCCCTC
6601 AAGAATTTTA CTCTGTCAGA AACGGCCTTA CGACGTAGTC GATATGGTGC ACTCTCAGTA
6661 CAATCTGCTC TGATGCCGCA TAGTTAAGCC AGCCCCGACA CCCGCCAACA CCCGCTGACG
6721 CGCCTGACG GGCTTGTCTG CTCCCGGCAT CCGCTTACAG ACAAGCTGTG ACCGCTCTCG
6781 GGAGCTGCAT GTGTCAGAGG TTTTCACCGT CATCACCGAA ACGCGCGAGA CGAAAGGGCC
6841 TCGTGATACG CCTATTTTTA TAGGTTAATG TCATGATAAT AATGGTTTCT TAGGACGGAT
6901 CGCTTGCTCG TAACCTACAC GCGCCTCGTA TCTTTTAAATG ATGGAATAAT TTGGGAATTT
6961 ACTCTGTGTT TATTTATTTT TATGTTTTGT ATTTGGATTT TAGAAAGTAA ATAAAGAAGG
7021 TAGAAGAGTT ACGGAATGAA GAAAAAATAA TAAACAAAGG TTTAAAAAT TTCAACAAAA
7081 AGCGTACTTT ACATATATAT TTATTAGACA AGAAAAGCAG ATTAATAGA TATACATTCTG
7141 ATTAACGATA AGTAAAATGT AAAATCACAG GATTTTCGTG TGTGGTCTTC TACACAGACA
7201 AGATGAAACA ATTCGGCATT AATACCTGAG AGCAGGAAGA GCAAGATAAA AGGTAGTATT
7261 TGTTGCGGAT CCCCTAGAG TCTTTTACAT CTTCGGAATA CAAAACTAT TTTTCTTTA
7321 ATTTCTTTTT TTACTTTCTA TTTTAAATTT ATATATTTAT ATTAATAAAT TTAAATATA
7381 ATTATTTTTA TAGCACGTGA TGAAAAGGAC CCAGGTGGCA CTTTTCGGGG AAATGTGCGC
7441 GGAACCCCTA TTTGTTTATT TTTCTAAATA CATTCAAATA TGTATCCGCT CATGAGACAA
7501 TAACCTGAT AAATGCTTCA ATAATCTGCA GCTCTGCCCC GTGTCTCAA ATCTCTGATG
7561 TTACATTGCA CAAGATAAAA ATATATCATC ATGAACAATA AAACGTGCTG CTTACATAAA
7621 CAGTAATACA AGGGGTGTTA TGAGCCATAT TCAACGGGAA ACGTCTTGCT GGAGGCCCGG
7681 ATTAATATCC AACATGGATG CTGATTTATA TGGGTATAAA TGGGCTCGCG ATAATCTCGG
7741 GCAATCAGGT GCGACAATCT TTCGATTGTA TGGGAAGCCC GATGCGCCAG AGTTGTTTCT
7801 GAAACATGGC AAAGGTAGCG TTGCCAATGA TGTTACAGAT GAGATGGTCA GACTAAACTG
7861 GCTGACGGAA TTTATGCCTC TTCCGACCAT CAAGCATTTT ATCCGTACTC CTGATGATGC
7921 ATGGTTACTC ACCACTGCGA TCCGCGGGAA AACAGCATT CAGGTATTAG AAGAATATCC
7981 TGATTCAAGT GAAAATATTG TTGATGCGCT GGCAGTGTTC CTGCGCCGGT TGCATTGAT
8041 TCCTGTTTGT AATTGTCTTT TTAACAGCGA TCGCGTATTT CGTCTCGCTC AGGCGCAATC
8101 ACCGAATGAAT AACGGTTTGG TTGATGCGAG TGATTTTGAT GACGAGCGTA ATGGCTGGCC
8161 TGTTGAACAA GTCTGGAAG AAATGCATAC GCTTTTGCCA TTCTACCCGG ATTCAGTCGT
8221 CACTCATGGT GATTTCTCAC TTGATAACCT TATTTTGTAC GAGGGGAAAT TAATAGGTTG
8281 TATTGATGTT GGACGAGTCG GAATCGCAGA CCGATACCAG GATCTTGCCA TCCTATGGAA
8341 CTGCCTCGGT GAGTTTTCTC CTTCAATTACA GAAACGGCTT TTTCAAAAAT ATGGTATTGA
8401 TAATCCTGAT ATGAATAAAT TGCAGTTTCA TTTGATGCTC GATGAGTTTT TCTAATCAGA
8461 ATTGGTTAAT TGGTTGTAAC ACTGGCAGAG CATTACGCTG ACTTGACGGG ACGGCGCATG
8521 ACCAAAATCC CTTAACGTGA GTTTTCGTTT CACTGAGCGT CAGACCCCGT AGAAAAGATC
8581 AAAGGATCTT CTTGAGATCC TTTTTTCTG CGCGTAATCT GCTGCTTGCA AACAAAAAAA
8641 CCACCGCTAC CAGCGGTGGT TTGTTTGCCG GATCAAGAGC TACCAACTCT TTTTCCGAAG
8701 GTAACCTGGT TCAGCAGAGC GCAGATACCA AATACTGTCC TTCTAGTGTA GCCGTAGTTA
8761 GGCCACCACT TCAAGAACTC TGTAGCACCG CCTACATACC TCGCTCTGCT AATCCTGTTA
8821 CCAGTGGCTG CTGCCAGTGG CGATAAGTCG TGTCTTACCG GGTGGACTC AAGACGATAG
8881 TTACCGGATA AGGCGCAGCG GTCGGGCTGA ACGGGGGGTT CGTGACACA GCCCAGCTTG
8941 GAGCGAAGCA CTTACACCGA ACTGAGATAC CTACAGCGTG AGCATTGAGA AAGCGCCACG
9001 CTTCCCGAAG GGAGAAAGGC GGAGAGGTAT CCGGTAAGCG GCAGGGTCCG AACAGAGAG
9061 CGCACGAGGG AGCTTCCAGG GGGGAACGCC TGGTATCTTT ATAGTCTGT CGGGTTTTCG
9121 CACCTCTGAC TTGAGCGTCG ATTTTGTGTA TGCTCGTCAG GGGGGCCGAG CCTATGGAAA
9181 AACGCCAGCA ACGCGGCCCT TTTACGGTTC CTGGCCTTTT GCTGGCCTTT TGCTCACATG
9241 TTCTTTCTCT CGTTATCCCC TGATTCTGTG GATAACCGTA TTACCGCCTT TGAGTGAGCT
9301 GATACCGCTC GCCGCAGCCG AACGACCGAG CGCAGCGAGT CAGTGAGCGA GGAAGCGGAA
9361 GAGCGCCCAA TACGCAAACC GCCTCTCCCC GCGCGTTGGC CGATTCATTA ATGCAGCTGG-

FIGURE 41D

115/240

9421 CACGACAGGT TTCCCGACTG GAAAGCGGGC AGTGAGCGCA ACGCAATTAA TGTGAGTTAC
9481 CTCACTCATT AGGCACCCCA GGCTTTACAC TTTATGCTTC CGGCTCCTAT GTTGTGTGGA
9541 ATTGTGAGCG GATAACAATT TCACACAGGA AACAGCTATG ACCATGATTA CGCCAAGCTC
9601 GGAATTAACC CTCACTAAAG GGAACAAAAG CTGGTACCGA TCCCGAGCTT TGCAAATTAA
9661 AGCCTTCGAG CGTCCCAAAA CCTTCTCAAG CAAGGTTTTT AGTATAATGT TACATGCGTA
9721 CACGCGTCTG TACAGAAAAA AAAGAAAAAT TTGAAATATA AATAACGTTT TTAATACTAA
9781 CATAACTATA AAAAAATAAA TAGGGACCTA GACTTCAGGT TGTCTAACTC CTTCCTTTTT
9841 GGTTAGAGCG GATGTGGGGG GAGGGCGTGA ATGTAAGCGT GACATAACTA ATTACATGAT
9901 ATCGACAAAG GAAAAGGGGC CTGTTTACTC ACAGGCTTTT TTCAAGTAGG TAATTAAGTC
9961 GTTCTGTCT TTTTCTTCT TCAACCCACC AAAGGCCATC TTGGTACTTT TTTTTTTTTT
10021 TTTTTTTTTT TTTTTTTTTT TTTTTTTTTT TTTTTTTTTT TTTTTTTTTT TTTTTTTTTT
10081 TTTTTTTTTT TTTTTTTTTT TCATAGAAAT AATACAGAAG TAGATGTTGA ATTAGATTAA
10141 ACTGAAGATA TATAATTTAT TGGAAAATAC ATAGAGCTTT TTGTTGATGC GCTTAAGCGA
10201 TCAATTCAAC AACACCACCA GCAGCTCTGA TTTTTTCTTC AGCCAACCTG GAGACGAATC
10261 TAGCTTTGAC GATAACTGGA ACATTTGGAA TTCTACCCTT ACCCAAGATC TTACCCTAAC
10321 CGGCTGCCAA AGTGTCAATA ACTGGAGCAG TTTCTTAGA AGCAGATTTC AAGTATTGGT
10381 CTCTCTGTG TCTGCGGATC AATGTCCACA ATTTGTCCAA GTTCAAGACT GGCTTCCAGA
10441 AATGAGCTTG TTGCTTGTGG AAGTATCTCA TACCAACCTT ACCGAAATAA CCTGGATGGT
10501 ATTTATCCAT GTTAATTCTG TGGTGTGTT GACCACCGGC CATACCTCTA CCACCGGGGT
10561 GCTTCTGTG CTTACCGATA CGACCTTTAC CGGCTGAGAC GTGACCTCTG TGCTTTCTAG
10621 TCTTAGTGAA TCTGGAAGGC ATTCTTGATT AGTTGGATGA TTGTTCTGGG ATTTAATGCA
10681 AAAATCACTT AAGAAGGAAA ATCAACGGAG AAAGCAAACG CCATCTTAAA TATACGGGAT
10741 ACAGATGAAA GGGTTTGAAC CTATCTGGAA AATAGCATT AACAAGCGAA AAAGTCCGAG
10801 GAAAATTGTT TGCCTCTCTG CGGGCTATTC ACGCGCCAGA GGAAAATAGG AAAAATAACA
10861 GGGCATTAGA AAAATAATTT TGATTTTGGT AATGTGTGGG TCCTGGTGTA CAGATGTTAC
10921 ATTGGTTACA GTACTCTTGT TTTTGTGTG TTTTTCGATG AATCTCCAAA ATGGTTGTTA
10981 GCACATGGAA GAGTCACCGA TGCTAAGTTA TCTCTATGTA AGCTACGTGG CGTGACTTTT
11041 GATGAAGCCG CACAAGAGAT ACAGGATTGG CAACTGCAAA TAGAATCTGG GGATCCCCC
11101 TCGAGATCCG GGATCGAAGA AATGATGGTA AATGAAATAG GAAATCAAGG AGCATGAAGG
11161 CAAAAGACAA ATATAAGGGT CGAACGAAAA ATAAAGTGAA AAGTGTGAT ATGATGTATT
11221 TGGCTTTGCG GCGCCGAAAA AACGAGTTTA CGCAATTGCA CAATCATGCT GACTCTGTGG
11281 CGGACCCGCG CTCTTGCCGG CCCGGCGATA ACGCTGGGCG TGAGGCTGTG CCCGGCGGAG
11341 TTTTTTGCGC CTGCATTTTC CAAGGTTTAC CCTGCGCTAA GGGGCGAGAT TGGAGAAGCA
11401 ATAAGAATGC CGGTTGGGGT TGCGATGATG ACGACCACGA CAACTGGTGT CATTATTTAA
11461 GTTGCCGAAA GAACCTGAGT GCATTTGCAA CATGAGTATA CTAGAAGAAT GAGCCAAGAC
11521 TTGCGAGACG CGAGTTTGCC GGTGGTGCGA ACAATAGAGC GACCATGACC TTGAAGGTGA
11581 GACGCGCATA ACCGCTAGAG TACTTTGAAG AGGAAACAGC AATAGGGTTG CTACCAGTAT
11641 AAATAGACAG GTACATACAA CACTGGAAAT GGTGTCTGT TTGAGTACGC TTTCAATTCA
11701 TTTGGGTGTG CAC

FIGURE 415

Figure 42A:

pDEST22

2-Hybrid Vector with
Activation Domain

657 acg cac act act ctc taa tga gca acg gta tac ggc ctt cct tcc agt tac
tgc gtg tga tga gag att act cgt tgc cat atg ccg gaa gga agg tca atg

708 ttg aat ttg aaa taa aaa aag ttt gcc gct ttg cta tca agt ata aat aga
aac tta aac ttt att ttt ttc aaa cgg cga aac gat agt tca tat tta tct

759 cct gca att att aat ctt ttg ttt cct cgt cat tgt tct cgt tcc ctt tct
gga cgt taa taa tta gaa aac aaa gga gca gta aca aga gca agg gaa aga


810 *ADH Promoter*
"ccc/ttg ttt ttt ttt ctc cat att att tca agc tat acc aag cat acc atc"
"agg aac aaa gaa aaa gac ctg tta taa agt tgc ata tgg ttc gta tct tag"

861 *GAL4-AD*
"aac/ttc aag ctt atg ccc aag aag aag cgg aag gtc tgc agc ggc gcc aat"
"ctg agg ttc gaa tac ggg ttc ttc ttc gcc ttc cag agc tgc ccg cgg ttg"
Start Translation

1218 gaa gat acc cca cca aac cca aaa aaa gag ggt ggt tgc aat caa *D G G S N Q T S* *aca agt*
ctt cta tgg ggt ggt ttg ggt ttt ttt ctc cca ccc agc tta gtt *tgt tca*

1269 *LYKKAA*
"ttg tac aaa aaa gct gaa cga gaa acg taa a"
"aac atg ttt ttt cga ctt gct ctt tgc att t"

Intv



117/240

pDEST22 8923 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
904..1248		GAL4 AD
1388..1264		attR1
1638..2297		CmR
2417..2501		inactivated ccdA
2639..2944		ccdB
2985..3109		attR2
3831..4318		f1 (f1 intergenic region)
4334..5176		TRP1
6110..7194		ampR
8344..866		pADH (yeast ADH promoter)

1	TTCATTG	GGG	TGTGCACTTT	ATTATGTTAC	AATATGGAAG	GGAACTTTAC	ACTTCTCCTA
61	TGCACATATA	TTAATTAAAG	TCCAATGCTA	GTAGAGAAGG	GGGGTAACAC	CCCTCCGCGC	
121	TCCTTTCCGA	TTTTTTTCTA	AACCGTGGAA	TATTTTCGGAT	ATCCTTTTGT	TGTTTTCCGGG	
181	TGTACAATAT	GGACTTCCTC	TTTTCTGGCA	ACCAAACCCA	TACATCGGGA	TTCTATAAT	
241	ACCTTCGTTG	GTCTCCCTAA	CATGTAGGTG	GCGGAGGGGA	GATATACAAT	AGAACAGATA	
301	CCAGACAAGA	CATAATGGGC	TAAACAAGAC	TACACCAATT	ACACTGCCTC	ATTGATGGTG	
361	GTACATAACG	AACTAATACT	GTAGCCCTAG	ACTTGATAGC	CATCATCATA	TGGAAGTTTC	
421	ACTACCCCTT	TTCCATTTCG	CATCTATTGA	AGTAATAATA	GGCGCATGCA	ACTTCTTTTC	
481	TTTTTTTTTC	TTTTCTCTCT	CCCCCGTGT	TGTCTCACCA	TATCCGCAAT	GACAAAAAAA	
541	ATGATGGAAG	ACACTAAAGG	AAAAAATTAA	CGACAAAGAC	AGCACCAACA	GATGTCGTTG	
601	TTCCAGAGCT	GATGAGGGGT	ATCTTCGAAC	ACACGAAACT	TTTTCTTCC	TTCATTACCG	
661	CACACTACTC	TCTAATGAGC	AACGGTATAC	GGCCTTCCTT	CCAGTTACTT	GAATTTGAAA	
721	TAAAAAAGT	TTGCCGCTTT	GCTATCAAGT	ATAAATAGAC	CTGCAATTAT	TAATCTTTTG	
781	TTTCCTCGTC	ATTGTTCTCG	TTCCCTTTCT	TCCTTGTTTC	TTTTTCTGCA	CAATATTTCA	
841	AGCTATACCA	AGCATACAAT	CAACTCCAAG	CTTATGCCCA	AGAAGAAGCG	GAAGGTCCTG	
901	AGCGGCGCCA	ATTTAATCA	AAGTGGGAAT	ATTGCTGATA	GCTCATTGTC	CTTCACTTTT	
961	ACTAACAGTA	GCAACGGTCC	GAACCTCATA	ACAACTCAAA	CAAATTCTCA	AGCGCTTTCA	
1021	CAACCAATTG	CCTCCTCTAA	CGTTCATGAT	AACTTCATGA	ATAATGAAAT	CACGGCTAGT	
1081	AAAATTGATG	ATGGTAATAA	TTCAAAACCA	CTGTACCTG	GTTGGACGGA	CCAAACTGCG	
1141	TATAACGCGT	TTGGAATCAC	TACAGGGATG	TTTAATACCA	CTACAATGGA	TGATGTATAT	
1201	AACTATCTAT	TCGATGATGA	AGATAACCCA	CCAAACCCAA	AAAAAGAGGG	TGGGTGCAAT	
1261	CAACAAGTT	TGTACAAAAA	AGCTGAACGA	GAAACGTAAA	ATGATATAAA	TATCAATATA	
1321	TTAAATTAGA	TTTTGCATAA	AAAACAGACT	ACATAATACT	GTAAAAACACA	ACATATCCAG	
1381	TCATATGGC	GGCCGCTAAG	TTGGCAGCAT	CACCCGACGC	ACTTTGCGCC	GAATAAATAC	
1441	CTGTGACGGA	AGATCACTTC	GCAGAATAAA	TAAATCCTGG	TGTCCCTGTT	GATACCGGGA	
1501	AGCCCTGGGC	CAACTTTTGG	CGAAAATGAG	ACGTTGATCG	GCACGTAAGA	GTTTCCAAC	
1561	TTCACCATAA	TGAAATAAGA	TCACTACCGG	GCGTATTTTT	TGAGTTATCG	AGATTTTCAG	
1621	GAGCTAAGGA	AGCTAAAATG	GAGAAAAAAA	TCACTGGATA	TACCACCGTT	GATATATCCC	
1681	AATGGCATCG	TAAAGAACAT	TTTGAGGCAT	TTCAGTCAGT	TGCTCAATGT	ACCTATAACC	
1741	AGACCGTTCA	GCTGGATATT	ACGGCCTTTT	TAAAGACCGT	AAAGAAAAAT	AAGCACAAAT	
1801	TTTATCCGGC	CTTTATTCAC	ATTCTTGCCC	GCCTGATGAA	TGCTCATCCG	GAATTCCGTA	
1861	TGGCAATGAA	AGACGGTGAG	CTGGTGATAT	GGGATAGTGT	TCACCCTTGT	TACACCGTTT	
1921	TCCATGAGCA	AACTGAAACG	TTTTCATCGC	TCTGGAGTGA	ATACCACGAC	GATTTCCGGC	
1981	AGTTTCTACA	CATATATTCG	CAAGATGTGG	CGTGTACGG	TGAAAACCTG	GCTTATTTCC	
2041	CTAAAGGGTT	TATTGAGAAT	ATGTTTTTCG	TCTCAGCCAA	TCCTTGGGTG	AGTTTCAACCA	
2101	GTTTTGATTT	AAACGTGGCC	AATATGGACA	ACTTCTTCGC	CCCCGTTTTT	ACCATGGGCA	
2161	AATATTATAC	GCAAGGCGAC	AAGGTGCTGA	TGCCGCTGGC	GATTCAGGTT	CATCATGCCG	
2221	TCTGTGATGG	CTTCCATGTC	GGCAGAATGC	TTAATGAATT	ACAACAGTAC	TGCGATGAGT	
2281	GGCAGGCGCG	GGCGTAATCT	AGAGGATCCG	GCTTACTAAA	AGCCAGATAA	CAGTATGCGT	
2341	ATTTGCGCGC	TGATTTTTGC	GGTATAAGAA	TATATACTGA	TATGTATACC	CGAAGTATGT	
2401	CAAAAAGAGG	TGTGCTATGA	AGCAGCGTAT	TACAGTGACA	GTTGACAGCG	ACAGCTATCA	
2461	GTTGCTCAAG	GCATATATGA	TGTCAATATC	TCCGGTCTGG	TAAGCACAAAC	CATGCAGAAT	
2521	GAAGCCCGTC	GTCTGCGTGC	CGAACGCTGG	AAAGCGGAAA	ATCAGGAAGG	GATGGCTGAG-	

FIGURE 425

2581 GTCGCCCCGT TTATTGAAAT GAACGGCTCT TTTGCTGACG AGAACAGGGA CTGGTGAAAT
2641 GCAGTTTAAG GTTACACCT ATAAAAGAGA GAGCCGTTAT CGTCTGTTTG TGGATGTACA
2701 GAGTGATATT ATTGACACGC CCGGGCGACG GATGGTGATC CCCCTGGCCA GTGCACGTCT
2761 GCTGTCAGAT AAAGTCTCCC GTGAACTTTA CCCGGTGGTG CATATCGGGG ATGAAAGCTG
2821 GCGCATGATG ACCACCGATA TGGCCAGTGT GCCGTCTCC GTTATCGGGG AAGAAGTGGC
2881 TGATCTCAGC CACCGCGAAA ATGACATCAA AAACGCCATT AACCTGATGT TCTGGGGAAT
2941 ATAAATGTCA GGCTCCCTTA TACACAGCCA GTCTGCAGGT CGACCATAGT GACTGGATAT
3001 GTTGTGTTTT ACAGTATTAT GTAGTCTGTT TTTTATGCAA AATCTAATTT AATATATTGA
3061 TATTTATATC ATTTTACGTT TCTCGTTTCA CTTTCTTGTA CAAAGTGGTT TGATGGCCGC
3121 TAAGTAAGTA AGACGTCGAG CTCTAAGTAA GTAACGCCG CCACCGCGGT GGAGCTTTGG
3181 ACTTCTTCGC CAGAGGTTTG GTCAAGTCTC CAATCAAGGT TGTCGGCTTG TCTACCTTGC
3241 CAGAAATTTA CGAAAAGATG GAAAAGGGTC AAATCGTTGG TAGATACGTT GTTGACACTT
3301 CTAAATAAGC GAATTTCTTA TGATTTATGA TTTTATTAT TAAATAAGTT ATAAAAA
3361 TAAGTGTATA CAAATTTTAA AGTGA CTCTT AGGTTTTTAAA ACGAAAATTC TTATTCTTGA
3421 GTAACCTCTT CCTGTAGGTC AGGTTGCTTT CTCAGGTATA GCATGAGGTC GCTCTTATTG
3481 ACCACACCTC TACCGGCATG CCGAGCAAAT GCCTGCAAAT CGCTCCCAT TTACCCCAAT
3541 TGTAGATATG CTAAGTCCAG CAATGAGTTG ATGAATCTCG GTGTGTATTT TATGTCCTCA
3601 GAGGACAATA CCTGTTGTAA TCGTTCTTCC ACACGGATCC CAATTCGCCC TATAGTGAGT
3661 CGTATTACAA TTCCTGGCC GTCGTTTTAC AACGTCGTGA CTGGGAAAAC CCTGGCGTTA
3721 CCAACTTAA TCGCCTTGCA GCACATCCCC CTTTCGCCAG CTGGCGTAAT AGCGAAGAGG
3781 CCCGCACCGA TCGCCTTCC CAACAGTTGC GCAGCCTGAA TGGCGAATGG ACGCGCCCTG
3841 TAGCGGCGCA TTAAGCGCGG CGGGTGTGGT GGTTACGCGC AGCGTGACCG CTACACTTGC
3901 CAGCGCCCTA GCGCCCGCTC CTTTCGCTTT CTTCCCTTCC TTTCTGCGCA CGTTCGCGG
3961 CTTTCCCGGT CAAGCTCTAA ATCGGGGGCT CCGTTTAGGG TTCCGATTTA GTGCTTTACG
4021 GCACCTCGAC CCCAAAAAAC TTGATTAGGG TGATGGTTCA CGTAGTGGGC CATCGCCCTG
4081 ATAGACGGTT TTTGCGCCTT TGACGTTGGA GTCCACGTTT TTTAATAGTG GACTCTTGTT
4141 CCAAACTGGA ACAACACTCA ACCCTATCTC GGTCTATTCT TTTGATTAT AAGGGATTTT
4201 GCCGATTTG GCCTATTGGT TAAAAAATGA GCTGATTAA CAAAAATTTA ACGCGAATTT
4261 TAACAAAATA TTAACGTTTA CAATTTCTCTG ATGCGGTATT TTCTCCTTAC GCATCTGTGC
4321 GGTATTTTAC ACCGCAGGCA AGTGACAAA CAATACTTAA ATAAATACTA CTCAGTAATA
4381 ACCTATTTCT TAGCATTTT GACGAAATTT GCTATTTTGT TAGAGTCTTT TACACATTT
4441 GTCCTCCAC ACCTCCGTTAC ATCAACACCA ATAACGCCAT TTAATCTAAG CGCATCACCA
4501 ACATTTTCTG GCGTCAGTCC ACCAGCTAAC ATAAATGTAA AGCTTTCGGG GCTCTCTTGC
4561 CTTCCAACCC AGTCAGAAAT CGAGTTCCAA TCCAAAAGTT CACCTGTCCC ACCTGCTTCT
4621 GAATCAAACA AGGGAATAAA CGAATGAGGT TTCTGTGAAG CTGCACTGAG TAGTATGTTG
4681 CAGTCTTTTG GAAATACGAG TCTTTTAATA ACTGGCAAAC CGAGGAACTC TTGGTATTCT
4741 TGCCACGACT CATCTCCATG CAGTTGGACG ATATCAATGC CGTAATCATT GACCAGAGCC
4801 AAAACATCCT CCTTAGGTTG ATTACGAAAC ACGCCAACCA AGTATTTGCG AGTGCCCTGAA
4861 CTATTTTAT ATGCTTTTAC AAGACTTGAA ATTTTCTTG CAATAACCG GTCAATTTGT
4921 CTCTTTCTAT TGGGCACACA TATAATACCC AGCAAGTCAG CATCGGAATC TAGAGCACAT
4981 TCTGCGGCT CTGTGCTCTG CAAGCCGCAA ACTTTCACCA ATGGACCAGA ACTACCTGTG
5041 AAATTAATAA CAGACATACT CCAAGCTGCC TTTGTGTGCT TAATCACGTA TACTCACGTG
5101 CTCAATAGTC ACCAATGCCC TCCCTCTTGG CCTCTCTCT TTCTTTTTTC GACCGAATTA
5161 ATTCTTAATC GGCAAAAAA GAAAAGCTCC GGATCAAGAT TGTACGTAAG GTGACAAGCT
5221 ATTTTTCAT AAAGAATATC TTCCACTACT GCCATCTGGC GTCATACTG CAAAGTACAC
5281 ATATATTACG ATGCTGTCTA TTAATGCTT CCTATATTAT ATATATAGTA ATGTCGTTTA
5341 TGGTGCACTC TCAGTACAAT CTGCTCTGAT GCCGCATAGT TAAGCCAGCC CCGACACCCG
5401 CCAACACCCG CTGACGCGCC CTGACGGGCT TGTCTGCTCC CGGCATCCGC TTACAGACAA
5461 GCTGTGACCG TCTCCGGGAG CTGCATGTGT CAGAGGTTTT CACCGTCATC ACCGAAACGC
5521 GCGAGACGAA AGGGCCTCGT GATACGCTTA TTTTATAGG TTAATGTCAT GATAATAATG
5581 GTTCTTAGG ACGGATCGCT TGCTGTAAAC TTACACGCGC CTCGTATCTT TTAATGATGG
5641 AATAATTTGG GAATTTACTC TGTGTTTATT TATTTTATG TTTTGTATTT GGATTTTAGA
5701 AAGTAAATAA AGAAGGTAGA AGAGTTACGG AATGAAGAAA AAAAAATAA CAAAGGTTTA
5761 AAAAAATTTA AAAAAAGCG TACTTTACAT ATATATTTAT TAGACAAGAA AAGCAGATTA
5821 AATAGATATA CATTGATTA AATGTAAGTA AATGTAAGTA TCACAGGATT TTCGTGTGTG
5881 GTCTTCTACA CAGACAAGAT GAAACAATTC GGCATTAATA CCTGAGAGCA GGAAGAGCAA
5941 GATAAAAGGT AGTATTTGTT GGCATCCCC CTAGAGTCTT TTACATCTC GGAACACAA
6001 AACTATTTTT TCTTTAATTT CTTTTTTTAC TTTCTATTTT TAATTTATAT ATTTATATTA-

FIGURE 42C

119/240

6061 AAAAATTTAA ATTATAATTA TTTTATAGC ACGTGATGAA AAGGACCCAG GTGGCACTTT
6121 TCGGGGAAAT GTGCGCGGAA CCCCTATTTG TTTATTTTTC TAAATACATT CAAATATGTA
6181 TCCGCTCATG AGACAATAAC CCTGATAAAT GCTTCAATAA TATTGAAAAA GGAAGAGTAT
6241 GAGTATTCAA CATTTCCGTG TCGCCCTTAT TCCCTTTTTT GCGGCATTTT GCCTTCCTGT
6301 TTTTGCTCAC CCAGAAACGC TGGTGAAAGT AAAAGATGCT GAAGATCAGT TGGGTGCACG
6361 AGTGGGTTAC ATCGAACTGG ATCTCAACAG CGGTAAGATC CTTGAGAGTT TTCGCCCCGA
6421 AGAACGTTTT CCAATGATGA GCACTTTTAA AGTTCTGCTA TGTGGCGCGG TATTATCCCG
6481 TATTGACGCC GGGCAAGAGC AACTCGGTG CCGCATACAC TATTCTCAGA ATGACTTGGT
6541 TGAGTACTCA CCAGTCACAG AAAAGCATCT TACGGATGGC ATGACAGTAA GAGAATTATG
6601 CAGTGCTGCC ATAACCATGA GTGATAACAC TGCGGCCAAC TTACTTCTGA CAACGATCGG
6661 AGGACCGAAG GAGCTAACCG CTTTTTTTCA CAACATGGGG GATCATGTAA CTCGCCTTGA
6721 TCGTTGGGAA CCGGAGCTGA ATGAAGCCAT ACCAAACGAC GAGCGTGACA CCACGATGCC
6781 TGTAGCAATG GCAACAACGT TCGGCAAACT ATTAAGTGGC GAACTACTTA CTCTAGCTTC
6841 CCGGCAACAA TTAATAGACT GGATGGAGGC GGATAAAGTT GCAGGACCAC TTCTGCGCTC
6901 GGCCCTTCCG GCTGGCTGGT TTATTGCTGA TAAATCTGGA GCCGGTGAGC GTGGGTCTCG
6961 CGGTATCATT GCAGCACTGG GGCCAGATGG TAAGCCCTCC CGTATCGTAG TTATCTACAC
7021 GACGGGCAGT CAGGCACTA TGGATGAACG AAATAGACAG ATCGCTGAGA TAGGTGCCTC
7081 ACTGATTAAG CATTGGTAAC TGTCAGACCA AGTTTACTCA TATATACTTT AGATTGATTT
7141 AAAACTTCAT TTTTAATTTA AAAGGATCTA GGTGAAGATC CTTTTTGATA ATCTCATGAC
7201 CAAAATCCCT TAACGTGAGT TTTGTTCCA CTGAGCGTCA GACCCCGTAG AAAAGATCAA
7261 AGGATCTTCT TGAGATCCTT TTTTCTGCG CGTAATCTGC TGCTTGCAA CAAAAAACC
7321 ACCGCTACCA GCGGTGTTTT GTTTGCCGGA TCAAGAGCTA CCAACTCTTT TTCCGAAGGT
7381 AACTGGCTTC AGCAGAGCGC AGATACCAA TACTGTCTTT CTAGTGTAGC CGTAGTTAGG
7441 CCACCACTTC AAGAACTCTG TAGCACCGCC TACATACCTC GCTCTGCTAA TCCTGTTACC
7501 AGTGGCTGCT GCCAGTGGCG ATAAGTCTGT TCTTACCGGG TTGGACTCAA GACGATAGTT
7561 ACCGGATAAG GCGCAGCGGT CGGGCTGAAC GGGGGGTTCC TGACACAGC CCAGCTTGGA
7621 GCGAACGACC TACACCGAAC TGAGATACCT ACAGCGTGAG CATTGAGAAA GCGCCACGCT
7681 TCCCGAAGGG AGAAAGGCGG ACAGGTATCC GGTAAGCGGC AGGGTCGGAA CAGGAGAGCG
7741 CACGAGGGAG CTTCCAGGGG GGAACGCCCTG GTATCTTTAT AGTCCTGTCT GGTTCGCCA
7801 CCTCTGACTT GAGCGTCGAT TTTTGTGATG CTCGTCAGGG GGGCCGAGCC TATGGAAAAA
7861 CGCCAGCAAC GCGGCCTTTT TACGGTTTCT GGCCTTTTGC TGGCCTTTTG CTCACATGTT
7921 CTTTCCTGCG TTATCCCCTG ATTCTGTGGA TAACCGTATT ACCGCTTTTG AGTGAGCTGA
7981 TACCGCTCGC CGCAGCCGAA CGACCGAGCG CAGCGAGTCA GTGAGCGAGG AAGCGGAAGA
8041 GCGCCCAATA CGCAAACCGC CTCTCCCCGC GCGTTGGCCG ATTCATTAAT GCAGCTGGCA
8101 CGACAGGTTT CCCGACTGGA AAGCGGGCAG TGAGCGCAAC GCAATTAATG TGAGTTACCT
8161 CACTCATTAG GCACCCCAAG CTTTACACTT TATGCTTCCG GCTCCTATGT TGTGTGGAAT
8221 TGTGAGCGGA TAACAATTTT ACACAGGAAA CAGCTATGAC CATGATTACG CCAAGCTCGG
8281 AATTAACCTT CACTAAAGGG AACAAAAGCT GGGTACCGGG CCCCCCTCG AGATCCGGGA
8341 TCGAAGAAAT GATGGTAAAT GAAATAGGAA ATCAAGGAGC ATGAAGGCAA AAGACAAATA
8401 TAAGGGTCGA ACGAAAAATA AAGTGAAAAG TGTTGATATG ATGTATTTGG CTTTGCGGCG
8461 CCGAAAAAAC GAGTTTACGC AATTGCACAA TCATGCTGAC TCTGTGGCGG ACCCGCGCTC
8521 TTGCCGGCCC GCGGATAACG CTGGGCGTGA GGCTGTGCCC GGCGGAGTTT TTGCGCCTG
8581 CATTTTCCAA GGTTTACCCT GCGCTAAGGG GCGAGATTGG AGAAGCAATA AGAATGCCGG
8641 TTGGGGTTGC GATGATGACG ACCACGACAA CTGGTGTCTAT TATTTAAGTT GCCGAAAGAA
8701 CCTGAGTGCA TTTGCAACAT GAGTATACTA GAAGAATGAG CCAAGACTTG CGAGACGCGA
8761 GTTTGCCGGT GGTGCGAACA ATAGAGCGAC CATGACCTTG AAGGTGAGAC GCGCATAACC
8821 GCTAGAGTAC TTTGAAGAGG AAACAGCAAT AGGGTTGCTA CCAGTATAAA TAGACAGGTA
8881 CATACAACAC TGGAAATGGT TGTCTGTTTG AGTACGCTTT CAA

FIGURE 42A

120/240

pDEST23

His6 carboxy-fusion vector, T7 promoter

205 atc ccg cga aat taa tac gac tca cta tag gga gat cac aac ggt ttc cct
 tag ggc gct tta att atg ctg agt gat atc cgt ctg gtg ttg cca aag gga
 256 cta gat cac aag ttt gta caa aaa agc tga acg aga aac gta aaa tga tat
 gat cta gtc ttc aaa cat gtt tct tcc act tgc tct ttg cat ttt act ata

T7 Promoter → MRNA
 att R2
 att R1
 Cm^R ccd B

1888 ttt tta tgo aaa ato taa ttt aat ata ttg ata ttt ata tca ttt tao gtt
 aaa aat acg ttt tag att aaa tta tat aac tat aaa tat agt aaa atg caa
 1939 tct cgt tca gct ttc ttg tac aaa gtg gtg att atg tgc tac tac cat cac
 aga gca agt cga aag aac atg ttt oac cac taa tao agc atg atg gta gtg
 1990 cat cac cat cac ctc gat gag caa taa cta gca taa ccc ctt ggg goc tct
 gta gta gta gta gag cta ctc gtt att gat cgt att ggg gaa ccc cgg aga

att R2 A F L Y K V Y I M S Y Y H H
 H H H H L D E V Q term His6




FIGURE 43A

pDEST23 6264 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
285..161		attR1
394..1053		CmR
1173..1257		inactivated ccdA
1395..1700		ccdB
1741..1865		attR2
1883..1911		his6
2574..3434		ampR
3583..4222		ori

1	TCTTCCCCAT	CGGTGATGTC	GGCGATATAG	GCGCCAGCAA	CCGCACCTGT	GGCGCCGGTG
61	ATGCCGGCCA	CGATGCGTCC	GGCGTAGAGG	ATCGAGATCT	CGATCCCGCG	AAATTAATAC
121	GACTCACTAT	AGGGAGACCA	CAACGGTTTC	CCTCTAGATC	ACAAGTTTGT	ACAAAAAGC
181	TGAACGAGAA	ACGTAAATG	ATATAAATAT	CAATATATTA	AATTAGATTT	TGCATAAAAA
241	ACAGACTACA	TAATACTGTA	AAACACAACA	TATCCAGTCA	CTATGGCGGC	CGCATTAGGC
301	ACCCAGGCT	TTACACTTTA	TGCTCCGGC	TCGTATAATG	TGTGGATTTT	GAGTTAGGAT
361	CCGGCGAGAT	TTTCAGGAGC	TAAGGAAGCT	AAAATGGAGA	AAAAATCAC	TGGATATACC
421	ACCGTTGATA	TATCCCAATG	GCATCGTAAA	GAACATTTTG	AGGCATTTCA	GTCAGTTGCT
481	CAATGTACCT	ATAACCAGAC	CGTTCAGCTG	GATATTACGG	CCTTTTTAAA	GACCGTAAAG
541	AAAAATAAGC	ACAAGTTTTA	TCCGGCCTTT	ATTCACATTC	TTGCCCGCCT	GATGAATGCT
601	CATCCGGAAT	TCCGTATGGC	AATGAAAGAC	GGTGAGCTGG	TGATATGGGA	TAGTGTTCAC
661	CCTTGTTACA	CCGTTTTCCA	TGAGCAAAC	GAAACGTTTT	CATCGCTCTG	GAGTGAATAC
721	CACGACGATT	TCCGGCAGTT	TCTACACATA	TATTCGCAAG	ATGTGGCGTG	TTACGGTGAA
781	AACCTGGCCT	ATTTCCCTAA	AGGGTTTATT	GAGAATATGT	TTTTCGTCTC	AGCCAATCCC
841	TGGGTGAGTT	TCACCAGTTT	TGATTTAAAC	GTGGCCAATA	TGGACAACCT	CTTCGCCCCC
901	GTTTTACCA	TGGGCAAATA	TTATACGCAA	GGCGACAAGG	TGCTGATGCC	GCTGGCGATT
961	CAGGTTTCAT	ATGCCGTCTG	TGATGGCTG	CATGTCGGCA	GAATGCTTAA	TGAATTACAA
1021	CAGTACTGCG	ATGAGTGCA	GGGCGGGGCG	TAAACGCGTG	GATCCGGCTT	ACTAAAAGCC
1081	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA	TAAGAATATA	TACTGATATG
1141	TATACCCGAA	GTATGTCAA	AAGAGGTGTG	CTATGAAGCA	GCGTATTACA	GTGACAGTTG
1201	ACAGCGACAG	CTATCAGTTG	CTCAAGGCAT	ATATGATGTC	AATATCTCCG	GTCTGGTAAAG
1261	CACAACCATG	CAGAATGAAG	CCCCTCGTCT	GCGTGCCGAA	CGCTGGAAAG	CGGAAATCA
1321	GGAAGGGATG	GCTGAGGTCT	CCCGGTTTAT	TGAAATGAAC	GGCTCTTTTG	CTGACGAGAA
1381	CAGGGACTGG	TGAAATGCAG	TTTAAGGTTT	ACACCTATAA	AAGAGAGAGC	CGTTATCGTC
1441	TGTTTGTGGA	TGTACAGAGT	GATATTATTG	ACACGCCCCG	GCGACGGATG	GTGATCCCCC
1501	TGGCCAGTGC	ACGTCTGCTG	TCAGATAAAG	TCTCCCGTGA	ACTTTACCCG	GTGGTGCATA
1561	TCGGGGATGA	AAGCTGGCGC	ATGATGACCA	CCGATATGGC	CAGTGTGCCG	GTCTCCGTTA
1621	TCGGGGAAGA	AGTGGCTGAT	CTCAGCCACC	GCGAAAATGA	CATCAAAAAC	GCCATTAACC
1681	TGATGTTCTG	GGGAATATAA	ATGTCAGGCT	CCCTTATACA	CAGCCAGTCT	GCAGGTCGAC
1741	CATAGTGA	GGATATGTTG	TGTTTTACAG	TATTATGTAG	TCTGTTTTTT	ATGCAAAATC
1801	TAATTTAATA	TATTGATATT	TATATCATTT	TACGTTTCTC	GTTTCAGCTT	CTTGTAACAA
1861	GTGGTGATTA	TGTCGTACTA	CCATCACCAT	CACCATCACC	TCGATGAGCA	ATAACTAGCA
1921	TAACCCCTTG	GGGCCTCTAA	ACGGGTCTTG	AGGGGTTTTT	TGCTGAAAGG	AGGAACCTATA
1981	TCCGGATATC	CACAGGACGG	GTGTGGTCTG	CATGATCGCG	TAGTCGATAG	TGGCTCCAAG
2041	TAGCGAAGCG	AGCAGGACTG	GGCGGCGGCC	AAAGCGGTCT	GACAGTGCTC	CGAGAACGGG
2101	TGCGCATAGA	AATTGCATCA	ACGCATATAG	CGCTAGCAGC	ACGCCATAGT	GACTGGCGAT
2161	GCTGTGCGAA	TGGACGATAT	CCCGCAAGAG	GCCCGGCAGT	ACCGGCATAA	CCAAGCCTAT
2221	GCCTACAGCA	TCCAGGGTGA	CGGTGCCGAG	GATGACGATG	AGCGCATTGT	TAGATTTTCAT
2281	ACACGGTGCC	TGACTGCGTT	AGCAATTTAA	CTGTGATAAA	CTACCGCATT	AAAGCTTATC
2341	GATGATAAGC	TGTCAAACAT	GAGAATTCTT	GAAGAAGAAA	GGGCCTCGTG	ATAGCCCTAT
2401	TTTATAGGT	TAATGTCATG	ATAATAATGG	TTTCTTAGAC	GTCAGGTGGC	ACTTTTCGGG
2461	GAAATGTGCG	CGGAACCCCT	ATTTGTTTAT	TTTTCTAAAT	ACATTCAAAT	ATGTATCCGC
2521	TCATGAGACA	ATAACCCTGA	TAAATGCTTC	AATAATATTG	AAAAAGGAAG	AGTATGAGTA
2581	TTCAACATTT	CCGTGTCGCC	CTTATTCCTT	TTTTTGCGGC	ATTTTGCCTT	CCTGTTTTTG
2641	CTCACCCAGA	AACGCTGGTG	AAAGTAAAG	ATGCTGAAGA	TCAGTTGGGT	GCACGAGTGG

122/240

2701 GTTACATCGA ACTGGATCTC AACAGCGGTA AGATCCTTGA GAGTTTTTCGC CCCGAAGAAC
2761 GTTTTCCAAT GATGAGCACT TTTAAAGTTC TGCTATGTGG CCGGGTATTA TCCCGTGTG
2821 ACGCCGGGCA AGAGCAACTC GGTGCGCCGA TACACTATTG TCAGAATGAC TTGGTTGAGT
2881 ACTCACCAGT CACAGAAAAG CATCTTACGG ATGGCATGAC AGTAAGAGAA TTATGCAAGT
2941 CTGCCATAAC CATGAGTGAT AACACTGCGG CCAACTTACT TCTGACAACG ATCGGAGGAC
3001 CGAAGGAGCT AACCGCTTTT TTGCACAACA TGGGGGATCA TGTAAGTCGC CTTGATCGTT
3061 GGGAAACCGGA GCTGAATGAA GCCATACCAA ACGACGAGCG TGACACCACG ATGCCTGCAG
3121 CAATGGCAAC AACGTTGCGC AAACATTTAA CTGGCGAACT ACTTACTCTA GCTTCCCGGC
3181 AACAAATTAAT AGACTGGATG GAGGCGGATA AAGTTGCAGG ACCACTTCTG CGCTCGGCCC
3241 TTCCGGCTGG CTGGTTTATT GCTGATAAAT CTGGAGCCGG TGAGCGTGGG TCTCGCGGTA
3301 TCATTGCAGC ACTGGGGCCA GATGGTAAGC CCTCCCGTAT CGTAGTTATC TACACGACGG
3361 GGATTCAGG AACTATGGAT GAACGAAATA GACAGATCGC TGAGATAGGT GCCTCACTGA
3421 TTAAGCATTG GTAAGTGTCA GACCAAGTTT ACTCATATAT ACTTTAGATT GATTTAAAC
3481 TTCATTTTTTA ATTTAAAGG ATCTAGGTGA AGATCCTTTT TGATAATCTC ATGACCAAAA
3541 TCCCTTAACG TGAGTTTTCG TTCCACTGAG CGTCAGACCC CGTAGAAAAG ATCAAAGGAT
3601 CTTCTTGAGA TCCTTTTTTT CTGCGCGTAA TCTGCTGCTT GCAAACAAAA AAACCACCGC
3661 TACCAGCGGT GGTGTGTTTG CCGGATCAAG AGCTACCAAC TCTTTTTCCG AAGGTAAGT
3721 GCTTCAGCAG AGCGCAGATA CCAAATACTG TCCTTCTAGT GTAGCCGTAG TTAGGCCACC
3781 ACTTCAAGAA CTCTGTAGCA CCGCTACAT ACCTCGCTCT GCTAATCCTG TTACCACTGG
3841 CTGCTGCCAG TGGCGATAAG TCGTGTCTTA CCGGGTTGGA CTCAAGACGA TAGTTACCGG
3901 ATAAGGCGCA GCGGTGCGC TGAACGGGGG GTTCGTGCAC ACAGCCAGC TTGGAGCGAA
3961 CGACCTACAC CGAACTGAGA TACCTACAGC GTGAGCTATG AGAAAGCGCC ACGCTTCCCG
4021 AAGGGAGAAA GCGGACAGG TATCCGGTAA GCGGCAGGGT CGGAACAGGA GAGCGCACGA
4081 GGGAGCTTCC AGGGGGAAAC GCCTGGTATC TTTATAGTCC TGTCGGGTTT CGCCACCTCT
4141 GACTTGAGCG TCGATTTTTG TGATGCTCGT CAGGGGGGCG GAGCCTATGG AAAAACGCCA
4201 GCAACGCGGC CTTTTTACGG TTCCTGGCCT TTTGCTGGCC TTTTGCTCAC ATGTTCTTTC
4261 CTGCGTTATC CCCTGATTCT GTGGATAACC GTATTACCGC CTTTGAGTGA GCTGATACCG
4321 CTCGCCGAG CCGAACGACC GAGCGCAGC AGTCAGTGAG CGAGGAAGCG GAAGAGCGCC
4381 TGATGCGGTA TTTTCTCCTT ACGCATCTGT GCGGTATTTT ACACCGCATA TATGGTGCAC
4441 TCTCAGTACA ATCTGCTCTG ATGCCGCATA GTTAAGCCAG TATACACTCC GCTATCGCTA
4501 CGTGACTGGG TCATGGCTGC GCCCGACAC CCGCCAACAC CCGCTGACGC GCCCTGACGG
4561 GCTTGTCTGC TCCCGGCATC CGCTTACAGA CAAGCTGTGA CCGTCTCCGG GAGCTGCATG
4621 TGTCAGAGGT TTTACCGTC ATCACCAGAA CGCGCGAGGC AGCTGCGGTA AAGCTCATCA
4681 GCGTGGTCGT GAAGCGATT ACAGATGTCT GCCTGTTCTT CCGCGTCCAG CTCGTTGAGT
4741 TTCTCCAGAA GCGTTAATGT TTGGCTTCTG ATAAAGCGGG CCATGTTAAG GCGGGTTTTT
4801 TCCTGTTTTG TCACTGATGC CTCCGTGTAA GGGGGATTTT TGTTTCATGGG GGTAAATGATA
4861 CCGATGAAAC GAGAGAGGAT GCTCACGATA CCGGTTACTG ATGATGAACA TGCCCGGTTA
4921 CTGGAACGTT GTGAGGGTAA ACAACTGGCG GTATGGATGC GCGGGGACCA GAGAAAAATC
4981 ACTCAGGGTC AATGCCAGCG CTTCTGTTAAT ACAGATGTAG GTGTTCCACA GGGTAGCCAG
5041 CAGCATCTTG CGATGCAGAT CCGGAACATA ATGGTGCAGG GCGCTGACTT CCGCGTTTCC
5101 AGACTTTACG AAACACGGAA ACCGAAGACC ATTCATGTTG TTGCTCAGGT CGCAGACGTT
5161 TTGCAGCAGC AGTCGCTTCA CGTTCGCTCG CGTATCGGTG ATTCATTCTG CTAACCAAGTA
5221 AGGCAACCCC GCCAGCCTAG CCGGTCCTC AACGACAGGA GCACGATCAT GCGCACCCGT
5281 GGCCAGGACC CAACGCTGCC CGAGATGCGC CCGGTGCGGC TGCTGGAGAT GCGGACGCG
5341 ATGGATATGT TCTGCCAAGG GTTGGTTTGC GCATTCACAG TTCTCCGCAA GAATTGATTG
5401 GCTCCAAATC TTGGAGTGGT GAATCCGTTA GCGAGGTGCC GCGGCTTCC ATTCAAGTGC
5461 AGGTGGCCCG GCTCCATGCA CCGCGACGCA ACGCGGGGAG GCAGACAAGG TATAGGGCGG
5521 CGCCTACAAT CCATGCCAAC CCGTTCCATG TGCTCGCCGA GCGCGCATAA ATCGCGTGA
5581 CGATCAGCGG TCCAGTGATC GAAGTTAGGC TGGTAAGAGC CGCGAGCGAT CCTTGAAGCT
5641 GTCCCTGATG GTCGTCTCT ACCTGCCTGG ACAGCATGGC CTGCAACGCG GGCATCCCGA
5701 TGCCGCCGGA AGCGAGAAGA ATCATAATGG GGAAGGCCAT CCAGCTCGC GTCGCAACG
5761 CCAGCAAGAC GTAGCCCAGC GCGTCGGCGG CCATGCCGCG GATAATGGCC TGCTTCTCGC
5821 CGAAACGTTT GGTGGCGGGA CCAGTGACGA AGGCTTGAGC GAGGGCGTGC AAGATTCCGA
5881 ATACCGCAAG CGACAGGCCG ATCATCGTCG CGCTCCAGCG AAAGCGGTCC TCGCCGAAAA
5941 TGACCCAGAG CGCTGCCGGC ACCTGTCTTA CGAGTTGCAT GATAAAGAAG ACAGTCATAA
6001 GTGCGGCGAC GATAGTCATG CCCCAGCGCC ACCGGAAGGA GCTGACTGGG TTGAAGGCTC
6061 TCAAGGGCAT CGGTCGATCG ACGCTCTCCC TTATGCGACT CCTGCATTAG GAAGCAGCCC
6121 AGTAGTAGGT TGAGGCCGTT GAGCACCGCC GCCGCAAGGA ATGGTGCATG CAAGGAGATG -

FIGURE 43C

123/240

6181 GCGCCCAACA GTCCCCCGGC CACGGGGCCT GCCACCATAC CCACGCCGAA ACAAGCGCTC
6241 ATGAGCCCGA AGTGGCGAGC CCGA

FIGURE 43D

PD EST 24

11 ————— cmR ————— ccdB ————— 11




FIGURE 44A

125/240

pDEST24 6961 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
195..71		attR1
304..963		CmR
1083..1167		inactivated ccdA
1305..1610		ccdB
1651..1775		attR2
1783..2451		GST
3181..4041		ampR
4190..4829		ori
1	ATCGAGATCT CGATCCCGCG AAATTAATAC GACTCACTAT AGGGAGACCA CAACGGTTTC	
61	CCTCTAGATC ACAAGTTTGT ACAAAAAAGC TGAACGAGAA ACGTAAAATG ATATAAATAT	
121	CAATATATTA AATTAGATTT TGCATAAAAA ACAGACTACA TAATACTGTA AAACACAACA	
181	TATCCAGTCA CTATGGCGGC CGCATTAGGC ACCCCAGGCT TTACACTTTA TGCTTCCGGC	
241	TCGTATAATG TGTGGATTTT GAGTTAGGAT CCGGCGAGAT TTTCAGGAGC TAAGGAAGCT	
301	AAAATGGAGA AAAAAATCAC TGGATATACC ACCGTTGATA TATCCCAATG GCATCGTAAA	
361	GAACATTTTG AGGCATTTCA GTCAGTTGCT CAATGTACCT ATAACCAGAC CGTTCAGCTG	
421	GATATTACGG CCTTTTAAAG GACCGTAAAG AAAAAATAAGC ACAAGTTTAA TCCGCGCTTT	
481	ATTCACATTC TTGCCCGCCT GATGAATGCT CATCCGGAAT TCCGTATGGC AATGAAAGAC	
541	GGTGAGCTGG TGATATGGGA TAGTGTTTAC CCTTGTTTACA CCGTTTTCCA TGAGCAAAC	
601	GAAACGTTTT CATCGCTCTG GAGTGAATAC CACGACGATT TCCGGCAGTT TCTACACATA	
661	TATTCGCAAG ATGTGGCGTG TTACGGTGAA AACCTGGCCT ATTTCCCTAA AGGGTTTATT	
721	GAGAATATGT TTTTCGTCTC AGCCAATCCC TGGGTGAGTT TCACCAGTTT TGATTAAAC	
781	GTGGCCAATA TGGACAACCT CTTCGCCCCC GTTTTCACCA TGGGCAAATA TTATACGCAA	
841	GGCGACAAGG TGCTGATGCC GCTGGCGATT CAGGTTTCATC ATGCCGCTCTG TGATGGCTTC	
901	CATGTCGGCA GAATGCTTAA TGAATTACAA CAGTACTGCG ATGAGTGGCA GGGCGGGCG	
961	TAAACGCGTG GATCCGCTT ACTAAAAGCC AGATAACAGT ATGCGTATTT GCGCGCTGAT	
1021	TTTTGCGGTA TAAGAATATA TACTGATATG TATACCCGAA GTATGTCAA AAGAGGTGTG	
1081	CTATGAAGCA GCGTATTACA GTGACAGTTG ACAGCGACAG CTATCAGTTG CTCAGGCGAT	
1141	ATATGATGTC AATATCTCCG GTCTGGTAAG CACAACCATG CAGAATGAAG CCCGTCGTCT	
1201	GCGTGCCGAA CGCTGGAAAG CGGAAAATCA GGAAGGGATG GCTGAGGTCTG CCCGGTTTAT	
1261	TGAAATGAAC GGCTCTTTTG CTGACGAGAA CAGGGACTGG TGAATGCAG TTTAAGGTTT	
1321	ACACCTATAA AAGAGAGAGC CGTTATCGTC TGTGTTGTGA TGTACAGAGT GATATTATTG	
1381	ACACGCCCGG GCGACGGATG GTGATCCCCC TGGCCAGTGC ACGTCTGCTG TCAGATAAAG	
1441	TCTCCCGTGA ACTTTACCCG GTGGTGATA TCGGGGATGA AAGCTGGCGC ATGATGACCA	
1501	CCGATATGGC CAGTGTGCCG GTCTCCGTTA TCGGGGAAGA AGTGGCTGAT CTCAGCCACC	
1561	GCGAAAATGA CATCAAAAAC GCCATTAAAC TGATGTTCTG GGAATATAA ATGTCAGGCT	
1621	CCCTTATACA CAGCCAGTCT GCAGGTGAC CATAGTGAAT GGATATGTTG TGTTTTACAG	
1681	TATTATGTAG TCTGTTTTTT ATGCAAAATC TAATTTAATA TATTGATATT TATATCATTT	
1741	TACGTTTTCTC GTTCAGCTTT CTGTACAAA GTGGTGATTA TGTCCCTAT ACTAGGTTAT	
1801	TGGAAAATTA AGGGCCTTGT GCAACCCACT CGACTTCTTT TGAATATCT TGAAGAAAAA	
1861	TATGAAGAGC ATTTGTATGA GCGCGATGAA GGTGATAAAT GGCGAAACAA AAAGTTTGAA	
1921	TTGGGTTTGG AGTTTCCCAA TCTTCCTTAT TATATTGATG GTGATGTTAA ATTAACACAG	
1981	TCTATGGCCA TCATACGTTA TATAGCTGAC AAGCACAACA TGTGGGTGG TTGTCCAAAA	
2041	GAGCGTGACG AGATTTCAAT GCTTGAAGGA GCGGTTTTGG ATATTAGATA CCGTGTTCG	
2101	AGAATTGCAT ATAGTAAAGA CTTTGAAACT CTCAAAGTTG ATTTTCTTAG CAAGCTACCT	
2161	GAAATGCTGA AAATGTTTGA AGATCGTTTA TGTCAATAAA CATATTTAAA TGGTGATCAT	
2221	GTAAACCATC CTGACTTCAT GTTGATGAC GCTCTTGATG TGTGTTTATA CATGACCCA	
2281	ATGTGCCTGG ATGCGTTCCC AAAATTAGTT TGTGTTTAAA AACGTAATGA AGCTATCCCA	
2341	CAAATTGATA AGTACTTGAA ATCCAGCAAG TATATAGCAT GGCCTTTGCA GGGCTGGCAA	
2401	GCCACGTTTG GTGGTGGCGA CCATCCTCCA AAATCGGATC TGGTTCCGCG TCCATGGGGA	
2461	TCCGGCTGCT AACAAAGCCC GAAAGGAAGC TGAGTTGGCT GCTGCCACCG CTGAGCAATA	
2521	ACTAGCATAA CCCCTTGGGG CCTCTAAACG GGTCTTGAGG GGTTTTTTGC TGAAAGGAGG	
2581	AACTATATCC GGATATCCAC AGGACGGGTG TGGTCGCCAT GATCGCGTAG TCGATAGTGG	
2641	CTCCAAGTAG CGAAGCGAGC AGGACTGGGC GCGGCCCAA GCGGTCGGAC AGTGCTCCGA-	

FIGURE 44B

126/240

2701 GAACGGGTGC GCATAGAAAT TGCATCAACG CATATAGCGC TAGCAGCACG CCATAGTGAC
 2761 TGGCGATGCT GTCGGAATGG ACGATATCCC GCAAGAGGCC CGGCAGTACC GGCATAACCA
 2821 AGCCTATGCC TACAGCATCC AGGGTGACGG TGGCGAGGAT GACGATGAGC GCATTGTTAG
 2881 ATTTCATACA CGGTGCCTGA CTGCGTTAGC AATTCTTAACTG TGATAAACTA CCGCATTAAA
 2941 GCTTATCGAT GATAAGCTGT CAAACATGAG AATTCTTGAA GACGAAAGGG CCTCGTGATA
 3001 CGCCTATTTT TATAGGTTAA TGTCATGATA ATAATGGTTT CTTAGACGTC AGGTGGCACT
 3061 TTTCGGGGAA ATGTGCGCGG AACCCCTATT TGTTTATTTT TCTAAATACA TTCAAATATG
 3121 TATCCGCTCA TGAGACAATA ACCCTGATAA ATGCTTCAAT AATATTGAAA AAGGAAGAGT
 3181 ATGAGTATTC AACATTTCCG TGTCGCCCTT ATTCCCTTTT TTGCGGCATT TTGCCTTCCT
 3241 GTTTTGTCTC ACCCAGAAAC GCTGGTGAAA GTAAAAGATG CTGAAGATCA GTTGGGTGCA
 3301 CGAGTGGGTT ACATCGAACT GGATCTCAAC AGCGGTAAAG TCCTTGAGAG TTTTCGCCCC
 3361 GAAGAACGTT TTCCAATGAT GCAACTTTT AAAGTTCTGC TATGTGGCGC GGTATTATCC
 3421 CGTGTTCAGC CCGGGCAAGA GCAACTCGGT CGCCGCATAC ACTATTCTCA GAATGACTTG
 3481 GTTGAGTACT CACCAGTCAC AGAAAAGCAT CTTACGGATG GCATGACAGT AAGAGAATTA
 3541 TGCAGTGCTG CCATAACCAT GAGTGATAAC ACTGCGGCCA ACTTACTTCT GACAACGATC
 3601 GGAGGACCGA AGGAGCTAAC CGCTTTTTTG CACAACATGG GGGATCATGT AACTCGCCTT
 3661 GATCGTTGGG AACCGGAGCT GAATGAAGCC ATACCAAACG ACGAGCGTGA CACCACGATG
 3721 CCTGCAGCAA TGGCAACAAC GTTGCAGCAA CTATTAAGTG GCGAACTACT TACTCTAGCT
 3781 TCCCGGCAAC AATTAATAGA CTGGATGGAG GCGGATAAAG TTGCAGGACC ACTTCTGCGC
 3841 TCGGCCCTTC CGGCTGGCTG GTTTATTGCT GATAAATCTG GAGCCGGTGA CGGTGGGTCT
 3901 CGCGGTATCA TTGCAGCACT GGGGCCAGAT GGTAAGCCCT CCCGTATCGT AGTTATCTAC
 3961 ACGACGGGGA GTCAGGCAAC TATGGATGAA CGAAATAGAC AGATCGCTGA GATAGGTGCC
 4021 TCACTGATTA AGCATTGGTA ACTGTCAGAC CAAGTTTACT CATATATACT TTAGATTGAT
 4081 TTTAAACTTC ATTTTAAAT TAAAAGGATC TAGGTGAAGA TCCTTTTTGA TAATCTCATG
 4141 ACCAAAATCC CTTAACGTGA GTTTTCGTTT CACTGAGCGT CAGACCCCGT AGAAAAGATC
 4201 AAAGGATCTT CTTGAGATCC TTTTTTCTG CGCGTAATCT GCTGCTTGCA AACAAAAAAA
 4261 CCACCGCTAC CAGCGGTGGT TTGTTTGCCG GATCAAGAGC TACCAACTCT TTTTCCGAAG
 4321 GTAACCTGGC TCAGCAGAGC GCAGATACCA AATACTGTCC TTCTAGTGTA GCCGTAGTTA
 4381 GGCCACCACT TCAAGAACTC TGTAGCACCG CCTACATACC TCGCTCTGCT AATCCTGTTA
 4441 CCAGTGGCTG CTGCCAGTGG CGATAAGTCG TGTCTTACCG GGTGAGACTC AAGACGATAG
 4501 TTACCGGATA AGGCGCAGCG GTCGGGCTGA ACGGGGGGTT CGTGACACA GCCCAGCTTG
 4561 GAGCGAACGA CCTACACCGA ACTGAGATAC CTACAGCGTG AGCTATGAGA AAGCGCCACG
 4621 CTTCGCCAAG GGAGAAAGGC GGACAGGTAT CCGGTAAGCG GCAGGGTCGG AACAGGAGAG
 4681 CGCACGAGGG AGCTTCCAGG GGGAAACGCC TGGTATCTTT ATAGTCCTGT CGGGTTTCGC
 4741 CTAACCTGGC TTGAGCGTCG ATTTTGTGTA TGCTCGTCAG GGGGGCGGAG CCTATGGAAA
 4801 AACGCCAGCA ACGCGGCCCT TTTACGGTTC CTGGCCCTTT GCTGGCCTTT TGCTCACATG
 4861 TTCTTTCCTG CGTTATCCCC TGATTCTGTG GATAACCGTA TTACCGCCTT TGAGTGAGCT
 4921 GATACCGCTC GCCGCAGCCG AACGACCGAG CGCAGCGAGT CAGTGAGCGA GGAAGCGGAA
 4981 GAGCGCCTGA TGCGGTATTT TCTCCTTACG CATCTGTGCG GTATTTTACA CCGCATATAT
 5041 GGTGCACTCT CAGTACAATC TGCTCTGATG CCGCATAGTT AAGCCAGTAT ACACTCCGCT
 5101 ATCGCTACGT GACTGGGTCA TGGCTGCGCC CCGACACCCG CCAACACCCG CTGACGCGCC
 5161 CTGACGGGCT TGTCTGCTCC CGGCATCCCG TTACAGACAA GCTGTGACCG TCTCCGGGAG
 5221 CTGCATGTGT CAGAGGTTTT CACCGTCATC ACCGAAACGC GCGAGGCAGC TGCGGTAAAG
 5281 CTCATCAGCG TGGTCGTGAA GCGATTACCA GATGTCTGCC TGTTTCATCCG CGTCCAGCTC
 5341 GTTGAGTTTC TCCAGAAGCG TTAATGTCTG GCTTCTGATA AAGCGGGCCA TGTTAAGGGC
 5401 GGTTTTTTCC TGTTTGGTCA CTGATGCCTC CGTGTAAGGG GGATTTCTGT TCATGGGGGT
 5461 AATGATACCG ATGAAACGAG AGAGGATGCT CACGATACGG GTTACTGATG ATGAACATGC
 5521 CCGGTTACTG GAACGTTGTG AGGGTAAACA ACTGGCGGTA TGGATGCGGC GGGACCAGAG
 5581 AAAAATCACT CAGGGTCAAT GCCAGCGCTT CGTTAATACA GATGTAGGTG TTCCACAGGG
 5641 TAGCCAGCAG CATCCTGCCA TGCAGATCCG GAACATAATG GTGCAGGGCG CTGACTTCCG
 5701 CGTTTCCAGA CTTTACGAAA CACGGAAACC GAAGACCATT CATGTTGTTG CTCAGTCCG
 5761 AGACGTTTTG CAGCAGCAGT CGCTTACAGT TCGCTCGCGT ATCGGTGATT CATTCTGCTA
 5821 ACCAGTAAGG CAACCCCGCC AGCCTAGCCG GGTCTCAAC GACAGGAGCA CGATCATGCG
 5881 CACCCGTGGC CAGGACCCAA CGCTGCCCGA GATGCGCCGC GTGCGGCTGC TGGAGATGGC
 5941 GGACCGGATG GATATGTTCT GCCAAGGGTT GGTTTGCGCA TTCACAGTTC TCCGCAAGAA
 6001 TTGATTGGCT CCAATTCTTG GAGTGGTGAA TCCGTTAGCG AGGTGCCGCC GGCTTCCATT
 6061 CAGGTCGAGG TGGCCCGGCT CCATGCACCG CGACGCAACG CGGGGAGGCA GACAAGGTAT
 6121 AGGGCGGCGC CTACAATCCA TGCCAACCCG TTCCATGTGC TCGCCGAGGC GGCATAAATC-

FIGURE 44C



127/240

6181 GCCGTGACGA TCAGCGGTCC AGTGATCGAA GTTAGGCTGG TAAGAGCCGC GAGCGATCCT
6241 TGAAGCTGTC CCTGATGGTC GTCATCTACC TGCCTGGACA GCATGGCCTG CAACGCGGGC
6301 ATCCCGATGC CGCCGGAAGC GAGAAGAATC ATAATGGGGA AGGCCATCCA GCCTCGCGTC
6361 GCGAACGCCA GCAAGACGTA GCCCAGCGCG TCGGCCGCCA TGCCGGCGAT AATGGCCTGC
6421 TTCTCGCCGA AACGTTTGGT GGCGGGACCA GTGACGAAGG CTTGAGCGAG GCGGTGCAAG
6481 ATTCCGAATA CCGCAAGCGA CAGGCCGATC ATCGTCGCGC TCCAGCGAAA GCGGTCTCTCG
6541 CCGAAAATGA CCCAGAGCGC TGCCGGCACC TGTCTACGA GTTGATGAT AAAGAAGACA
6601 GTCATAAGTG CGGCGACGAT AGTCATGCCC CGCGCCACC GGAAGGAGCT GACTGGGTTG
6661 AAGGCTCTCA AGGGCATCGG TCGATCGACG CTCTCCCTTA TGCGACTCCT GCATTAGGAA
6721 GCAGCCCAAGT AGTAGGTTGA GGCCGTTGAG CACCGCCGCC GCAAGGAATG GTGCATGCAA
6781 GGAGATGGCG CCCAACAGTC CCCCAGCCAC GGGGCCTGCC ACCATACCCA CGCCGAAACA
6841 AGCGCTCATG AGCCCGAAGT GGCAGAGCCG ATCTTCCCCA TCGGTGATGT CGGCGATATA
6901 GGCGCCAGCA ACCGCACCTG TGGCGCCGGT GATGCCGGCC ACGATGCGTC CGGCGTAGAG
6961 G

FIGURE 44B

128/240
FIGURE 45A

pDEST25
Thioredoxin carboxy-fusion vector, T7 promoter



129/240

pDEST25 6652 bp

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
844..720		attR1
953..1612		CmR
1732..1816		inactivated ccdA
1954..2259		ccdB
2300..2424		attR2
2432..2794		trx
1	CCGGAAGCGA GAAGAATCAT AATGGGGAAG GCCATCCAGC CTCGCGTCGC GAACGCCAGC	
61	AAGACGTAGC CCAGCGCGTC GGCCGCCATG CCGGCGATAA TGGCCTGCTT CTCGCCGAAA	
121	CGTTTGGTGG CGGGACCACT GACGAAGGCT TGAGCGAGGG CGTGCAAGAT TCCGAATACC	
181	GCAAGCGACA GGCCGATCAT CGTCGCGCTC CAGCGAAAGC GGTCTCTGCC GAAAAAGACC	
241	CAGAGCGCTG CCGGCACCTG TCCTACGAGT TGCATGATAA AGAAGACAGT CATAAGTGCG	
301	GCGACGATAG TCATGCCCCG CGCCACCCGG AAGGAGCTGA CTGGGTTGAA GGCTCTCAAG	
361	GGCATCGGTC GATCGACGCT CTCCTTATG CGACTCCTGC ATTAGGAAGC AGCCCACTAG	
421	TAGGTTGAGG CCGTTGAGCA CCGCCGCCGC AAGGAATGGT GCATGCAAGG AGATGGCGCC	
481	CAACAGTCCC CCGGCCACGG GGCTGCCAC CATACCACG CCGAAACAAG CGCTCATGAG	
541	CCCGAAGTGG CGAGCCCGAT CTTCCCATC GGTGATGTCG GCGATATAGG CGCCAGCAAC	
601	CGCACCTGTG GCGCCGGTGA TGCCGCCAC GATGCGTCCG GCGTAGAGGA TCGAGATCTC	
661	GATCCCGCGA AATTAATACG ACTCACTATA GGGAGACCAC AACGGTTTCC CTCTAGATCA	
721	CAAGTTTGTA CAAAAAGCT GAACGAGAAA CGTAAAATGA TATAAATATC AATATATTAA	
781	ATTAGATTTT GCATAAAAAA CAGACTACAT AATACTGTAA AACACAACAT ATCCAGTCAC	
841	TATGGCGGCC GCATTAGGCA CCCCAGGCTT TACACTTTAT GCTTCCGGCT CGTATAATGT	
901	GTGGATTTTG AGTTAGGATC CGGCGAGATT TTCAGGAGCT AAGGAAGCTA AAATGGAGAA	
961	AAAAATCACT GGATATACCA CCGTTGATAT ATCCCAATGG CATCGTAAAG AACATTTTGA	
1021	GGCATTTCAG TCAGTTGCTC AATGTACCTA TAACCAGACC GTTCAGCTGG ATATTACGGC	
1081	CTTTTAAAG ACCGTAAAGA AAAATAAGCA CAAGTTTAT CCGGCCTTTA TTCACATTCT	
1141	TGCCCCCCTG ATGAATGCTC ATCCGGAATT CCGTATGGCA ATGAAAGACG GTGAGCTGGT	
1201	GATATGGGAT AGTGTTACAC CTTGTTACAC CGTTTCCAT GAGCAAACCTG AAACGTTTTT	
1261	ATCGCTCTGG AGTGAATACC ACGACGATTT CCGGCAGTTT CTACACATAT ATTTCGAAGA	
1321	TGTGGCGTGT TACGGTGAAA ACCTGGCCTA TTTCCCTAAA GGGTTTATTG AGAATATGTT	
1381	TTTCGTCTCA GCCAATCCCT GGGTGAGTTT CACCAGTTTT GATTAAACG TGGCCAATAT	
1441	GGACAACCTT TCGCCCCCG TTTTCACCAT GGGCAAATAT TATACGCAAG GCGACAAGGT	
1501	GCTGATGCCG CTGGCGATTG AGGTTTCATCA TGCCGCTCTG GATGGCTTCC ATGTCGGCAG	
1561	AATGCTTAAT GAATTACAAC AGTACTGCGA TGAGTGGCAG GCGGGGGCGT AAACGCGTGG	
1621	ATCCGGCTTA CTAAAAGCCA GATAACAGTA TGCGTATTG CGCGCTGATT TTGCGGTAT	
1681	AAGAAATAT ACTGATATGT ATACCCGAAG TATGTCAAAA AGAGGTGTGC TATGAAGCAG	
1741	CGTATTACAG TGACAGTTGA CAGCGACAGC TATCAGTTGC TCAAGGCATA TATGATGTCA	
1801	ATATCTCCGG TCTGGTAAGC ACAACCATGC AGAATGAAGC CCGTCGCTG CGTGCCGAAC	
1861	GCTGGAAAGC GGAAATCAG GAAGGGATGG CTGAGGTGCG CCGGTTTATT GAAATGAACG	
1921	GCTCTTTTGC TGACGAGAAC AGGGACTGGT GAAATGCAGT TTAAGGTTTA CACCTATAAA	
1981	AGAGAGAGCC GTTATCGTCT GTTTGTGGAT GTACAGAGTG ATATTATTGA CACGCCCCGG	
2041	CGACGGATGG TGATCCCCCT GGCCAGTGCA CGTCTGCTGT CAGATAAAGT CTCCCGTGAA	
2101	CTTTACCCGG TGGTGATAT CCGGGATGAA AGCTGGCGCA TGATGACCAC CGATATGGCC	
2161	AGTGTGCCGG TCTCCGTTAT CCGGGAAGAA GTGGCTGATC TCAGCCACCG CGAAATGAC	
2221	ATCAAAAACG CCATTAACTT GATGTTCTGG GGAATATAAA TGTCAGGCTC CTTTATACAC	
2281	AGCCAGTCTG CAGGTCGACC ATAGTGAAGT GATATGTTGT GTTTTACAGT ATTATGTAGT	
2341	CTGTTTTTTA TGCAAAATCT AATTTAATAT ATTGATATTT ATATCATTTT ACGTTTCTCG	
2401	TTTCACTTTC TTGTACAAAG TGGTGATTAT GAGCGATAAA ATTATTCAAC TGAAGTACGA	
2461	CAGTTTTGAC ACGGATGTAC TCAAAGCGGA CCGGGCGATC CTCGTCGATT TCTGGGCAGA	
2521	GTGGTGCGGT CCGTGCAAAA TGATCGCCCC GATTCTGGAT GAAATCGCTG ACGAATATCA	
2581	GGGCAAACTG ACCGTTGCAA AACTGAACAT CGATCAAAAC CCTGGCACTG CGCCGAAATA	
2641	TGGCATCCGT GGTATCCCGA CTCTGCTGCT GTTCAAAAAC GGTGAAGTGG CGGCAACCAA	
2701	AGTGGGTGCA CTGTCTAAAG GTCAGTTGAA AGAGTTCTCT GACGCTAACC TGGCCGTTTC	
2761	TGGTTCTGGT GATGACGATG ACAAGGTACC CCGGGATCGA TCCGGCTGCT AACAAAGCCC	

FIGURE 45B

130/240

2821 GAAAGGAAGC TGAGTTGGCT GCTGCCACCG CTGAGCAATA ACTAGCATAA CCCCTTGGGG
2881 CCTCTAAACG GGTCTTGAGG GGTTTTTTGC TGAAAGGAGG AACTATATCC GGATATCCAC
2941 AGGACGGGTG TGGTCGCCAT GATCGCGTAG TCGATAGTGG CTCCAAGTAG CGAAGCGAGC
3001 AGGACTGGGC GGCGGCCAAA GCGGTCGGAC AGTGCTCCGA GAACGGGTGC GCATAGAAAT
3061 TGCATCAACG CATATAGCGC TAGCAGCACG CCATAGTGAC TGGCGATGCT GTCGGAATGG
3121 ACGATATCCC GCAAGAGGCC CGGCAGTACC GGCATAACCA AGCCTATGCC TACAGCATCC
3181 AGGGTGACGG TGCCGAGGAT GACGATGAGC GCATTGTTAG ATTTTCATACA CGGTGCCTGA
3241 CTGCGTTAGC AATTTAACTG TGATAAACTA CCGCATTAAA GCTTATCGAT GATAAGCTGT
3301 CAAACATGAG AATTCTTGAA GACGAAAGGG CCTCGTGATA CGCCTATTTT TATAGGTTAA
3361 TGTCATGATA ATAATGGTTT CTTAGACGTC AGGTGGCACT TTTGGGGGAA ATGTGCGCGG
3421 AACCCCTATT TGTTTATTTT TCTAAATACA TTCAAATATG TATCCGCTCA TGAGACAATA
3481 ACCCTGATAA ATGCTTCAAT AATATTGAAA AAGGAAGAGT ATGAGTATTC AACATTTCCG
3541 TGTCGCCCTT ATTCCCTTTT TTGCGGCATT TTGCCTTCCT GTTTTGTCTC ACCCAGAAAC
3601 GCTGGTGAAA GTAAAAGATG CTGAAGATCA GTTGGGTGCA CGAGTGGGTT ACATCGAACT
3661 GGATCTCAAC AGCGGTAAGA TCCTTGAGAG TTTTCGCCCC GAAGAACGTT TTCCAATGAT
3721 GAGCACTTTT AAAGTTCTGC TATGTGGCGC GGTATTATCC CGTGTGACG CCGGGCAAGA
3781 GCAACTCGGT CGCCGCATAC ACTATTCTCA GAATGACTTG GTTGAGTACT CACCAGTCAC
3841 AGAAAAGCAT CTTACGGATG GCATGACAGT AAGAGAATTA TGCAGTGCTG CCATAACCAT
3901 GAGTGATAAC ACTGCGGCCA ACTTACTTCT GACAACGATC GGAGGACCGA AGGAGCTAAC
3961 CGCTTTTTTG CACAACATGG GGGATCATGT AACTCGCCTT GATCGTTGGG AACCGGAGCT
4021 GAATGAAGCC ATACCAAACG ACGAGCGTGA CACCACGATG CCTGCAGCAA TGGCAACAAC
4081 GTTGCGCAAA CTATTAACCTG GCGAACTACT TACTCTAGCT TCCCGGCAAC AATTAATAGA
4141 CTGGATGGAG GCGGATAAAG TTGCAAGGACC ACTTCTGCGC TCGGCCCTTC CGGCTGGCTG
4201 GTTTATTGCT GATAAATCTG GAGCCGGTGA GCGTGGGTCT CGCGGTATCA TTGCAGCACT
4261 GGGGCCAGAT GGTAAGCCCT CCCGTATCGT AGTTATCTAC ACGACGGGGA GTCAGGCAAC
4321 TATGGATGAA CGAAATAGAC AGATCGCTGA GATAGGTGCC TCACTGATTA AGCATTGGTA
4381 ACTGTCAGAC CAAGTTTACT CATATATACT TTAGATTGAT TTAACCTTC ATTTTAAATT
4441 TAAAAGGATC TAGGTGAAGA TCCTTTTGA TAATCTCATG ACCAAAATCC CTTAACGTGA
4501 GTTTTCGTTT CACTGAGCGT CAGACCCCGT AGAAAAGATC AAAGGATCTT CTTGAGATCC
4561 TTTTTTCTG CGCGTAATCT GCTGCTTGCA AACAAAAAAA CCACCGCTAC CAGCGTGGT
4621 TTGTTTGGCG GATCAAGAGC TACCAACTCT TTTTCCGAAG GTAACGGCT TCAGCAGAGC
4681 GCAGATACCA AATACTGTCC TTCTAGTGTA GCCGTAGTTA GGCCACCACT TCAAGAACTC
4741 TGTAGCACCG CCTACATACC TCGCTCTGCT AATCCTGTTA CCAGTGGCTG CTGCCAGTGG
4801 CGATAAGTCG TGTCTTACCG GGTTGGACTC AAGACGATAG TTACCGGATA AGGCGCAGCG
4861 GTCGGGCTGA ACGGGGGGT CGTGACACACA GCCCAGCTTG GAGCGAACGA CCTACACCGA
4921 ACTGAGATAC CTACAGCGTG AGCTATGAGA AAGCGCCACG CTTCCCGAAG GGAGAAAGGC
4981 GGACAGGTAT CCGGTAAGCG GCAGGTCGG AACAGGAGAG CGCAGGAGG AGCTTCCAGG
5041 GGGAAACGCC TGGTATCTTT ATAGTCTGTG CGGGTTCGC CACCTCTGAC TTGAGCGTCG
5101 ATTTTGTGA TGCTCGTCAG GGGGGCGGAG CCTATGAAA AACGCCAGCA ACGCGGCCCT
5161 TTTACGGTTC CTGGCCTTTT GCTGGCCTTT TGCTCACATG TTCTTCTCTG CGTTATCCCC
5221 TGATTCTGTG GATAACCGTA TTACCGCCTT TGAGTGAGCT GATACCGCTC GCCCGAGCCG
5281 AACGACCGAG CGCAGCGAGT CAGTGAGCGA GGAAGCGGAA GAGCGCCTGA TGCGGTATTT
5341 TCTCCTTACG CATCTGTGCG GTATTTTACA CCGCATATAT GGTGCACTCT CAGTACAATC
5401 TGCTCTGATG CCGCATAGTT AAGCCAGTAT ACACTCCGCT ATCGCTACGT GACTGGGTCA
5461 TGGCTGCGCC CCGACACCCG CCAACACCCG CTGACGCGCC CTGACGGGCT TGTCTGCTCC
5521 CGGCATCCGC TTACAGACAA GCTGTGACCG TCTCCGGGAG CTGCATGTGT CAGAGGTTTT
5581 CACCGTCATC ACCGAAACGC GCGAGGCAGC TGCGGTAAAG CTCATCAGCG TGGTCGTGAA
5641 GCGATTACAA GATGTCTGCC TGTTTCATCCG CGTCCAGCTC GTTGAGTTTC TCCAGAAGCG
5701 TTAATGTCTG GCTTCTGATA AAGCGGGCCA TGTTAAGGGC GGTTTTTTCC TGTGTGGTCA
5761 CTGATGCCCTC CGTGTAAGGG GGATTTCTGT TCATGGGGGT AATGATACCG ATGAAACGAG
5821 AGAGGATGCT CACGATACGG GTTACTGATG ATGAACATGC CCGGTTACTG GAACGTTGTG
5881 AGGGTAAACA ACTGGCGGTA TGGATGCGGC GGGACCAGAG AAAAATCACT CAGGGTCAAT
5941 CGCAGCGCTT CGTTAATACA GATGTAGGTG TTCCACAGGG TAGCCAGCAG CATCCTGCGA
6001 TGCAGATCCG GAACATAATG GTGCAGGGCG CTGACTTCCG CGTTTCCAGA CTTTACGAAA
6061 CACGGAAACC GAAGACCATT CATGTTGTTG CTCAGGTCGC AGACGTTTTG CAGCAGCAGT
6121 CGCTTCACGT TCGCTCGCGT ATCGGTGATT CATTCTGCTA ACCAGTAAGG CAACCCCGCC
6181 AGCCTAGCCG GGTCTCAAC GACAGGAGCA CGATCATGCG CACCGTGCG CAGGACCCAA
6241 CGCTGCCCGA GATGCGCCGC GTGCGGCTGC TGGAGATGGC GGACGCGATG GATATGTTCT-

FIGURE 45C

131/240

6301 GCCAAGGGTT GGTTTGC GCA TTCACAGTTC TCCGCAAGAA TTGATTGGCT CCAATTCTTG
6361 GAGTGGTGAA TCCGTTAGCG AGGTGCCGCC GGCTTCCATT CAGGTCGAGG TGGCCCGGCT
6421 CCATGCACCG CGACGCAACG CGGGGAGGCA GACAAGGTAT AGGGCGGGCG CTACAATCCA
6481 TGCCAACCCG TTCCATGTGC TCGCCGAGGC GGCATAAATC GCCGTGACGA TCAGCGGTCC
6541 AGTGATCGAA GTTAGGCTGG TAAGAGCCGC GAGCGATCCT TGAAGCTGTC CCTGATGGTC
6601 GTCATCTACC TGCCTGGACA GCATGGCCTG CAACGCGGGC ATCCCGATGC CG

FIGURE 45D

132/240

FIGURE 46A

pDEST26 His6 Amino Fusion in pCMV Sport-neo Vector

```

600   ttg acg tca atg gga gtt tgt ttt ggc acc aaa atc aac ggg act ttc caa
      aac tgc agt tac cct caa aca aaa ccg tgg ttt tag ttg ccc tga aag gtc

651   aat gtc gta aca act ccg ccc oat tga cgc aaa tgg gcg gta ggc gtg tac
      tta cag cat tgt tga ggc ggg gta act ggc ttt acc cgc cat ccg cac atg

702   // ggt ggg agg tct ata taa gaa gag ctc gtt tag tga acc gtc aga tgg cct
      // cca ccc tcc aga tat att cgt ctc gag caa atc act tgg cag tct ago gga

753   gga gac ggc atc cac gct gtt ttg acc tcc ata gaa gac acc ggg acc gat
      cct ctg cgg tag gtg cga caa aac tgg agg tat ott ctg tgg ccc tgg cta


804   cca gcc tcc gga ctc tag cct agg ccg cgg acc atg gcg tac tac cat cac
      ggt cgg agg cct gag atc gga tcc ggc gcc tgg tac cgc atg atg gta gtc

855   H H H H S R S T S I V K K A
      cat cac cat cac tct aga tca aca agt ttg tac aaa aaa gct gaa cga gaa
      gta gtg gta gtg aga tct agt tgt tca aac atg ttt ttt cga ott gct ctt
  
```

CMV Promoter → MRNA

Start Transl →

Int V



pDEST26 7481 bp

<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
492..509	his6
619..519	attR1
752..1411	CmR
1531..1615	inactivated ccdA
1753..2058	ccdB
2099..2223	attR2
2409..2771	SV40 polyA
2966..3421	f1 intergenic region
3485..3903	SV40 promoter
3948..4742	neo
4806..4854	polyA
5265..6125	Apr
6274..6913	ori
7344..385	CMV promoter

```

1 GTAAACTGCC CACTTGGCAG TACATCAAGT GTATCATATG CCAAGTACGC CCCCTATTGA
61 CGTCAATGAC GGTAAATGGC CCGCCTGGCA TTATGCCCAG TACATGACCT TATGGGACTT
121 TCCTACTTGG CAGTACATCT ACGTATTAGT CATCGCTATT ACCATGGTGA TCGCGTTTGT
181 GCAGTACATC AATGGGCGTG GATAGCGGTT TGA CTCACGG GGATTTCCAA GTCTCCACCC
241 CATTGACGTC AATGGGAGTT TGT TTTGGCA CCAAATCAA CGGGACTTTC CAAATGTCTG
301 TAACAACTCC GCCCCATTGA CGCAAATGGG CGGTAGGCGT GTACGGTGGG AGGTCTATAT
361 AAGCAGAGCT CGTTTAGTGA ACCGTCAGAT CGCCTGGAGA CGCCATCCAC GCTGTTTGA
421 CCTCCATAGA AGACACCGGG ACCGATCCAG CCTCCGGACT CTAGCCTAGG CCGCGGACCA
481 TGGCGTACTA CCATCACCAT CACCATCACT CTAGATCAAC AAGTTTGTAC AAAAAAGCTG
541 AACGAGAAAC GTAAATGAT ATAAATATCA ATATATTAAA TTAGATTTTG CATAAAAAAC
601 AGACTACATA ATACTGTAAA ACACAACATA TCCAGTCACT ATGGCGGCCG CATTAGGCAC
661 CCCAGGCTTT ACACTTTATG CTTCCGGCTC GTATAATGTG TGGATTTTGA GTTAGGATCC
721 GGCGAGATTT TCAGGAGCTA AGGAAGCTAA AATGGAGAAA AAAATCACTG GATATACCAC
781 CGTTGATATA TCCCAATGGC ATCGTAAAGA ACATTTTGAG GCATTTTCACT CAGTTGCTCA
841 ATGTACCTAT AACCAGACCG TTCAGCTGGA TATTACGGCC TTTTAAAGA CCGTAAAGAA
901 AAATAAGCAC AAGTTTTATC CGGCCTTTAT TCACATTCTT GCCCGCCTGA TGAATGCTCA
961 TCCGGAATTC CGTATGGCAA TGAAGACGG TGAGCTGGTG ATATGGGATA GTGTTACCC
1021 TTGTTACACC GTTTTCCATG AGCAAACCTGA AACGTTTTC TCGCTCTGGA GTGAATACCA
1081 CGACGATTTT CGGCAGTTTC TACACATATA TTCGCAAGAT GTGGCGTGTT ACGGTGAAAA
1141 CCTGGCCTAT TTCCCTAAG GGT TTTATTGA GAATATGTTT TTCGTCTCAG CCAATCCCTG
1201 GGTGAGTTTC ACCAGTTTGT ATTTAAACGT GGCCAATATG GACAACTTCT TCGCCCCCGT
1261 TTTACCATG GCAAATATT ATACGCAAGG CGACAAGGTG CTGATGCCCG TGGCGATTCA
1321 GGTTCATCAT GCCGTCTGTG ATGGCTTCCA TGTCGGCAGA ATGCTTAATG AATTACAACA
1381 GTACTGCGAT GAGTGGCAGG GCGGGGCGTA AAGATCTGGA TCCGGCTTAC TAAAAGCCAG
1441 ATAACAGTAT GCGTATTTGC GCGCTGATTT TTGCGGTATA AGAATATATA CTGATATGTA
1501 TACCGAAGT ATGTCAAAAA GAGGTGTGCT ATGAAGCAGC GTATTACAGT GACAGTTGAC
1561 AGCGACAGCT ATCAGTTGCT CAAGGCATAT ATGATGTCAA TATCTCCGGT CTGGTAAGCA
1621 CAACCATGCA GAATGAAGCC CGTCGTCTGC GTGCCGAACG CTGGAAGCG GAAAATCAGG
1681 AAGGGATGGC TGAGGTCGCC CGGTTTATTG AAATGAACGG CTCTTTTGCT GACGAGAACA
1741 GGGACTGGTG AAATGCAGTT TAAGGTTTAC ACCTATAAAA GAGAGAGCCG TTATCGTCTG
1801 TTTGTGGATG TACAGAGTGA TATTATTGAC ACGCCCCGGC GACGGATGGT GATCCCCCTG
1861 GCCAGTGCAC GTCTGCTGTC AGATAAAGT TCCCGTGAAC TTTACCCGGT GGTGCATATC
1921 GGGGATGAAA GCTGGCGCAT GATGACCACC GATATGGCCA GTGTGCCGGT CTCCGTTATC
1981 GGGGAAGAAG TGGCTGATCT CAGCCACCGC GAAAATGACA TCAAAAACGC CATTAACTG
2041 ATGTTCTGGG GAATATAAAT GTCAGGCTCC CTTATACACA GCCAGTCTGC AGGTCGACCA
2101 TAGTGACTGG ATATGTTGTG TTTTACAGTA TTATGTAGTC TGTTTTTTAT GCAAAATCTA
2161 ATTTAATATA TTGATATTTA TATCATTTTA CGTTTCTCGT TCAGCTTTCT TGTAACAAGT
2221 GGTGATCGC GTGCATGCGA CGTCATAGCT CTCTCCCTAT AGTGAGTCGT ATTATAAGCT
2281 AGGCACTGGC CGTCGTTTTA CAACGTCGTG ACTGGGAAAA CTGCTAGCTT GGGATCTTTG -

```

2341 TGAAGGAACC TTACTTCTGT GGTGTGACAT AATTGGACAA ACTACCTACA GAGATTTAAA
2401 GCTCTAAGGT AAATATAAAA TTTTAAAGTG TATAATGTGT TAAACTAGCT GCATATGCTT
2461 GCTGCTTGAG AGTTTGTGCT ACTGAGTATG ATTTATGAAA ATATTATACA CAGGAGCTAG
2521 TGATTCTAAT TGTTTGTGTA TTTTAGATTG ACAGTCCCAA GGCTCATTTC AGGCCCTCA
2581 GTCCTCACAG TCTGTTTCATG ATCATAATCA GCCATACCAC ATTTGTAGAG GTTTTACTTG
2641 CTTTAAAAAA CCTCCACAC CTCCCCCTGA ACCTGAAACA TAAATGAAT GCAATTGTTG
2701 TTGTTAACTT GTTTATTGCA GCTTATAATG GTTACAAATA AAGCAATAGC ATCACAAAT
2761 TCACAAATAA AGCATTTTTT TCACTGCATT CTAGTTGTGG TTGTCCAAA CTCATCAATG
2821 TATCTTATCA TGTCTGGATC GATCCTGCAT TAATGAATCG GCCAACGCGC GGGGAGAGGC
2881 GGTTTGCGTA TTGGCTGGCG TAATAGCGAA GAGGCCCGCA CCGATCGCCC TTCCCAACAG
2941 TTGCGCAGCC TGAATGGCGA ATGGGACGCG CCCTGTAGCG GCGCATTAAAG CGCGCGGGT
3001 GTGGTGGTTA CGCGCAGCGT GACCGCTACA CTTGCCAGCG CCCTAGCGCC CGCTCCTTTC
3061 GCTTCTTCC CTTCTTTCT CGCCACGTTT GCCGGCTTTC CCCGTCAAGC TCTAAATCGG
3121 GGGCTCCCTT TAGGGTTCCG ATTTAGTGCT TTACGGCACC TCGACCCCAA AAAACTTGAT
3181 TAGGGTGATG GTTCACGTAG TGGGCCATCG CCCTGATAGA CGGTTTTTCG CCCTTTGACG
3241 TTGGAGTCCA CGTCTTTAA TAGTGGACTC TTGTTCCAAA CTGGAACAAC ACTCAACCCT
3301 ATCTCGGTCT ATTCTTTTGA TTTATAAGGG ATTTTGCCGA TTTCCGCCTA TTGGTTAAAA
3361 AATGAGCTGA TTTAACAAAT ATTTAACGCG AATTTTAAACA AAATATTAAC GTTTACAATT
3421 TCGCCTGATG CGGTATTTTC TCCTTACGCA TCTGTGCGGT ATTTACACC GCATACGCGG
3481 ATCTGCGCAG CACCATGGCC TGAAATAACC TCTGAAAGAG GAACCTTGTT AGGTACCTTC
3541 TGAGGCGGAA AGAACCAGCT GTGGAATGTG TGTCAAGTAG GGTGTGGAAA GTCCCCAGGC
3601 TCCCCAGCAG GCAGAAGTAT GCAAAGCATG CATCTCAATT AGTCAGCAAC CAGGTGTGGA
3661 AAGTCCCCAG GCTCCCCAGC AGGCAGAAGT ATGCAAAGCA TGCATCTCAA TTAGTCAGCA
3721 ACCATAGTCC CGCCCCTAAC TCCGCCATC CCGCCCCTAA CTCCGCCAG TTCCGCCCAT
3781 TCTCCGCCCC ATGGCTGACT AATTTTTTTT ATTTATGCAG AGGCCGAGGC CGCCTCGGCC
3841 TCTGAGCTAT TCCAGAAGTA GTGAGGAGGC TTTTGTGGAG GCCTAGGCTT TTGCAAAAAG
3901 CTTGATTCTT CTGACACAAC AGTCTCGAAC TTAAGGCTAG AGCCACCATG ATTGAACAAG
3961 ATGGATTGCA CGCAGGTTCT CCGGCCGCTT GGGTGGAGAG GCTATTCGGC TATGACTGGG
4021 CACAACAGAC AATCGGCTGC TCTGATGCCG CCGTGTTCGG GCTGTACGCG CAGGGGCGCC
4081 CGGTTCTTTT TGTCAAGACC GACCTGTCCG GTGCCCTGAA TGAATGCGAG GACGAGGCAG
4141 CGCGGCTATC GTGGCTGGCC ACGACGGGCG TTCCTTGCGC AGCTGTGCTC GACGTTGTCA
4201 CTGAAGCGGG AAGGGACTGG CTGCTATTGG GCGAAGTGCC GGGGCAGGAT CTCCTGTCTC
4261 CTCACCTTGC TCCTGCCGAG AAAGTATCCA TCATGGCTGA TGCAATGCGG CGGCTGCATA
4321 CGCTTGATCC GGCTACCTGC CCATTGACC ACCAAGCGAA ACATCGCATC GAGCGAGCAC
4381 GTACTCGGAT GGAAGCCGGT CTTGTGCTAT AGGATGATCT GGACGAAGAG CATCAGGGGC
4441 TCGCGCCAGC CGAACTGTTT GCCAGGCTCA AGGCGCGCAT GCGGACGGC GAGGATCTCG
4501 TCGTGACCCA TGGCGATGCC TGCTTGCCGA ATATCATGGT GGAAATGGC CGCTTTTCTG
4561 GATTTCATCGA CTGTGGCCGG CTGGGTGTGG CGGACCGCTA TCAGGACATA GCGTTTGCTA
4621 CCCGTGATAT TGCTGAAGAG CTTGGCGGCG AATGGGCTGA CCGCTTCCTC GTGCTTTACG
4681 GTATCGCCGC TCCCGATTG CAGCGCATCG CCTTCTATCG CCTTCTTGAC GAGTTCTTCT
4741 GAGCGGGACT CTGGGGTTCG AAATGACCGA CCAAGCGACG CCCAACCTGC CATCACGATG
4801 GCCGCAATAA AATATCTTTA TTTTCATTAC ATCTGTGTGT TGGTTTTTTG TGTGAATCGA
4861 TAGCGATAAG GATCCGCGTA TGGTGCACTC TCAGTACAAT CTGCTCTGAT GCCGCATAGT
4921 TAAGCCAGCC CCGACACCCG CCAACACCCG CTGACGCGCC CTGACGGGCT TGTCTGCTCC
4981 CGGCATCCGC TTACAGACAA GCTGTGACCG TCTCCGGGAG CTGCATGTGT CAGAGGTTTT
5041 CACCGTCATC ACCGAAACGC GCGAGACGAA AGGGCCTCGT GATACGCCTA TTTTATAGG
5101 TTAATGTCAT GATAATAATG GTTTCTTAGA CGTCAGGTGG CACTTTTTCG GGAATGTGC
5161 GCGGAACCCC TATTTGTTTA TTTTCTAAA TACATTCAA TATGTATCCG CTCATGAGAC
5221 AATAACCTG ATAAATGCTT CAATAATATT GAAAAAGGAA GAGTATGAGT ATTCAACATT
5281 TCCGTGTGCG CCTTATTCCC TTTTGTGCGG CATTTCCTT TCCTGTTTTT GCTACCCAG
5341 AAACGCTGGT GAAAGTAAAA GATGCTGAAG ATCAGTTGGG TGACAGAGTG GGTACATCG
5401 AACTGGATCT CAACAGCGGT AAGATCCTTG AGAGTTTTCG CCCCAGAGAA CGTTTTCCAA
5461 TGATGAGCAC TTTTAAAGTT CTGCTATGTG GCGCGGTATT ATCCGTATT GACGCCGGG
5521 AAGAGCAACT CGGTCGCCGC ATACACTATT CTCAGAATGA CTTGGTTGAG TACTACCAG
5581 TCACAGAAAA GCATCTTACG GATGGCATGA CAGTAAGAGA ATTATGCAGT GCTGCCATAA
5641 CCATGAGTGA TAACACTGCG GCCAACTTAC TTCTGACAAC GATCGGAGGA CCGAAGGAGC
5701 TAACCGCTTT TTTGCACAAC ATGGGGGATC ATGTAACCTG CCTGATCGT TGGGAACCGG
5761 AGCTGAATGA AGCCATACCA AACGACGAGC GTGACACCAC GATGCCTGTA GCAATGGCAA -

5821 CAACGTTGCG CAAACTATTA ACTGGCGAAC TACTTACTCT AGCTTCCCGG CAACAATTAA
5881 TAGACTGGAT GGAGGCGGAT AAAGTTGCAG GACCACTTCT GCGCTCGGCC CTTCCGGCTG
5941 GCTGTTTTAT TGCTGATAAA TCTGGAGCCG GTGAGCGTGG GTCTCGCGGT ATCATTGCAG
6001 CACTGGGGCC AGATGGTAAG CCTCCCCGTA TCGTAGTTAT CTACACGACG GGGAGTCAGG
6061 CAACTATGGA TGAACGAAAT AGACAGATCG CTGAGATAGG TGCCTCACTG ATTAAGCATT
6121 GGTAACGTGC AGACCAAGTT TACTCATATA TACTTTAGAT TGATTAAAA CTTCATTTTT
6181 AATTTAAAAG GATCTAGGTG AAGATCCTTT TTGATAATCT CATGACCAA ATCCCTTAAC
6241 GTGAGTTTTT GTTCCACTGA GCGTCAGACC CCGTAGAAAA GATCAAAGGA TCTTCTTGAG
6301 ATCCTTTTTT TCTGCGCGTA ATCTGCTGCT TGCAAACAAA AAAACCAACG CTACCAGCGG
6361 TGGTTTTGTT GCCCGATCAA GAGCTACCAA CTCTTTTTCC GAAGGTAAC TTGCTTCAGCA
6421 GAGCGCAGAT ACCAAATACT GTCCTTCTAG TGTAGCCGTA GTTAGGCCAC CACTTCAAGA
6481 ACTCTGTAGC ACCGCCTACA TACCTCGCTC TGCTAATCCT GTTACCAGTG GCTGCTGCCA
6541 TTGGCGATAA GTCGTGTCTT ACCGGGTTGG ACTCAAGACG ATAGTTACCG GATAAGGCGC
6601 AGCGGTCGGG CTGAACGGGG GGTTCGTGCA CACAGCCCAG CTTGGAGCGA ACGACCTACA
6661 CCGAACTGAG ATACCTACAG CGTGAGCATT GAGAAAGCGC CACGCTTCCC GAAGGGAGAA
6721 AGGCGGACAG GTATCCGTA AGCGGCAGGG TCGGAACAGG AGAGCGCACG AGGGAGCTTC
6781 CAGGGGGAAA CGCCTGGTAT CTTTATAGTC CTGTCGGGTT TCGCCACCTC TGACTTGAGC
6841 GTCGATTTTT GTGATGCTCG TCAGGGGGGC GGAGCCTATG GAAAAACGCC AGCAACGCGG
6901 CCTTTTTACG GTTCCTGGCC TTTTGCTGGC CTTTGTCTCA CATGTTCTTT CTTGCGTTAT
6961 CCCCTGATTC TGTGGATAAC CGTATTACCG CCTTTGAGTG AGCTGATACC GCTCGCCGCA
7021 GCCGAACGAC CGAGCGCAGC GAGTCAGTGA GCGAGGAAGC GGAAGAGCGC CCAATACGCA
7081 AACC GCCTCT CCCC GCCTCT TGGCCGATTC ATTAATGCAG AGCTTGCAAT TCGCGCGTTT
7141 TTCAATATTA TTGAAGCATT TATCAGGGTT ATTGTCTCAT GAGCGGATAC ATATTGAA
7201 GTATTTAGAA AAATAAACAA ATAGGGGTTT CCGCGACATT TCCCCGAAAA GTGCCACCTG
7261 ACGTCTAAGA AACCATTATT ATCATGACAT TAACCTATAA AAATAGGCGT AGTACGAGGC
7321 CCTTTCATC ATTAGATGCA TGTCGTTACA TAACTTACGG TAAATGGCCC GCCTGGCTGA
7381 CCGCCCAACG ACCCCCGCCC ATTGACGTCA ATAATGACGT ATGTTCCCAT AGTAACGCCA
7441 ATAGGGACTT TCCATTGACG TCAATGGGTG GAGTATTTAC G

136/240
FIGURE 47A

pDEST 27 GST Amino Fusion in pCMV Sport-neo Vector

CMV Promoter

600 // nac ggt ggg agg tct ata taa gca gag ctc gtt tag tga acc gtc aga tcy
// ntg cca ccc tcc aga tat att cgt ctc gag caa atc act tgg dag tct ago

651 cct gga gac gcc atc cac gct gtt ttg acc tcc ata gaa gac acc ggg acc
gga cct ctg cgg tag gtg cga caa aac tgg agg tat ctt ctg tgg ccc tgg

702 gat cca gcc tcc gga ctc tag cct agg ccg cgg acc atg gcc cct ata ata
cta ggt ogg agg cct gag atc gga tcc ggc gcc tgg tgc cgg gga tat gat

753 ggt tat tgg aaa att aag ggc ctt gtg caa ccc act dga ott ctt ttg gaa
cca ata acc ttt taa ttc ccg gaa cac gtt ggg tga gct gaa gaa aac ctt

804 tat ctt gaa gaa aaa tat gaa gag cat ttg tat gag cgc gat gaa ggt gat
ata gaa ctt ctt ttt ata ctt ctc gta aac ata ctc gcg cta ctt cca cta


1365 // ttt ggt ggt ggc gac cat cct cca aaa tcy gat ctg gtt ccg cgt tct aga
// aaa cca cca ccg ctg gta gga ggt ttt agc cta gac oaa ggc gca aga tct

1416 tca aca agt tgg tac aaa aaa gct gaa cga gaa acg
agt tgt tca aac atg ttg ttt cga ctt gct att tgc

Int attR1

Start Transl GST

Start Transl



137/240

pDEST27 8123 bp (rotated to position 7800)

<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
130..793	GST
803..927	attR1
1036..1695	CmR
1815..1899	inactivated ccdA
2037..2342	ccdB
2383..2507	attR2
2693..3055	SV40 polyA
3250..3705	f1 intergenic region
3769..4187	SV40 promoter
4232..5026	neo
5090..5138	polyA
5549..6409	Apr
6558..7197	ori
7628..27	CMV promoter

```

1 ATAAGCAGAG CTCGTTTAGT GAACCGTCAG ATCGCCTGGA GACGCCATCC ACGCTGTTTT
61 GACCTCCATA GAAGACACCG GGACCGATCC AGCCTCCGGA CTCTAGCCTA GGCCGCGGAC
121 CATGGCCCCCT ATACTAGGTT ATTGGAAGAA TAAGGGCCTT GTGCAACCCA CTCGACTTCT
181 TTTGGAATAT CTTGAAGAAA AATATGAAGA GCATTTGTAT GAGCGCGATG AAGGTGATAA
241 ATGGCGAAAC AAAAAGTTTG AATTGGGTTT GGAGTTTCCC AATCTTCCTT ATTATATTGA
301 TGGTGATGTT AAATTAACAC AGTCTATGGC CATCATACGT TATATAGCTG ACAAGCACAA
361 CATGTTGGGT GGTGTGCCAA AAGAGCGTGC AGAGATTTC AATGCTTGAAG GAGCGGTTTT
421 GGATATTAGA TACGGTGTTC CGAGAATTGC ATATAGTAAA GACTTTGAAA CTCTCAAAGT
481 TGATTTTCTT AGCAAGCTAC CTGAAATGCT GAAATGTTC GAAGATCGTT TATGTCATAA
541 AACATATTTA AATGGTGATC ATGTAACCCA TCCTGACTTC ATGTTGTATG ACGCTCTTGA
601 TGTGTTTTTA TACATGGACC CAATGTGCCT GGATGCGTTC CCAAAATTAG TTTGTTTTAA
661 AAAACGTATT GAAGCTATCC CACAAATTGA TAAGTACTTG AAATCCAGCA AGTATATAGC
721 ATGGCCTTTG CAGGGCTGGC AAGCCACGTT TGGTGGTGGC GACCATCCTC CAAAATCGGA
781 TCTGGTCCG CGTTCTAGAT CAACAAGTTT GTACAAAAAA GCTGAACGAG AAACGTAAAA
841 TGATATAAAT ATCAATATAT TAAATTAGAT TTTGCATAAA AAACAGACTA CATAATACTG
901 TAAACACAA CATATCCAGT CACTATGGCG GCCGCATTAG GCACCCGAGG CTTTACACTT
961 TATGCTTCCG GCTCGTATAA TGTGTGGATT TTGAGTTAGG ATCCGCGGAG ATTTTCAGGA
1021 GCTAAGGAAG CTAAATGGA GAAAAAATC ACTGGATATA CCACCGTTGA TATATCCCAA
1081 TGGCATCGTA AAGAACATTT TGAGGCATTT CAGTCAGTTG CTCAATGTAC CTATAACCAG
1141 ACCGTTTCAGC TGGATATTAC GGCCTTTTTTA AAGACCGTAA AGAAAAATAA GCACAAGTTT
1201 TATCCGCGCT TTATTCACAT TCTTGCCCCG CTGATGAATG CTCATCCGGA ATTCCGTATG
1261 GCAATGAAAG ACGGTGAGCT GGTGATATGG GATAGTGTTT ACCCTTGTTA CACCGTTTTT
1321 CATGAGCAAA CTGAAACGTT TTCATCGCTC TGGAGTGAAT ACCACGACGA TTTCCGGCAG
1381 TTTCTACACA TATATTCGCA AGATGTGGCG TGTTACGGTG AAAACCTGGC CTATTTCCCT
1441 AAAGGGTTTA TTGAGAATAT GTTTTTCGTC TCAGCCAATC CCTGGGTGAG TTTCAACAGT
1501 TTTGATTTAA ACGTGGCCAA TATGGACAAC TTCTTCGCCC CCGTTTTTAC CATGGGCAAA
1561 TATTATACGC AAGGCGACAA GGTGCTGATG CCGCTGGCGA TTCAGGTTCA TCATGCCGTC
1621 TGTGATGGCT TCCATGTCGG CAGAATGCTT AATGAATTAC AACAGTACTG CGATGAGTGG
1681 CAGGGCGGGG CGTAAAGATC TGGATCCGGC TTAATAAAAG CCAGATAACA GTATGCGTAT
1741 TTGCGCGCTG ATTTTTCGGG TATAAGAATA TATACTGATA TGTATACCCG AAGTATGTCA
1801 AAAAGAGGTG TGCTATGAAG CAGCGTATTA CAGTGACAGT TGACAGCGAC AGCTATCAGT
1861 TGCTCAAGGC ATATATGATG TCAATATCTC CGGTCTGGTA AGCACAACCA TGCAGAAATG
1921 AGCCCGCTCGT CTGCGTGCCG AACGCTGGAA AGCGGAAAAT CAGGAAGGGA TGGCTGAGGT
1981 CGCCCGGTTT ATTGAAATGA ACGGCTCTTT TGCTGACGAG AACAGGGACT GGTGAAATGC
2041 AGTTTAAAGT TTACACCTAT AAAAGAGAGA GCCGTTATCG TCTGTTTGTG GATGTACAGA
2101 GTGATATTAT TGACACGCCC GGGCGACGGA TGGTGATCCC CCTGGCCAGT GCACGTCTGC
2161 TGTGAGATAA AGTCTCCCGT GAACTTTACC CGGTGGTGCA TATCGGGGAT GAAAGCTGGC
2221 GCATGATGAC CACCGATATG GCCAGTGTGC CGGTCTCCGT TATCGGGGAA GAAGTGGCTG
2281 ATCTCAGCCA CCGCGAAAAT GACATCAAAA ACGCCATTAA CCTGATGTTT TGGGGAATAT-

```

Figure 47B


138/240

2341 AAATGTCAGG CTCCCTTATA CACAGCCAGT CTGCAGGTCG ACCATAGTGA CTGGATATGT
2401 TGTGTTTTTAC AGTATTATGT AGTCTGTTTT TTATGCAAAA TCTAATTTAA TATATTGATA
2461 TTTATATCAT TTTACGTTTC TCGTTCAGCT TTCTTGTAACA AAGTGGTTGA TCGCGTGCAT
2521 GCGACGTCAT AGCTCTCTCC CTATAGTGAG TCGTATTATA AGCTAGGCAC TGGCCGTCGT
2581 TTTACAACGT CGTGACTGGG AAAACTGCTA GCTTGGGATC TTTGTGAAGG AACCTTACTT
2641 CTGTGGTGTG ACATAATGG ACAAACCTACC TACAGAGATT TAAAGCTCTA AGGTAAATAT
2701 AAAATTTTTTA AGTGTAATAAT GTGTTAAACT AGCTGCATAT GCTTGCTGCT TGAGAGTTTT
2761 GCTTACTGAG TATGATTAT GAAAATATTA TACACAGGAG CTAGTGATTG TAATTGTTTG
2821 TGTATTTTATG ATTCACAGTC CCAAGGCTCA TTTCAGGCCC CTCAGTCCTC ACAGTCTGTT
2881 CATGATCATA ATCAGCCATA CCACATTTGT AGAGGTTTTA CTGCTTTAA AAAACCTCCC
2941 ACACCTCCCC CTGAACCTGA AACATAAAAT GAATGCAATT GTTGTGTTA ACTTGTTTAT
3001 TGCAGCTTAT AATGGTTACA AATAAAGCAA TAGCATCACA AATTTACAA ATAAAGCATT
3061 TTTTCTACTG CATTCTAGTT GTGGTTTGTC CAAACTCATC AATGTATCTT ATCATGTCTG
3121 GATCGATCCT GCATTAATGA ATCGGCCAAC GCGCGGGAG AGGCGGTTG CGTATTGGCT
3181 GGCGTAATAG CGAAGAGGCC CGCACCGATC GCCCTTCCCA ACAGTTGCGC AGCCTGAATG
3241 GCGAATGGGA CGCGCCCTGT AGCGGCGCAT TAAGCGCGGC GGGTGTGGTG GTTACGCGCA
3301 GCGTGACCGC TACACTTGCC AGCGCCCTAG CGCCGCTCC TTTCGCTTC TTCCCTTCCT
3361 TTCTCGCCAC GTTCGCGGCG TTTCCCGGTC AAGCTCTAAA TCGGGGGCTC CCTTTAGGGT
3421 TCCGATTTAG TGCTTTACGG CACCTCGACC CCAAAAACT TGATTAGGGT GATGGTTCAC
3481 GTAGTGGGCC ATCGCCCTGA TAGACGGTTT TTCGCCCTTT GACGTTGGAG TCCACGTCTT
3541 TTAATAGTGG ACTCTTGTT CAACTGGAA CAACACTCAA CCCTATCTCG GTCTATTCTT
3601 TTGATTTATA AGGGATTTG CCGATTTGCG CCTATTGGTT AAAAAATGAG CTGATTTAAC
3661 AAATATTTAA CGCGAATTTT AACAAAATAT TAACGTTTAC AATTTGCGCT GATGCGGTAT
3721 TTTCTCCTTA CGCATCTGTG CGGTATTTCA CACCGCATAC GCGGATCTGC GCAGCACCAT
3781 GGCCTGAAAT AACCTCTGAA AGAGGAACTT GGTTAGGTAC CTTCTGAGGC GGAAAGAACC
3841 AGCTGTGGAA TGTGTGTGAG TTAGGGTGTG GAAAGTCCCC AGGCTCCCCA GCAGGAGAAA
3901 GTATGCAAAG CATGCATCTC AATTAGTCAG CAACCAGGTG TGGAAAGTCC CCAGGCTCCC
3961 CAGCAGGCAG AAGTATGCAA AGCATGCATG TCAATTAGTC AGCAACCATA GTCCCGCCCC
4021 TAACCTCGCC CATCCCGCC CTAACCTCCG CCAGTTCCGC CCATTCTCCG CCCCATGGCT
4081 GACTAATTTT TTTTATTTAT GCAGAGGCCG AGGCCGCCCTC GGCCTCTGAG CTATTCCAGA
4141 AGTAGTGAGG AGGCTTTTTT GGAGGCCTAG GCTTTTGCAA AAAGCTTGAT TCTTCTGACA
4201 CAACAGTCTC GAACTTAAGG CTAGAGCCAC CATGATTGAA CAAGATGGAT TGCACGCAGG
4261 TTCTCCGGCC GCTTGGGTGG AGAGGCTATT CGGCTATGAC TGGGCACAAC AGACAATCGG
4321 CTGCTCTGAT GCCGCCGTGT TCCGGCTGTC AGCGCAGGGG CGCCCGGTTT TTTTTGTCAA
4381 GACCGACCTG TCCGGTGCCC TGAATGAACT GCAGGACGAG GCAGCGCGGC TATCGTGGCT
4441 GGCCACGACG GCGGTTCCCT GCGCAGCTGT GCTCGACGTT GCTACTGAAG CGGGAAGGGA
4501 CTGGCTGCTA TTGGGCGAAG TGCCGGGGCA GGATCTCCTG TCATCTCACC TTGCTCCTGC
4561 CGAGAAAGTA TCCATCATGG CTGATGCAAT GCGGCGGCTG CATACGCTTG ATCCGGCTAC
4621 CTGCCCATTG GACCACCAAG CGAAACATCG CATCGAGCGA GCACGTACTC GGATGGAAGC
4681 CGGTCTTGTC GATCAGGATG ATCTGGACGA AGAGCATCAG GGGCTCGCGC CAGCCGAACT
4741 GTTCGCCCAGG CTCAAGGCCG GCATGCCCGA CGGCGAGGAT CTCGTCTGTA CCCATGGCGA
4801 TGCCTGCTTG CCGAATATCA TGGTGGAAAA TGGCCGCTTT TCTGGAATCA TCGACTGTGG
4861 CCGGCTGGGT GTGGCGGACC GCTATCAGGA CATAGCGTTG GCTACCCGTG ATATTGCTGA
4921 AGAGCTTGCG GCGGAATGGG CTGACCGCTT CCTCGTGCTT TACGGTATCG CCGCTCCCGA
4981 TTGCGAGCGC ATCGCCTTCT ATCGCCTTCT TGACGAGTTC TTCTGAGCGG GACTCTGGGG
5041 TTGCAATGTA CCGACCAAGC GACGCCCAAC CTGCCATCAC GATGGCCGCA ATAAATATC
5101 TTTATTTTCA TTACATCTGT GTGTTGGTTT TTTGTGTGAA TCGATAGCGA TAAGGATCCG
5161 CGTATGGTGC ACTCTCAGTA CAATCTGCTC TGATGCCGCA TAGTTAAGCC AGCCCCGACA
5221 CCCGCCAACA CCCGCTGACG CGCCCTGACG GGCTTGTCTG CTCCCGGCAT CCGCTTACAG
5281 ACAAGCTGTG ACCGTCTCCG GGAGCTGCAT GTGTGAGAGG TTTTCACCGT CATCACCAGG
5341 ACGCGCGTGA CGAAAGGGCC TCGTGATACG CCTATTTTAA TAGGTAAATG TCAATGATAA
5401 AATGGTTTCT TAGACGTCAG GTGGCACTTT TCGGGGAAAT GTGCGCGGAA CCCCTATTG
5461 TTTATTTTTC TAAATACATT CAAATATGTA TCCGCTCATG AGACAATAAC CCTGATAAAT
5521 GCTTCAATAA TATTGAAAAA GGAAGAGTAT GAGTATTCAA CATTTCGCTG TCGCCCTTAT
5581 TCCCTTTTTT GCGGCATTTT GCCTTCCTGT TTTTGCTCAC CCAGAAACGC TGGTGAAAGT
5641 AAAAGATGCT GAAGATCAGT TGGGTGACG AGTGGGTAC ATCGAACTGG ATCTCAACAG
5701 CGGTAAGATC CTTGAGAGTT TTCGCCCGGA AGAACGTTTT CCAATGATGA GCACTTTTAA
5761 AGTTCTGCTA TGTGGCGCGG TATTATCCCG TATTGACGCC GGGCAAGAGC AACTCGGTGCG -

FIGURE 47C


5821 CCGCATACAC TATTCTCAGA ATGACTTGGT TGAGTACTCA CCAGTCACAG AAAAGCATCT
5881 TACGGATGGC ATGACAGTAA GAGAATTATG CAGTGCTGCC ATAACCATGA GTGATAACAC
5941 TGCGGCCAAC TTACTTCTGA CAACGATCGG AGGACCGAAG GAGCTAACCG CTTTTTTGCA
6001 CAACATGGGG GATCATGTAA CTCGCCCTGA TCGTTGGGAA CCGGAGCTGA ATGAAGCCAT
6061 ACCAAACGAC GAGCGTGACA CCACGATGCC TGTAGCAATG GCAACAACGT TCGCAAACCT
6121 ATTAAGTGGC GAACTACTTA CTCTAGCTTC CCGGCAACAA TTAATAGACT GGATGGAGGC
6181 GGATAAAGTT GCAGGACCAC TTCTGCGCTC GGCCCTTCCG GCTGGCTGGT TTATTGCTGA
6241 TAAATCTGGA GCCGGTGAGC GTGGGTCTCG CCGTATCATT GCAGCACTGG GGCCAGATGG
6301 TAAGCCCTCC CGTATCGTAG TTATCTACAC GACGGGGAGT CAGGCAACTA TGGATGAACG
6361 AAATAGACAG ATCGCTGAGA TAGGTGCCTC ACTGATTAAG CATTGGTAAC TGTCAGACCA
6421 AGTTTACTCA TATATACTTT AGATTGATTT AAAACTTCAT TTTTAATTTA AAAGTATCTA
6481 GGTGAAGATC CTTTTTGATA ATCTCATGAC CAAAATCCCT TAACGTGAGT TTTCGTTCCA
6541 CTGAGCGTCA GACCCCGTAG AAAAGATCAA AGGATCTTCT TGAGATCCTT TTTTCTGCG
6601 CGTAATCTGC TGCTTGCAAA CAAAAAACC ACCGCTACCA GCGGTGGTTT GTTTGCCGGA
6661 TCAAGAGCTA CCAACTCTTT TTCCGAAGGT AACTGGCTTC AGCAGAGCGC AGATACCAAA
6721 TACTGTCCCT CTAGTGTAGC CGTAGTTAGG CCACCACTTC AAGAACTCTG TAGCACCGCC
6781 TACATACCTC GCTCTGCTAA TCCTGTACC AGTGGCTGCT GCCAGTGGCG ATAAGTCGTG
6841 TCTTACCGGG TTGGACTCAA GACGATAGTT ACCGGATAAG GCGCAGCGGT CGGGCTGAAC
6901 GGGGGGTTCC TGCACACAGC CCAGCTTGA GCGAACGACC TACACCGAAC TGAGATACCT
6961 ACAGCGTGAG CATTGAGAAA GCGCCACGCT TCCCGAAGGG AGAAAGGCGG ACAGGTATCC
7021 GGTAAGCGGC AGGGTCGGAA CAGGAGAGCG CACGAGGGAG CTTCCAGGGG GAAACGCCTG
7081 GTATCTTTAT AGTCCTGTCG GGTTCGCCA CCTCTGACTT GAGCGTCGAT TTTTGTGATG
7141 CTCGTAGGGG GGGCGGAGCC TATGGAAAA CGCCAGCAAC GCGGCCTTTT TACGGTTCCT
7201 GGCCTTTTGC TGGCCTTTTG CTCACATGTT CTTTCCTGCG TTATCCCCTG ATTCTGTGGA
7261 TAACCGTATT ACCGCCTTTG AGTGAGCTGA TACCGCTCGC CGCAGCCGAA CGACCGAGCG
7321 CAGCGAGTCA GTGAGCGAGG AAGCGGAAGA GCGCCCAATA CGCAAACCGC CTCTCCCCGC
7381 GCGTTGGCCG ATTCATTAAT GCAGAGCTTG CAATTCGCGC GTTTTTCAAT ATTATTGAAG
7441 CATTTATCAG GGTATTGTC TCATGAGCGG ATACATATTT GAATGTATTT AGAAAAATAA
7501 ACAAATAGGG GTTCCGCGCA CATTTCCCCG AAAAGTGCCA CCTGACGTCT AAGAAACCAT
7561 TATTATCATG ACATTAACCT ATAAAAATAG GCGTAGTACG AGGCCCTTTC ACTCATTAGA
7621 TGCATGTGCT TACATAACTT ACGGTAAATG GCCCGCTGG CTGACCGCCC AACGACCCCC
7681 GCCCATTGAC GTCAATAATG ACGTATGTTT CCATAGTAAC GCCAATAGGG ACTTTCCATT
7741 GACGTCAATG GGTGGAGTAT TTACGGTAAA CTGCCCCACTT GGCAGTACAT CAAGTGTATC
7801 ATATGCCAAG TACGCCCCCT ATTGACGTCA ATGACGGTAA ATGGCCCGCC TGGCATTATG
7861 CCCAGTACAT GACCTTATGG GACTTTCCTA CTTGGCAGTA CATCTACGTA TTAGTCATCG
7921 CTATTACCAT GGTGATGCGG TTTTGGCAGT ACATCAATGG GCGTGGATAG CGGTTTGAAT
7981 CACGGGGATT TCCAAGTCTC CACCCCATG ACGTCAATGG GAGTTTGTGTT TGGCACCAAA
8041 ATCAACGGGA CTTTCCAAAA TGTCGTAACA ACTCCGCCCC ATTGACGCAA ATGGGCGGTA
8101 GCGGTGTACG GTGGGAGGTC TAT

140/240

Figure 4B A: pEXP501: pCMV.SPORT 6 host for attB Libraries

141/240

Figure 4B8: pEXP501 (cont'd). **Features of the att B cloning vector, pEXP501.** Bases within hatched area are replaced by cDNA in some LTI cDNA libraries.




pEXP501 4396 bp

1 CCATTCCGCA TTCAGGCTGC GCAACTGTTG GGAAGGGCGA TCGGTGCGGG CCTCTTCGCT
61 ATTACGCCAG CCAATACGCA AACCGCCTCT CCCC CGCGT TGGCCGATT CATTAAATGCAG
121 GATCGATCCA GACATGATAA GATACATTGA TGAGTTTGGA CAAACCACAA CTAGAATGCA
181 GTGAAAAAAA TGCTTTATTT GTGAAATTTG TGATGCTATT GCTTTATTTG TAACCATTAT
241 AAGCTGCAAT AAACAAGTTA ACAACAACAA TTGCATTCTAT TTTATGTTTC AGGTTTCAGGG
301 GGAGGTGTGG GAGGTTTTTT AAAGCAAGTA AAACCTCTAC AAATGTGGTA TGGCTGATTA
361 TGATCATGAA CAGACTGTGA GGACTGAGGG GCCTGAAATG AGCCTTGGGA CTGTGAATCT
421 AAAATACACA AACAATTAGA ATCACTAGCT CCTGTGTATA ATATTTTCAT AAATCATACT
481 CAGTAAGCAA AACTCTCAAG CAGCAAGCAT ATGCAGCTAG TTAAACACAT TATACACTTA
541 AAAATTTTAT ATTTACCTTA GAGCTTTAAA TCTCTGTAGG TAGTTTGTCC AATTATGTCA
601 CACCACAGAA GTAAGGTTCC TTCACAAAGA TCCCAAGCTA GCAGTTTTC CAGTCACGAC
661 GTTGTAATAA GACGGCCAGT GCCTAGCTTA TAATACGACT CACTATAGGG ACCACTTTGT
721 ACAAGAAAGC TGGGTACGCG TAAGCTTGGG CCCCTCGAGG GATCCTCTAG AGCGGCCGCG
781 GACTAGTGAG CTCGTCGACG ATATCCCGGG AATCCCGGAC CGGTACCAGC CTGCTTTTTT
841 GTACAAACTT GTTCTATAGT GTCACCTAAA TAGGCCTAAT GGTCATAGCT GTTTCCTGTG
901 TGAAATTGTT ATCCGCTCCG CGGCCTAGGC TAGAGTCCGG AGGCTGGATC GGTCCCGGTG
961 TCTTCTATGG AGGTCAAAC AGCGTGGATG GCGTCTCCAG GCGATCTGAC GGTTCACATA
1021 ACGAGCTCTG CTTATATAGA CCTCCACCG TACACGCCTA CCGCCCATTT CGGTCAATGG
1081 GCGGAGTTG TTACGACATT TTGGAAAGTC CCGTTGATT TGGTGCCAAA ACAAACTCCC
1141 ATTGACGTCA ATGGGGTGGA GACTTGGAAT TCCCCGTGAG TCAAACCGCT ATCCACGCCC
1201 ATTGATGTAC TGCCAAAACC GCATCACCAT GGTAATAGCG ATGACTAATA CGTAGATGTA
1261 CTGCCAAGTA GGAAAGTCCC ATAAGGTCAT GTACTGGGCA TAATGCCAGG CGGGCCATTT
1321 ACCGTCAATTG ACGTCAATAG GGGGCGTACT TGGCATATGA TACACTTGAT GTACTGCCAA
1381 GTGGGCAGTT TACCGTAAAT ACTCCACCCA TTGACGTCAA TGGAAAGTCC CTATTGGCGT
1441 TACTATGGGA ACATACGTCA TTATTGACGT CAATGGGCGG GGGTCGTTGG GCGGTCAGCC
1501 AGGCGGGCCA TTTACCGTAA GTTATGTAAAC GACATGCATC TAATGAGTGA AAGGGCCTCG
1561 TACTACGCCT ATTTTATAG GTTAATGTCA TGATAATAAT GGTTTCTTAG ACGTCAGGTG
1621 GCACTTTTCG GGGAAATGTG CGCGGAACCC CTATTTGTTT ATTTTCTAA ATACATTCAA
1681 ATATGTATCC GCTCATGAGA CAATAACCCT GATAAATGCT TCAATAATAT TGAAAAACGC
1741 GCGAATTGCA AGCTCTGCAT TAATGAATCG GCCAACGCGC GGGGAGAGGC GGTTTGCGTA
1801 TTGGGCGCTC TTCCGCTTCC TCGCTCACTG ACTCGCTGCG CTCGGTCGTT CCGCTGCGGC
1861 GAGCGGTATC AGCTCACTCA AAGGCGGTAA TACGGTTATC CACAGAATCA GGGGATAACG
1921 CAGGAAAGAA CATGTGAGCA AAAGGCCAGC AAAAGGCCAG GAACCGTAAA AAGGCCGCGT
1981 TGCTGGCGTT TTTCCATAGG CTCCGCCCCC CTGACGAGCA TCACAAAAAT CGACGCTCAA
2041 TCTCAGAGGTG GCGAAACCCG ACAGGACTAT AAAGATACCA GCGGTTTCCC CCTGGAAGCT
2101 CCCTCGTGCG CTCTCCTGTT CCGACCCTGC CGCTTACCGG ATACCTGTCC GCCTTTCTCC
2161 CTTCCGGGAAG CGTGGCGCTT TCTCAATGCT CACGCTGTAG GTATCTCAGT TCGGTGTAGG
2221 TCGTTCGCTC CAAGCTGGGC TGTGTGCACG AACCCCCCGT TCAGCCCGAC CGCTGCGCCT
2281 TATCCGGTAA CTATCGTCTT GAGTCCAACC CGGTAAGACA CGACTTATCG CCACTGGCAG
2341 CAGCCACTGG TAACAGGATT AGCAGAGCGA GGTATGTAGG CGGTGCTACA GAGTTCTTGA
2401 AGTGGTGGCC TAACACGGC TACACTAGAA GGACAGTATT TGGTATCTGC GCTCTGCTGA
2461 AGCCAGTTAC CTTCCGAAAA AGAGTTGGTA GCTCTTGATC CGGCAAAACA ACCACCGCTG
2521 GTAGCGGTGG TTTTTTTGTT TGCAAGCAGC AGATTACGCG CAGAAAAAAA GGATCTCAAG
2581 AAGATCCTTT GATCTTTTCT ACGGGGTCTG ACGCTCAGTG GAACGAAAAA TCACGTAAAG
2641 GGATTTTGGT CATGCCATAA CTTCCGTATAG CATAATTAT ACGAAGTTAT GGCATGAGAT
2701 TATCAAAAAG GATCTTCACC TAGATCCTTT TAAATTAAAA ATGAAGTTT AAATCAATCT
2761 AAAGTATATA TGAGTAAACT TGGTCTGACA GTTACCAATG CTTAATCAGT GAGGCACCTA
2821 TCTCAGCGAT CTGTCTATTT CGTTCATCCA TAGTTGCCTG ACTCCCCGTC GTGTAGATAA
2881 CTACGATACG GGAGGGCTTA CCATCTGGCC CCAGTGCTGC AATGATACCG CGAGACCCAC
2941 GCTCACCGGC TCCAGATTTA TCAGCAATAA ACCAGCCAGC CGGAAGGGCC GAGCGCAGAA
3001 GTGGTCTGCG AACTTTATCC GCCTCCATCC AGTCTATTAA TTGTTGCCGG GAAGCTAGAG
3061 TAAGTAGTTC GCCAGTTAAT AGTTTGCAGC ACGTTGTTGC CATTGCTACA GGCATCGTGG
3121 TGTCACGCTC GTCGTTTGGT ATGGCTTCAT TCAGCTCCGG TTCCCAACGA TCAAGCGCAG-

3181 TTACATGATC CCCCATGTTG TGCAAAAAAG CGGTTAGCTC CTTCCGGTCCT CCGATCGTTG
3241 TCAGAAGTAA GTTGGCCGCA GTGTTATCAC TCATGGTTAT GGCAGCACTG CATAATTCTC
3301 TTA CTGTGTCAT GCCATCCGTA AGATGCTTTT CTGTGACTGG TGAGTACTCA ACCAAGTCAT
3361 TCTGAGAATA GTGTATGCGG CGACCGAGTT GCTCTTGCCC GCGGTCAATA CGGGATAATA
3421 CCGCGCCACA TAGCAGAACT TTAAAAGTGC TCATCATTGG AAAACGTTCT TCGGGGCGAA
3481 AACTCTCAAG GATCTTACCG CTGTTGAGAT CCAGTTCGAT GTAACCCACT CGTGCACCCA
3541 ACTGATCTTC AGCATCTTTT ACTTTACCCA GCGTTTCTGG GTGAGCAAAA ACAGGAAGGC
3601 AAAATGCCGC AAAAAAGGGA ATAAGGGCGA CACGGAAATG TTGAATACTC ATACTCTTCC
3661 TTTTTCAATA TTATTGAAGC ATTTATCAGG GTTATTGTCT CATGCCAGGG GTGGGCACAC
3721 ATATTTGATA CCAGCGATCC CTACACAGCA CATAATTCAA TGCGACTTCC CTCTATCGCA
3781 CATCTTAGAC CTTTATTCTC CCTCCAGCAC ACATCGAAGC TGCCGAGCAA GCCGTTCTCA
3841 CCAGTCCAAG ACCTGGCATG AGCGGATACA TATTTGAATG TATTTAGAAA AATAAACAAA
3901 TAGGGGTTCC GCGCACATTT CCCCAGAAAAG TGCCACCTGA AATTGTAAAC GTTAATATTT
3961 TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT TTTTAACCAA TAGGCCGAAA
4021 TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT AGGGTTGAGT GTTGTTCCAG
4081 TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA CGTCAAAGGG CGAAAAACCG
4141 TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCTTA ATCAAGTTTT TTGGGGTCGA
4201 GGTGCCGTAA AGCACTAAAT CGGAACCCTA AAGGGAGCCC CCGATTAGA GCTTGACGGG
4261 GAAAGCCGCG GAACGTGGCG AGAAAGGAAG GGAAGAAAGC GAAAGGAGCG GGCCTAGGG
4321 CGCTGGCAAG TGTAGCGGTC ACGCTGCGCG TAACCACCAC ACCCGCCGCG CTTAATGCGC
4381 CGCTACAGGG CGCGTC

FIGURE 48D



145/240

pDONR201 4470 bp (rotated to position 3516)

<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>
260..29		attP1
656..961		ccdB
1099..1184		ccdA
1303..1962		CmR
2210..2442		attP2
2565..3374		Kmr
3495..4134		ori
1	GTTAACGCTA GCATGGATCT CGGGCCCCAA ATAATGATTT TATTTTGACT GATAGTGACC	
61	TGTTCTGTTGC AACAAATTGA TGAGCAATGC TTTTATATAA TGCCAACCTT GTACAAAAA	
121	GCTGAACGAG AAACGTAAAA TGATATAAAT ATCAATATAT TAAATTAGAT TTTGCATAAA	
181	AAACAGACTA CATAATACTG TAAAAACAAA CATATCCAGT CACTATGAAT CAACTACTTA	
241	GATGGTATTA GTGACCTGTA GTCGACCGAC AGCCTTCCAA ATGTTCTTCG GGTGATGCTG	
301	CCAACTTAGT CGACCGACAG CTTTCCAAAT GTTCTTCTCA AACGGAATCG TCGTATCCAG	
361	CCTACTCGCT ATTGTCTCTCA ATGCCGTATT AAATCATAAA AAGAAATAAG AAAAAGAGGT	
421	GCGAGCCTCT TTTTGTGTG ACAAATAAAA AACATCTACC TATTCATATA CGTAGTGTCT	
481	ATAGTCTCTGA AAATCATCTG CATCAAGAAC AATTCACAA CTCTTATACT TTTCTCTTAC	
541	AAGTCGTTCTG GCTTCATCTG GATTTTCAGC CTCTATACTT ACTAAACGTG ATAAAGTTTC	
601	TGTAATTTCT ACTGTATCGA CCTGCAGACT GGCTGTGTAT AAGGGAGCCT GACATTTATA	
661	TTCCCCAGAA CATCAGGTTA ATGGCGTTTT TGATGTCATT TTCGCGGTGG CTGAGATCAG	
721	CCACTTCTTC CCCGATAACG GAGACCGGCA CACTGGCCAT ATCGGTGGTC ATCATGCGCC	
781	AGCTTTCATC CCCGATATGC ACCACCGGGT AAAGTTCACG GGAGACTTTA TCTGACAGCA	
841	GACGTGCACT GGCCAGGGGG ATCACCATCC GTCGCCCGGG CGTGCAATA ATATCACTCT	
901	GTACATCCAC AAACAGACGA TAACGGCTCT CTCTTTTATA GGTGTAAACC TTAAACTGCA	
961	TTTCAACAGT CCTGTCTCTC GTCAGCAAAA GAGCCGTTCA TTTCAATAAA CCGGGCGACC	
1021	TCAGCCATCC CTTCTCTGAT TTCCGCTTTC CAGCGTTCGG CACGCAGACG ACGGGCTTCA	
1081	TTCTGCATGG TTGTGCTTAC CAGACCGGAG ATATTGACAT CATATATGCC TTGAGCAACT	
1141	GATAGCTGTC GCTGTCAACT GTCAGTGTAA TACGCTGCTT CATAGCACAC CTCTTTTGA	
1201	CATACTTCGG GTATACATAT CAGTATATAT TCTTATACCG CAAAAATCAG CGCGCAAATA	
1261	CGCATACTGT TATCTGGCTT TTAGTAAGCC GGATCCACGC GATTACGCCC CGCCTGCCA	
1321	CTCATCGCAG TACTGTTGTA ATTCATTAAAG CATTCTGCCG ACATGGAAGC CATCACAGAC	
1381	GGCATGATGA ACCTGAATCG CCAGCGGCAT CAGCACCTTG TCGCCTTGCG TATAATATT	
1441	GCCCATGGTG AAAACGGGGG CGAAGAAGTT GTCCATATTG GCCACGTTTA AATCAAAACT	
1501	GGTGAACCTC ACCCAGGGAT TGGCTGAGAC GAAAAACATA TTCTCAATAA ACCCTTTAGG	
1561	GAAATAGGCC AGGTTTTCAC CGTAACACGC CACATCTTGC GAATATATGT GTAGAAACTG	
1621	CCGGAATCG TCGTGGTATT CACTCCAGAG CGATGAAAAC GTTTCAGTTT GCTCATGGAA	
1681	AACGGTGTAA CAAGGGTGAA CACTATCCCA TATCACCAGC TCACCGTCTT TCATTGCCAT	
1741	ACGGAATTCC GGATGAGCAT TCATCAGGCG GGCAAGAATG TGAATAAAGG CCGGATAAAA	
1801	CTTGTGCTTA TTTTCTTTA CGTCTTTAA AAAGGCCGTA ATATCCAGCT GAACGGTCTG	
1861	GTTATAGGTA CATTGAGCAA CTGACTGAAA TGCCTCAAAA TGTTCTTTAC GATGCCATTG	
1921	GGATATATCA ACGGTGGTAT ATCCAGTGAT TTTTCTCTCC ATTTTAGCTT CCTTAGCTCC	
1981	TGAAATCTC GATAACTCAA AAAATACGCC CGGTAGTGAT CTTATTTCAT TATGGTGAAA	
2041	GTTGGAACCT CTTACGTGCC GATCAACGTC TCATTTTCGC CAAAAGTTGG CCCAGGGCTT	
2101	CCCGGTATCA ACAGGGACAC CAGGATTTAT TTATTCTGCG AAGTGATCTT CCGTCACAGG	
2161	TATTTATTTCG GCGCAAAGTG CGTCGGGTGA TGCTGCCAAC TTAGTCGACT ACAGGTCACT	
2221	AATACCATCT AAGTAGTTGA TTCATAGTGA CTGGATATGT TGTGTTTTAC AGTATTATGT	
2281	AGTCTGTTTT TTATGCAAAA TCTAATTTAA TATATTGATA TTTATATCAT TTTACGTTTC	
2341	TCGTTCACTT TTCTGTGACA AAGTTGGCAT TATAAGAAAG CATTGCTTAT CAATTTGTTG	
2401	CAACGAACAG GTCACATCA GTCAAAATAA AATCATTATT TGCCATCCAG CTGCAGCTCT	
2461	GGCCCGTGTG TCAAAATCTC TGATGTTACA TTGCACAAGA TAAAAATATA TCATCATGAA	
2521	CAATAAAACT GTCTGCTTAC ATAAACAGTA ATACAAGGGG TGTTATGAGC CATATTCAAC	
2581	GGGAAACGTC GAGGCCGCGA TTAAATTCCA ACATGGATGC TGATTTATAT GGGTATAAAT	
2641	GGGCTCGCGA TAATGTCGGG CAATCAGGTG CGACAATCTA TCGCTTGTAT GGGGAAGCCCG	
2701	ATGCGCCAGA GTTGTCTCTG AAACATGGCA AAGGTAGCGT TGCCAATGAT GTTACAGATG -	


FIGURE 49B

146/240

2761 AGATGGTCAG ACTAAACTGG CTGACGGAAT TTATGCCTCT TCCGACCATC AAGCATTTTA
2821 TCCGTACTCC TGATGATGCA TGGTTACTCA CCACTGCGAT CCCCGGAAAA ACAGCATTCC
2881 AGGTATTAGA AGAATATCCT GATTCAGGTG AAAATATTGT TGATGCGCTG GCAGTGTTC
2941 TGCGCCGGTT GCATTCGATT CCTGTTTGTA ATTGTCCTTT TAACAGCGAT CGCGTATTT
3001 GTCTCGCTCA GGC CGCAATCA CGAATGAATA ACGGTTTGGT TGATGCGAGT GATTTTGATG
3061 ACGAGCGTAA TGGCTGGCCT GTTGAACAAG TCTGGAAAGA AATGCATAAA CTTTGTCCAT
3121 TCTACCGGA TTCAGTCGTC ACTCATGGTG ATTTCTCACT TGATAACCTT ATTTTGTACG
3181 AGGGGAAATT AATAGGTTGT ATTGATGTTG GACGAGTCGG AATCGCAGAC CGATACCAGG
3241 ATCTTGCCAT CCTATGGAAC TGCCTCGGTG AGTTTTCTCC TTCATTACAG AAACGGCTTT
3301 TTCAAAAATA TGGTATTGAT AATCCTGATA TGAATAAATT GCAGTTTCAT TTGATGCTCG
3361 ATGAGTTTTT CTAATCAGAA TTGGTTAATT GGTGTGAACA CTGGCAGAGC ATTACGCTGA
3421 CTTGACGGGA CGGCGCAAGC TCATGACCAA AATCCCTTAA CGTGAGTTTT CGTTCCACTG
3481 AGCGTCAGAC CCCGTAGAAA AGATCAAAGG ATCTTCTTGA GATCCTTTTT TTCTGCGCGT
3541 AATCTGCTGC TTGCAAACAA AAAAACCCACC GCTACCAGCG GTGGTTTGTG TGCCGGATCA
3601 AGAGCTACCA ACTCTTTTTT CGAAGGTAAC TGGCTTCAGC AGAGCGCAGA TACCAAATAC
3661 TGTCCTTCTA GTGTAGCCGT AGTTAGGCCA CCACTTCAAG AACTCTGTAG CACCGCCTAC
3721 ATACCTCGCT CTGCTAATCC TGTTACCAGT GGCTGCTGCC AGTGGCGATA AGTCGTGTCT
3781 TACCGGGTTG GACTCAAGAC GATAGTTACC GGATAAGGCG CAGCGGTCGG GCTGAACGGG
3841 GGGTTCGTGC ACACAGCCCA GCTTGGAGCG AACGACCTAC ACCGAAGTGA GATACCTACA
3901 GCGTGAGCTA TGAGAAAGCG CCACGCTTCC CGAAGGGAGA AAGGCGGACA GGTATCCGGT
3961 AAGCGGCAGG GTCGGAACAG GAGAGCGCAC GAGGGAGCTT CCAGGGGGAA ACGCCTGGTA
4021 TCTTTATAGT CCTGTCGGGT TTCGCCACCT CTGACTTGAG CGTCGATTTT TGTGATGCTC
4081 GTCAGGGGGG CGGAGCCTAT GGAAAAACGC CAGCAACGCG GCCTTTTTAC GGTTCCTGGC
4141 CTTTTGCTGG CTTTTTGCTC ACATGTTCTT TCCTGCGTTA TCCCCTGATT CTGTGGATAA
4201 CCGTATTACC GCTAGCCAGG AAGAGTTTGT AGAAACGCAA AAAGGCCATC CGTCAGGATG
4261 GCCTTCTGCT TAGTTTGATG CCTGGCAGTT TATGGCGGGC GTCTGCCCCG CCACCTCCG
4321 GGCCGTTGCT TCACAACGTT CAAATCCGCT CCCGGCGGAT TTGTCCTACT CAGGAGAGCG
4381 TTCACCGACA AACAACAGAT AAAACGAAAG GCCCAGTCTT CCGACTGAGC CTTTCGTTTT
4441 ATTTGATGCC TGGCAGTTCC CTA CTCTCGC

FIGURE 49C

147/240
FIGURE 50A: pDONR202 (kan^R)



pDONR202 4204 bp


<u>Location (Base Nos.)</u>		<u>Gene Encoded</u>				
369..127		attP1				
486..1059		ori				
1228..2107		KmR				
2381..2140		attP2				
2629..3288		CmR				
3408..3492		inactivated ccdA				
3630..3935		ccdB				
1	CGGCATTGAG	GACAATAGCG	AGTAGGCTGG	ATACGACGAT	TCCGTTTGAG	AAGAACATTT
61	GGAAGGCTGT	CGGTCGACTA	AGTTGGCAGC	ATCACCCGAA	GAACATTTGG	AAGGCTGTCTG
121	GTCGACTACA	GGTCACTAAT	ACCATCTAAG	TAGTTGATTC	ATAGTGACTG	GATATGTTGT
181	GTTTTACAGT	ATTATGTAGT	CTGTTTTTTA	TGCAAAATCT	AATTTAATAT	ATTGATATTT
241	ATATCATTTT	ACGTTTCTCG	TTCAGCTTTT	TTGTACAAAG	TTGGCATTAT	AAAAAAGCAT
301	TGCTCATCAA	TTTGTGCAA	CGAACAGGTC	ACTATCAGTC	AAAATAAAAT	CATTATTTGG
361	GGCCCCGAGAT	CCATGCTAGC	GGTAATACGG	TTATCCACAG	AATCAGGGGA	TAACGCAGGA
421	AAGAACATGT	GAGCAAAAGG	CCAGCAAAAG	GCCAGGAACC	GTAAAAAGGC	CGCGTTGCTG
481	GCGTTTTTCC	ATAGGCTCCG	CCCCCTGAC	GAGCATCACA	AAAATCGACG	CTCAAGTCAG
541	AGGTGGCGAA	ACCCGACAGG	ACTATAAAGA	TACCAGGCGT	TTCCCCCTGG	AAGCTCCCTC
601	GTGCGCTCTC	CTGTTCCGAC	CCTGCCGCTT	ACCGGATACC	TGTCGCGCTT	TCTCCCTTCG
661	GGAAGCGTGG	CGCTTTCTCA	TAGCTCACGC	TGTAGGTATC	TCAGTTCCGT	GTAGGTCGTT
721	CGCTCCAAGC	TGGGCTGTGT	GCACGAACCC	CCCGTTCAAG	CCGACCGCTG	CGCCTTATCC
781	GGTAACTATC	GTCTTGAGTC	CAACCCGGTA	AGACACGACT	TATCGCCACT	GGCAGCAGCC
841	ACTGGTAACA	GGATTAGCAG	AGCGAGGTAT	GTAGGCGGTG	CTACAGAGTT	CTTGAAGTGG
901	TGGCCTAACT	ACGGCTACAC	TAGAAGGACA	GTATTTGGTA	TCTGCGCTCT	GCTGAAGCCA
961	GTTACCTTCG	GA AAAAGAGT	TGGTAGCTCT	TGATCCGGCA	AACAAACCAC	CGCTGGTAGC
1021	GGTGGTTTTT	TTGTTTGCAA	GCAGCAGATT	ACGCGCAGAA	AAAAAGGATC	TCAAGAAGAT
1081	CCTTTGATCT	TTTCTACGGG	GTCTGACGCT	CAGTGGAAACG	AAAACTCACG	TTAAGGGATT
1141	TTGTCATGA	GCTTGCGCCG	TCCCGTCAAG	TCAGCGTAAT	GCTCTGCCAG	TGTTACAACC
1201	AATTAACCAA	TTCTGATTAG	AAAAACTCAT	CGAGCATCAA	ATGAAACTGC	AATTTATTCA
1261	TATCAGGATT	ATCAATACCA	TATTTTTGAA	AAAGCCGTTT	CTGTAATGAA	GGAGAAAAC
1321	CACCGAGGCA	GTTCCATAGG	ATGGCAAGAT	CCTGGTATCG	GTCTGCGATT	CCGACTCGTC
1381	CAACATCAAT	ACAACCTATT	AATTTCCCCT	CGTCAAAAAT	AAGGTTATCA	AGTGAGAAAT
1441	CACCATGAGT	GACGACTGAA	TCCGGTGAGA	ATGGCAAAAG	TTTATGCATT	TCTTTCCAGA
1501	CTTGTTCAAC	AGGCCAGCCA	TTACGCTCGT	CATCAAAATC	ACTCGCATCA	ACCAAACCGT
1561	TATTCATTTC	TGATTGCGCC	TGAGCGAGAC	GAAATACGCG	ATCGCTGTGA	AAAGGACAAT
1621	TACAAACAGG	AATCGAATGC	AACCGGCGCA	GGAACACTGC	CAGCGCATCA	ACAATATTTT
1681	CACCTGAATC	AGGATATTCT	TCTAATACCT	GGAATGCTGT	TTTCCGGGG	ATCGCAGTGG
1741	TGAGTAACCA	TGCATCATCA	GGAGTACGGA	TAAATGCTT	GATGGTCGGA	AGAGGCATAA
1801	ATTCGGTCAG	CCAGTTTAGT	CTGACCATCT	CATCTGTAAC	ATCATTGGCA	ACGCTACCTT
1861	TGCCATGTTT	CAGAAACAAC	TCTGGCGCAT	CGGGCTTCCC	ATACAAGCGA	TAGATTGTCTG
1921	CACCTGATTG	CCCGACATTA	TCGCGAGCCC	ATTTATACCC	ATATAAATCA	GCATCCATGT
1981	TGGAATTTAA	TCGCGGCCCTC	GACGTTTCCC	GTTGAATATG	GCTCATAACA	CCCCTTGTAT
2041	TACTGTTTAT	GTAAGCAGAC	AGTTTTATTG	TTCATGATGA	TATATTTTTA	TCTTGTGCAA
2101	TGTAACATCA	GAGATTTTGA	GACACGGGCC	AGAGCTGCAG	CTGGATGGCA	AATAATGATT
2161	TTATTTTGAC	TGATAGTGAC	CTGTTCTGTTG	CAACAAATG	ATAAGCAATG	CTTTCTTATA
2221	ATGCCAACTT	TGTACAAGAA	AGCTGAACGA	GAAACGTAAA	ATGATATAAA	TATCAATATA
2281	TTAAATTAGA	TTTTCATATA	AAAACAGACT	ACATAATACT	GTAAAACACA	ACATATCCAG
2341	TCACATAGAA	TCAACTACTT	AGATGGTATT	AGTGACCTGT	AGTCGACTAA	GTTGGCAGCA
2401	TCACCCGACG	CACTTTGCGC	CGAATAAATA	CCTGTGACGG	AAGATCACTT	CGCAGAATAA
2461	ATAAATCCTG	GTGTCCTGT	TGATACCGGG	AAGCCCTGGG	CCAACCTTTG	GCGAAAATGA
2521	GACGTTGATC	GGCACGTAAG	AGGTTCCAAC	TTTCACCATA	ATGAAATAAG	ATCACTACCG
2581	GGCGTATTTT	TTGAGTTATC	GAGATTTTCA	GGAGCTAAGG	AAGCTAAAAT	GGAGAAAAAA
2641	ATCACTGGAT	ATACCACCGT	TGATATATCC	CAATGGCATC	GTAAAGAACA	TTTTGAGGCA
2701	TTTCAGTCAG	TTGCTCAATG	TACCTATAAC	CAGACCGTTC	AGCTGGATAT	TACGGCCTTT -

2761 TTAAAGACCG TAAAGAAAAA TAAGCACAAG TTTTATCCGG CCTTTATTCA CATTCTTGCC
2821 CGCCTGATGA ATGCTCATCC GGAATTCGGT ATGGCAATGA AAGACGGTGA GCTGGTGATA
2881 TGGGATAGTG TTCACCCTTG TTACACCGTT TTCCATGAGC AAAGTGAAC GTTTTCATCG
2941 CTCTGGAGTG AATACCACGA CGATTTCCGG CAGTTTCTAC ACATATATTC GCAAGATGTG
3001 GCGTGTTACG GTGAAAACCT GGCCTATTTT CCTAAAGGGT TTATTGAGAA TATGTTTTTC
3061 GTCTCAGCCA ATCCCTGGGT GAGTTTCACC AGTTTTGATT TAAACGTGGC CAATATGGAC
3121 AACTTCTTCG CCCCCGTTTT CACCATGGGC AAATATTATA CGCAAGGCGA CAAGGTGCTG
3181 ATGCCGCTGG CGATTCAGGT TCATCATGCC GTCTGTGATG GCTTCCATGT CGGCAGAATG
3241 CTTAATGAAT TACAACAGTA CTGCGATGAG TGGCAGGGCG GGGCGTAATC GCGTGGATCC
3301 GGCTTACTAA AAGCCAGATA ACAGTATGCG TATTTGCGCG CTGATTTTTG CGGTATAAGA
3361 ATATATACTG ATATGTATAC CCGAAGTATG TCAAAAAGAG GTGTGCTATG AAGCAGCGTA
3421 TTACAGTGAC AGTTGACAGC GACAGCTATC AGTTGCTCAA GGCATATATG ATGTCAATAT
3481 CTCCGGTCTG GTAAGCAGAA CCATGCAGAA TGAAGCCCGT CGTCTGCGTG CCGAACGCTG
3541 GAAAGCGGAA AATCAGGAAG GGATGGCTGA GGTGCCCCGG TTTATTGAAA TGAACGGCTC
3601 TTTTGCTGAC GAGAACAGGG ACTGGTGAAA TGCAGTTTAA GGTTTACACC TATAAAAGAG
3661 AGAGCCGTTA TCGTCTGTTT GTGGATGTAC AGAGTGATAT TATTGACACG CCCGGGCGAC
3721 GGATGGTGAT CCCCCTGGCC AGTGCACGTC TGCTGTCAGA TAAAGTCTCC CGTGAACTTT
3781 ACCCGGTGGT GCATATCGGG GATGAAAGCT GGCGCATGAT GACCACCGAT ATGGCCAGTG
3841 TGCCGGTCTC CGTTATCGGG GAAGAAGTGG CTGATCTCAG CCACCGCGAA AATGACATCA
3901 AAAACGCCAT TAACCTGATG TTCTGGGGAA TATAAATGTC AGGCTCCCTT ATACACAGCC
3961 AGTCTGCAGG TCGATACAGT AGAAATTACA GAAACTTTAT CACGTTTAGT AAGTATAGAG
4021 GCTGAAAATC CAGATGAAGC CGAACGACTT GTAAGAGAAA AGTATAAGAG TTGTGAAATT
4081 GTTCTTGATG CAGATGATTT TCAGGACTAT GACACTAGCG TATATGAATA GGTAGATGTT
4141 TTTATTTTGT CACACAAAAA AGAGGCTCGC ACCTCTTTTT CTTATTTCTT TTTATGATTT
4201 AATA

FIGURE 50C

150/240

FIGURE 51A pDONR203 (kan^R)



151/240

pDONR203 4208 bp

<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
47..131	inactivated ccdA
251..910	CmR
1158..1398	attP2
1509..2082	ori
2251..3130	KmR
3464..3174	attP1
3812..4117	ccdB

```


1 GCGTTCGGCA CGCAGACGAC GGGCTTCATT CTGCATGGTT GTGCTTACCA GACCCGAGAT
61 ATTGACATCA TATATGCCTT GAGCAACTGA TAGCTGTGCG TGTCAACTGT CACTGTAATA
121 CGCTGCTTCA TAGCACACCT CTTTTTGACA TACTTCGGGT ATACATATCA GTATATATTC
181 TTATACCGCA AAAATCAGCG CGCAAATACG CATACTGTTA TCTGGCTTTT AGTAAGCCGG
241 ATCCACGCGT TTACGCCCGG CCTGCCACT CATCGCAGTA CTGTTGTAAT TCATTAAGCA
301 TTCTGCCGAC ATGGAAGCCA TCACAGACGG CATGATGAAC CTGAATCGCC AGCGGCATCA
361 GCACCTTGTC GCCTTGCGTA TAATATTTGC CCATGGTGAA AACGGGGGCG AAGAAGTTGT
421 CCATATTGGC CACGTTTAAA TCAAACTGG TGAACTCAC CCAGGGATTG GCTGAGACGA
481 AAAACATATT CTCAATAAAC CCTTTAGGGA AATAGGCCAG GTTTTCACCG TAACACGCCA
541 CATCTTGCGA ATATATGTGT AGAACTGCC GGAAATCGTC GTGGTATTCA CTCCAGAGCG
601 ATGAAAACGT TTCAGTTTGC TCATGGAAAA CGGTGTAACA AGGGTGAACA CTATCCATA
661 TCACCAGCTC ACCGTCCTTC ATTGCCATAC GGAATCCGG ATGAGCATTC ATCAGGCGGG
721 CAAGAATGTG AATAAAGGCC GGATAAAACT TGTGCTTATT TTTCTTTACG GTCTTTAAAA
781 AGGCCGTAAT ATCCAGCTGA ACGGTCTGGT TATAGGTACA TTGAGCAACT GACTGAAATG
841 CCTCAAAATG TTCTTTACGA TGCCATTGGG ATATATCAAC GGTGGTATAT CCAGTGATTT
901 TTTTCTCCAT TTTAGCTTCC TTAGCTCCTG AAAATCTCGA TAACTCAAAA AATACGCCCG
961 GTAGTGATCT TATTTTCATTA TGGTGAAAGT TGGAACCTCT TACGTGCCGA TCAACGTCTC
1021 ATTTTCGCCA AAAGTTGGCC CAGGGCTTCC CGGTATCAAC AGGGACACCA GGATTTATTT
1081 ATTCTGCGAA GTGATCTTCC GTCACAGGTA TTTATTCGGC GCAAAGTGCG TCGGGTGATG
1141 CTGCCAACTT AGTCGACTAC AGGTCACTAA TACCATCTAA GTAGTTGATT CATAGTGACT
1201 GGATATGTTG TGTTTTACAG TATTATGTAG TCTGTTTTTT ATGCAAAATC TAATTTAATA
1261 TATTGATATT TATATCATTT TACGTTTCTC GTTCAGCTTT CTTGTACAAA GTTGGCATT
1321 TAAGAAAGCA TTGCTTATCA ATTTGTTGCA ACGAACAGGT CACTATCAGT CAAAATAAAA
1381 TCATTATTTG CCATCCAGCT AGCGGTAATA CGGTTATCCA CAGAATCAGG GGATAACGCA
1441 GGAAGAACA TGTGAGCAAA AGGCCAGCAA AAGGCCAGGA ACCGTAAAAA GGCCGCGTTG
1501 CTGGCGTTTT TCCATAGGCT CCGCCCCCCT GACGAGCATC ACAAAAATCG ACGCTCAAGT
1561 CAGAGGTGGC GAAACCCGAC AGGACTATAA AGATACCAGG CGTTTCCCCC TGGAAGCTCC
1621 CTCGTGCGCT CTCCTGTTCC GACCCTGCCG CTTACCGGAT ACCTGTCCGC CTTTCTCCCT
1681 TCGGGAAGCG TGGCGCTTTC TCATAGCTCA CGCTGTAGGT ATCTCAGTTC GGTGTAGGTC
1741 GTTCGCTCCA AGCTGGGCTG TGTGCACGAA CCCCCCGTTC AGCCCGACCG CTGCGCCTTA
1801 TCCGGTAACT ATCGTCTTGA GTCCAACCCG GTAAGACACG ACTTATCGCC ACTGGCAGCA
1861 GCCACTGGTA ACAGGATTAG CAGAGCGAGG TATGTAGGCG GTGCTACAGA GTTCTTGAAG
1921 TGGTGGCCTA ACTACGGCTA CACTAGAAGA ACAGTATTTG GTATCTGCGC TCTGCTGAAG
1981 CCAGTTACCT TCGGAAAAAG AGTTGGTAGC TCTTGATCCG GCAAACAAAC CACCGCTGGT
2041 AGCGGTGGTT TTTTGTGTTG CAAGCAGCAG ATTACGCGCA GAAAAAAGG ATCTCAAGAA
2101 GATCCTTTGA TCTTTTCTAC GGGGTCTGAC GCTCAGTGGA ACGAAAACTC ACGTTAAGGG
2161 ATTTTGGTCA TGAGCTTGCG CCGTCCCGTC AAGTCAGCGT AATGCTCTGC CAGTGTATCA
2221 ACCAATTAAC CAATTCTGAT TAGAAAACT CATCGAGCAT CAAATGAAAC TGCAATTTAT
2281 TCATATCAGG ATTATCAATA CCATATTTT GAAAAAGCCG TTTCTGTAAT GAAGGAGAAA
2341 ACTCACCGAG GCAGTTCCAT AGGATGGCAA GATCCTGGTA TCGGTCTGCG ATTCCGACTC
2401 GTCCAACATC AATACAACCT ATTAATTTCC CCTCGTCAAA AATAAGGTTA TCAAGTGAGA
2461 AATCACCATG AGTGACGACT GAATCCGGTG AGAATGGCAA AAGTTTATGC ATTTCTTTCC
2521 AGACTTGTTT AACAGGCCAG CCATTACGCT CGTCATCAAA ATCACTCGCA TCAACCAAAC
2581 CGTTTATCAT TCGTGATTGC GCCTGAGCGA GACGAAATAC GCGATCGCTG TTAAGAGGAC
2641 AATTACAAAC AGGAATCGAA TGCAACCGGC GCAGGAACAC TGCCAGCGCA TCAACAATAT
2701 TTTCACCTGA ATCAGGATAT TCTTCTAATA CCTGGAATGC TGTTTTTCCG GGGATCGCAG-

```

FIGURE 51B

2761 TGGTGAGTAA CCATGCATCA TCAGGAGTAC GGATAAAATG CTTGATGGTC GGAAGAGGCA
2821 TAAATTCCGT CAGCCAGTTT AGTCTGACCA TCTCATCTGT AACATCATTG GCAACGCTAC
2881 CTTTGCCATG TTTCAGAAAC AACTCTGGCG CATCGGGCTT CCCATACAAG CGATAGATTG
2941 TCGCACCTGA TTGCCCCGACA TTATCGCGAG CCCATTTATA CCCATATAAA TCAGCATCCA
3001 TGTTGGAATT TAATCGCGGC CTCGACGTTT CCCGTTGAAT ATGGCTCATA ACACCCCTTG
3061 TATTACTGTT TATGTAAGCA GACAGTTTTA TTGTTTCATGA TGATATATTT TTATCTTGTTG
3121 CAATGTAACA TCAGAGATTT TGAGACACGG GCCAGAGCTG CAGCTAGCAT GGATCTCGGG
3181 CCCCAAATAA TGATTTTATT TTGACTGATA GTGACCTGTT CGTTGCAACA AATTGATGAG
3241 CAATGCTTTT TTATAATGCC AACTTTGTAC AAAAAAGCTG AACGAGAAAC GTAAAATGAT
3301 ATAAATATCA ATATATTAAA TTAGATTTTG CATAAAAAAC AGACTACATA ATACTGTAAA
3361 ACACAACATA TCCAGTCACT ATGAATCAAC TACTTAGATG GTATTAGTGA CCTGTAGTCG
3421 ACCGACAGCC TTCCAAATGT TCTTCGGGTG ATGCTGCCAA CTTAGTCGAC CGACAGCCTT
3481 CCAAATGTTT TTCTCAAACG GAATCGTCGT ATCCAGCCTA CTCGCTATTG TCCTCAATGC
3541 CGTATTAAAT CATAAAAAGA AATAAGAAAA AGAGGTGCGA GCCTCTTTTT TGTGTGACAA
3601 AATAAAAACA TCTACCTATT CATATACGCT AGTGTCATAG TCCTGAAAAT CATCTGCATC
3661 AAGAACAATT TCACAACCTT TATACTTTTC TCTTACAAGT CGTTCGGCTT CATCTGGATT
3721 TTCAGCCTCT ATACTTACTA AACGTGATAA AGTTTCTGTA ATTTCTACTG TATCGACCTG
3781 CAGACTGGCT GTGTATAAGG GAGCCTGACA TTTATATTCC CCAGAACATC AGGTTAATGG
3841 CGTTTTTGAT GTCATTTTCG CGGTGGCTGA GATCAGCCAC TTCTTCCCCG ATAACGGAGA
3901 CCGGCACACT GGCCATATCG GTGGTCATCA TGCGCCAGCT TTCATCCCCG ATATGCACCA
3961 CCGGGTAAAG TTCACGGGAG ACTTTATCTG ACAGCAGACG TGCACTGGCC AGGGGGATCA
4021 CCATCCGTCG CCCGGGCGTG TCAATAATAT CACTCTGTAC ATCCACAAAC AGACGATAAC
4081 GGCTCTCTCT TTTATAGGTG TAAACCTTAA ACTGCATTTC ACCAGTCCCT GTTCTCGTCA
4141 GCAAAAGAGC CGTTCATTTC AATAAACCGG GCGACCTCAG CCATCCCTTC CTGATTTTCC
4201 GCTTTCCA

FIGURE 51C

FIGURE 52A pDONR204 (kan^R)

pDONR204 4165 bp

154/240

```
1  CGGCATTGAG GACAATAGCG AGTAGGCTGG ATACGACGAT TCCGTTTGAG AAGAACATTT
61  GGAAGGCTGT CGGTCGACTA CAGGTCACCTA ATACCATCTA AGTAGTTGAA TCATAGTGAC
121 TGGATATGTT GTGTTTTACA GTATTATGTA GTCTGTTTTT TATGCAAAAT CTAATTTAAT
181 ATATTGATAT TTATATCATT TTACGTTTCT CGTTCAGCTT TTTTGTACAA AGTTGGCATT
241 ATAAAAAGC ATTGCTTATC AATTTGTGTC AACGAACAGG TCACTATCAG TCAAAATAAA
301 ATCATTATTT GGGGCCCCGAG ATCCATGCGT GCTGCAGTGC GCAGGGCCCCG TGTCTCAAAA
361 TCTCTGATGT TACATTGCAC AAGATAAAAA TATATCATCA TGAACAATAA AACTGTCTGC
421 TTACATAAAC AGTAATACAA GGGGTGTTAT GAGCCATATT CAACGGGAAA CGTCTTGCTG
481 GAGGCCGCGA TTAAATTCCA ACATGGATGC TGATTATATAT GGGTATAAAT GGGCTCGCGA
541 TAATGTCGGG CAATCAGGTG CGACAATCTT TCGATTGTAT GGGGAAGCCCG ATGCGCCAGA
601 GTTGTCTCTG AAACATGGCA AAGGTAGCGT TGCCAATGAT GTTACAGATG AGATGGTCAG
661 ACTAAACTGG CTGACGGAAT TTATGCCTCT TCCGACCATC AAGCATTTTA TCCGTACTCC
721 TGTGATGCA TGGTTACTCA CCACTGCGAT CCGCGGGAAA ACAGCATTCC AGGTATTAGA
781 AGAATATCCT GATTGAGGTG AAAATATTGT TGATGCGCTG GCAGTGTTCG TGCGCCGGTT
841 GCATTGCGATT CCTGTTTGTA ATTGTCTCTT TAACAGCGAT CGCGTATTTT GTCTCGCTCA
901 GGCAGCAATCA CGAATGAATA ACGGTTTGGT TGATGCGAGT GATTTTGATG ACGAGCGTAA
961 TGGCTGGCCT GTTGAACAAG TCTGGAAAAG AATGCATACG CTTTGGCCAT TCTCACCGBA
1021 TTCAGTCGTC ACTCATGGTG ATTTCTCACT TGATAACCTT ATTTTGTACG AGGGGAAATT
1081 AATAGGTTGT ATTGATGTTG GACGAGTCGG AATCGCAGAC CGATACCAGG ATCTTGCCAT
1141 CCTATGGAAC TGCCCTCGGTG AGTTTTCTCC TTCATTACAG AAACGGCTTT TCAAAAATA
1201 TGGTATTGAT AATCCTGATA TGAATAAATG GCAGTTTCAT TTGATGCTCG ATGAGTTTTT
1261 CTAATCAGAA TTGGTTAATT GGTGTAACA CTGGCAGAGC ATTACGCTGA CTTGACGGGA
1321 CGGCAGCATG ACCAAAATCC CTTAACGTGA GTTTTCGTTC CACTGAGCGT CAGACCCCGT
1381 AGAAAAGATC AAAGGATCTT CTTGAGATCC TTTTTTCTG CGCGTAATCT GCTGCTTGCA
1441 AACAAAAAAA CCACCGCTAC CAGCGGTGGT TTGTTTGCCG GATCAAGAGC TACCAACTCT
1501 TTTTCCGAAG GTAACGGCTC TCAGCAGAGC GCAGATACCA AATACTGTCC TTCTAGTGTA
1561 GCCGTAGTTA GGCCACCACT TCAAGAACTC TGTAGCACC CGTACATACC TCGCTCTGCT
1621 AATCCTGTTA CCAGTGGCTG CTGCCAGTGG CGATAAGTCG TGTCTTACCG GGTGAGCTC
1681 AAGACGATAG TTACCGGATA AGGCGCAGCG GTCGGGCTGA ACGGGGGGTT CGTGACACA
1741 GCCCAGCTTG GAGCGAACGA CCTACACCGA ACTGAGATAC CTACAGCGTG AGCTATGAGA
1801 AAGCGCCACG CTTCCCGAAG GGAGAAAGGC GGACAGGTAT CCGGTAAGCG GCAGGGTCGG
1861 AACAGGAGAG CGCACGAGGG AGCTTCCAGG GGGAAACGCC TGGTATCTTT ATAGTCCTGT
1921 CGGGTTTCGC CACCTCTGAC TTGAGCGTCG ATTTTGTGTA TGCTCGTCAG GGGGGCGGAG
1981 CCTATGGAAA AACGCCAGCA ACGCGGCCCT TTTACGGTTC CTGGCCTTTT GCTGGCCTTT
2041 TGCTCACATG TTCTTCTCTG CGTTATCCCC TGATTCTGTG GATAACCGTA TTACCGCTAG
2101 CTGGATCGGC AAATAATGAT TTTATTTTGA CTGATAGTGA CCTGTTCTGT GCAACAAATT
2161 GATAAGCAAT GCTTTTTTAT AATGCCAACT TTGTACAAGA AAGCTGAACG AGAAACGTAA
2221 AATGATATAA ATATCAATAT ATTAAATTAG ATTTTGCATA AAAACAGAC TACATAATAC
2281 TGTAAACAC AACATATCCA GTCACATAGA TTCAACTACT TAGATGGTAT TAGTGACCTG
2341 TAGTCGACTA AGTTGGCAGC ATCACCCGAC GCACTTTGCG CCGAATAAAT ACCTGTGACG
2401 GAAGATCACT TCGCAGAATA AATAAATCCT GGTGTCCCTG TTGATACCGG GAAGCCCTGG
2461 GCCAACTTTT GCGGAAAATG AGACGTTGAT CGGCACATT CACAACCTTT ATACTTTTCT
2521 CTTACAAGTC GTTCGGCTTC ATCTGGATTT TCAGCCTCTA TACTTACTAA ACGTGATAAA
2581 GTTTCTGTAA TTTCTACTGT ATCGACCTGC AGACTGGCTG TGTATAACGG AGCCTGACAT
2641 TTATATTCCC CAGAATATCA GGTTAATGGC GTTTTGTATG TCATTTTCGC GGTGGCTGAG
2701 ATCAGCCACT TCTTCCCCGA TAACGGAGAC CGGCACACTG GCCATATCGG TGGTCATCAT
2761 GCGCCAGCTT TCATCCCCGA TATGCACCAC CGGGTAAAGT TCACGGGAGA CTTTATCTGA
2821 CAGCAGACGT GCACTGGCCA GGGGGATCAC CATCCGTCGC CCGGGCGTGT CAATAATATC
2881 ACTCTGTACA TCCACAAACA GACGATAACG GCTCTCTCTT TTATAGGTGT AAACCTTAAA
2941 CTGACATTTCA CCAGTCCCTG TTCTCGTCAG CAAAAGAGCC GTTCATTTC AATAACCGGG
3001 CGACCTCAGC CATCCCTTCC TGATTTTCCG CTTTCCAGCG TTCGGCACGC AGACGACGGG
3061 CTTCACTCTG CATGGTTGTG CTTACCAGAC CGGAGATATT GACATCATAT ATGCCTTGAG
3121 CAACTGATAG CTGTCGCTGT CAACTGTCAC TGTAATACGC TGCTTCATAG CACACCTCTT-
```


FIGURE 52B

3181 TTTGACATAC TTCGGGTATA CATATCAGTA TATATTCTTA TACCGCAAAA ATCAGCGCGC
3241 AAATACGCAT ACTGTTATCT GGCTTTTAGT AAGCCGGATC CACCGGTTTA CGCCCCGCCC
3301 TGCCACTCAT CGCAGTACTG TTGTAATTCA TTAAGCATT C TGCCGACATG GAAGCCATCA
3361 CAGACGGCAT GATGAACCTG AATCGCCAGC GGCATCAGCA CCTTGTCGCC TTGCGTATAA
3421 TATTTGCCCA TGGTGAAAAC GGGGGCGAAG AAGTTGTCCA TATTGGCCAC GTTTAAATCA
3481 AAACCTGGTGA AACTCACCCA GGGATTGGCT GAGACGAAAA ACATATTCTC AATAAACCCCT
3541 TTAGGGAAAT AGGCCAGGTT TTCACCGTAA CACGCCACAT CTTGCGAATA TATGTGTAGA
3601 AACTGCCGGA AATCGTCGTG GTATTCACTC CAGAGCGATG AAAACGTTTC AGTTTGCTCA
3661 TGGAAAACGG TGTAAACAAG GTGAACACTA TCCCATATCA CCAGCTCACC GTCTTTCATT
3721 GCCATACGGA ATTCCGGATG AGCATTTCATC AGGCGGGCAA GAATGTGAAT AAAGGCCGGA
3781 TAAAACTTGT GCTTATTTTT CTTTACGGTC TTTAAAAGG CCGTAATATC CAGCTGAACG
3841 GTCTGGTTAT AGGTACATTG AGCAACTGAC TGAAATGCCT CAAAATGTTT TTTACGATGC
3901 CATTGGGATA TATCAACGGT GGTATATCCA GTGATTTTTT TCTCCATTTT AGCTTCCTTA
3961 GCTCCTGAAA ATCTCGATAA CTCAAAAAAT ACGCCCGGTA GTGATCTTAT TTCATTATGG
4021 TGAAAGTTGG AACCTCTTAC TGTTCTTGAT GCAGATGATT TTCAGGACTA TGACACTAGC
4081 ATATATGAAT AGGTAGATGT TTTTATTTTG TCACACAAAA AAGAGGCTCG CACCTCTTTT
4141 TCTTATTTCT TTTTATGATT TAATA

FIGURE 52C

156/240

Figure 53A: pDONR205 (tetR)



157/240

pDONR205 4939 bp

GGCATCAGCACCTTGTGCGCTTGCCTATAATATTTGCCCATGGTGAAAACGGGGGCGAAG
AAGTTGTCCATATTGGCCACGTTTAAATCAAACTGGTGAACTCACCCAGGGATTGGCT
GAGACGAAAAACATATTCTCAATAAACCCCTTTAGGGAAATAGGCCAGGTTTCACCGTAA
CACGCCACATCTTGCGAATATATGTGTAGAACTGCCGGAATCGTCGTGGTATTCACTC
CAGAGCGATGAAAACGTTTCAGTTTGCTCATGAAAACGGTGTAACAAGGGTGAACACTA
TCCCATATCACCCAGCTCACCGTCTTTTCATTGCCATACGGAATTCGGGATGAGCATTCACTC
AGGCGGGCAAGAATGTGAATAAAGCCGGATAAACTTGTGCTTATTTTTCTTTACGGTC
TTTAAAAAGGCCGTAATATCCAGCTGAACGGTCTGGTTATAGGTACATTGAGCAACTGAC
TGAAATGCCCTCAAAATGTTCTTTACGATGCCATTGGGATATATCAACGGTGGTATATCCA
GTGATTTTTTTCTCCATTTTAGCTTCCTTAGCTCCTGAAAATCTCGATAACTCAAAAAAT
ACGCCCGGTAGTGATCTTATTTTCATTATGGTGAAAGTTGGAACCTCTTACGTGCCGATCA
ACGTCTCATTTTTGCCCAAAAGTTGGCCAGGGCTTCCCGGTATCAACAGGGACACCAGGA
TTTATTTATTCTGCGAAGTGATCTTCCGTACAGGTATTTATTTCGGCGCAAGTGCGTCG
GGTGATGCTGCCAACTTAGTCGACTACAGGTCACTAATACCATCTAAGTAGTTGATTCACT
AGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTATGCAAAATCTAA
TTAATATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTAACAAGTT
GGCATTATAAGAAAGCATTGCTTATCAATTTGTTGCAACGAACAGGTCACTATCAGTCAA
AATAAAATCATTATTTGCCATCCAGCTGCAGCTCTGGCCCGTGTCTCAAAATCTCTGATG
TTACATTGCACAAGATAAAAAATATATCATCATGAATTTCTCATGTTTGACAGCTTATCATC
GATAAGCTTTAATGCGGTAGTTTATCACAGTTAAATTGCTAACGCAGTCAGGCACCGTGT
ATGAAATCTAACAATGCGCTCATCGTCATCCTCGGCACCGTCACCCCTGGATGCTGTAGGC
ATAGGCTTGGTTATGCCGGTACTGCCGGGCTCTTGCGGGATATCGTCCATTCGGACAGC
ATCGCCAGTCACTATGGCGTGCTGTAGCGCTATATGCGTTGATGCAATTTCTATGCGCA
CCCGTTCTCGGAGCACTGTCCGACCGCTTTGGCCGCCGCCAGTCCTGCTCGCTTCGCTA
CTTGAGGCCACTATCGACTACGCGATCATGGCGACCACACCCGTCCTGTGGATCCTCTAC
GCCGACGCACTCGTGGCCGGCATACCCGGCGCCACAGGTGCGGTTGCTGGCGCCTATATC
GCCGACATCACCGATGGGGAAGATCGGGCTCGCCACTTCGGGCTCATGAGCGCTTGTTC
GGCGTGGGTATGGTGGCAGGCCCGGTGGCCGGGGGACTGTTGGGCGCCATCTCCTTGCA
GCACCATTCCTTGCGGCGCGGTGCTCAACGGCTCAACCTACTACTGGGCTGCTTCCTA
ATGCAGGAGTCGCATAAGGGAGAGCGTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTC
AGCTCCTTCGGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTT
ATCATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTGGGTCAATTTTCGGCGAGGACCGC
TTTCGCTGGAGCGCGACGATGATCGGCCTGTGCTTGGCGTATTCGGAATCTTGACGCC
CTCGCTCAAGCCTTCGTCAGTGGTCCCGCCACCAACGTTTCGGCGAGAAGCAGGCCATT
ATCGCCGGCATGGCGGCCGACGCGCTGGGCTACGTCTTGCTGGCGTTTCGCGACGCGAGGC
TGGATGGCCTTCCCCATTATGATTCTTCTCGCTTCGGCGGCATCGGGATGCCCGCGTTG
CAGGCCATGCTGTCCAGGCAGGTAGATGACGACCATCAGGGACAGCTTCAAGGATCGCTC
GCGGCTCTTACCAGCCTAACTTCGATCATTGGACCGCTGATCGTCACGGCGATTTATGCC
GCCTCGGCGAGCATGGAACGGGTGGCATGGATTGTAGGCGCCGCCCTATACCTTGTC
TGCCCTCCCCGCGTTGCGTCGCGGTGCATGGAGCCGGGCCACCTCGACCTGAATGGAAGCC
GGCGGCACCTCGCTAACGGATTACCACTCCAAGAATTGGAGCCAATCAATTCTTGCGGA
GAACTGTGAATGCGCAAAACCAACCTTGGCAGAACATATCCATCGCATGACCAAAATCCC
TTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAGGATCTTC
TTGAGATCCTTTTTTCTGCGCGTAATCTGCTGCTTGCAAAACAAAAAACCCCGCTACC
AGCGGTGTTTGTGTTGCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAAGTGGCTT
CAGCAGAGCGCAGATACCAATACTGTCTTCTAGTGTAGCCGTAGTTAGGCCACCACTT
CAAGAATCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAAGTGGCTGC
TGCCAGTGGCGATAAGTCGTGCTTACCAGGTTGGAATCAAGACGATAGTTACCGGATAA
GGCGCAGCGGTGGGCTGAACGGGGGTTGCTGCACACAGCCAGCTTGGAGCGAAGCAGC
CTACACCGAAGTGAATACCTACAGCGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGG
GAGAAAGGCGGACAGGTATCCGGAAGCGGCAGGGTGGAAACAGGAGAGCGCAGAGGGA
GCTTCCAGGGGGAACGCCTGGTATCTTTATAGTCTGTGCGGTTTCGCCACCTCTGACT
TGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGCGGAGCCTATGGAACCGCCAGCAA-


FIGURE 53B

158/240

CGCGGCCTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCTGCTG
GTTATCCCCTGATTCTGTGGATAACCGTATTACCGCTAGCCAGGAAGAGTTTGTAGAAAC
GCAAAAAGGCCATCCGTCAGGATGGCCTTCTGCTTAGTTTGATGCCTGGCAGTTTATGGC
GGGCGTCCTGCCCCCACCCTCCGGGCCGTTGCTTCACAACGTTCAAATCCGCTCCCGGC
GGATTGTCTACTCAGGAGAGCGTTTACCAGACAAACAACAGATAAAACGAAAGGCCAG
TCTTCCGACTGAGCCTTTCGTTTTATTTGATGCCTGGCAGTTCCCTACTCTCGCGTTAAC
GCTAGCATGGATCTCGGGCCCCAAATAATGATTTTATTTTACTGATAGTGACCTGTTTCG
TTGCAACAAATTGATGAGCAATGCTTTTTTATAATGCCAACTTTGTACAAAAAGCTGAA
CGAGAAACGTAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAACAG
ACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAACTACTTAGATGGT
ATTAGTGACCTGTAGTCGACCGACAGCCTTCCAAATGTTCTTTCGGGTGATGCTGCCAACT
TAGTCGACCGACAGCCTTCCAAATGTTCTTCTCAAACGGAATCGTCGTATCCAGCCTACT
CGCTATTGTCTCAATGCCGTATTAAATCATAAAAAGAAATAAGAAAAAGAGGTGCGAGC
CTCTTTTTTGTGTGACAAAATAAAAACATCTACCTATTTCATATACGCTAGTGTCATAGTC
CTGAAAATCATCTGCATCAAGAACAATTTCACAACTCTTATACTTTTTCTTACAAGTCG
TTCGGCTTCATCTGGATTTTCAGCCTCTATACTTACTAAACGTGATAAAGTTTCTGTAAT
TTCTACTGTATCGACCTGCAGACTGGCTGTGTATAAGGGAGCCTGACATTTATATCCCC
AGAACATCAGGTTAATGGCGTTTTTGATGTCATTTTTCGCGGTGGCTGAGATCAGCCACTT
CTTCCCCGATAACGGAGACCGGCACACTGGCCATATCGGTGGTCATCATGCGCCAGCTTT
CATCCCCGATATGCACCACCGGGTAAAGTTCACGGGAGACTTTATCTGACAGCAGACGTG
CACTGGCCAGGGGGATCACCATCCGTCGCCCCGGCGTGTCAATAATATCACTCTGTACAT
CCACAAACAGACGATAACGGCTCTCTCTTTTATAGGTGTAAACCTTAAACTGCATTTAC
CAGTCCCTGTTCTCGTCAGCAAAAGAGCCGTTCAATTTCAATAAACCGGGCGACCTCAGCC
ATCCCTTCTGATTTTCCGCTTTCCAGCGTTCGGCACGCAGACGACGGGCTTCATTCTGC
ATGGTTGTGCTTACCAGACCGGAGATATTGACATCATATATGCCTTGAGCAACTGATAGC
TGTGCTGTCAACTGTCACTGTAATACGCTGCTTCATAGCACACCTCTTTTGTACATACT
TCGGGTATACATATCAGTATATATTCTTATACCGCAAAATCAGCGCGCAAAATACGCATA
CTGTTATCTGGCTTTTAGTAAGCCGGATCCACGCGATTACGCCCCGCCCTGCCACTCATC
GCAGTACTGTTGTAATTCATTAAGCATTCTGCCGACATGGAAGCCATCACAGACGGCATG
ATGAACCTGAATCGCCAGC

FIGURE 53C

159/240



160/240

pDONR206 4415 bp

CGGCATTGAGGACAATAGCGAGTAGGCTGGATACGACGATTCCGTTTGAGAAGAACATTT
GGAAGGCTGTCGGTCGACTACAGGTCATAATACCATCTAAGTAGTTGAATCATAGTGAC
TGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTATGCAAAATCTAATTTAAT
ATATTGATATTTATATCATTTTACGTTTCTCGTTTCAGCTTTTTTGTACAAAGTTGGCATT
ATAAAAAAGCATTGCTTATCAATTTGTTGCAACGAACAGGTCATATCAGTCAAAATAAA
ATCATTATTTGGGGCCCCGAGATCCATGCTAGCGGTAATACGGTTATCCACAGAATCAGGG
GATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAG
GCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGA
CGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCT
GGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCC
TTTCTCCCTTCGGGAAGCGTGGCGCTTCTCATAGCTCACGCTGTAGGTATCTCAGTTTCG
GTGTAGGTCGTTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCGTTTCAGCCCGACCGC
TGCGCCTTATCCGGTAACATATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCA
CTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAG
TTCTTGAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCT
CTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAAACAAACC
ACCGCTGGTAGCGGTGGTTTTTTTGTGTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGA
TCTCAAGAAGATCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAAACGAAACTCA
CGTTAAGGGATTTTGGTTCATGNCGCCGTCCCGTCAAGTCAGCGTAATGCTCTGCCAGTGT
TACCAACCAATTAAACCAATTCTGATTAGAAAACTCATCGAGCATCAAATGAACTGCAAT
TTATTATATCAGGATTATCAATACCATATTTTTGAAAAAGCCGTTTCTGTAATGAAGGA
GAAACTCACCGAGGCAGTTCCATAGGATGGCAAGATCCTGGTATCGGTCTGCGATTCCG
ACTCGTCCAACATCAATACAACCTATTAGCCGAGGTCTTCCGATCTCCTGAAGCCAGGGC
AGATCCGTGCACAGCACCTTGCCGTAGAAGAACAGCAAGGCCGCCAATGCCTGACGATGC
GTGGAGACCGAAACCTTGCGCTCGTTCCGCCAGCCAGGACAGAAATGCCTCGACTTCGCTG
CTGCCCAAGGTTGCGGGTGACGCACACCGTGGAACGGATGAAGGCACGAACCCAGTTG
ACATAAGCCGTTTCGGTTTCGTAACCTGTAATGCAAGTAGCGTATGCGCTCACGCAACTGG
TCCAGAACCTTGACCGAACGCAGCGGTGGTAACGGCGCAGTGGCGGTTTTTCATGGCTTGT
TATGACTGTTTTTTGTACAGTCTATGCCTCGGGCATCCAAGCAGCAAGCGGTTACGCC
GTGGGTGATGTTTGATGTTATGGAGCAGCAACGATGTACGCAGCAGCAACGATGTTAC
GCAGCAGGGCAGTCCGCCCTAAACAAAGTTAGGTGGCTCAAGTATGGGCATCATTGCGAC
ATGTAGGCTCGGCCCTGACCAAGTCAAATCCATGCGGGCTGCTCTTGATCTTTTCGGTCTG
TGAGTTCGGAGACGTAGCCACCTACTCCCAACATCAGCCGGAATCCGATTACCTCGGGAA
CTTGCTCCGTAGTAAGACATTATCGCGCTTGCTGCCTTCGACCAAGAAGCGGTTGTTGG
CGCTCTCGCGGCTTACGTTCTGCCCAGGTTTGAGCAGCCGCTAGTGAGATCTATATCTA
TGATCTCGCAGTCTCCGGCGAGCACCGGAGGCAGGGCATTGCCACCGCGCTCATCAATCT
CCTCAAGCATGAGGCCAACGCGCTTGGTGCTTATGTGATCTACGTGCAAGCAGATTACGG
TGACGATCCCGCAGTGGCTCTCTATACAAAGTTGGGCATACGGGAAGAAGTGATGCACTT
TGATATCGACCCAAGTACCGCCACCTAACAATTCGTTCAAGCCGAGATCGGCTTCCCGGC
CTAATTTCCCTCGTCAAAAATAAGGTTATCAAGTGAGAAATCACCATGAGTGACGACTG
AATCCGGTGAGAAATGGCAAAAGCGTATGCATTTCTTTCCAGACTTGTTCACAGGCCAGC
CATTACGCTCGTCATCAAAATCACTCGCATCAACCAACCGTTATTCAATTCGTGATTGCG
CCTGAGCGAGACGAAATACGCGATCGCTGTTAAAAGGACAATTACAAACAGGAATCGAAT
GCAACCGGCGCAGGAACACTGCCAGCGCATCAACAATATTTTACCTGAATCAGGATATT
CTTCTAATACCTGGAATGCTGTTTTCCCGCGGATCGCAGTGGTGAGTAACCATGCATCAT
CAGGAGTACGGATAAAATGCTTGATGGTCCGAAGAGGCATAAATTCGTCAGCCAGTTTA
GTCTGACCATCTCATCTGTAACATCATTTGGCAACGCTACCTTTGCCATGTTTCAGAAACA
ACTCTGGCGCATCGGGCTTCCCATACAATCGAAAGATTGTGCGACCTGATTGCCCGACAT
TATCGCGAGCCCATTTATACCATATAAATCAGCATCCATGTTGGAATTTAATCGCGGCC
TCCAGCAAGACGTTTCCCGTTGAATATGGCTCATAACACCCCTTGTATTACTGTTTATGT
AAGCAGACAGTTTTTATGTTTCATGATGATATATTTTTATCTGTGCAATGTAACATCAGA
GATTTTGAGACACGGGCCNCGCGCACTGCAGCTGGATCGGCAATAATGATTTTATTTTG
ACTGATAGTGACCTGTTGTTGCAACAAATTGATAAGCAATGCTTTTTTATAATGCCAAC -



FIGURE 54B

161/240

TTTGTACAAGAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATATTAAATTA
GATTTTGCATAAAAAACAGACTACATAAATACTGTAAAACACAACATATCCAGTCACTATG
ATTCAACTACTTAGATGGTATTAGTGACCTGTAGTCGACTAAGTTGGCAGCATCACCCGA
CGCACTTTGCGCCGAATAAATACCTGTGACGGAAGATCACTTCGCAGAATAAATAAATCC
TGGTGTCCCTGTTGATACCGGGAAGCCCTGGGCCAACTTTTGGCGAAAATGAGACGTTGA
TCGGCAGCTAAGAGGTTCCAACCTTTCACCATAATGAAATAAGATCACTACCGGGCGTATT
TTTTGAGTTATCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAATCACTGG
ATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCATTTCAGTC
AGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGAC
CGTAAAGAAAAATAAGCACAAAGTTTTATCCGGCCTTTATTACATTCTTGCCCGCTGAT
GAATGCTCATCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAG
TGTTCAACCCTTGTTACACCGTTTTCCATGAGCAAACGTAAACGTTTTTCATCGCTCTGGAG
TGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTCCGAAGATGTGGCGTGTTA
CGGTGAAAACCTGGCCTATTTCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGC
CAATCCCTGGGTGAGTTTTCACCAAGTTTTCGATTTAAACGTGGCCAAATATGGACAACTTCTT
CGCCCCCGTTTTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCT
GGCGATTACAGGTTTCATCATGCCGCTCTGTGATGGCTTCCATGTCCGCAGAATGCTTAATGA
ATTACAACAGTACTGCGATGAGTGGCAGGGCGGGCGTAAACGCGTGATCCGGCTTACT
AAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATAC
TGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTG
ACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTC
TGGTAAGCACAAACCATGCAGATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGG
AAAATCAGGAAGGGATGGCTGAGGTGCGCCGGTTTTATTGAAATGAACGGCTCTTTTGCTG
ACGAGAACAGGGACTGGTGAAATGCAGTTTAAGGTTTACACCTATAAAAGAGAGAGCCGT
TATCGTCTGTTTGTGGATGTACAGAGTGATATTATTGACACGCCCCGGGCGACGGATGGTG
ATCCCCCTGGCCAGTGACGCTGTGCTGTCAGATAAAGTCTCCCGTGAACCTTACCCGGTG
GTGCATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTCGGGTC
TCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCC
ATTAACCTGATGTTCTGGGGAATATAAATGTCAAGGCTCCGTTATACACAGCCAGTCTGCA
GGTCGATACAGTAGAAAATTACAGAACTTTATCACGTTTAGTAAGTATAGAGGCTGAAAA
TCCAGATGAAGCCGAACGACTTGTAAGAGAAAAGTATAAGAGTTGTGAAATTGTTCTTGA
TGCAGATGATTTTCAGGACTATGACACTAGCATATATGAATAGGTAGATGTTTTATTTT
GTCACACAAAAAGAGGCTCGCACCTCTTTTCTTATTTCTTTTATGATTTAATA

FIGURE 54 C

Figure 55 An Entry (pENTR7) Clone of CAT Subcloned into pDEST2



163/240





FIGURE 56

164/240




FIGURE 57




FIGURE 5B

166/240




FIGURE 59

167/240




FIGURE 60

168/240





FIGURE 61

169/240

Native Protein Expression:



Fusion Protein Expression:




FIGURE 62

170/240





FIGURE 63


171/240

FIGURE 64A




172/240

FIGURE 4A




173/240

FIGURE 64C



Primers for Amplifying tetR and ampR for Cloning by Recombination

Primers



Reverse Primers





FIGURE 65

175/240

**Results of Cloning
tet and amp PCR Products
by Recombination**

PCR Product Used in GCS Reactions	No. Colonies Obtained (100 ul plated)	Form of DNA Analyzed	Colonies Obtained of Predicted Size
tet	6, 10	SC	0 of 8
attB-tet	9, 6	SC	1 of 8
attB+4G-tet	824, 1064	SC AvaI+Bam	7 of 7 7 of 7
amp	7, 13	SC	0 of 8
attB-amp	18, 22	SC	3 of 8
attB+4G-amp	3020, 3540	SC PstI	8 of 8 8 of 8
attB Plasmid (Pos. Control)	320, 394		

FIGURE 66

176/260




FIGURE 67

177/240





FIGURE 68


178/240

FIGURE
69


A



B




C




179/240

FIGURE
70

A



B



C






FIGURE 71


A



B




C




181/240

FIGURE 72


A



B




C




182/240

FIGURE 73


A



B



C



6.9 kb PCR DNA Titration in α BxP Reaction




FIGURE 74

184/240





FIGURE 75-

185/240

10.1 kb PCR DNA Titration in BxP Reaction



BEST AVAILABLE COPY

FIGURE 76

**Cloning of PCR Products of Different Sizes with the
GATEWAY™ PCR Cloning System**

Size	fmols PCR DNA	ng PCR DNA	Cols/ml Transformation (pUC=10 ⁸ CFU/ml)	Correct Clones/Total Examined**
0.26 kb*	15	3	1223	10/10 (a)
	37.5	7.5	2815	
1.0 kb	15	10	507	49/50 (b)
	37.5	25	1447	
1.4 kb	15	14	271	48/50 (c)
	37.5	35	683	
3.4 kb	15	34	478	9/10 (a)
	37.5	85	976	
4.6 kb	15	46	190	10/10 (a)
	37.5	115	195	
6.9 kb	15	69	30 (235)**	47/50 (b)
	37.5	173	54 (463)**	


*The 0.26 kb PCR product was used unpurified; all the others were purified by precipitation with PEG/MgCl₂ as described in the text of Example 9, to remove primer dimers potentially present. Standard incubations were for 60 min.

**overnight incubation

- (a) DNA minipreps
- (b) ampR/kanR
- (c) tetR/kanR

Figure 77

187/240



Reading frame C: (Alternative)
B




FIGURE 78

188/260




FIGURE 79

189/240




FIGURE 80

190/240





FIGURE 81


191/240

(A)



rC Cassette (1856 bps)

(B)



rC cassette (1715 bps)

FIGURE 82




FIGURE 83A

prfC Parent III 4554 bp

<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
410..286	attR1
660..1319	CmR
1439..1523	inactivated ccdA
1661..1966	ccdB
2007..2131	attR2
2753..3613	amp

```

1 GCGCCCAATA CGCAAACCGC CTCTCCCCGC GCGTTGGCCG ATTCATTAAT GCAGCTGGCA
61 CGACAGGTTT CCCGACTGGA AAGCGGGCAG TGAGCGCAAC GCAATTAATG TGAGTTAGCT
121 CACTCATTAG GCACCCCAGG CTTTACACTT TATGCTTCCG GCTCGTATGT TGTGTGGAAT
181 TGTGAGCGGA TAACAATTTT ACACAGGAAA CAGCTATGAC CATGATTACG CCAAGCTTGC
241 ATGCCTGCAG GTCGACTCTA GAGGATCCCC GGGTACCGAT ATCAAACAAG TTTGTACAAA
301 AAAGCTGAAC GAGAAACGTA AAATGATATA AATATCAATA TATTAAATTA GATTTTGCAT
361 AAAAAACAGA CTACATAATA CTGTAAAACA CAACATATCC AGTCACTATG GCGGCCGCTA
421 AGTTGGCAGC ATCACCCGAC GCACTTTGCG CCGAATAAAT ACCTGTGACG GAAGATCACT
481 TCGCAGAATA AATAAATCCT GGTGTCCCTG TTGATACCGG GAAGCCCTGG GCCAACTTTT
541 GGCAGAAATG AGACGTTGAT CGGCACGTAA GAGGTTCCAA CTTTCACCAT AATGAAATAA
601 GATCACTACC GGGCGTATTT TTTGAGTTAT CGAGATTTTC AGGAGCTAAG GAAGCTAAAA
661 TGGAGAAAAA AATCACTGGA TATACCACCG TTGATATATC CCAATGGCAT CGTAAAGAAC
721 ATTTTGAGGC ATTTCACTCA GTTGCTCAAT GTACCTATAA CCAGACCGTT CAGCTGGATA
781 TTACGGCCTT TTTAAAGACC GTAAAGAAAA ATAAGCACAA GTTTTATCCG GCCTTTATTC
841 ACATTCTTGC CCGCCTGATG AATGCTCATC CGGAATTCCG TATGGCAATG AAAGACGGTG
901 AGCTGGTGAT ATGGGATAGT GTTCACCCCT GTTACACCGT TTTCCATGAG CAAACTGAAA
961 CGTTTTTCATC GCTCTGGAGT GAATACCACG ACGATTTCCG GCAGTTTCTA CACATATATT
1021 CGCAAGATGT GGCCTGTTAC GGTGAAAACC TGGCCTATTT CCCTAAAGGG TTTATTGAGA
1081 ATATGTTTTT CGTCTCAGCC AATCCCTGGG TGAGTTTCAC CAGTTTGTAT TTAACGTGG
1141 CCAATATGGA CAACCTCTTC GCCCCCGTTT TCACCATGGG CAAATATTAT ACGCAAGGCG
1201 ACAAGGTGCT GATGCCGCTG GCGATTACAG TTCATCATGC CGTCTGTGAT GGCTTCCATG
1261 TCGGCAGAAT GCTTAATGAA TTACAACAGT ACTGCGATGA GTGGCAGGGC GGGGCGTAAT
1321 CTAGAGGATC CGGCTTACTA AAAGCCAGAT AACAGTATGC GTATTTGCGC GCTGATTTTT
1381 GCGGTATAAG AATATATACT GATATGTATA CCCGAAGTAT GTCAAAAAGA GGTGTGCTAT
1441 GAAGCAGCGT ATTACAGTGA CAGTTGACAG CGACAGCTAT CAGTTGCTCA AGGCATATAT
1501 GATGTCAATA TCTCCGGTCT GGTAAGCACA ACCATGCAGA ATGAAGCCCC TCGTCTCGCT
1561 GCCGAACGCT GGAAAGCGGA AAATCAGGAA GGGATGGCTG AGGTCGCCCG GTTTATTGAA
1621 ATGAACGGCT CTTTTGCTGA CGAGAACAGG GACTGGTGAA ATGCAGTTTA AGGTTTACAC
1681 CTATAAAGA GAGAGCCGTT ATCGTCTGTT TGTGGATGTA CAGAGTGATA TTATTGACAC
1741 GCCCGGGCGA CGGATGGTGA TCCCCCTGGC CAGTGCACGT CTGCTGTCAG ATAAAGTCTC
1801 CCGTGAACCT TACCCGGTGG TGCAATATCG GGATGAAAGC TGGCGCATGA TGACCACCGA
1861 TATGGCCAGT GTGCCGGTCT CCGTTATCGG GGAAGAAGTG GCTGATCTCA GCCACCGCGA
1921 AAATGACATC AAAAACGCCA TTAACCTGAT GTTCTGGGGA ATATAAATGT CAGGCTCCGT
1981 TATACACAGC CAGTCTGCAG GTGACCCATA GTGACTGGAT ATGTTGTGTT TTACAGTATT
2041 ATGTAGTCTG TTTTTTATGC AAAATCTAAT TTAATATATT GATATTTATA TCATTTTACG
2101 TTTCTCGTTC AGCTTTCTTG TACAAAGTGG TTCGATATCG GTACCGAGCT CGAATTCACT
2161 GGCCGTCGTT TTACAACGTC GTGACTGGGA AAACCCTGGC GTTACCCAAC TTAATCGCCT
2221 TGCAGCACAT CCCCCTTTTG CCAGCTGGCG TAATAGCGAA GAGGCCCGCA CCGATCGCCC
2281 TTCCCAACAG TTGCGCAGCC TGAATGGCGA ATGGCGCCTG ATGCGGTATT TTCTCCTTAC
2341 GCATCTGTGC GGTATTTTAC ACCGCATATG GTGCACTCTC AGTACAATCT GCTCTGATGC
2401 CGCATAGTTA AGCCAGCCCC GACACCCGCC AACACCCGCT GACGCGCCCT GACGGGCTTG
2461 TCTGCTCCCG GCATCCGCTT ACAGACAAGC TGTGACCGTC TCCGGGAGCT GCATGTGTCA
2521 GAGGTTTTCA CCGTCATCAC CGAAACGCGC GAGACGAAAG GGCCTCGTGA TACGCCTATT
2581 TTTATAGGTT AATGTCATGA TAATAATGGT TTCTTAGACG TCAGGTGGCA CTTTTCGGGG
2641 AAATGTGCGC GGAACCCCTA TTTGTTTATT TTTCTAAATA CATTCAAATA TGTATCCGCT
2701 CATGAGACAA TAACCCTGAT AAATGCTTCA ATAATATTGA AAAAGGAAGA GTATGAGTAT
2761 TCAACATTTT CGTGTGCCCC TTATTCCCTT TTTTGGCGCA TTTTGCCTTC CTGTTTTTGC -

```

2821 TCACCCAGAA ACGCTGGTGA AAGTAAAAGA TGCTGAAGAT CAGTTGGGTG CACGAGTGGG
2881 TTACATCGAA CTGGATCTCA ACAGCGGTAA GATCCTTGAG AGTTTTTCGCC CCGAAGAACG
2941 TTTTCCAATG ATGAGCACTT TTAAAGTTCT GCTATGTGGC GCGGTATTAT CCCGTATTGA
3001 CGCCGGGCAA GAGCAACTCG GTCGCCGCAT ACACTATTCT CAGAATGACT TGGTTGAGTA
3061 CTCACCAATC ACAGAAAAGC ATCTTACGGA TGGCATGACA GTAAGAGAAT TATGCAGTGC
3121 TGCCATAACC ATGAGTGATA AACTGCGGC CAACTTACTT CTGACAACGA TCGGAGGACC
3181 GAAGGAGCTA ACCGCTTTTT TGCACAACAT GGGGGATCAT GTAACTCGCC TTGATCGTTG
3241 GGAACCGGAG CTGAATGAAG CCATACCAAA CGACGAGCGT GACACCACGA TGCCTGTAGC
3301 AATGGCAACA ACGTTGCGCA AACTATTAAC TGGCGAACTA CTTACTCTAG CTTCCCGGCA
3361 ACAATTAATA GACTGGATGG AGGCGGATAA AGTTGCAGGA CCACTTCTGC GCTCGGCCCT
3421 TCCGGCTGGC TGGTTTATTG CTGATAAATC TGGAGCCGGT GAGCGTGGGT CTCGCGGTAT
3481 CATTGACGCA CTGGGGCCAG ATGGTAAGCC CTCCCGTATC GTAGTTATCT ACACGACGGG
3541 GAGTCAGGCA ACTATGGATG AACGAAATAG ACAGATCGCT GAGATAGGTG CCTCACTGAT
3601 TAAGCATTGG TAACTGTCAG ACCAAGTTTA CTCATATATA CTTTAGATTG ATTTAAACT
3661 TCATTTTTTAA TTTAAAAGGA TCTAGGTGAA GATCCTTTTT GATAATCTCA TGACCAAAT
3721 CCTTAACGT GAGTTTTTCGT TCCACTGAGC GTCAGACCCC GTAGAAAAGA TCAAAGGATC
3781 TTCTTGAGAT CCTTTTTTTC TGCGCGTAAT CTGCTGCTTG CAAACAAAAA AACCACCGCT
3841 ACCAGCGGTG GTTTGTTTGC CGGATCAAGA GCTACCAACT CTTTTTCCGA AGGTAACCTG
3901 CTTCAGCAGA GCGCAGATAC CAAATACTGT CCTTCTAGTG TAGCCGTAGT TAGGCCACCA
3961 CTTCAAGAAC TCTGTAGCAC CGCCTACATA CCTCGCTCTG CTAATCCTGT TACCAGTGGC
4021 TGCTGCCAGT GCGGATAAGT CGTGTCTTAC CGGGTTGGAC TCAAGACGAT AGTTACCGGA
4081 TAAGGCGCAG CGGTCGGGCT GAACGGGGGG TCGTGCACA CAGCCCAGCT TGGAGCGAAC
4141 GACCTACACC GAACTGAGAT ACCTACAGCG TGAGCTATGA GAAAGCGCCA CGCTTCCCGA
4201 AGGGAGAAAG GCGGACAGGT ATCCGTAAG CGGCAGGGTC GGAACAGGAG AGCGCACGAG
4261 GGAGCTTCCA GGGGGAACG CCTGGTATCT TTATAGTCCT GTCGGGTTTC GCCACCTCTG
4321 ACTTGAGCGT CGATTTTTGT GATGCTCGTC AGGGGGGCGG AGCCTATGGA AAAACGCCAG
4381 CAACGCGGCC TTTTACGGT TCCTGGCCTT TTGCTGGCCT TTTGCTCACA TGTTCTTTCC
4441 TCGCTTATCC CCTGATTCTG TGGATAACCG TATTACCGCC TTTGAGTGAG CTGATACCGC
4501 TCGCCGACG CGAACGACCG AGCGCAGCGA GTCAGTGAGC GAGGAAGCGG AAGA




FIGURE 84

196/240




FIGURE 85




FIGURE 86

198/240

FIGURE 87







FIGURE 88



DNA to be amplified (5' → 3'):




↓ Denature, anneal
hybrid primers,
↓ extend with polymerase




↓ amplification cycles




↓ Denature, anneal
attB primers,
extend with polymerase




↓ amplification cycles



attB1 primer:



attB2 primer:



Hybrid primers (part
attB, part gene
specific):



FIGURE 89




FIGURE 90A

pDEST28 7141 bp

ATGCATGTCGTTACATAA CTTACGGTAAATGGCCCCGCTGGCTGACCGCCCAACGACCCC
CGCCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT
TGACGTCAATGGGTGGAGTATTTACGGTAACTGCCACTTGGCAGTACATCAAGTGTAT
CATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCCGCTGGCATTAT
GCCCAGTACATGACCTTATGGGACTTTCTACTTGGCAGTACATCTACGTATTAGTCATC
GCTATTACCATGGTGTATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGTTTTGAC
TCACGGGGATTTC AAGTCTCCACCCCATTGACGTCAATGGGAGTTTTGTTTTGGCACCAA
AATCAACGGGACTTTCCAAAATGTGCTAACAACCTCCGCCCATTTGACGCAATGGGCGGT
AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC
CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTAGTGAACCGTCAGATCGCCTGGAGA
CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACT
CTAGAGGATCCCTACCGGTGATATCCTCGAGCCCATCAACAAGTTTGTACAAAAAAGCTG
AACGAGAAACGTAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAAC
AGACTACATAATACTGTAAACACAACATATCCAGTCACTATGGCGGCCGCATTAGGCAC
CCCAGGCTTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGATTTTGTAGTTAGGATCC
GCGGAGATTTT CAGGAGCTAAGGAAGCTAAAATGGAGAAAAAATCACTGGATATACCAC
CGTTGATATGATCCCAATGGCATCGTAAAGAACATTTTGAGGCATTTTCAGTCAGTTGGAGA
ATGTACCTATAACAGACCGCTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAA
AAATAAGCACAAGTTTTATCCGGCCTTTATTACATTCTTGCCCGCCTGATGAATGCTCA
TCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCC
TTGTTACACCGTTTTCCATGAGCAAACGTAAACGTTTTTCATCGCTCTGGAGTGAATACCA
CGACGATTTCCGGCAGTTTTCTACACATATATTCGCAAGATGTGGCGTGTACGGTGAAAA
CCTGGCCTATTTCCCTAAAGGGTTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTG
GGTGAGTTTTACCAAGTTTTGATTTAAACGTGGCCAATATGGACAACCTCTTCGCCCCCGT
TTTTACCATTGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCA
GGTTCATCATGCCGTCTGTGATGGCTTCCATGTGCGGCAGAATGCTTAATGAATTACAACA
GTACTGCGATGAGTGGCAGGGCGGGCGTAAAGATCTGGATCCGGCTTACTAAAAGCCAG
ATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTA
TACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGAC
AGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCA
CAACCATGCGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAAACAG
AAGGATGGCTGAGGTGCGCCCGTTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACA
GGGACTGGTGAAATGCAGTTTAAGGTTTTACACCTATAAAAGAGAGAGCCGTTATCGTCTG
TTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTG
GCCAGTGCACGTCTGCTGTGAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGATATC
GGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATC
GGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACTG
ATGTTCTGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTGACCA
TAGTGACTGGATATGTTGTGTTTTACAGTATTATGATAGTCTGTTTTTTATGCAAAATCTA
ATTTAATATATTGATATTTATATCATTTTACGTTTTCTCGTTCAGCTTTCTTGACAAAGT
GGTTGATGGGCGGCGCTCTAGAGGGCCCAAGCTTACGCGTGATGCGACGTCATAGCTC
TCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGTTTTACAACGTCGTGA
CTGGGAAAACCTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTTCTGTGGTGTGACATA
ATTGGACAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATATAAAATTTTTAAGTGT
ATAATGTGTTAACTAGCTGCATATGCTTGCTGCTTGAGAGTTTTGCTTACTGAGTATGA
TTTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTGTGTATTTTAGATTCA
CAGTCCCAAGGCTCATTT CAGGCCCTCAGTCCTCACAGTCTGTTTATGATCATAATCAG
CCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCACACCTCCCCCTGAA
CCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTTATTGCAGCTTATAATGG
TTACAAATAAAGCAATAGCATCACAAATTTACAAATAAAGCATTTTTTTTCACTGCATT
TAGTTGTGGTTTTGTCCAACTCATCAATGTATCTTATCATGTCTGGATCGATCCTGCAAT
AATGAATCGGCCAACGCGCGGGGAGAGCGGTTTTGCGTATTGGCTGGCGTAATAGCGAAG
AGGCCGCAACCGATCGCCCTTCCCAACAGGTGCGCAGCCTGAATGGCGAATGGGACGCGC
CCTGTAGCGGCGCATTAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACAC
TTGCCAGCGCCCTAGCGCCCGCTCCTTTGCTTTCTTCCCTTCTTCTCGCCACGTTCCG
CCGCTTTCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTT-

Figure 90B

TACGGCACCTCGACCCCAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGC
CCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCT
TGTTCCAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGA
TTTTGCCGATTTTCGGCCTATTGGTTAAAAATGAGCTGATTAAACAAATATTTAACGCGA
ATTTTAACAAAATATTAACGTTTACAATTTGCGCTGATGCGGTATTTTCTCCTTACGCAT
CTGTGCGGTATTTACACCCGCATACGCGGATCTGCGCAGCACCATGGCCTGAAATAACCT
CTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACCAGCTGTGGAATGTGT
GTCAGTTAGGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGC
ATCTCAATTAGTCAGCAACCAGGTGTGGAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTA
TGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCCTAACTCCGCCCATCC
CGCCCCCTAACTCCGCCCAGTTCCGCCCATTTCTCCGCCCATGGCTGACTAATTTTTTTTA
TTTTATGCAGAGGCCGAGGCCGCTCGGCCCTGAGCTATTCCAGAAGTAGTGAGGAGCT
TTTTTGGAGGCCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACACAACAGTCTCGA
TAAGACCATGGCCAAAGCCTTTGTCTCAAGAAGAATCCACCCTCATTGAAAGAGCAACGGC
TACAATCAACAGCATCCCCATCTCTGAAGACTACAGCGTCGCCAGCGCAGCTCTCTCTAG
CGACGGCCGCATCTTCACTGGTGTCAATGTATATCATTTTTACTGGGGGACCTTGTGCAGA
ACTCGTGGTGCTGGGCAGTCTGCTGCTGCGGCAGCTGGCAACCTGACTTGTATCGTCGC
GATCGGAAATGAGAACAGGGGCATCTTGAGCCCCCTGCGGACGGTGCCGACAGGTGCTTCT
CGATCTGCATCTCTGGGATCAAAGCCATAGTGAAGGACAGTGATGGACAGCCGACGGCAGT
TGGGATTCGTGAATTGCTGCCCTCTGGTTATGTGTGGGAGGGCTAAGCACTTCGTGGCCG
AGTTCGAAATGACCGACCAAGCGACGCCCAACCTGCCATCACGATGGCCGCAATAAAATA
TCTTTATTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCGATAGCGATAAGGATC
CGCGTATGGTGCATCTCAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGCCCCGA
CACCCGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTAC
AGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTGAGAGGTTTTACCCTCATCACCG
AAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTATGATA
ATAATGGTTTCTTAGACGTGAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATT
TGTTTTATTTTCTAATAACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAA
ATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTGCCCTT
ATTCCCTTTTTTGCGGCATTTTGCCTTCCTGTTTTTGTCTACCCAGAAACGCTGGTGAAA
GTAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTACATCGAACTGGATCTCAAC
AGCGGTAAGATCCTTGAGAGTTTTTCGCCCCGAAGAACGTTTTTCCAATGATGAGCACTTTT
AAAGTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGT
GCGCGCATACACTATTCTCAGAATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAAC
ACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTG
CACAACATGGGGGATCATGTAACCTGCCTTGATCGTTGGGAACCGGAGCTGAATGAAGCC
ATACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAA
CTATTAACCTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAG
GCGGATAAAGTTGCAGGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCT
GATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGAT
GGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAA
CGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGAC
CAAGTTTACTCATATATACTTTAGATTGATTTAAACTTCATTTTTTAATTTAAAGGATC
TAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTT
CACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTG
CGCGTAATCTGCTGCTTGCAACAAAAAAACCACCGCTACCAGCGGTGGTTTGTGTTGCCG
GATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACCTGGCTTCAGCAGAGCGCAGATACCA
AATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCCTTCAAGAACTCTGTAGCACCG
CCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCG
TGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCCGGGCTGA
ACGGGGGGTTTCGTGCACACAGCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATAC
CTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTAT
CCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAAACGCC
TGCTATCTTTATAGTCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGA
TGCTCGTCAGGGGGCGGAGCCTATGGAAAAACGCCAGCAACGCGGCTTTTTACGGTTT
CTGGCCTTTTTGCTGGCCTTTTTGCTCACATGTTCTTTCTGCGTTATCCCCTGATTCTGTG
GATAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCCGACCGCAACGACCGAG-

FIGURE 90C

CGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCC
GCGCGTTGGCCGATTCATTAATGCAGAGCTTGCAATTCGCGCGTTTTTCAATATTATTGA
AGCATTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTAGAAAAAT
AAACAAATAGGGGTTCGCGCACATTTCCCCGAAAAGTGCCACCTGACGTCTAAGAAACC
ATTATTATCATGACATTAACCTATAAAAAATAGGCGTAGTACGAGGCCCTTCACTCATTA
G

FIGURE 90D




FIGURE 91 A

pDEST29 7156 bp

ATGCATGTGCTTACATAACTTACGGTAAATGGCCCGCTGGCTGACCGCCCAACGACCCC
CGCCCATTTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT
TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT
CATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCTGGCATTAT
GCCCAGTACATGACCTTATGGGACTTTTCTACTTGGCAGTACATCTACGTATTAGTCATC
GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC
TCACGGGGATTTC AAGTCTCCACCCCATTTGACGTCAATGGGAGTTTGT TTTGGCACCAA
AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAATGGGCGGT
AGGCGGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC
CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGA
CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACC
ATGGCGTACTACCATCACCATCACCATCACACCGGTGATATCCTCGAGCCCATCACAAGT
TTGTACAAAAAAGCTGAACGAGAAACGTAAATGATATAAATATCAATATATTA AATTAG
ATTTTGCATAAAAAACAGACTACATAACTGTAAACACAACATATCCAGTCACTATGG
CGGCCGCATTAGGCACCCCAGGCTTTACAGCTTTATGCTTCCGGCTCGTATAATGTGTGGA
TTTTGAGTTAGGATCCGGCGAGATTTTCAGGAGCTAAGGAAGCTAAATGGAGAAAAAAA
TCACTGGATATACACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCAT
TTCAGTCAGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTT
TAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTTATTACATTCTTGCCC
GCCTGATGAATGCTCATCCGGAATTCGTATGGCAATGAAAGACGGTGAGCTGGTGATAT
GGGATAGTGTTTCAACCTTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGC
TCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTGCAAGATGTGG
CGTGTTACGGTGAAAACTGGCCTATTTCCCTAAAGGTTTATTGAGAATATGTTTTTCG
TCTCAGCCAAATCCCTGGGTGAGTTTACCAGTTTTGATTAAACGTGGCCAATATGGACA
ACTTCTTCGCCCCCGTTTTACCATGGGCAATATTATACGCAAGGCGACAAGGTGCTGA
TGCCGCTGGCGATT CAGGTTTCATCATGCCGTCTGTGATGGCTTCCATGTCCGCAGAAATGC
TTAATGAATTACAACAGTACTGCGATGAGTGGCAGGGCGGGCGTAAACCGCTGGATCCG
GCTTACTAAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAA
TATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTAT
TACAGTGACAGTTGACAGCGACAGCTATCGTTGCTCAAGGCATATATGATGTCAATATC
TCCGGTCTGGTAAGCACCAACCATGCAGAATGAAGCCCGTCTGCTGCGTGCCGAACGCTGG
AAAGCGGAAATCAGGAAGGGATGGCTGAGGTGCGCCCGGTTTATTGAAATGAACGGCTCT
TTTGCTGACGAGAACAGGGACTGGTGAAATGCAGTTTAAGGTTTACACCTATAAAAGAGA
GAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATTGACACGCCCCGGGCGACG
GATGGTGATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTA
CCCCGTGGTGATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGT
GCCGTTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAAATGACATCAA
AAACGCCATTAACTGATGTTTCTGGGGAATATAAATGT CAGGCTCCGTTATACACAGCCA
GTCTGCAGGTGCACCATAGTGAAGTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTT
TTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTTTACGTTTCTCGTTT CAG
CTTTCTTGTA CAAAGTGGTGATGGGCGGCCGCTCTAGAGGGCCCAAGCTTACGCGTG CAT
GCGACGT CATAGCTCTCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTGCT
TTTACAACGTGCTGACTGGGAAAACTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTT
CTGTGGTGTGACATAATTGGACAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATAT
AAAATTTTTAAGTGATAATGTGTTAAACTAGCTGCATATGCTTGCTGCTTGAGAGTTTT
GCTTACTGAGTATGATTTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTG
TGTATTTTAGATT CACAGTCCCAAGGCTCATTTTCAGGCCCCCTCAGTCCTCACAGTCTGTT
CATGATCATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCC
ACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTAT
TGCAGCTTATAATGGTTACAAATAAGCAATAGCATCACAAATTTCACAAATAAAGCATT
TTTTTCACTGCATTCTAGTTGTGTTTGTCCAAACTCATCAATGTATCTTATCATGTCTG
GATCGATCCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGTATTGGCT
GGCGTAATAGCGAAGAGGCCCCGACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATG
GCGAATGGGACGCGCCCTGTAGCGGCGCATTAAAGCGCGGCGGGTGTTGGTTACGCGCA
GCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTGCTTTCTTCCCTTCTT
TTCTCGCCACGTTTCGCGCGCTTTCCCGCTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGT-

FIGURE 91B

TCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAACTTGATTAGGGTGATGGTTCAC
GTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCT
TTAATAGTGGACTCTTGTTCCAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTT
TTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAAC
AAATATTTAACGCGAATTTTAAACAAAATATTAAACGTTTACAATTTTCGCCTGATGCGGTAT
TTTCTCCTTACGCATCTGTGCGGTATTTACACCGCATACGCGGATCTGCGCAGCACCAT
GGCCTGAAATAACCTCTGAAAGAGGAACCTGGTTAGGTACCTTCTGAGGCGGAAAGAACC
AGCTGTGGAATGTGTGTCTAGTTAGGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAA
GTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGAAAGTCCCCAGGCTCCC
CAGCAGGCAGAAATATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCC
TAACTCCGCCCCATCCCGCCCCCTAACTCCGCCCCATTCTCCGCCCCATGGCT
GACTAATTTTTTTTATTATTTATGAGAGGCCGAGGCCGCTCGGCCTCTGAGCTATTCCAGA
AGTAGTGAGGAGCTTTTTTGGAGGCCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACA
CAACAGTCTCGAATTAAGACCATGGCCAAGCCTTTGTCTCAAGAAGAATCCACCCTCAT
TGAAAGAGCAACGGCTACAATCAACAGCATCCCCATCTCTGAAGACTACAGCGTCGCCAG
CGCAGCTCTCTCTAGCGACGGCCGCATCTTCACTGGTGTCAATGTATATCATTTTTACTGG
GGGACCTTGTGCGAATCGTGGTGTCTGGGCATGCTGCTGCTGCGGCAGCTGGCAACCT
GACTTGTATCGTCGCGATCGGAAATGAGAACAGGGGCATCTTGAGCCCCCTGCGGACGGTG
CCGACAGGTGCTTCTCGATCTGCATCTGGGATCAAAGCCATAGTGAAGGACAGTGATGG
ACAGCCGACGGCAGTTGGGATTCTGTGAATTGCTGCCCTCTGGTTATGTGTGGGAGGGCTA
AGCACTTCGTGGCCGAGTTGAAATGACCGACCAAGCGACGCCCAACCTGCCATCACGAT
GGCCGCAATAAAATATCTTTATTTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCG
ATAGCGATAAGGATCCGCGTATGGTGCATCTCTCAGTACAATCTGCTCTGATGCCGCATAG
TTAAGCCAGCCCCGACACCCGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTC
CCGGCATCCGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCTAGAGGTTT
TCACCGTCATCACGAAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAG
GTTAATGTCTATGATAAATAGTTTTCTTAGACGTGAGGTGGCACTTTTCGGGGAAATGTG
CGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGA
CAATAACCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACAT
TTCCGTGTGCGCCCTTATTCCTTTTTTTGCGGCATTTTGCCCTTCTGTTTTTGTCTACCCA
GAAACGCTGGTGAAAGTAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTACATC
GAACTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCA
ATGATGAGCACTTTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGG
CAAGAGCAACTCGGTCCCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCA
GTCACAGAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATA
ACCATGAGTGATAACACTGCGGCCAATTACTTCTGACAACGATCGGAGGACCGAAGGAG
CTAACCGCTTTTTTGCACAACATGGGGGATCATGTAACCTCGCCTTGATCGTTGGGAACCG
GAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCA
ACAACGTTGCGCAAACTATTAAGTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTA
ATAGACTGGATGGAGGCGGATAAAGTTGACGAGCACTTCTGCGCTCGGCCCTTCCGGCT
GGCTGGTTTTATTGCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCA
GCACTGGGGCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAG
GCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAAGCAT
TGGTAACTGTGAGACCAAGTTTACTCATATATACTTTAGATTGATTTAAAACTTCATTTT
TAATTTAAAAGGATCTAGGTGAAGATCCTTTTTGATAATCTCATGACCAAATCCCTTAA
CGTGAGTTTTCTGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGA
GATCCTTTTTTTCTGCGCGTAATCTGCTGCTTGCAACAAAAAACCACCGCTACCAGCG
GTGGTTTTGTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAAGTGGCTTCAGC
AGAGCGCAGATACCAAATACTGTCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAG
AACTCTGTAGCACCGCCTACATACTCGCTCTGCTAATCCTGTTACCAAGTGGCTGCTGCC
AGTGGCGATAAGTCTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCG
CAGCGGTCCGGCTGAACGGGGGGTTCGTGCACACAGCCAGCTTGAGCGAACGACCTAC
ACCGAACTGAGATACCTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGAGA
AAGCGGGACAGGTATCCGGTAAGCGGCGAGGTTCGGAACAGGAGACGCGACGAGGGAGCTT
CCAGGGGGAAACGCCTGGTATCTTTATAGTCTGTGCGGTTTTCGCCACCTCTGACTTGAG
CGTCGATTTTTGTGATGCTCGTCAGGGGGGCGGAGCCTATGGAAAAACGCCAGCAACGCG
GCCTTTTTACGGTTCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCTGCGTTA
TCCCTGATTCTGTGGATAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCCGC-

AGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATACGC
AAACCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGAGCTTGCAATTCGCGCGTT
TTTCAATATTATTGAAGCATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAA
TGTATTTAGAAAAATAAACAAATAGGGGTTCCGCGCACATTTCCCGAAAAGTGCCACCT
GACGTCTAAGAAACCATTATTATCATGACATTAACCTATAAAAATAGGCGTAGTACGAGG
CCCTTTCATCATTAG

FIGURE 91D

209/240




FIGURE 92A

pDEST30 7544 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCTGGCTGACCGCCCAACGACCCC
CGCCCATTTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTCCAT
TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGAT
CATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCTGGCATTAT
GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC
GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC
TCACGGGGATTTCCAAAGTCTCCACCCATTGACGTCAATGGGAGTTTGTGTTGGCACCAA
AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT
AGGCGTGACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC
CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGA
CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACT
CTAGAGGATCCCTACCGGTGATATCCTCGAGCCCATCAACAAGTTTGTACAAAAAGCTG
AACGAGAAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAAC
AGACTACATAATACTGTAAAAACACAACATATCCAGTCACTATGGCGGCCGATTAGGCAC
CCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGATTTTGAGTTAGGATCC
GGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAATCACTGGATATACCAC
CGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCATTTTCAGTCAGTTGCTCA
ATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAA
AAATAAGCACAAGTTTTATCCGGCCTTTATTACATTCTTGCCCGCTGATGAATGCTCA
TCCGGAATTCGGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCAACC
TTGTTACACCGTTTTTCCATGAGCAAACCTGAAACGTTTTTCATCGCTCTGGAGTGAATACCA
CGACGATTTCCGGCAGTTTCTACACATATATTGCAAGATGTGGCGTGTTACGGTGAAAA
CCTGGCCTATTTCCCTAAAGGGTTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTG
GGTGAGTTTACCAGTTTTGATTTAAACGTGGCCAATATGGACAACCTCTTCCGCCCCGT
TTTACCATGGGCAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCA
GGTTCATCATGCCGTCTGTGATGGCTTCCATGTCCGCGAGAATGCTTAATGAATTACAACA
GTACTGCGATGAGTGGCAGGGCGGGCGTAAAGATCTGGATCCGGCTTACTAAAAGCCAG
ATAACAGTATGCGTATTTTGGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTA
TACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGAC
AGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCA
CAACCATGCAGAATGAAGCCCGTCTGCTGCGTGCCGAACGCTGGAAAGCGGAAATCAGG
AAGGGATGGCTGAGGTGCGCCCGGTTTTATTGAAATGAACGGCTCTTTTGCTGACGAGACA
GGGACTGGTGAAATGCAGTTTAAAGTTTACACCTATAAAAAGAGAGCCGTTATCGTCTG
TTTGTGGATGTACAGAGTGATATTATTGACACGCCCCGGGCGACGGATGGTGATCCCCCTG
GCCAGTGCACGTCTGCTGTGATATAAGTCTCCCGTGAACTTTACCCGGTGGTGATATC
GGGGATGAAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTCGGGTCTCCGTTATC
GGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACTG
ATGTTCTGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTGACCA
TAGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTA
ATTTAATATATTGATATTATATCATTTTACGTTTTCTCGTTCAGCTTTCTTGTAACAAGT
GGTTGATGGGCGGCCGCTCTAGAGGGCCCCAAGCTTACGCGTGATGCGACGTATAGCTC
TCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGTTTTACAACGTCGTGA
CTGGGAAAACCTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTTCTGTGGTGTGACATA
ATTGGACAAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATATAAAATTTTTAAGTGT
ATAATGTGTTAAACTAGCTGCATATGCTTGCTGCTTGAGAGTTTTGCTTACTGAGTATGA
TTTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTGTGTATTTTAGATTCA
CAGTCCCCAAGGCTCATTTTCAGGCCCCCTCAGTCTCAGATCTGTTTCATGATCATAATCAG
CCATACCACATTTGTAGAGGTTTTACTTGTCTTTAAAAAACCTCCACACCTCCCCCTGAA
CCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTTATTGCAGCTTATAATGG
TTACAAATAAAGCAATAGCATCAAAATTTCAAAATAAAGCATTTTTTTCAGTGCATTTC
TAGTTGTGGTTTTGTCCAACTCATCAATGTATCTTATCATGTCTGGATCGATCCTGCATT
AATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGGCTATTGGCTGGCGTAATAGCGAAG
AGGCCCCGACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGGACGCGC
CCTGTAGCGGCGCATTAAAGCGCGGCGGGTGGTGGTTACGCGCAGCGTGACCGCTACAC
TTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTTCCCTTCCCTTCTCGCCACGTTTCG
CCGGCTTTCCCGCTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCGGATTTAGTGCTT-

211/240

TACGGCACCTCGACCCCAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGC
CCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCT
TGTTCCAACTGGAACAACACTCAACCCCTATCTCGGTCTATTCTTTGATTTATAAGGGA
TTTTGCCGATTTCCGGCCTATTGGTTAAAAAATGAGCTGATTAAACAAATATTTAACGCGA
ATTTTAACAAATATTAACGTTTACAATTTTCGCCTGATGCGGTATTTCTCCTTACGCAT
CTGTGCGGTATTTACACCCGCATACGCGGATCTGCGCAGCACCATGGCCTGAAATAACCT
CTGAAAGAGGAACCTTGGTTAGGTACCTTCTGAGGCGGAAAGAACCAGCTGTGGAATGTGT
GTCAGTTAGGGTGTGGAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGC
ATCTCAATTAGTCAGCAACCAGGTGTGGAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTA
TGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCCGCCCTAACTCCGCCCATCC
CGCCCCTAACCTCCGCCCAGTTCGCCCCATTCTCCGCCCATGGCTGACTAATTTTTTTTA
TTTATGCAGAGGCCGAGGCCGCTCGGCCTCTGAGCTATTCAGAAGTAGTGAGGAGGCT
TTTTTGAGGGCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACACAACAGTCTCGAACT
TAAGGCTAGAGCCACCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTG
GGTGGAGAGGCTATTCCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGC
CGTGTTCGGCTGTGACGCGCAGGGGCGCCCGGTTCTTTTGTCAAGACCGACCTGTCCGG
TGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACGACGGGCGT
TCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACTGGCTGCTATTGGG
CGAAGTGCCGGGGCAGGATCTCCTGTCTATCTACCTTGCTCCTGCCGAGAAAGTATCCAT
CATGGCTGATGCAATCGCGCGGCTGCATACGCTTGATCCGGCTACCTGCCCATTCGACCA
CCAAGCGAAACATCGCATCGAGCGAGCAGTACTCGGATGGAAGCCGGTCTTGTGATCA
GGATGATCTGGACGAAGAGCATCAGGGGCTCGCGCCAGCCGAAGTGTTCGCCAGGCTCAA
GGCGCGCATGCCCGACGGCGAGGATCTCGTCTGTGACCCATGGCGATGCCTGCTTGCCGAA
TATCATGGTGGAAAATGGCCGCTTTTCTGGATTTCATCGACTGTGGCCGGCTGGGTGTGGC
GGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGCGCGCGA
ATGGGCTGACCGCTTCTCCTGTGCTTTACGGTATCGCCGCTCCCGATTGCGCAGCGCATCGC
CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGCGGACTCTGGGGTTGAAAATGACCGAC
CAAGCGACGCCCAACCTGCCATCACGATGGCCGCAATAAAATATCTTTATTTTCATTACA
TCTGTGTGTTGGTTTTTTTGTGTGAATCGATAGCGATAAGGATCCGCGTATGGTGCATCT
CAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGCCCCGACACCCGCCAACACCCGC
TGACGCGCCCTGACGGGCTTGTCTGCTCCCGCATCCGCTTACAGACAAGCTGTGACCGT
CTCCGGGAGCTGCATGTGTGAGAGTTTTTACCCTCATCACCGAAACGCGCGAGACGAAA
GGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTGATGATAAATAATGGTTTTCTAGAC
GTCAGGTGGCACTTTTCGGGGAATGTGCGCGGAACCCCTATTTGTTTATTTTCTAAAT
ACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATATTG
AAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTGCCCCTTATCCCTTTTTTGCGGC
ATTTTGCCTTCTGTTTTTGTCTACCCAGAAACGCTGGTGAAAGTAAAGATGCTGAAGA
TCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGA
GAGTTTTTCGCCCCGAAGAAGTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGTGG
CGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTGCGCGCATACACTATTCT
TCAGAATGACTTGTTGAGTACTCACGAGTACAGAAAAGCATCTTACGGATGGCATGAC
AGTAAGAGAATTATGCAAGTGTGCTGCCATAACCATGAGTGATAACACTGCGGCCAACTTACT
TCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTGCACAACATGGGGGATCA
TGTAACCTCGCCTTGATCGTTGGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAGCG
TGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAAGTGGCGAACT
ACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAAAGTTGCAGG
ACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCCGG
TGAGCGTGGGTCTCGCGGTATCATTGACGCACTGGGGCCAGATGGTAAGCCCTCCCGTAT
CGTAGTTATCTACAGGACGGGGAGTCAGGCAACTATGGATGAACGAAATAGACAGATCGC
TGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGACCAAGTTTACTCATATAT
ACTTTAGATTGATTTAAAACTTCATTTTTTAATTTAAAAGGATCTAGGTGAAGATCCTTTT
TGATAATCTCATGACCAAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCC
CGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTCTGCGCGTAATCTGCTGCTT
GCAAACAAAAAAACCCGCTACCAGCGGTGGTTTGTGTTGCCGGATCAAGAGCTACCAAC
TCTTTTTCCGAAGGTAACCTGGCTTCAGCAGAGCGCAGATACCAATACTGTCTCTTAGT
GTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCT
GCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGA
CTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTGGGCTGAACGGGGGGTTCGTGCAC-

FIGURE 92C

ACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCATTG
AGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGT
CGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAACGCCTGGTATCTTTATAGTCC
TGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCG
GAGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGGCC
TTTTGCTCACATGTTCTTTCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACCGC
CTTTGAGTGAGCTGATACCGCTCGCCGCGAGCCGAACGACCGAGCGCAGCGAGTCAGTGAG
CGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCGCGCGTTGGCCGATTCA
TTAATGCAGAGCTTGCAATTCGCGCGTTTTTCAATATTATTGAAGCATTATCAGGGTTA
TTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTC
GCGCACATTTCCCGAAAAGTGCCACCTGACGTCTAAGAAACCATTATTATCATGACATT
AACCTATAAAAATAGGCGTAGTACGAGGCCCTTCACTCATTAG

FIGURE 92D




FIGURE 93A

214/240
pDEST31 7559 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCTGGCTGACCGCCCAACGACCCC
CGCCCATTTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCAT
TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT
CATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCTGGCATTAT
GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC
GCTATTACCATGGTGTATGCGGTTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTTGAC
TCACGGGGATTTTCCAAGTCTCCACCCATTGACGTCAATGGGAGTTTTGTTTTGGCACCAA
AATCAACGGGACTTTTCCAAATGTCTGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT
AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC
CCTATCAGTGATAGAGATCGTTCGACGAGCTCGTTTTAGTGAACCGTCAGATCGCCTGGAGA
CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACC
ATGGCGTACTACCATCACCATCACCATCACACCGGTGATATCCTCGAGCCCATCACAAGT
TTGTACAAAAAAGCTGAACGAGAAACGTAATACTGTAAACACAACATATCCAGTCACTATGG
ATTTTGCATAAAAAACAGACTACATAATACTGTAAACACAACATATCCAGTCACTATGG
CGGCCGCTATTAGGCACCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGA
TTTTGAGTTAGGATCCGGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAA
TCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCAT
TTCAGTCAGTTGCTCAATGTACCTATAACCAGACCGTTTTCAGTGGATATTACGGCCTTTT
TAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTTATTACATTCTTGCCC
GCCTGATGAATGCTCATCCGGAATTCGGTATGGCAATGAAAGACGGTGAGCTGGTGATAT
GGGATAGTGTTCACCCCTTGTACACCGTTTTCCATGAGCAAACCTGAAACGTTTTTCATCGC
TCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTGCAAGATGTGG
CGTGTACGGTGAAAACTGGCCTATTTCCCTAAAGGGTTTTATTGAGAATATGTTTTTCG
TCTCAGCCAATCCCTGGGTGAGTTTTACCAGTTTTGATTTAAACGTGGCCAATATGGACA
ACTTCTTCGCCCCCGTTTTTACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGA
TGCCGCTGGCGATTTCAGGTTTCATCATGCCGTCTGTGATGGCTTCCATGTTCGGCAGAATGC
TTAATGAATTACAACAGTACTGCGATGAGTGGCAGGGCGGGGCGTAAACGCGTGGATCCG
GCTTACTAAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAA
TATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTAT
TACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATC
TCCGGTCTGGTAAGCACAACCATGCAGAATGAAGCCCGTCTGCTGCGTGCCGAACGCTGG
AAAGCGGAAAATCAGGAAGGGATGGCTGAGGTCCGCCCCGTTTTATTGAAATGAACGGCTCT
TTTGCTGACGAGAACAGGGAAGTGGTGAATGTCAGTTTTAAGTTTTACACCTATAAAAGAGA
GAGCCGTTATCGTCTGTTTTGTGGATGTACAGAGTGATATTATTGACACGCCCCGGCGACG
GATGGTGATCCCCCTGGCCAGTGCACGTCTGCTGTGATATAAAGTCTCCCGTGAACCTTTA
CCCCGGTGGTGATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGT
GCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAA
AAACGCCATTAACCTGATGTTCTGGGGAATATAAATGTGAGGCTCCGTTATACACAGCCA
GTCTGCAGGTGACCATAGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTT
TTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTTTACGTTTCTCGTTCAG
CTTTCTGTACAAAGTGGTGATGGGCGCGCTCTAGAGGGCCCAAGCTTACGCGTGCAT
GCGACGTATAGCTCTCTCCCTATAGTGAGTCTGATTATAAGCTAGGCACTGGCCGCTCGT
TTTACAACGTCGTGACTGGGAAAACCTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTT
CTGTGGTGTGACATAATTGGACAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATAT
AAAATTTTTAAGTGTATAATGTGTTAAACTAGCTGCATATGCTTGCTGCTTGAGAGTTTT
GCTTACTGAGTATGATTTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTG
TGATTTTATGATTACAGTCCCAAGGCTCATTTCAGGCCCTCAGTCTTCACAGTCTGTT
CATGATCATAATCAGCCATACACATTTGTAGAGTTTTACTTGCTTTAAAAAACCTCCC
ACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTTAT
TGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCAAAATTTACAAATAAAGCATT
TTTTTCACTGCATTCTAGTTGTGGTTTTGTCCTAACTCATCAATGTATCTTATCATGTCTG
GATCGATCCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGTATTGGCT
GGCGTAATAGCGAAGAGGCCCCGACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATG
GCGAATGGGACGCGCCCTGTAGCGGCGCATTAAGCGCGGCGGGTGTGGTGGTTACGCGCA
GCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTTCGCTTTCTCCCTTCT
TTCTCGCCACGTTCCGCCGCTTTCCCGCTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGT-

Figure 93B

TCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAACTTGATTAGGGTGATGGTTTCAC
GTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCT
TTAATAGTGGACTCTTGTTCCAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTT
TTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAAC
AAATATTTAACCGCAATTTTAAACAAAATATTAACGTTTACAATTTTCGCCTGATGCGGTAT
TTTCTCCTTACGCATCTGTGCGGTATTTACACCGCATACGCGGATCTGCGCAGCACCAT
GGCCTGAAATAACCTCTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACC
AGCTGTGGAATGTGTGTGTCAGTTAGGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAA
GTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGAAAGTCCCCAGGCTCCC
CAGCAGGCAGAAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCC
TAACTCCGCCCCATCCCGCCCCCTAACTCCGCCCAGTTCGCCCCATTCTCCGCCCCATGGCT
GACTAATTTTTTTTATTTATGTCAGAGGCCGAGGCGCCTCGGCCCTCTGAGCTATTCCAGA
AGTAGTGAGGAGGCTTTTTTGGAGGCCCTAGGCTTTTTGCAAAAAGCTTGATTCTTCTGACA
CAACAGTCTCGAACTTAAGGCTAGAGCCACCATGATTGAACAAGATGGATTGCACGCAGG
TTCTCCGGCCGCTTGGGTGGAGAGGCTATTCGGCTATGACTGGGCACAACAGACAATCGG
CTGCTCTGATGCCGCCGTGTTCGGCTGTGAGCGCAGGGGCGCCCGGTTCTTTTTGTCAA
GACCGACCTGTCCGGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCT
GGCCACGACGGGCGTTCTTTCGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGA
CTGGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCTCATCTCACCTTGCTCCTGC
CGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGATCCGGCTAC
CTGCCCCATTGCAACCAAGCGAAACATCGCATCGAGCGAGCAGTACTCGGATGGAAGC
CGGTCTTGTGATCAGGATGATCTGGACGAAGAGCATCAGGGGCTCGCGCCAGCCGAAT
GTTCCGCCAGGCTCAAGGCGCGCATGCCCGACGGCGAGGATCTCGTCTGACCCATGGCGA
TGCCTGCTTGCCGAATATCATGGTGGAAAATGGCCGCTTTTCTGGATTCTCGACTGTGG
CCGGCTGGGTGTGGCGGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGA
AGAGCTTGGCGGCAATGGGCTGACCGCTTCTCGTGCTTTACGGTATCGCCGCTCCCGA
TTCGAGCGCATCGCCTTCTATCGCCTTCTTGACGAGTTCTTCTGAGCGGGAAGTCTGGGG
TTGAAATGACCGACCAAGCGACGCCCCAAGTCCCATCACGATGGCCGCAATAAAATATC
TTTATTTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCGATAGCGATAAGGATCCG
CGTATGGTGCATCTCAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGCCCCGACA
CCCCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAG
ACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTGAGAGTTTTTACCGTCATCACCGAA
ACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAAT
AATGGTTTTCTTAGACGTAGGTGGCACTTTTCGGGGAATGTGCGCGGAACCCCTATTGG
TTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAAT
GCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTAT
TCCCTTTTTTTCGGGCATTTTGCCTTCTGTTTTTGTCTACCCAGAAACGCTGGTGAAAGT
AAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAG
CGGTAAGATCCTTGAGAGTTTTTCGCCCCGAAGAACGTTTTTCCAATGATGAGCACTTTTAA
AGTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTG
CCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTACCAGTCACAGAAAAGCATCT
TACGGATGGCATGACAGTAAGAGAATTATGCACTGCTGCCATAACCATGAGTGATAACAC
TGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCCTTTTTTGCA
CAACATGGGGGATCATGTAACCTGCCTTGATCGTTGGGAACCGGAGCTGAATGAAGCCAT
ACCAAACGACGAGCGTGACACCACGATGCTGTAGCAATGGCAACAACGTTGCGCAAACT
ATTAAGTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGC
GGATAAAGTTGCAGGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTTATTGCTGA
TAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGG
TAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAACG
AAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAAGCATTGGTAACTGTGAGACCA
AGTTTACTCATATATACTTTAGATTGATTTAAACTTTCATTTTAAATTTAAAGGATCTA
GGTGAAGATCCTTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTTCTGCCA
CTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCG
CGTAATCTGCTGCTTGCAACAAAAAACCACCGCTACCAGCGGTGGTTTTGTTTGCCGGA
TCAAGAGCTACCAACTCTTTTCCGAAGGTAAGTGGCTTACGAGAGCGCAGATACCAAA
TACTGTCTTCTAGTGTAGCGGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCC
TACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCTGT
TCTTACCGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCCGGCTGAAC-

FIGURE 93C

GGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCT
ACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCC
GGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAAACGCCTG
GTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATG
CTCGTCAGGGGGGCGGAGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCCT
GGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCTGTGGA
TAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACCGAGCG
CAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCCGC
GCGTTGGCCGATTCATTAATGCAGAGCTTGCAATTCGCGCGTTTTTCAATATTATTGAAG
CATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAA
ACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGTCTAAGAAACCAT
TATTATCATGACATTAACCTATAAAAAATAGGCGTAGTACGAGGCCCTTCACTCATTAG

217/240




FIGURE 94A

pDEST32 12288 bp

GACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAATAATGGTTT
CTTAGGACGGATCGCTTGCCTGTAACCTACACGCGCCTCGTATCTTTAATGATGGAATA
ATTTGGGAATTTACTCTGTGTTTATTTATTTTTATGTTTGTATTTGGATTTTAGAAAGT
AAATAAAGAAGGTAGAAGAGTTACGGAATGAAGAAAAAATAAACAAGGTTTAAAAA
ATTTCAACAAAAAGCGTACTTTACATATATATTTATTAGACAAGAAAAGCAGATTAAATA
GATATACATTTCGATTAACGATAAGTAAAATGTAAAATCACAGGATTTTCGTGTGTGGTCT
TCTACACAGACAAGATGAAACAATTCCGCATTAATACCTGAGAGCAGGAAGAGCAAGATA
AAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTACATCTTCGGAAAAACAAAACCT
ATTTTTTCTTTAATTTCTTTTTTTTACTTTCTATTTTTTAATTTATATATTTATATTA
ATTTAAATTATAATTATTTTTTATAGCAGTGATGAAAAGGACCCAGGTGGCACTTTTCGG
GGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTTCTAAATACATTCAAATATGTATCCG
CTCATGAGACAATAACCCCTGATAAATGCTTCAATAATCTGCAGTGCGCAGGGCCCGTGTCT
TCAAATCTCTGATGTTACATTGCACAAGATAAAAAATATATCATCATGAACAATAAACT
GTCTGCTTACATAAACAGTAATACAAGGGGTGTTATGAGCCATATTCAACGGGAAACGTC
TTGCTGGAGGCCGCGATTAAATTCCAACATGGATGCTGATTTATATGGGTATAAATGGGC
TCGGTAGCCAACCACTAGAACTATAGCTAGAGTCTCGGGCGAACAAACGATGCTCGCCTT
CCAGAAAAACCGAGGATGCGAACCACTTCATCCGGGGTCAACACCACCGCAAGCGCCGG
ACGGCCGAGGTCTTCGGATCTCCTGAAGCCAGGGCAGATCCGTGCACAGCACCTTGCCGT
AGAAGAACAGCAAGGCCGCAATGCCTGACGATGCGTGGAGACCGAAACCTTGCGCTCGT
TCGCCAGCCAGGACAGAAATGCCTCGACTTCGCTGCTGCCCAAGGTTGCCGGGTGACGCA
CACCGTGGAACGGATGAAGGCACGAACCCAGTTGACATAAGCCTGTTTCGGTTTCGTAAAC
TGTAATGCAAGTAGCGTATGCGCTCACGCAACTGGTCCAGAACCTTGACCGAACGCAGCG
GTGTAACGGCGCAGTGGCGGTTTTCATGGCTTGTTATGACTGTTTTTTGTACAGTCTA
TGCCCTCGGGCATCCAAGCAGCAAGCGCGTTACGCCGTGGGTGATGTTTGTATGTTATGGA
GCAGCAACGATGTTACGCAGCAGCAACGATGTTACGCAGCAGGGCAGTCCGCCCTAAAAACA
AAGTTAGGTGGCTCAAGTATGGGCATCATTGCGACATGTAGGCTCGGCCCTGACCAAGTC
AAATCCATGCGGGCTGCTCTTGATCTTTTTCGGTCTGAGTTCCGGAGACGTAGCCACCTAC
TCCCAACATCAGCCGACTCCGATTACCTCGGGAACCTTGCTCCGTAGTAAGACATTCATC
GCGCTTGCTGCCTTCGACCAAGAAGCGGTTGTTGGCGCTCTCGCGGCTTACGTTCTGCCC
AGGTTTGAGCAGCCGCGTAGTGAGATCTATATCTATGATCTCGCAGTCTCCGGCGAGCAC
CGGAGGCAGGGCATTGCCACCGCGCTCATCAATCTCCTCAAGCATGAGGCCAACGCGCTT
GGTGCTTATGTGATCTACGTGCAAGCAGATTACGGTGACGATCCCGCAGTGGCTCTCTAT
ACAAAGTTGGGCTACGCGGAAGAAGTGATGCACTTTGATATCGACCCAAGTACCGCCACC
TAACAATTTCGTTCAAGCCGAGATCGGCTTCCCGGCCATAAGGTTGTATTGATGTTGGAC
GAGTCGGAATCGCAGACCGATACAGGATCTTGCCATCCTATGGAACCTGCCTCGGTGAGT
TTTCTCCTTCATTACAGAAACGGCTTTTTCAAAAATATGGTATTGATAATCCTGATATGA
ATAAATTGCAGTTTCATTTGATGCTCGATGAGTTTTTCTAATCAGAATTGGTTAATTGGT
TGTAACACTGGCAGAGCATTACGCTGACTTGACGGGACGGCGNCATGACCAAAATCCCTT
AACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTT
GAGATCCTTTTTTTCTGCGCGTAATCTGCTGCTTGCAAACAAAAAACCACCGCTACCAG
CGGTGGTTTTGTTTGGCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACCTGGCTTCA
GCAGAGCGCAGATACCAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCA
AGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACAGTGGCTGCTG
CCAGTGGCGATAAGTCGTGCTTACCGGGTTGACTCAAGACGATAGTTACCGGATAAGG
CGCAGCGGTCCGGGCTGAACGGGGGGTTTCGTGCACACAGCCAGCTTGGAGCGAACGACCT
ACACCGAACTGAGATACCTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGA
GAAAGGCGGACAGGTATCCGTAAGCGGCAGGGTCGGAACAGGAGCGCACGAGGGAGC
TTCCAGGGGGGAACGCCTGGTATCTTTATAGTCCTGTGCGGTTTTCGCCACCTCTGACTTG
AGCGTCGATTTTTGTGATGCTCGTCAGGGGGGGCCGAGCCTATGGAAAACGCCAGCAACG
CGGCCTTTTTACGGTTCTTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCTGCGT
TATCCCCTGATTCTGTGGATAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCC
GCAGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATAC
GCAACCGCCTCTCCCCGCGGTTGGCCGATTCAATATGCAGCTGGCACGACGAGTTTC
CCGACTGGAAGCGGCGAGTGAGCGCAACGCAATTAATGTGAGTTACCTCACTCATTAGG
CACCCAGGCTTTACACTTTATGCTTCCGGCTCCTATGTTGTGTGGAATTGTGAGCGGAT
AACAAATTTACACAGGAACAGCTATGACCATGATTACGCCAAGCTCGGAATTAACCTC-

FIGURE 94B

ACTAAAGGGAACAAAAGCTGGTACCGATCCCGAGCTTTGCAAATTAAAGCCTTCGAGCGT
CCCCAAACCTTCTCAAGCAAGGTTTTCAGTATAATGTTACATGCGTACACGCGTCTGTAC
AGAAAAAAGAAAAATTTGAAATATAAATAACGTTCTTAATACTAACATAACTATAAAA
AAATAAATAGGGACCTAGACTTCAGGTTGTCTAACTCCTTCCTTTTCGGTTAGAGCGGAT
GTGGGGGGAGGGCGTGAATGTAAGCGTGACATAACTAATTACATGATATCGACAAAGGAA
AAGGGGCCTGTTTACTCACAGGCTTTTTTCAAGTAGGTAATTAAGTCGTTTCTGTCTTTT
TCCTTCTTCAACCCACCAAGGCCATCTTGGTACTTTTTTTTTTTTTTTTTTTTTTTTTT
TTT
TTTTTTTTCATAGAAATAATACAGAAGTAGATGTTGAATTAGATTAACTGAAGATATAT
AATTTATTGGAAAATACATAGAGCTTTTTGTTGATGCGCTTAAGCGATCAATTCACAAC
ACCACCAGCAGCTCTGATTTTTTCTTCAGCCAACCTTGGAGACGAATCTAGCTTTGACGAT
AACTGGAACATTTGGAATTCACCTTACCCAAGATCTTACCGTAACCGGCTGCCAAGT
GTCAATAACTGGAGCAGTTTCTTAGAAGCAGATTCAAGTATTGGTCTCTCTTGTCTTC
TGGGATCAATGTCACAATTTGTCCAAGTTCAAGACTGGCTTCAGAAATGAGCTTGTTG
CTTGTGGAAAGTATCTCATACCAACCTTACCGAAATAACCTGGATGGTATTTATCCATGTT
AATTCGTGGTGATGTTGACCACCGGCCATACCTCTACCACCGGGGTGCTTCTGTGCTT
ACCGATACGACCTTTACCGGCTGAGACGTGACCTCTGTGCTTTCTAGTCTTAGTGAATCT
GGAAGGCATTCTTGATTAGTTGGATGATTGTTCTGGGATTTAATGCAAAAATCACTTAAG
AAGGAAAATCAACGGAGAAAGCAAACGCCATCTTAAATATACGGGATACAGATGAAAGGG
TTTGAACCTATCTGGAAAATAGCATTAAACAAGCGAAAACTGCGAGGAAAAATTGTTGC
GTCTCTGCGGGCTATTACGCGCCAGAGGAAAAATAGGAAAAATAACAGGGCATTAGAAAA
ATAATTTTGATTTTGGTAATGTGTGGGTCTGGTGTACAGATGTTACATTGGTTACAGTA
CTCTTGTTTTTGCTGTGTTTTTCGATGAATCTCCAAAATGGTTGTTAGCACATGGAAGAG
TCACCGATGCTAAGTTATCTCTATGTAAGCTACGTGGCGTGACTTTTGATGAAGCCGCAC
AAGAGATACAGGATTGGCAACTGCAAATAGAATCTGGGGATCCCCCTCGAGATCCGGGA
TCGAAGAAATGATGGTAAATGAAATAGGAAATCAAGGAGCATGAAGGCAAAAGACAAATA
TAAGGGTCGAACGAAAAATAAAGTGAAAAGTGTGATATGATGTATTTGGCTTTGCGCGC
CCGAAAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCTGTGGCGGACCCGCGCTC
TTGCCGGCCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCGCGGAGTTTTTTCGCGCTG
CATTTTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGAAGCAATAAGAATGCCGG
TTGGGGTTGCGATGATGACGACCACGACAACCTGGTGTCAATTATTTAAGTTGCCGAAAGAA
CCTGAGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCAAGACTTGCAGACGCGA
GTTTTCGGGTGGTGCGAACAATAGAGCGACCATGACCTTGAAGGTGAGACGCGCATAAC
GCTAGAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCAGTATAAATAGACAGGTA
CATACAACACTGGAAATGGTTGTCTGTTGAGTACGCTTTCAATTCAATTGGGTGTGCAC
TTTATTATGTTTACAATATGGAAGGGAACCTTACACTTCTCCTATGCACATATATTAATTA
AAGTCCAATGCTAGTAGAGAAGGGGGTAACACCCCTCCGCGCTCTTTTCCGATTTTTTT
CTAAACCGTGGAATATTTCCGATATCCTTTTTGTTGTTTCCGGGTGTACAATATGGACTTC
CTCTTTTCTGGCAACCAAAACCCATACATCGGGATTCTATAATACCTTCGTTGGTCTCCC
TAACATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATACCAGACAAGACATAATG
GGCTAAACAAGACTACACCAATTACACTGCCTCATTGATGGTGGTACATAACGAACATAAT
ACTGTAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTCACTACCTTTTTCCATT
TGCCATCTATTGAAGTAATAATAGGCGCATGCAACTTCTTTTCTTTTTTTTTCTTTCTC
TCTCCCCCGTTGTTGTCTCACCATATCCGCAATGACAAAAAAATGATGGAAGACACTAA
AGGAAAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTGTTCCAGAGCTGATGAGG
GGTATCTTCGAACACACGAACTTTTTCTTCTTCTTCACTACGCACACTACTCTCTAATG
AGCAACGGTATACGGCCTTCTTCCAGTTACTTGAATTTGAAATAAAAAAAGTTTGCCGC
TTTGCTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTGTTCCTCGTCAATTGTTT
TCGTTCCCTTTCTTCTTGTCTTTTTCTGACACAATATTTCAAGCTATACCAAGCATAC
AATCAACTCCAAGCTTGAAGCAAGCCTCTGAAAGATGAAGCTACTGTCTCTATCGAAC
AAGCATGCGATATTTGCCGACTTAAAAAGCTCAAGTGCTCCAAAGAAAAACCGAAGTGCG
CCAAGTGCTGAAGAACAACCTGGGAGTGTCGCTACTCTCCAAAACCAAAAGGTCTCCGC
TGACTAGGGCACATCTGACAGAAGTGAATCAAGGCTAGAAAGACTGGAACAGCTATTTT
TACTGATTTTTCTCGAGAAGACCTTGACATGATTTTGAATGGAATCTTTACAGGATA
TAAAGCATTTGTTAACAGGATTATTTGTACAAGATAATGTGAATAAAGATGCCGTACAG
ATAGATTGGCTTCAGTGGAGACTGATATGCTTAAACATTGAGACAGCATAGAATAAGTG
CGACATCATCGGAAGAGAGTAGTAACAAAGGTCAAAGACAGTTGACTGTATCGTCCA
GGTCAATCAAACAAGTTTGTACAAAAAGCTGAACGAGAAACGTAAATGATATAAATA-

TCAATATATTAAATTAGATTTTGCATAAAAAACAGACTACATAACTGTAAAAACACAAC
ATATCCAGTCACTATGGCGGCCGCTAAGTTGGCAGCATCACCCGACGCACTTTGCGCCGA
ATAAATACCTGTGACGGAAGATCACTTCGCAGAATAAATAAATCCTGGTGTCCCTGTTGA
TACCGGGAAGCCCTGGGCCAACTTTTGGCGAAAATGAGACGTTGATCGGCACGTAAGAGG
TTCCAACCTTTCACCATAATGAAATAAGATCACTACCGGGCGTATTTTTTGAGTTATCGAG
ATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAATCACTGGATATACCACCGTTGA
TATATCCCAATGGCATCGTAAAGAACATTTTGAGGCATTTTCAGTCAGTTGCTCAATGTAC
CTATAACCAGACCGTTTCAGCTGGATATTACGGCCTTTTTTAAAGACCGTAAAGAAAAATAA
GCACAAGTTTTATCCGGCCTTTATTTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGA
ATTCGGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTTACCCTTGTTA
CACCGTTTTCCATGAGCAAACCTGAAACGTTTTTCATCGCTCTGGAGTGAATACCACGACGA
TTTCCGGCAGTTTCTACACATATATTTCGACAGATGTGGCGTGTTACGGTGAAAACCTGGC
CTATTTCCCTAAAGGGTTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAG
TTTACCAGTTTTGATTTAAACGTGGCCAATATGGACAACCTTCTTCGCCCCGTTTTTCAC
CATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTTCAGGTTCA
TCATGCCGTCTGTGATGGCTTCCATGTCCGCAGAATGCTTAATGAATTACAACAGTACTG
CGATGAGTGCCAGGGCGGGCGTAATCTAGAGGATCCGGCTTACTAAAAGCCAGATAACA
GTATGCGTATTTGCGCGCTGATTTTTCGGGTATAAGAATATATACTGATATGTATACCCG
AAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGAC
AGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCACAAACA
TGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGA
TGGCTGAGGTGCGCCCGTTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACT
GGTGAATGCAAGTTTAAAGGTTTACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTG
GATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGT
GCACGTCTGCTGTGATATAAGTCTCCCGTGAACCTTTACCCGGTGGTGATATCGGGGAT
GAAAGCTGGCGCATGATGACACCCGATATGGCCAGTGTCGCGGTCTCCGTTATCGGGGAA
GAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTGATGTTT
TGGGGAATATAAATGTGAGGCTCCCTTATACACAGCCAGTCTGCAGGTGACCATAGTGA
CTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTATGCAAAATCTAATTTAA
TATATTGATATTTATATCATTTTACGTTTCTCGTTTCAGCTTTCTTGTAACAAAGTGGTTT
ATGGCCGCTAAGTAAGTAAGACGTCGAGCTCTAAGTAAGTAACGGCCGCCACCGCGGTGG
AGCTTTGGACTTCTTCGCCAGAGGTTGGTCAAGTCTCCAATCAAGGTTGTGCGGCTGTG
TACCTTGCCAGAAATTTACGAAAAGATGGAAAAGGTCAAATCGTTGGTAGATACGTTGT
TGACACTTCTAAATAAGCGAATTTCTTATGATTTATGATTTTTATTATTAAATAAGTTAT
AAAAAAAATAAGTGTATACAAATTTTAAAGTGAACCTTAGGTTTTTAAACGAAAATTTCTT
GTTCTTGAGTAACCTCTTCTGTAGGTGAGTTGCTTTCTCAGGTATAGCATGAGGTGCG
TCTTATTGACCACACCTCTACCGGCATGCCGAGCAAATGCCTGCAAATCGCTCCCCATTT
CACCCAATTGTAGATATGCTAACTCCAGCAATGAGTTGATGAATCTCGGTGTGATTTTA
TGTCCTCAGAGGACAATACCTGTTGTAATCGTTCTTCCACACGGATCCCAATTCGCCCTA
TAGTGAGTCGTATTACAATTCAGTGGCCGTCGTTTTTACAACGTCGTGACTGGGAAAACCC
TGGCGTTACCCAACCTTAATCGCCTTGACGACATCCCCCTTTCGCCAGCTGGCGTAATAG
CGAAGAGGCCCCGACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGAC
GCGCCCTGTAGCGGCGCATTAAAGCGCGGCGGGTGTTGTTACGCGCAGCGTGACCGCT
ACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTTCGCTTTCTTCCCTTCTTCTCGCCACG
TTCGCCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGT
GCTTTACGGCACCTCGACCCCAAAAACCTTGATTAGGGTGATGGTTACGCTAGTGGGCCA
TCGCCCTGATAGACGGTTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGA
CTCTTGTTCCAAACTGGAACAACACTCAACCCCTATCTCGGTCTATTCTTTTGATTTATAA
GGGATTTTGCCGATTTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTTAAC
GCCAATTTTAAACAAAATATTAACGTTTACAATTTCTGATGCGGTATTTTCTCCTTACGC
ATCTGTGCGGTATTTACACCGCATATCGACCGGTGAGGAGAACTTCTAGTATATCCAC
ATACCTAATATATTGCTTATTAATAATGGAATCGGAACAATTACATCAAAATCCACAT
TCTCTTCAAAATCAATTGTCTGTACTTCTTGTTCATGTGTGTTCAAAAACGTTTATATT
TATAGGATAATTATACCTATTTCTCAACAAGTAATTGGTTGTTTGGCCGAGCGGTCTAA
GGCGCCTGATTCAGAAATATCTTGACCGCAGTTAACTGTGGGAATACTCAGGTATCGTA
AGATGCAAGAGTTTCAATCTCTTAGCAACCATTTTTTTTCTCAACATAACGAGAAC
CACAGGGGCGCTATCGCACAGAATCAAAATCGATGACTGGAAATTTTTTGTTAATTTTCAG
AGGTGCGCTGACGCATATACCTTTTTCACTGAAAATTTGGGAGAAAAGGAAAGGTGAG-

FIGURE 94D

AGGCCGGAACCGGCTTTTCATATAGAATAGAGAAGCGTTCATGACTAAATGCTTG CATCA
CAATACTTGAAGTTGACAATATTATTTAAGGACCTATTGTTTTTCCAATAGGTGGT TAG
CAATCGTCTTACTTTCTAACTTTTCTTACCTTTTACATTTTCAGCAATATATATATATATT
TCAAGGATATACCATTCTAATGTCTGCCCCTATGTCTGCCCCTAAGAAGATCGTCCGTTT
GCCAGGTGACCACGTTGGTCAAGAAATCACAGCCGAAGCCATTAAAGGTTCTTAAAGCTAT
TTCTGATGTTTCGTTCCAATGTCAAGTTTCGATTTTCGAAAAATCATTAAATTGGTGGTGC
TATCGATGCTACAGGTGTCCTCCACTTCCAGATGAGGCGCTGGAAGCCTCCAAGAAGGTTGA
TGCCGTTTTGTTAGGTGCTGTGGGTGGTCTTAAATGGGGTACCGGTAGTGTAGACCTGA
ACAAGGTTTACTAAAAATCCGTAAAGAACTTCAATTGTACGCCAACTTAAGACCATGTAA
CTTTGCATCCGACTCTCTTTTAGACTTATCTCCAATCAAGCCACAATTTGCTAAAGGTAC
TGACTTCGTTGTTGTGTCAGAGAATTAGTGGGAGGTATTTACTTTGGTAAGAGAAAGGAAGA
CGATGGTGATGGTGTGCGCTTGGGATAGTGAACAATACACCGTTCCAGAAGTGCAAGAAT
CACAAGAATGGCCGCTTTTCATGGCCCTACAACATGAGCCACCATTGCCTATTTGGTCCTT
GGATAAAGCTAATGTTTGGCCTCTTCAAGATTATGGAGAAAACTGTGGAGGAAACCAT
CAAGAACGAATTCCTACATTGAAGGTTCAACATCAATTGATTGATTCTGCCGCCATGAT
CCTAGTTAAGAACCCAACCCACCTAAATGGTATTATAATCACCAGCAACATGTTTGGTGA
TATCATCTCCGATGAAGCCTCCGTTATCCCAGGTTCTTGGGTTTTGTTGCCATCTGCGTC
CTTGGCCTCTTTGCCAGACAAGAACACCGCATTGTTGTTGTACGAACCATGCCACGGTTC
TGCTCCAGATTTGCCAAAGAATAAGGTTGACCCTATCGCCACTATCTGTCTGCTGCAAT
GATGTTGAAATTGTCATTGAACTTGCCTGAAGAAGGTAAGGCCATTGAAGATGCAGTTAA
AAAGGTTTTGGATGCAGGTATCAGAACTGGTGATTTAGGTGGTTCCAACAGTACCACCGA
AGTCGGTGATGCTGTGCGCCGAAGAAGTTAAGAAAATCCTTGCTTAAAAAGATTCTCTTTT
TTTATGATATTTGTACATAAACTTTATAAATGAAATTCATAATAGAAACGACACGAAATT
ACAAAATGGAATATGTTTCATAGGGTAGACGAACTATATACGCAATCTACATACATTTAT
CAAGAAGGAGAAAAAGGAGGATAGTAAAGGAATACAGGTAAGCAAATTGATACTAATGGC
TCAACGTGATAAGGAAAAAGAATTGCACTTTAACATTAATATTGACAAGGAGGAGGGCAC
CACACAAAAAGTTAGGTGTAAACAGAAAATCATGAACTACGATTCTTAATTTGATATTGG
AGGATTTTCTCTAAAAAATAAATAACAACAAATAAAAAAACAATGACCTGACCAT
TTGATGGAGTTTAAAGTCAATACCTTCTTGAACCATTTCCCATATGGTGAAAGTTCCCTC
AAGAATTTTACTCTGTGAGAAACGGCCTTACGACGTAGTCGATATGGTGCACCTCTCAGTA
CAATCTGCTCTGATGCCGCATAGTTAAGCCAGCCCCGACACCCGCCAACACCCGCTGACG
CGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAGACAAGCTGTGACCGTCTCCG
GGAGCTGCATGTGTGTCAGAGGTTTTACCGTCATCACCGAAACGCGCGA

FIGURE 94E

222/240




FIGURE 95A

pDEST33

8815 bp

GCCTTACGCATCTGTGCGGTATTTACACCCGAGGCAAGTGCACAAACAATACTTAAATA
AATACTACTCAGTAATAACCTATTTCTTAGCATTTTGTACGAAATTTGCTATTTTGTAG
AGTCTTTTACACCATTGTCTCCACACCTCCGCTTACATCAACACCAATAACGCCATTTA
ATCTAAGCGCATCACCAACATTTTCTGGCGTCAGTCCACCAGCTAACATAAAATGTAAGC
TTTTCGGGGCTCTCTTGCCCTTCCAACCCAGTCAGAAATCGAGTTCCAATCCAAAAGTTCAC
CTGTCCCACCTGCTTCTGAATCAAACAAGGGAATAAACGAATGAGGTTTCTGTGAAGCTG
CACTGAGTAGTATGTTGCAGTCTTTTGGAAATACGAGTCTTTTAATAACTGGCAAACCGA
GGAACCTCTTGGTATTCTTGCCACGACTCATCTCCATGCAGTTGGACGATATCAATGCCGT
AATCATTGACCAGAGCCAAAACATCCTCCTTAGGTTGATTACGAAACACGCCAACCAAGT
ATTTTCGGAGTGCCTGAACTATTTTATATGCTTTTACAAGACTTGAAATTTTCTTGCAA
TAACCGGGTCAATTGTTTCTTTCTATTGGGCACACATATAATACCCAGCAAGTCAGCAT
CGGAATCTAGAGCACATTCTGCGGCCCTCTGTGCTCTGCAAGCCGCAAACCTTTCACCAATG
GACCAGAACTACCTGTGAAATTAATAACAGACATACTCCAAGCTGCCTTTGTGTGCTTAA
TCACGTATACTCAGTGCTCAATAGTCACCAATGCCCTCCCTCTTGGCCCTCTCCTTTTC
TTTTTTCGACCGAATTAATTTCTTAATCGGCAAAAAAAGAAAGCTCCGGATCAAGATTGT
ACGTAAGGTGACAAGCTATTTTCAATAAAGAATATCTTCCACTACTGCCATCTGGCGTC
ATAACTGCAAAGTACACATATATTACGATGCTGTCTATTAAATGCTTCTATATATATA
TATAGTAATGTCGTTTATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAA
GCCAGCCCCGACACCCGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGG
CATCCGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTGAGAGGTTTTAC
CGTCATCACCGAAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTA
ATGTCATGATAATAATGGTTTCTTAGGACGGATCGCTTGCCTGTAACCTACACGCGCCTC
GTATCTTTTAATGATGGAATAATTTGGGAATTTACTCTGTGTTTATTTATTTTATGTTT
TGTATTTGGATTTTAGAAAGTAAATAAAGAAGGTAGAAGAGTTACGGAATGAAGAAAAA
AAATAAACAAAGTTTAAAAAATTTCAACAAAAAGCGTACTTTACATATATATTTATTAG
ACAAGAAAAGCAGATTAAATAGATATACATTGATTAACGATAAGTAAAATGTAAATCA
CAGGATTTTTCGTGTGTGGTCTTCTACACAGACAAGATGAAACAATTCGGCATTAATACCT
GAGAGCAGGAAGAGCAAGATAAAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTA
CATCTTTCGGAAAAACAAAACCTATTTTTTCTTTAATTTCTTTTTTACTTTCTATTTTTAA
TTTATATATTTATATTAATAAATTTAAATTATAATTATTTTTATAGCACGTGATGAAAAG
GACCCAGGTGGCCTTTTCGGGGAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAA
ATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATAT
TGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTGCGCCCTTATCCCTTTTTTGCG
GCATTTTGCCTTCTGTTTTTTGCTACCCAGAAACGCTGGTGAAAGTAAAGATGCTGAA
GATCAGTTGGGTGCACGAGTGGGTTACATCGAAGTGGATCTCAACAGCGGTAAGATCCTT
GAGAGTTTTTCGCCCCGAAGAAGCTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGT
GGCGCGGTATTATCCCGTATTGACGCGGGCAAGAGCAACTCGGTGCGCCGATACACTAT
TCTCAGAATGACTTGGTTGAGTACTACCAAGTCACAGAAAAGCATCTTACGGATGGCATG
ACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAAAGTACTGCGGCCAACTTA
CTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTTCACAACATGGGGGAT
CATGTAACCTCGCCTTGATCGTTGGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAG
CGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAAGTGGCGAA
CTACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAAAGTTGCA
GGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCC
GGTGAGCGTGGGTCTCGCGGTATCATTCAGCACTGGGGCCAGATGGTAAGCCCTCCCGT
ATCGTAGTTATCTACACGACGGGCAGTCAGGCAACTATGGATGAACGAAATAGACAGATC
GCTGAGATAGGTGCCTCACTGATTAAGCATTTGGTAACTGTCAGACCAAGTTTACTCATAT
ATACTTTAGATTGATTTAAACTTCATTTTTTAATTTAAAGGATCTAGGTGAAGATCCTT
TTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTTCGTTCCACTGAGCGTCAGAC
CCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCGCGTAATCTGCTGC
TTGCAAAACAAAAAACCCGCTACCAGCGGTGGTTTGTGTTGCCGGATCAAGAGCTACCA
ACTCTTTTCCGAAGGTAACCTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCTCTTA
GTGTAGCCGTATTAGGCCACCACTTCAAGAACTCTGTAGCACCAGCTACATACCTCGCT
CTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTG
GACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTGGGGCTGAACGGGGGGTTCTGTGC
ACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCAT-

FIGURE 95B

TGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGG
GTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGGAACGCCTGGTATCTTTATAGT
CCTGTGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGG
CCGAGCCTATGGAACCGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGG
CCTTTTGCTCACATGTTCTTCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACC
GCCTTTGAGTGAGCTGATACCGCTCGCCGACGCGAACCGCCTCTCCCCGCGCTTGGCCGATT
AGCGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCCGCGCTTGGCCGATT
CATTAAATGCAGCTGGCACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCA
ATTAATGTGAGTTACCTCACTCATTAGGCACCCAGGCTTTACACTTTATGCTTCCGGCT
CCTATGTTGTGTGGAATTGTGAGCGGATAACAATTTACACAGGAAACAGCTATGACCAT
GATTACGCCAAGCTCGGAATTAACCCTCACTAAAGGGAAACAAAGCTGGGTACCGGGCCC
CCCCTCGAGATCCGGGATCGAAGAAATGATGGTAAATGAAATAGGAAATCAAGGAGCATG
AAGGCAAAAGACAAATATAAGGGTCTGAACGAAAAAATAAAGTGAAAAGTGTGATATGATG
TATTTGGCTTTGCGGCGCCGAAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCT
GTGGCGGACCCGCGCTCTTGCCGGCCCGCGGATAACGCTGGGCGTGAGGCTGTGCCCGGC
GGAGTTTTTTGCGCCTGCATTTTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGA
AGCAATAAGAATGCCGTTGGGGTTGCGATGATGACGACCACGACAACCTGGTGTCTATTAT
TTAAGTTGCCGAAAGAACCCTGAGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCA
AGACTTGCGAGACGCGAGTTTGCCGGTGGTGCAACAATAGAGCGACCATGACCTTGAAG
GTGAGACGCGCATAACCGCTAGAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCA
GTATAAATAGACAGGTACATAACAACCTGGAAATGGTTGTCTGTTGAGTACGCTTTCAA
TTCATTTGGGTGTGCATTTATTATGTTACAATATGGAAGGGAACCTTACACTTCTCCTA
TGCACATATATTAATTAAAGTCCAATGCTAGTAGAGAAGGGGGGTAACACCCCTCCGCGC
TCTTTTCCGATTTTTTTCTAAACCGTGGAATATTTCCGATATCCTTTTGTGTTTCCGGG
TGTACAATATGGACTTCTCTTTTCTGGCAACCAACCCATACATCGGGATTCTCTATAAT
ACCTTCGTTGGTCTCCCTAACATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATA
CCAGACAAGACATAATGGGCTAAACAAGACTACACCAATTACACTGCCTCATTGATGGTG
GTACATAACGAACATAACTGTAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTC
ACTACCTTTTCTCATTTTGGCATCTATTGAAGTAATAATAGGCGCATGCAACTTCTTTTC
TTTTTTTTTCTTTTCTCTCTCCCCGTTGTTGTCTCACCATATCCGCAATGACAAAAAA
ATGATGGAAGACACTAAAGGAAAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTG
TTCCAGAGCTGATGAGGGGTATCTTCGAACACACGAAACTTTTTCTTCTTTCATTACG
CACACTACTCTCTAATGAGCAACGGTATACGGCCTTCTTCCAGTTACTTGAATTTGAAA
TAAAAAAAGTTTGCCGCTTGTCTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTG
TTTCTCGTCATTGTTCTCGTTCCCTTTCTTCTTGTCTTTTTTCTGCACAATATTTCA
AGCTATACCAAGCATACAATCAACTCCAAGCTTATGCCCAAGAAGAAGCGGAAGGTCTCG
AGCGGCGCCAATTTTAATCAAAGTGGAATATTGCTGATAGCTCATTGTCTTCACTTTC
ACTAACAGTAGCAACGGTCCGAACCTCATAACAACCTCAAACAAATTCTCAAGCGCTTTC
CAACCAATTGCCTCCTCTAACGTTTCATGATAACTTCATGAATAATGAAATCACGGCTAGT
AAAATTGATGATGGTAATAATTCAAACCACTGTCACCTGGTTGGACGGACCAAACTGCG
TATAACGCGTTTGGAACTCACTACAGGGATGTTTAATACCACTACAATGGATGATGATAT
AACTATCTATTGATGATGAAGATACCCCAACCAACCAAAAAAGAGGGTGGGTGGAAT
CAAACAAGTTTGTACAAAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATA
TTAAATTAGATTTTGCATAAAAAACAGACTACATAAATACTGTAAACACAACATATCCAG
TCACTATGGCGGCCGCTAAGTTGGCAGCATCACCCGACGCACTTTGCGCCGAATAAATAC
CTGTGACGGAAGATCACTTCGAGAAATAAATAAATCCTGGTGTCCCTGTTGATACCGGGA
AGCCCTGGGCCAACTTTTGGCGAAAAATGAGACGTTGATCGGCACGTAAGAGGTTCCAACT
TTCACCATAATGAAATAAGATCACTACCGGGCGTATTTTTTGTGTTATCGAGATTTTCAG
GAGCTAAGGAAGCTAAAATGGAGAAAAAATCACTGGATATACCACCGTTGATATATCCC
AATGGCATCGTAAAGAACATTTTGAGGCATTTTCAGTCAGTTGCTCAATGTACCTATAACC
AGACCGTTCAGCTGGATATTACGGCCTTTTTTAAAGACCGTAAAGAAAAATAAGCACAGT
TTTATCCGGCCTTTATTACATTCTTGCCCGCCTGATGAATGCTCATCCGGAATTCGTA
TGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTACCCCTTGTTACACCGTTT
TCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCACGACGATTTCCGGC
AGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAACTGGCCTATTTCC
CTAAAGGGTTTATTGAGAATATGTTTTTCTGCTCAGCCAATCCCTGGGTGAGTTTACCA
GTTTTGATTTAAACGTGGCCAATATGGACAACCTTCTTCGCCCCCGTTTTTACCATGGGCA
AATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTACAGGTTTCATCATGCCG-

FIGURE 95C

TCTGTGATGGCTTCCATGTGCGGCAGAATGCTTAATGAATTACAACAGTACTGCGATGAGT
GGCAGGGCGGGGCGTAATCTAGAGGATCCGGCTTACTAAAAGCCAGATAACAGTATGCGT
ATTTGCGCGCTGATTTTTCGGGTATAAGAATATATACTGATATGTATACCCGAAGTATGT
CAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCA
GTTGCTCAAGGCATATATGATGTGCAATATCTCCGGTCTGGTAAGCAACCATGCAGAAT
GAAGCCCGCTCGTCTGCTGCCGAAACGCTGGAAAGCGGAAATCAGGAAGGGATGGCTGAG
TCTGCCCGGTTTATTGAAATGAACGGCTCTTTTGTCTGACGAGAACAGGGACTGGTGAAAT
GCAGTTTAAAGGTTTACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGATGTACA
GAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGTGCACGTCT
GCTGTGAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGATATCGGGGATGAAAGCTG
GCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAGAAGAGTGGC
TGATCTCAGCCACCGCGAAATGACATCAAAAGCCCATTAACCTGATGTTCTGGGGAAT
ATAAATGTCAAGCTCCGTTATACACAGCCAGTCTGCAGGTGCACCATAGTGACTGGATAT
GTTGTGTTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAATATATTGA
TATTTATATCATTTTACGTTTCTCGTTTCTGTTTCTTGTACAAAGTGGTTTGTATGGCCGC
TAAGTAAGTAAGACGTCGAGCTCCCTATAGTGAGTCGTATTACACTGGCCGTGTTTTTAC
AACGTCTGTGACTGGGAAAACACCGGTGAGCTCTAAGTAAGTAACGGCCGCCACCGCGGTG
GAGCTTTGGACTTCTTCGCCAGAGGTTTGGTCAAGTCTCCAATCAAGTTGTCTGGCTTGT
CTACCTTGGCCAGAAATTTACGAAAAGATGGAAAAGGCTCAAATCGTTGGTGATACGTTG
TTGACACTTCTAAATAAGCGAATTTCTTATGATTTTATGATTTTTATTATTAAATAAGTTA
TAAAAAAAATAAGTGTATACAAATTTTAAAGTGACTCTTAGGTTTTTAAACGAAAATTTCT
TGTTCTTGAGTAACTCTTTCCTGTAGGTGAGTTGCTTCTCAGGTATAGCATGAGGTG
CTCTTATTGACCACACCTCTACCGGCATGCCGAGCAAAATGCCTGCAAATCGCTCCCCATT
TCACCCAATTGTAGATATGCTAACTCCAGCAATGAGTTGATGAATCTCGGTGTGTATTTT
ATGTCCTCAGAGGACATAACCTGTTGTAATCGTTCTTCCACAGGATCCGCATCAGGCGA
AATTGTAAACGTTAATAATTTGTTAAATTCGCGTTAAATATTTGTTAAATCAGCTCATT
TTTTAACCAATAGGCCGAAATCGGCAAAATCCCTTATAAATCAAAGAATAGACCGAGAT
AGGGTTGAGTGTTGTTCCAGTTTGGAAACAAGAGTCCACTATTAAAGAACGTGGACTCCAA
CGTCAAAGGGCGAAAACCGTCTATCAGGGCGATGGCCCACTACGTGAACCATCACCCCTA
ATCAAGTTTTTTTGGGGTTCGAGGTGCCGTAAAGCACTAAATCGGAACCCCTAAAGGGAGCCC
CCGATTTAGAGCTTGACGGGGGAAAGCCCGGCAACGTGGCGGAGAAGGAAGGAAGAAAGC
GAAAGGAGCGGGCGCTAGGGCGCTGGCAAGTGTAGCGGTCAAGCTGCGCGTAACCCAC
ACCCGCGCGCTTAATGTCGCGCGCTACAGGGCGCGTCCCATTCGCCATTCACTGCA

FIGURE 95D




FIGURE 96A

pDEST34 7114 bp

<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
195..71	attR1
304..963	CmR
1305..1610	ccdB
1651..1775	attR2
1780..2472	GST
2675..2720	T7stop
3334..4194	ampR
4343..4982	ori

ATCGAGATCTCGATCCCGCGAAATTAATACGACTCACTATAGGGAGACCACAACGGTTTC
 CCTCTAGATCACAAGTTTGTACAAAAAGCTGAACGAGAAACGTAAAATGATATAAATAT
 CAATATATTAAATTAGATTTTGCATAAAAAACAGACTACATAATACTGTAAAACACAACA
 TATCCAGTCACTATGGCGGCCCGCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGC
 TCGTATAATGTGTGGATTTTGTAGTTAGGATCCGGCGAGATTTTCAGGAGCTAAGGAAGCT
 AAAATGGAGAAAAAATCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAA
 GAACATTTTGTAGGCATTTTCAGTCAGTTGCTCAATGTACCTATAACCAGACCGTTTCAGCTG
 GATATTACGGCCTTTTTTAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTT
 ATTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGAATTCGGTATGGCAATGAAAGAC
 GGTGAGCTGGTGATATGGGATAGTGTTCCACCCTTGTTACACCGTTTTCCATGAGCAAAC
 GAAACGTTTTTCATCGCTCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATA
 TATTGCAAGATGTGGCGTGTTACGGTGAAAACCTGGCCTATTTCCCTAAAGGGTTTATT
 GAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAGTTTCACCAGTTTTGATTTAAAC
 GTGGCCAATATGGACAACCTTCTTCGCCCCCGTTTTTCACCATGGGCAAATATTATACGCAA
 GGCGACAAGGTGCTGATGCGCGTGGCGATTTCAGGTTTCATCATGCCGTCTGTGATGGCTTC
 CATGTCCGGCAGAATGCTTAATGAATTACAACAGTACTGCGATGAGTGGCAGGGCGGGGCG
 TAAACCGCTGGATCCGGCTTACTAAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGAT
 TTTTGCGGTATAAGAATATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTG
 CTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCAT
 ATATGATGTCAATATCTCCGGTCTGGTAAGCACAACCATGCAGAATGAAGCCCGTCTGCT
 GCGTGCCGAACGCTGGAAGCGGAAATCAGGAAGGGATGGCTGAGGTGCGCCCGTTTTAT
 TGAAATGAACGGCTCTTTTGTGCTGACGAGAACAGGGACTGGTGAATGCAGTTTAAGGTTT
 ACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATTG
 ACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAG
 TCTCCCGTGAACCTTTACCCGCTGGTGATATCGGGGATGAAAGCTGGCGCATGATGACCA
 CCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACC
 GCGAAAATGACATCAAAAACGCCATTAACTGATGTTCTGGGGAATATAAATGTCAAGCT
 CCCTTATACACAGCCAGTCTGCAGGTGCACCATAGTGAAGTGGATATGTTGTGTTTTACAG
 TATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTT
 TACGTTTCTCGTTTCAGCTTTCTGTACAAAGTGGTGATTATGTCCCCTATACTAGGTTAT
 TGGAAAATTAAGGGCCTTGTGCAACCCACTCGACTTCTTTTGAATATCTTGAAGAAAAA
 TATGAAGAGCATTGTATGAGCGCGATGAAGGTGATAAATGGCGAAACAAAAAGTTTGAA
 TTGGGTTTTGGAGTTTCCCAATCTTCCTTATTATATTGATGGTGATGTTAAATTAACACAG
 TCTATGGCCATCATACGTTATATAGCTGACAAGCACAACATGTTGGGTGGTTGTCCAAAA
 GAGCGTGCAGAGATTTCAATGCTTGAAGGAGCGGTTTTTGGATATTAGATACGGTGTTTCG
 AGAATTGCATATAGTAAAGACTTTGAAACTCTCAAAGTTGATTTTCTTAGCAAGCTACCT
 GAAATGCTGAAAATGTTTGAAGATCGTTTATGTCATAAAACATATTTAAATGGTGATCAT
 GTAACCCATCCTGACTTCATGTTGTATGACGCTCTTGATGTTGTTTTATACATGGACCCA
 ATGTGCCTGGATGCGTTCCCAAATAGTTTGTGTTTTAAAAACGTATTGAAGCTATCCCA
 CAAATTGATAAGTACTTGAAATCCAGCAAGTATATAGCATGGCCTTTGCAGGGCTGGCAA
 GCCACGTTTGGTGGTGGCGACCATCCTCCAAATCGGATCTGGTTCCGCGTCCATGGGGA
 TCCGGCTGCTAACAAAGCCCGAAAGGAAGCTGAGTTGGCTGCTGCCACCGCTGAGCGCTT
 CCCGATAAGGGAGCAGGCCAGTAAAGCATTACCCGTGGTGGGGTTCCCGAGCGGCCAA
 GGGAGCAGACTCTAAATCTGCCGTCATCGACTTCGAAGGTTTGAATCCTTCCCCCACCAC
 CATCACTTTCAAAGTGAATTGCTGAGCAATAACTAGCATAACCCCTTGGGGCCTCTAA-

FIGURE 96B

ACGGGTCTTGAGGGGTTTTTTGCTGAAAGGAGGAACTATATCCGGATATCCACAGGACGG
GTGTGGTCGCCATGATCGCGTAGTCGATAGTGGCTCCAAGTAGCGAAGCGAGCAGGACTG
GGCGGCGGCCAAAGCGGTCCGACAGTGCTCCGAGAACGGGTGCGCATAGAAATTGCATCA
ACGCATATAGCGCTAGCAGCACGCCATAGTGACTGGCGATGCTGTGCGGAATGGACGATAT
CCCGCAAGAGGCCCCGGCAGTACCGGCATAACCAAGCCTATGCCTACAGCATCCAGGGTGA
CGGTGCCGAGGATGACGATGAGCGCATTGTTAGATTTCATACACGGTGCCCTGACTGCGTT
AGCAATTTAACTGTGATAAACTACCGCATTAAAGCTTATCGATGATAAGCTGTCAAACAT
GAGAATTCTTGAAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATG
ATAATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCT
ATTTGTTTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGA
TAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTGCGC
CTTATTCCTTTTTTTCGGGCATTTTGCCTTCCTGTTTTTGTCTACCCAGAAACGCTGGTG
AAAGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTC
AACGCGGTAAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACT
TTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTGTGACGCCGGGCAAGAGCAACTC
GGTCGCCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAG
CATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGAT
AACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCCTTTT
TTGCACAACATGGGGGATCATGTAACCTCGCCTTGATCGTTGGGAACCGGAGCTGAATGAA
GCCATACCAAACGACGAGCGTGACACCACGATGCCCTGCAGCAATGGCAACAACGTTGCGC
AACTATTAACTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATG
GAGGCGGATAAAGTTGCGAGGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATT
GCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCA
GATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGAT
GAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCA
GACCAAGTTTACTCATATATACTTTAGATTGATTTAAACTTTCATTTTTAATTTAAAGG
ATCTAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCG
TTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTT
CTGCGCGTAATCTGCTGCTTGCAAACAAAAAACACCGCTACCAGCGGTGGTTTTGTTG
CCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATA
CCAAATACTGTCTTCTAGTGATAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCA
CCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAG
TCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCCGGC
TGAACGGGGGGTTCTGTGCACACAGCCAGCTTGGAGCGAACGACCTACACCGAATGAGA
TACCTACAGCGGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGG
TATCCGGTAAGCGGAGGGTCCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAAC
GCCTGGTATCTTTATAGTCCTGTGCGGTTTTCGCCACCTCTGACTTGAGCGTCGATTTTTG
TGATGCTCGTCAGGGGGGCGGAGCCTATGGAAAACGCCAGCAACGCGGCCTTTTTACGG
TTCTGCGCCTTTTTGCTGGCCTTTTTGCTCACATGTTCTTTCCTGCGTTATCCCTGATTCT
GTGGATAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCCGAGCCGAACGACC
GAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCTGATGCGGTATTTTCTCCTT
ACGCATCTGTGCGGTATTTACACCGCATATATGGTGCACTCTCAGTACAATCTGCTCTG
ATGCCGCATAGTTAAGCCAGTATACACTCCGCTATCGCTACGTGACTGGGTGATGGCTGC
GCCCCGACACCCGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGGCATC
CGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTGAGAGGTTTTACCGTCT
ATCACCGAAACGCGCGAGGCGAGCTGCGGTAAAGCTCATCAGCGTGGTCTGTAAGCGATTCT
ACAGATGTCTGCCTGTTTATCCGCGTCCAGCTCGTTGAGTTTCTCCAGAAGCGTTAATGT
CTGGCTTCTGATAAAGCGGGCCATGTTAAGGGCGTTTTTTCTGTTTGGTCACTGATGC
CTCCGTGTAAGGGGATTTCTGTTTATGGGGGTAATGATACCGATGAAACGAGAGAGGAT
GCTCACGATAAGGGTTACTGATGATGAACATGCCCGTTACTGGAACGTTGTGAGGGTAA
ACAACTGGCGGTATGGATGCGGCGGGACAGAGAAAAATCACTCAGGGTCAATGCCAGCG
CTTCGTTAATACAGATGTAGGTGTTCCACAGGGTAGCCAGCAGCATCCTGCGATGCAGAT
CCGGAACATAATGGTGCAGGGCGCTGACTTCCGCGTTTCCAGACTTTACGAAACACGGAA
ACCGAAGACCATTCATGTTGTTGCTCAGGTCCGAGACGTTTTTGAGCAGCAGTCTGCTTCA
CGTTCGCTCGCGTATCGGTGATTCTTCTGCTAACAGTAAGGCAACCCCGCCAGCCTAG
CCGGGTCTCTCAACGACAGGAGCAGCATGTCGCGACCCGTGGCCAGGACCCCAACGCTCC
CGAGATGCGCCCGTGGCGCTGTGAGATGGCGGACGCGATGGATATGTTCTGCCAAGG
GTTGGTTTTGCGCATTACAGTTCTCCGCAAGAATTGATTGGCTCCAATTCTTGGAGTGGT-

FIGURE 96C

GAATCCGTTAGCGAGGTGCCGCCGGCTTCCATTACAGGTCGAGGTGGCCCCGGCTCCATGCA
CCGCGACGCAACGCGGGGAGGCAGACAAGGTATAGGGCGGCGCCTACAATCCATGCCAAC
CCGTTCCATGTGCTCGCCGAGGCGGCATAAATCGCCGTGACGATCAGCGGTCCAGTGATC
GAAGTTAGGCTGGTAAGAGCCGCGAGCGATCCTTGAAGCTGTCCCTGATGGTTCGTCTCT
ACCTGCCTGGACAGCATGGCCTGCAACGCGGGCATCCCGATGCCGCCGGAAGCGAGAAGA
ATCATAATGGGGAAGGCCATCCAGCCTCGCGTCGCGAACGCCAGCAAGACGTAGCCCAGC
GCGTCGGCCGCCATGCCGGCGATAATGGCCTGCTTCTCGCCGAAACGTTTGGTGGCGGGA
CCAGTGACGAAGGCTTGAGCGAGGGCGTGCAAGATTCCGAATACCGCAAGCGACAGGCCG
ATCATCGTCGCGCTCCAGCGAAAGCGGTCTCTCGCCGAAAATGACCCAGAGCGCTGCCGGC
ACCTGTCCTACGAGTTGCATGATAAAGAAGACAGTCATAAGTGCGGCGACGATAGTCATG
CCCCGCGCCACCGGAAGGAGCTGACTGGGTTGAAGGCTCTCAAGGGCATCGGTTCGATCG
ACGCTCTCCCTTATGCGACTCCTGCATTAGGAAGCAGCCCAGTAGTAGGTTGAGGCCGTT
GAGCACCGCCGCCGCAAGGAATGGTGCATGCAAGGAGATGGCGCCCAACAGTCCCCCGGC
CACGGGGCCTGCCACCATACCACGCCGAAACAAGCGCTCATGAGCCCGAAGTGGCGAGC
CCGATCTTCCCCATCGGTGATGTGCGCGATATAGGCGCCAGCAACCGCACCTGTGGCGCC
GGTGATGCCGGCCACGATGCGTCCGGCGTAGAGG

FIGURE 9(a)

230/p40




FIGURE 97A

pDONR207

5584 bp

CGGAGAGTAGGGAAGTCCAGGCATCAAATAAAACGAAAGGCTCAGTCGGAAGACTGGGC
CTTTTCGTTTTATCTGTTGTTTGTTCGGTGAACGCTCTCCTGAGTAGGACAAATCCGCCGGG
AGCGGATTTGAACGTTGTGAAGCAACGGCCCCGAGGGTGGCGGGCAGGACGCCCCGCATA
AACTGCCAGGCATCAAATAAGCAGAAGGCCATCCTGACGGATGGCCTTTTTGCGTTTCT
ACAAACTCTTCCTGGCTAGCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCAGGA
AAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGGCCGCTTGCTG
GCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAATCGACGCTCAAGTCAG
AGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCTGGAAGCTCCCTC
GTGCGCTCTCCTGTTCCGACCCCTGCCGCTTACCGGATACCTGTCCGCCTTTCTCCCTTCG
GGAAGCGTGGCGCTTTCTCATAGCTCAGCTCAGGTGTAGGTATCTCAGTTCCGGTGTAGTGGATT
CGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTTCAGCCCGACCGCTGCGCCTTATCC
GGTAACATATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCAGCAGCC
ACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGG
TGGCCTAACTACGGCTACACTAGAAGGACAGTATTGGTATCTGCGCTCTGCTGAAGCCA
GTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGTAGC
GGTGGTTTTTTTTGTTTGCAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGAT
CCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAAACGAAAACTCAGTTAAGGGATT
TTGGTTCATGAGCTTGCGCCGTCCCGTCAAGTCAGCGTAATGCTCTGCCAGTGTTACAACC
AATTAACCAATTCTGATTAGAAAACTCATCGAGCATCAAATGAAACTGCAATTTATTCA
TATCAGGATTATCAATACCATATTTTTGAAAAAGCCGTTTCTGTAATGAAGGAGAAACT
CACCGAGGCAGTTCCATAGGATGGCAAGATCCTGGTATCGGTCTGCGATTCCGACTCGTC
CAACATCAATACAACCTATTAGTAGCCAACCACTAGAACTATAGCTAGAGTCCTGGGCGA
ACAAACGATGCTCGCCTTCCAGAAAACCGAGGATGCGAACCCTTATCCGGGGTCAGCA
CCACCGGCAAGCGCCGACGGCCGAGGTCTCCGATCTCCTGAAGCCAGGGCAGATCCG
TGACACGACCTTGCCGTAGAAGAACAGCAAGGCCCAATGCCTGACGATGCGTGGAGA
CCGAAACCTTGCGCTCGTTGCCAGCCAGGACAGAAATGCCTCGACTTCGCTGCTGCCCCA
AGGTTGCCGGGTGACGCACACCGTGGAACGGATGAAGGCACGAACCCAGTTGACATAAG
CCTGTTCCGGTTCGTAAACTGTAATGCAAGTAGCGTATGCGCTCACGCAACTGGTCCAGAA
CCTTGACCGAACGCAGCGGTGGTAACGGCGCAGTGGCGGTTTTTCATGGCTTGTTATGACT
GTTTTTTTGTACAGTCTATGCCTCGGGCATCCAAGCAGCAAGCGGTTACGCCGTGGGTC
GATGTTTGATGTTATGGAGCAGCAACGATGTTACGCAGCAGCAACGATGTTACGCAGCAG
CTCGGCCCTGACCAAGTCAAATCCATGCGGGCTGCTCTTGATCTTTTCGGTCTGTAGTTC
GGAGACGTAGCCACCTACTCCCAACATCAGCCGGACTCCGATTACCTCGGGAACCTTGCTC
CGTAGTAAGACATTTCATCGCGCTTGCTGCCTTCGACCAAGAAGCGGTTGTTGGCGCTCTC
GCGGCTTACGTTCTGCCCAGGTTTGAGCAGCCGCGTAGTGAGATCTATATCTATGATCTC
GCAGTCTCCGGCGAGCACCGGAGGCAGGGCATTGCCACCGCGCTCATCAATCTCCTCAAG
CATGAGGCCAACCGCGCTTGGTGCTTATGTGATCTACGTGCAAGCAGATTACGGTGACGAT
CCCGCAGTGGCTCTCTATACAAAGTTGGGCATACGGGAAGAAGTGATGCACTTTGATATC
GACCCAGTACCGCCACCTAACAAATTCGTTCAAGCCGAGATCGGCTTCCCGGCCTAATTT
CCCCCTCGTCAAAAATAAGGTTATCAAGTGAGAAATCACCATGAGTGACGACTGAATCCGG
TGAGAATGGCAAAAGTTTATGCATTTCTTTCCAGACTTGTTCAACAGGCCAGCCATTACG
CTCGTCATCAAAATCACTCGCATCAACCAACCGTTATTCATTCGTGATTGCGCCTGAGC
GAGACGAAATACGCGATCGCTGTTAAAGGACAATTACAAACAGGAATCGAATGCAACCG
GCGCAGGAACACTGCCAGCGCATCAACAATATTTTACCTGAATCAGGATATTCTTCTAA
TACCTGGAATGCTGTTTTTCCGGGGATCGCAGTGGTGAGTAACCATGCATCATCAGGAGT
ACGGATAAAATGCTTGATGGTTCGGAAGAGGCATAAATTCGTCAGCCAGTTTAGTCTGAC
CATCTCATCTGTAAACATCATTTGGCAACGCTACCTTTGCCATGTTTCAGAAACAACCTCTGG
CGCATCGGGCTTCCCATACAAGCGATAGATTGTGCGACCTGATTGCCCGACATTATCGCG
AGCCCATTTATACCCATATAAATCAGCATCCATGTTGGAATTTAATCGCGGCCTCGACGT
TTCCCGTTGAATATGGCTCATAACCCCCCTGTATTACTGTTTATGTAAGCAGACAGTTT
TATTGTTTCATGATGATATATTTTTATCTTGCAATGTAACATCAGAGATTTTGAGACAC
GGGCCAGAGCTGCAGCTGGATGGCAAATAATGATTTTATTTTGACTGATAGTGACCTGTT
CGTTGCAACAAATTGATAAGCAATGCTTTCTTATAATGCCAACTTTGTACAAGAAAGCTG
AACGAGAAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAAC
AGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAACTACTTAGATG-

FIGURE 97B

GTATTAGTGACCTGTAGTCGACTAAGTTGGCAGCATCACCCGACGCACCTTTGCGCCGAAT
AAATACCTGTGACGGAAGATCACTTCGCAGAATAAATAAATCCTGGTGTCCCTGTTGATA
CCGGGAAGCCCTGGGCCAACTTTGGCGAAAATGAGACGTTGATCGGCACGTAAGAGGTTT
CAACTTTTACCATAATGAAATAAGATCACTACCGGGCGTATTTTGTAGTTATCGAGATT
TTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAATCACTGGATATACCACCGTTGATAT
ATCCCAATGGCATCGTAAAGAACATTTTGAGGCATTTTCAGTCAGTTGCTCAATGTACCTA
TAACCAGACCGTTTCAGCTGGATATTACGGCCTTTTAAAGACCGTAAAGAAAAATAAGCA
CAAGTTTTATCCGGCCTTTATTACATTCTTGCCCGCCTGATGAATGCTCATCCGGAATT
CCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTTACCCTTGTTACAC
CGTTTTCCATGAGCAAACCTGAAACGTTTTTCATCGCTCTGGAGTGAATACCACGACGATT
CCGGCAGTTTCTACACATATATTGCAAGATGTGGCGTGTTACGGTGAAAACCTGGCCCTA
TTTCCCTAAAGGGTTTTATTGAGAAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAGTTT
CACCAGTTTTGATTTAAACGTGGCCAATATGGACAACCTTCTCGCCCCCGTTTTTACCAT
GGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTTCAGGTTTCATCA
TGCCGCTCTGTGATGGCTTCCATGTCCGGCAGAATGCTTAATGAATTACAACAGTACTGCCA
TGAGTGGCAGGGCGGGGCGTAATCGCGTGGATCCGGCTTACTAAAAGCCAGATAACAGTA
TGCGTATTTGCGCGCTGATTTTGGCGGTATAAGAATATATACTGATATGTATACCCGAAG
TATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGCAGC
TATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGCTCTGGTAAGCACAACCATGC
AGAATGAAGCCCGTCTGCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGATGG
CTGAGGTGCGCCCGTTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACTGGT
GAAATGCAGTTTAAAGGTTTACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGAT
GTACAGAGTGATATTATTGACACGCCCCGGGCGACGGATGGTGATCCCCCTGGCCAGTGCA
CGTCTGCTGTGAGATAAAGTCTCCCGTGAACCTTTACCCGGTGGTGATATCGGGGATGAA
AGCTGGCGCATGATGACCACCGATATGGCCAGTGTCGGGTCTCCGTTATCGGGGAAGAA
GTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTGATGTTCTGG
GGAATATAAATGTGAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGATACAGTAGAAAT
TACAGAACTTTTATCAGTTTTAGTAAGTATAGAGGCTGAAAATCCAGATGAAGCCGAACG
ACTTGTAAGAGAAAAGTATAAGAGTTGTGAAATTGTTCTTGATGCAGATGATTTTCAGGA
CTATGACACTAGCGTATATGAATAGGTAGATGTTTTTATTTTGTACACAAAAAAGAGGC
TCGCACCTCTTTTTCTTATTTCTTTTTATGATTTAATACGGCATTGAGGACAATAGCGAG
TAGGCTGGATACGACGATTCCGTTTGAGAAGAACATTTGGAAGGCTGTCCGTCGACTAAG
TTGGCAGCATCACCCGAAGAACATTTGGAAGGCTGTCCGTCGACTACAGGTCATAATAC
CATCTAAGTAGTTGATTCATAGTACTGGATATGTTGTGTTTTACAGTATTATGTAGTCT
GTTTTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTTTACGTTTCTCGTT
CAGCTTTTTTTGTACAAAGTTGGCATTATAAAAAAGCATTGCTCATCAATTTGTTGCAACG
AACAGGTCATATCAGTCAAATAAAATCATTATTTGGGGCCCGAGATCCATGCTAGCGT
TAAC

FIGURE 97C

pMAB85




FIGURE 98A

pMAB85

7038 bp

GCCTTACGCATCTGTGCGGTATTTTCACACCGCAGGCAAGTGCACAAACAATACTTAAATA
AATACTACTCAGTAATAACCTATTTCTTAGCATTTTGTGACGAAATTTGCTATTTTGTAG
AGTCTTTTACACCATTGTCTCCACACCTCCGCTTACATCAACACCAATAACGCCATTTA
ATCTAAGCGCATCACCAACATTTTCTGGCGTCAGTCCACCAGCTAACATAAAATGTAAGC
TTTCGGGGCTCTCTTGCCCTTCCAACCCAGTCAGAAATCGAGTTCCAATCCAAAAGTTCAC
CTGTCCCACCTGCTTCTGAATCAAACAAGGGAATAAACGAATGAGGTTTCTGTGAAGCTG
CACTGAGTAGTATGTTGCAGTCTTTTGGAAATACGAGTCTTTTAATAACTGGCAAACCGA
GGAACCTCTTGGTATTCTTGCCACGACTCATCTCCATGCAGTTGGACGATATCAATGCCGT
AATCATTGACCAGACCCAAAACATCCTCCTTAGGTTGATTACGAAACACGCCAACCAAGT
ATTTTCGGAGTGCCTGAACTATTTTTATATGCTTTTACAAGACTTGAAATTTTCTTGCAA
TAACCGGGTCAATTGTTCTCTTTCTATTGGGCACACATATAATACCCAGCAAGTCAGCAT
CGGAATCTAGAGCACATTCTGCGGCCCTCTGTGCTCTGCAAGCCGCAAACCTTTCACCAATG
GACCAGAACTACCTGTGAAATTAATAACAGACATACTCCAAGCTGCCTTTGTGTGCTTAA
TCACGTATACTCAGTGTCTCAATAGTCACCAATGCCCTCCCTCTTGCCCTCTCCTTTTC
TTTTTTTCGACCGAATTAATTCTTAATCGGCACAAAAGAAAGCTCCGGATCAAGATTGT
ACGTAAGGTGACAGCTATTTTCAATAAAGAATATCTTCCACTACTGCCATCTGGCGTC
ATAACTGCAAAGTACACATATATTACGATGCTGTCTATTAAATGCTTCCTATATTATATA
TATAGTAATGTCGTTTATGGTGCATCTCAGTACAATCTGCTCTGATGCCGCATAGTTAA
GCCAGCCCCGACACCCGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGG
CATCCGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTGAGAGGTTTTAC
CGTCATCACCGAAACGCGCGAGACGAAAGGGCCTCGTGATACGCCCTATTTTTATAGGTTA
ATGTTCATGATAATAATGTTTCTTAGGACGGATCGTTGCTGTAACCTTACACGCGCCTC
GTATCTTTTAAATGATGGAATAATTGGGAATTTACTCTGTGTTTATTTATTTTATGTTT
TGTATTTGGATTTTAGAAAGTAAATAAAGAAGGTAGAAGAGTTACGGAATGAAGAAAAA
AAATAAACAAAGGTTTTAAAAATTTCAACAAAAGCGTACTTTACATATATATTTATTAG
ACAAGAAAAGCAGATTAAATAGATATACATTGATTAACGATAAGTAAATGTAAATCA
CAGGATTTTCGTGTGTGGTCTTCTACACAGACAAGATGAAACAATTCGGCATTAAATACCT
GAGAGCAGGAAGAGCAAGATAAAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTA
CATCTTCGGAACAAAACCTATTTTTCTTTAATTTCTTTTTTACTTTCTATTTTAA
TTTATATATTTATATGATGAAATAATTAAATTATAATTATTTTATAGCACGTGATGAAAAG
GACCCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTCTAA
ATACATTCAAATATGTATCCGCTCATGAGACAATAACCCGTGATAAATGCTTCAATAATAT
TGAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTGCGCCCTTATCCCTTTTTTGCG
GCATTTTGCCCTTCTGTTTTGCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAA
GATCAGTTGGGTGCACGAGTGGGTACATCGAAGTGGATCTCAACAGCGGTAAGATCCTT
GAGAGTTTTCGCCCCGAAGAACGTTTTTCAATGATGAGCACTTTTAAAGTTCTGCTATGT
GGCGCGGTATTATCCCGTATTGACGCGGGGCAAGAGCAACTCGGTGCGCGCATACACTAT
TCTCAGAATGACTTGGTTGAGTACTACCAGTCACAGAAAAGCATCTTACGGATGGCATG
ACAGTAAGAGAATTATGCAGTGTGCCATAACCATGAGTGATAACACTGCGGCCAACTTA
CTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTTCACAACATGGGGGAT
CATGTAACCTCGCCTTGATCGTTGGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAG
CGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACCTGGCGAA
CTACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAAAGTTGCA
GGACCACTTCTGCGCTCGGCCCTTCCGGCTGGTGTATTGCTGATAAATCTGGAGCC
GGTGAGCGTGGGTCTCGCGGTATCATTCAGCACTGGGGCCAGATGGTAAGCCCTCCCGT
ATCGTAGTTATCTACACGACGGGCAGTCAGGCAACTATGGATGAACGAAATAGACAGATC
GCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACCTGTGACACCAAGTTTACTCATAT
ATACTTTAGATTGATTTAAACTTCATTTTTAATTTAAAGGATCTAGGTGAAGATCCTT
TTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGAC
CCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCGCGTAATCTGCTGC
TTGCAACAAACAAAACACCGCTACCGAGCGGTGGTTTGTGTTGCCGGATCAAGAGCTACCA
ACTCTTTTTCCGAAGGTAACCTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCTTCTA
GTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCT
CTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTG
GACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTGCGGCTGAACGGGGGGTTCGTGC-

FIGURE 98B

ACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCAT
TGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGG
GTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGGAACGCCTGGTATCTTTATAGT
CCTGTCGGGTTTTGCCACCTCTGACTTGAGCGTCGATTTTTTGTGATGCTCGTCAGGGGGG
CCGAGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCTTGGCCTTTTGCTGG
CCTTTTGCTCACATGTTCTTCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACC
GCCTTTGAGTGAGCTGATACCGCTCGCCGACCCGAACGACCGAGCGCAGTCAGTG
AGCGAGGAAGCGGAAGAGCGCCCAATACGCAAAACCGCCTCTCCCCGCGCGTTGGCCGATT
CATTAATGCAGCTGGCACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCA
ATTAATGTGAGTTACCTCACTCATTAGGCACCCCAGGCTTTTACACTTTATGCTTCCGGCT
CCTATGTTGTGTGGAATTGTGAGCGGATAACAATTTTACACAGGAAACAGCTATGACCAT
GATTACGCCAAGCTCGGAATTAACCTCACTAAAGGGAACAAAAGCTGGGTACCGGGCCC
CCCCTCGAGATCCGGGATCGAAGAAATGATGGTAAATGAAATAGGAAATCAAGGAGCATG
AAGGCAAAAGACAAATATAAGGGTCGAACGAAAAATAAAGTGAAAAGTGTGATATGATG
TATTTGGCTTTTGGCGCCGCGCTTGTGCGGCCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCCGC
GGAGTTTTTTGCGCCTGCATTTTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGA
AGCAATAAGAATGCCGTTGGGGTTGCGATGATGACGACCACGACAACTGGTGTCTATTAT
TTAAGTTGCCGAAAGAACCTGAGTGCAATTTGCAACATGAGTATACTAGAAGAATGAGCCA
AGACTTGCGAGACGCGAGTTTGGCCGTGGTGCGAACATAGAGCGACCATGACCTTGAAG
GTGAGACGCGCATAACCGCTAGAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCA
GTATAAATAGACAGGTACATACAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAA
TTCATTTGGGTGTGCATTTTATTATGTTACAATATGGAAGGGAACCTTTTACACTTCTCCTA
TGCACATATATTAATTAAGTCCAATGCTAGTAGAGAAGGGGGTAACACCCCTCCGCGC
TCTTTTCCGATTTTTTTCTAAACCGTGGAATATTTTCGGATATCCTTTTGTGTTTCCGGG
TGTACAATATGGACTTCCTCTTTTCTGGCAACCAAACCCATACATCGGGATTCTATAAT
ACCTTCGTTGGTCTCCCTAACATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATA
CCAGACAAGACATAATGGGCTAAACAAGACTACACCAATTACACTGCCTCATTGATGGTG
GTACATAACGAACATAACTGTAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTC
ACTACCTTTTTCATTTGCCATCTATTGAAGTAATAATAGGCGCATGCAACTTCTTTTC
TTTTTTTTTCTTTTCTCTCTCCCCGTTGTTGTCTCACCATATCCGCAATGACAAAAAA
ATGATGGAAGACACTAAAGGAAAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTG
TTCCAGAGCTGATGAGGGGTATCTTCGAACACACGAAACTTTTTCTTCTTCTTCACTCAG
CACACTACTCTCTAATGAGCAACGGTATACGGCCTTCTTCCAGTTACTTGAATTTGAAA
TAAAAAAGTTTGGCGCTTGTCTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTG
TTTCTCGTCATTGTTCTCGTTCCCTTTCTTCTTCTTCTTCTTCTTCTGCAATATTTCA
AGCTATACCAAGCATACAATCAACTCCAAGCTTATGCCCAAGAAGAAGCGGAAGGTCTCG
AGCGGCGCCAATTTAATCAAAGTGGGAATATTGCTGATAGCTCATTGTCTTCACTTTC
ACTAACAGTAGCAACGGTCCGAACCTCATAACAACCTCAAACAAATTCCTCAAGCGCTTTC
CAACCAATTGCCTCCTCTAACGTTTCATGATAACTTCATGAATAATGAAATCACGGCTAGT
AAAATTGATGATGGTAATAATCAAACCACTGTACCTGGTTGGACGGACCAAACTGCG
TATAACGCGTTTGGAACTACTACAGGGATGTTAATAACCACTACAATGGATGATGTATAT
AACTATCTATTTCGATGATGAAGATACCCCAACCAACCAAAAAAGAGGGTGGGTGATC
ACAAGTTTGTACAAAAAGCAGGCTTGTGACCCCGGAATTGAGATCTACTAGTGCGGC
CGCACGCGTACCCAGCTTCTTGTACAAAGTGGTGACGTGAGCTCCCTATAGTGAGTCG
TATTACACTGGCCGTCGTTTTACAACGTCGTGACTGGGAAAAACCCGGTGAGCTCTAAGT
AAGTAACGGCCGCCACCGCGGTGGAGCTTTGGACTTCTTCGCCAGAGGTTTGGTCAAGTC
TCCAATCAAGGTTGTGCGCTTGTCTACCTTGCCAGAAATTTACGAAAAGATGAAAAGGG
TCAAATCGTTGGTAGATACGTTGTTGACACTTCTAAATAAGCGAATTTCTTATGATTTAT
GATTTTTTATTATTAATAAGTTATAAAAAAATAAGTGTATACAAATTTTAAAGTGACTC
TTAGGTTTTTAAAAAGAAATTTCTTGTCTTGTAGTAACTCTTCTGTAGGTGAGGTGCT
TTCTCAGGTATAGCATGAGGTGCTCTTATTGACCACACCTCTACCGGCATGCCGAGCAA
ATGCCTGCAAATCGCTCCCATTTTCAACCAATTGTAGATATGCTAACTCCAGCAATGAGT
TGATGAATCTCGGTGTGATTTTATGTCCTCAGAGGACAATACCTGTTGTAATCGTTCTT
CCACACGGATCCGCATCAGGCGAAATTTGTAACGTTAATATTTTGTAAAAATTGCGTTA
AATATTTGTAAATCAGCTCATTTTTTAACCAATAGGCCGAAATCGGCAAAATCCCTTAT
AAATCAAAAGAATAGACCGAGATAGGGTTGAGTGTGTTTCCAGTTTGGAAACAAGAGTCCA
CTATTAAAGAACGTGGACTCCAACGTCAAAGGGCGAAAAACCGTCTATCAGGGCGATGGC-

CCACTACGTGAACCATCACCCCTAATCAAGTTTTTTGGGGTCGAGGTGCCGTAAAGCACTA
AATCGGAACCCCTAAAGGGAGCCCCCGATTTAGAGCTTGACGGGGAAAGCCGGCGAACGTG
GCGAGAAAGGAAGGGAAGAAAGCGAAAGGAGCGGGCGCTAGGGCGCTGGCAAGTGTAGCG
GTCACGCTGCGCGTAACCACACCCGCGCGCTTAATGCGCCGCTACAGGGCGCGTCC
CATTGCGCCATTCACTGCA

FIGURE 98D

pMAB86




FIGURE 99A

pMAB86 7146 bp

GACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAATAATGGTTT
CTTAGGACGGATCGCTTGCCTGTAACCTACACGCGCCTCGTATCTTTAATGATGGAATA
ATTTGGGAATTTACTCTGTGTTTATTTATTTTTATGTTTTGTATTTGGATTTTAGAAAGT
AAATAAAGAAGGTAGAAGAGTTACGGAATGAAGAAAAAATAAACAAAGGTTTAAAAA
ATTTCAACAAAAAGCGTACTTTACATATATATTTATTAGACAAGAAAAGCAGATTAAATA
GATATACATTGATTAACGATAAGTAAATGTAAATCACAGGATTTTCGTGTGTGGTCT
TCTACACAGACAAGATGAAACAATTCGGCATTAACTACCTGAGAGCAGGAAGAGCAAGATA
AAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTACATCTTCGGAAAAACAAAACT
ATTTTTCTTTAATTTCTTTTTTACTTTCTATTTTTAATTTATATATTTATATTAATAA
ATTTAAATTATAATTATTTTTATAGCACGTGAAAAGGACCCAGGTGGCACTTTTCGG
GGAAATGTGCGCGGAACCCCTATTTGTTTTTCTAAATACATTCAAATATGTATCCG
CTCATGAGACAATAACCCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGT
ATTCAACATTTCCGTGTGCGCCTTATTCCTTTTTTTCGGCATTTTGCCTTCCTGTTTTT
GCTCACCAGAAACGCTGGTGAAAGTAAAGATGCTGAAGATCAGTTGGGTGCACGAGTG
GGTTACATCGAAGTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAA
CGTTTTCCAATGATGAGCACTTTTAAAGTCTGCTATGTGGCGCGGTATTATCCCGTATT
GACCGCGGGCAAGAGCAACTCGGTGCGCGCATACACTATTCTCAGAATGACTTGGTGTAG
TACTCACCAGTACAGAAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGT
GCTGCCATAACCATGAGTGATAACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGA
CCGAAGGAGCTAACCGCTTTTTTTCACAACATGGGGGATCATGTAACCTCGCCTTGATCGT
TGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACCACGATGCCTGTA
GCAATGGCAACAACGTTGCGCAAACCTATTAAGTGGCGAACTACTTACTCTAGCTTCCCGG
CAACAATTAATAGACTGGATGGAGGCGGATAAAGTTGCAGGACCACTTCTGCGCTCGGCC
CTTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGT
ATCATTGAGCGTGGGGCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGAGC
GGCAGTCAGGCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTG
ATTAAGCATTGGTAACCTGTCAGACCAAGTTTACTCATATATACTTTAGATTGATTTAAAA
CTTCATTTTTTAATTTAAAGGATCTAGGTGAAGATCCTTTTTTGATAATCTCATGACCAAA
ATCCCTTAACGTGAGTTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGA
TCTTCTTGAGATCCTTTTTTCTGCGCGTAATCTGCTGCTTGCAACAAAAAACCACCG
CTACCAGCGTGGTTTGTGTGCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAAC
GGCTTCAGCAGCGCAGATACCAATACTGCTCCTTCTAGTGTAGCCGTAGTTAGGCCAC
CACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTG
GCTGCTGCCAGTGCGGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCG
GATAAGGCGCAGCGGTGCGGCTGAACGGGGGGTTCGTGCACACAGCCAGCTTGGAGCGA
ACGACCTACACCGAACTGAGATACCTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCC
GAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACG
AGGGAGCTTCCAGGGGGGAACGCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTC
TGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCGGAGCCTATGGAAAAACGCC
AGCAACGCGGCCTTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTT
CCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACCGCCTTTGAGTGAGCTGATACC
GCTCGCCGCGAGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGC
CCAATACGCAAAACCGCCTCTCCCGCGCGTTGGCCGATTCTTAATGCAGCTGGCACGAC
AGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCAATTAATGTGAGTTACCTCACT
CATTAGGCACCCAGGCTTTACACTTTATGCTTCCGGCTCCTATGTTGTGTGGAATTGTG
AGCGGATAACAATTTACACAGGAAACAGCTATGACCATGATTACGCCAAGCTCGGAATT
AACCCTCACTAAAGGGAACAAAAGCTGGGTACCGGGCCCCCCTCGAGATCCGGGATCGA
AGAAATGATGGTAAATGAAATAGGAAATCAAGGAGCATGAAGGCAAAAGACAAATATAAG
GGTCGAACGAAAAATAAAGTGAAAAGTGTGATATGATGTATTTGGCTTTGCGGCGCCGA
AAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCTGTGGCGGACCCGCGCTCTTGC
CGGCCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCGGCGGAGTTTTTTGCGCCTGCATT
TTCCAAGTTTACCCTGCGCTAAGGGGCGAGATTGGAGAAGCAATAAGAATGCCGGTTGG
GGTTGAGATGACGACCAACGACGAGTGTGCTATTATTTAAGTTGCCGAAAGAACTTG
AGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCAAGACTTGCGAGACGCGAGTTT
GCCGGTGGTGCAACAATAGAGCGACCATGACCTTGAAGGTGAGACGCGCATAACCGCTA-

FIGURE 99B

GAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCAGTATAAATAGACAGGTACATA
CAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAATTCATTTGGGTGTGCACTTTA
TTATGTTACAATATGGAAGGGAACCTTTACACTTCTCCTATGCACATATATTAATTAAGT
CCAATGCTAGTAGAGAAGGGGGGTAACACCCCTCCGCGCTCTTTCCGATTTTTTCTAA
ACCGTGGAATATTTCCGATATCCTTTTGTGTTTCCGGGTGTACAATATGGACTTCCTCT
TTTCTGGCAACCAAACCCATACATCGGGATTCTCTATAATACCTTCGTTGGTCTCCCTAAC
ATGTAGGTGCGGAGGGGAGATATACAATAGAACAGATAACCAGACAAGACATAATGGGCT
AAACAAGACTACACCAATTACACTGCCTCATTGATGGTGGTACATAACGAACATAACTG
TAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTCACTACCCTTTTTCCATTGACC
ATCTATTGAAGTAATAATAGGCGCATGCAACTTCTTTTCTTTTTTTTTCTTTCTCTCTC
CCCCGTTGTTGTCTCACCATATCCGCAATGACAAAAAAATGATGGAAGACACTAAAGGA
AAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTGTTCCAGAGCTGATGAGGGGTA
TCTTCGAACACAGAAACTTTTCTTCTTCTTCACTCACGCACACTACTCTCTAATGAGCA
ACGGTATACGGCCTTCTTCCAGTTACTTTGAATTTGAAATAAAAAAGTTTGCCGCTTTG
CTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTGTTCCTCGTCATTGTTCTCGT
TCCCTTTCTTCTTGTGTTCTTTTTCTGCACAATATTTCAAGCTATACCAAGCATACAATC
AACTCCAAGCTTATGCCCAAGAAGAAGCGGAAGGTCTCGAGCGGCGCAATTTTAATCAA
AGTGGGAATATTGCTGATAGCTCATTGTCTTCACTTCACTAACAGTAGCAACGGTCCG
AACCTCATAACAACTCAAACAAATCTCAAGCGCTTTCACAACCAATTGCCTCCTCTAAC
GTTTCATGAACTTTCATGAATAATGAAATCACGGCTAGTAAAATTGATGATGGTAATAAT
TCAAAACCACCTTCACCTGGTTGGACGGACCAAACTGCGTATAACGCGTTTGAATCACT
ACAGGGATGTTTAATACCACTACAATGGATGATGTATATACTATCTATTGATGATGAA
GATACCCACCAAACCCAAAAAAGAGGGTGGGTGATCACAAGTTTGTACAAAAAGCA
GGCTTGTGACCCCGGGAATTCAGATCTACTAGTGCAGCGCCGACGCGTACCCAGCTTTCT
TGTACAAAGTGGTGACGTCGAGCTCTAAGTAAGTAACGGCCGCCACCGCGGTGGAGCTTT
GGACTTCTTCGCCAGAGGTTTGGTCAAGTCTCCAATCAAGGTTGTGCGCTTGTCTACCTT
GCCAGAAATTTACGAAAAGATGGAAAAGGGTCAAATCGTTGGTAGATACGTTGTTGACAC
TTCTAAATAAGCGAATTTCTTATGATTTATGATTTTATTATTAAATAAGTTATAAAAAA
AATAAGTGTATACAAATTTTAAAGTGACTCTTAGGTTTAAAACGAAATTTCTTGTTCTT
GAGTAACTCTTCTGTAGGTGAGGTTGCTTCTCAGGTATAGCATGAGGTCGCTCTTAT
TGACCACACCTCTACCGGCATGCCGAGCAAATGCCTGCAAATCGCTCCCCATTTACCCCA
ATTGTAGATATGCTAACTCCAGCAATGAGTTGATGAATCTCGGTGTGTATTTTATGTCCT
CAGAGGACAATACCTGTTGTAATCGTTCTTCCACACGGATCCCAATTGCCCCATAGTGA
GTCGTATTACAATCTACTGGCCGTCGTTTACAACGTCGTGACTGGGAAAACCTTGGCGT
TACCCAACTAATCGCCTTGACGACATCCCCCTTTGCGCAGCTGGCGTAATAGCGAAGA
GGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGACGCGCCC
TGTAGCGGCGCATTAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTT
GCCAGCGCCCTAGCGCCGCTCCTTTGCTTTCTTCCCTTCTTCTCGCCACGTTGCGC
GGCTTTCCCGTCAAGCTCTAAATCGGGGGTCCCTTTAGGGTTCCGATTTAGTGCTTTA
CGGCACCTCGACCCCAAAAACTTGATTAGGGTGATGGTTACGTAAGTGGGCCATCGCCC
TGATAGACGGTTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTG
TTCCAAACTGGAACAACACTCAACCTATCTCGGTCTATTCTTTTGATTTATAAGGGATT
TTGCCGATTTGCGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTTAACGCGAAT
TTTAACAAAAATATTAACGTTTACAATTTCTGATGCGGTATTTTCTCCTTACGCATCTGT
GCGGTATTTACACCGCAGGCAAGTGCAAAACAATACTTAAATAAATACTACTCAGTAA
TAACCTATTTCTTAGCATTTTGTACGAAATTTGCTATTTTGTAGAGTCTTTTACACCAT
TTGTCTCCACACCTCCGCTTACATCAACACCAATAACGCCATTTAATCTAAGCGCATCAC
CAACATTTTCTGGCGTCAGTCCACCAGCTAACATAAAATGTAAGCTTTGCGGGCTCTCTT
GCCTTCCAACCCAGTCAGAAATCGAGTTCCAATCCAAAAGTTACCTGTCCACCTGCTT
CTGAATCAAAACAGGGAATAAACGAATGAGGTTTCTGTGAAGCTGCACTGAGTAGTATGT
TGCAGTCTTTTGGAAATACGAGTCTTTTAATAACTGGCAAACCGAGGAACCTTTGGTATT
CTTGCCACGACTCATCTCCATGCAGTTGGACGATATCAATGCCGTAATCATTGACCAGAG
CCAAAACATCCTCCTTAGGTTGATTACGAAACACGCCAACCAAGTATTTGCGAGTGCCGTG
AACTATTTTTATATGCTTTTACAAGACTTGAAATTTTCTTGAATAACCGGGTCAATTG
TTCTCTTTCTATTGGGCACACATATAATACCCAGCAAGTCAGCATCGGAATCTAGAGCAC
ATTCTGCGGCCCTCTGTGCTCTGCAAGCGCAAACCTTCAACCAATGGACCAGAACTACCTG
TGAAATTAATAACAGACATACTCCAAGCTGCCTTTGTGTGCTTAATCACGTATACTCACG
TGCTCAATAGTCACCAATGCCCTCCCTCTTGGCCCTCTCCTTTTCTTTTTTCGACCGAAT-

TAATTCTTAATCGGCAAAAAAGAAAAGCTCCGGATCAAGATTGTACGTAAGGTGACAAG
CTATTTTCAATAAAGAATATCTTCCACTACTGCCATCTGGCGTCATAACTGCAAAGTAC
ACATATATTACGATGCTGTCTATTAAATGCTTCCTATATTATATATATAGTAATGTCGTT
TATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGCCCCGACACC
CGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAGAC
AAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTACCGTCATCACCGAAAC
GCGCGA

FIGURE 99D

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM
(PCT Rule 13bis)

REC'D

A. The indications made below relate to the microorganism referred to in the description on page <u>54</u> , line <u>8</u> .	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30103
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB3.1(pEZC15101) In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer <i>B. Indici</i>	Authorized officer


INDICATIONS RELATING TO A DEPOSITED MICROORGANISM
(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>55</u> , line <u>16</u> .	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30100
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB3.1(pENTR-1A) In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

<p align="center">For receiving Office use only</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input checked="" type="checkbox"/> This sheet was received with the international application </div> <div style="border: 1px solid black; padding: 5px;"> Authorized officer </div>	<p align="center">For International Bureau use only</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="checkbox"/> This sheet was received by the International Bureau on: </div> <div style="border: 1px solid black; padding: 5px; height: 40px;"> Authorized officer </div>
--	---

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM
(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>55</u> , line <u>16</u> .	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30102
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB3.1(pENTR-3C) In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer 	Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM
(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>55</u> , line <u>16</u> .	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30101
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB3.1(pENTR-2B) In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (If the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

<p style="text-align: center;">For receiving Office use only</p> <div style="border: 1px solid black; height: 40px; margin-bottom: 5px;"></div> <div style="border: 1px solid black; padding: 5px;"> <input checked="" type="checkbox"/> This sheet was received with the international application </div> <div style="border: 1px solid black; padding: 5px;"> Authorized officer </div>	<p style="text-align: center;">For International Bureau use only</p> <div style="border: 1px solid black; height: 40px; margin-bottom: 5px;"></div> <div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> This sheet was received by the International Bureau on: </div> <div style="border: 1px solid black; padding: 5px;"> Authorized officer </div>
--	---

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM
(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>WIPQ</u> <u>PCT</u> <u>20-21</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30108
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB10B(pCMVSPORT6) In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

<p align="center">For receiving Office use only</p> <div style="border: 1px solid black; padding: 5px;"> <input checked="" type="checkbox"/> This sheet was received with the international application </div> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> Authorized officer </div>	<p align="center">For International Bureau use only</p> <div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> This sheet was received by the International Bureau on: </div> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> Authorized officer </div>
---	--


INDICATIONS RELATING TO A DEPOSITED MICROORGANISM
(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>54</u> , line <u>9</u> .	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30105
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB3.1(pEZC15103) In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (If the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

<p style="text-align: center;">For receiving Office use only</p> <div style="border: 1px solid black; padding: 5px; height: 100px;"> <input checked="" type="checkbox"/> This sheet was received with the international application Authorized officer </div>	<p style="text-align: center;">For International Bureau use only</p> <div style="border: 1px solid black; padding: 5px; height: 100px;"> <input type="checkbox"/> This sheet was received by the International Bureau on: Authorized officer </div>
--	---

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM
(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>54</u> , line <u>9</u> .	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30104
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB3.1(pEZC15102) In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer 	Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM
(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>52</u> , line <u>31</u> .	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input checked="" type="checkbox"/>	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30099
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKan) In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (If the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	

<p align="center">For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Barbara Fridie PCT Operations - IPD Team 1 703) 305-3777 703) 305-3230 (FAX)</p>	<p align="center">For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
--	--

Escherichia coli DB3.1(pENTR-3C)**ICELAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pENTR-3C)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pENTR-2B)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the National Board of Patents and Registration or any person approved by the applicant in the individual case.

Escherichia coli DB3.1(pENTR-2B)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

*Escherichia coli DB3.1(pENTR-2B)***SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pENTR-1A)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the National Board of Patents and Registration or any person approved by the applicant in the individual case.

Escherichia coli DB3.1(pENTR-1A)**ICELAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pENTR-1A)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

*Escherichia coli DB10B(pCMVSPORT6)***AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the National Board of Patents and Registration or any person approved by the applicant in the individual case.

Escherichia coli DB3.1(pAHPKan) or *Escherichia coli* DB3.1(pAttPKan)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the National Board of Patents and Registration or any person approved by the applicant in the individual case.

Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKan)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKan)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

*Escherichia coli DB10B(pCMVSport6)***ICELAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB10B(pCMVSPORT6)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

*Escherichia coli DB3.1(pEZC15103)***AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the National Board of Patents and Registration or any person approved by the applicant in the individual case.

Escherichia coli DB3.1(pEZC15103)**ICELAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pEZC15103)**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pEZC15102)**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the National Board of Patents and Registration or any person approved by the applicant in the individual case.

Escherichia coli DB3.1(pEZC15102)**ICELAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pEZC15102)**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pEZC15101)**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the National Board of Patents and Registration or any person approved by the applicant in the individual case.

Escherichia coli DB3.1(pEZC15101)**ICELAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pEZC15101)**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

Escherichia coli DB3.1(pENTR-3C)**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the National Board of Patents and Registration or any person approved by the applicant in the individual case.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/05432

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : Please See Extra Sheet.

US CL : 435/91.2, 252.3, 320.1; 530/350; 536/ 23.1, 24.1

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435/91.2, 252.3, 320.1; 530/350; 536/ 23.1, 24.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

NONE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Please See Extra Sheet.

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P ---- Y,P	US 5,888,732 A (HARTLEY et al.) 30 March 1999, see entire document.	1-21, 25-30 36-38 ----- 22-24, 31-35
X - Y	HASAN et al. Escherichia coli genome targeting, I. Cre-lox-mediated in vitro generation of ori- plasmids and their in vivo chromosomal integration and retrieval. Gene. 1994, Vol. 150, pages 51-56, see entire document.	1-5, 10, 11, 19-21 ----- 15-18, 22-38
X - Y	KATZ et al. Site-specific recombination in Escherichia coli between the att sites of plasmid pSE211 from Saccharopolyspora erythraea. Mol. Gen. Genet. 1991, Vol. 227, pages 155-159, see entire document.	1-11, 19-21 ----- 15-18, 22-38

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

08 MAY 2000

Date of mailing of the international search report

23 MAY 2000

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

IREM YUCEL

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/05432

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X - Y	ASTUMIAN et al. Site-specific recombination between cloned attP and attB sites from the Haemophilus influenzae bacteriophage HP1 propagated in recombination deficient Escherichia coli. J of Bacteriology. March 1989, Vol. 171, No. 3, pages 1747-1750, see entire document.	1-11, 19-21 ----- 15-18, 22-38

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/05432

A. CLASSIFICATION OF SUBJECT MATTER:

IPC (7):

C07H 21/04; C07K 1/00, 14/00; C12N 1/21, 15/00, 15/09, 15/63, 15/70; C12P 19/34

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

WEST, STN (CAPLUS); DIALOG (MEDLINE, BIOSIS, SCISEARCH, PASCAL)

Terms: att (B?, P?, R?, L?), MCS, POLYLINKER, PLASMID, VECTOR, LOCALIZATION, SIGNAL, TRANSCRIPTION, TERMIN?, TRANSLATION?, ORI, REPLICON, GST, HEXHIST?, THIOREDOX?, CLEAVAGE, SITE?, SPECIF?, DIRECT?, RECOMBIN?, CLON?, INSERT?